

DEFENDER DPS HD10



| | Best-In Class | 2016 Can-Am® Defender DPS HD10 | 2016 Polaris Ranger XP 900 EPS | 2015 John Deere XUV 825i EPS | 2016 Honda Pioneer 1000 EPS |
|------------------|----------------------|---|--|--|---|
| MSRP | | \$14,999 USD | \$14,499 USD | \$13,159 USD | \$15,199 USD |
| Warranty | ✓ | Promotional launch offer: 36 months limited warranty* | 6 months | 1 year | 1 year |
| Engine | ✓ | Rotax® 976 cc, V-twin, liquid cooled, EFI | 875 cc, twin cylinders, liquid cooled, EFI | 812 cc t3, inline cylinders, liquid cooled, EFI | 999 cc, twin cylinders, liquid cooled, EFI |
| Transmission | ✓ | PRO-TORQ Transmission, Extra-L / H / N / R / P | Automatic PVT H/L/N/R/P | Standard CVT | DCT |
| Front suspension | ✓ | Double A-arm with 10 in (25.4 cm) travel | Double A-arm with 10 in (25.4 cm) travel | Double A-arm with 8 in (20.3 cm) travel | Double A-arm with 10 in (25.4 cm) travel |
| Rear suspension | ✓ | TTA-HD with 10 in (25.4 cm) travel | Double A-arm, IRS with 10 in (25.4 cm) travel | Double A-arm with sway bar with 9 in (22.9 cm) travel | Double A-arm, IRS with 10 in (25.4 cm) travel |
| Power steering | ✓ | Dynamic Power Steering | EPS | EPS | EPS |
| Traction system | ✓ | True 4 modes traction system: 2x4 rear-open, 2x4 rear-locked, 4x4 rear-open, 4x4 rear-locked And Visco-Lok QE auto-locking front differential | On-Demand AWD/2WD/ VersaTrac Turf Mode | On-demand AWD/2WD | Four drive modes include 2WD, 4WD, Turf and Differential lock |
| Wheelbase | ✓ | 83 in. (211,5 cm) | 81 in. (206 cm) | 79 in. (200.7 cm) | 80.2 in. (203.7 cm) |
| Towing capacity | ✓ | 2,000 lb (907.2 kg) | 2,000 lb (907.2 kg) | 1,500 lb (680 kg) | 2,000 lb (907.2 kg) |
| Payload capacity | ✓ | 1,500 lb (680 kg) | 1,500 lb (680 kg) | 1,400 lb (635 kg) | N/A |
| Cargo capacity** | ✓ | 1,000 lb (454 kg) | 1,000 lb (454 kg) | 1,000 lb (454 kg) | 1,000 lb (454 kg) |
| Storage | ✓ | - Water-resistant and removable toolbox - Open dash storage - Under-dash storage | - Fixed glovebox - No open dash storage - Under-dash storage | - Open glovebox - No open dash storage - No under-dash storage | - Fixed glovebox - No open dash storage - No under-dash storage |
| Fuel capacity | ✓ | 10.6 gal (40 L) | 10 gal (37.9 L) | 7.3 gal (27.6 L) | 7.9 gal (29.9 L) |
| Seat | ✓ | VERSA-PRO Bench with passenger seats flipping up | Bench seat | Bench seat | Bench seat |
| Cage | ✓ | Profiled | Profiled | Tubular | Tubular |
| Lighting | ✓ | 140-W lighting output from four 35-W reflectors | 55W low/ 60W high | N/A | N/A |

* 6 months BRP limited warranty + 30 months BRP limited warranty (promotion). The promotion is subject to termination or change at any time without notice.

© 2015 Bombardier Recreational Products Inc. (BRP). All rights reserved. TM, ®, and the BRP logo are trademarks of Bombardier Recreational Products, Inc. or its affiliates. †Visco-Lok is a trademark of GKN Viscodrive GmbH. ‡All other trademarks are the property of their respective owners. Information valid as of October 1, 2015. Other manufacturers may offer special promotions from time to time. The \$14,999 MSRP is only valid in the US. For other jurisdictions, see your local dealer. All competitive comparisons are based on 2015/2016 models and on published manufacturer specifications at time of printing. In the USA, the products are distributed by BRP US Inc. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. * The promotion is subject to termination or change at any time without notice. **California only. 600 lb (272.2 kg) Read the side-by-side operator's guide and watch the safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. SxS are for off-road use only; never ride on paved surfaces or public roads. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Ride responsibly.

can-am



DEFENDER HD8



| | Best-In Class | 2016 Can-Am® Defender HD8 with convenience package | 2016 Polaris Ranger XP 570 |
|------------------|----------------------|--|--|
| MSRP | | \$11,599 USD | \$11,299 USD |
| Warranty | ✓ | Promotional launch offer: 36 months limited warranty* | 6 months |
| Engine | ✓ | Rotax® 799.9 cc, V-twin, liquid cooled, EFI | 567 cc, twin cylinders, liquid cooled, EFI |
| Transmission | ✓ | PRO-TORQ Transmission, Extra-L / H / N / R / P | Automatic PVT H/L/N/R/P |
| Front suspension | ✓ | Double A-arm with 10 in (25.4 cm) travel | Double A-arm with 10 in (25.4 cm) travel |
| Rear suspension | ✓ | TTA-HD with 10 in (25.4 cm) travel | Double A-arm, IRS with 10 in (25.4 cm) travel |
| Traction system | ✓ | True 4 modes traction system: 2x4 rear-open, 2x4 rear-locked, 4x4 rear-open, 4x4 rear-locked And Visco-Lok auto-locking front differential | On-Demand AWD/2WD/ VersaTrac Turf Mode |
| Wheelbase | ✓ | 83 in. (211.5 cm) | 81 in. (206 cm) |
| Towing capacity | ✓ | 2,000 lb (907.2 kg) | 2,000 lb (907.2 kg) |
| Payload capacity | ✓ | 1,500 lb (680 kg) | 1,500 lb (680 kg) |
| Cargo capacity** | ✓ | 1,000 lb (454 kg) | 1,000 lb (454 kg) |
| Storage | ✓ | - Water-resistant and removable toolbox - Open dash storage - Under-dash storage | - Fixed glovebox - No open dash storage - Under-dash storage |
| Fuel capacity | ✓ | 10.6 gal (40 L) | 10 gal (37.9 L) |
| Seat | ✓ | VERSA-PRO bench seat with passenger seats flipping up | Bench seat |
| Cage | ✓ | Profiled | Profiled |
| Lighting | ✓ | 140-W lighting output from four 35-W reflectors | 55W low/ 60W high |

* 6 months BRP limited warranty + 30 months BRP limited warranty (promotion). The promotion is subject to termination or change at any time without notice.

© 2015 Bombardier Recreational Products Inc. (BRP). All rights reserved.™, ®, and the BRP logo are trademarks of Bombardier Recreational Products, Inc. or its affiliates. †Visco-Lok is a trademark of GKN Viscodrive GmbH. ‡All other trademarks are the property of their respective owners. Information valid as of October 1, 2015. Other manufacturers may offer special promotions from time to time. The \$11,599 MSRP is only valid in the US. For other jurisdictions, see your local dealer. All competitive comparisons are based on 2015/2016 models and on published manufacturer specifications at time of printing. In the USA, the products are distributed by BRP US Inc. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. **The promotion is subject to termination or change at any time without notice. **California only: 600 lb (272.2 kg) Read the side-by-side operator's guide and watch the safety DVD before driving. For your safety: wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. SxS are for off-road use only; never ride on paved surfaces or public roads. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Ride responsibly.

can-am



DEFENDER HD8



| | Best-In Class | 2016 Can-Am® Defender HD8 | 2016 Polaris Ranger 570 | 2015 John Deere XUV 625i |
|-----------------------------|----------------------|---|--|--|
| MSRP | | \$10,999 USD | \$9,999 USD | \$10,859 USD |
| Warranty | ✓ | Promotional launch offer: 36 months limited warranty* | 6 months | 1 year |
| Engine | ✓ | Rotax® 799.9 cc, V-twin, liquid cooled, EFI | 567 cc, twin cylinders, liquid cooled, EFI | 617 cc, twin cylinders, liquid cooled, EFI |
| Transmission | ✓ | PRO-TORQ Transmission, Extra-L / H / N / R / P | Automatic PVT H/L/N/R/P | Standard CVT |
| Front suspension | ✓ | Double A-arm with 10 in (25.4 cm) of travel | Macpherson Strut with 9 in. (22.9 cm) of travel | Double A-arm with 8 in (20.3 cm) of travel |
| Rear suspension | ✓ | TTA-HD with external sway bar with 10 in (25.4 cm) of travel | Double A-arm, IRS with 10 in (25.4 cm) of travel | Double A-arm with sway bar with 9 in (22.9 cm) of travel |
| Traction system | ✓ | Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential | On-Demand AWD/2WD | On-demand AWD/2WD |
| Ground clearance | ✓ | 11 in. (28 cm) | 10.5 in. (26.7 cm) | 11 in. (28 cm) |
| Wheelbase | ✓ | 83 in. (211.5 cm) | 75 in. (190.5 cm) | 79 in. (200.7 cm) |
| Wheels and tires | ✓ | 12 in. (30.5 cm) steel wheels with 25 in. (63.5 cm) Maxxis tires | 12 in. (30.5 cm) steel wheels with 25 in. (63.5 cm) Carlisle tires | 12 in. (30.5 cm) steel wheels with 25 in. (63.5 cm) Terrahawk AT tires |
| Towing capacity | ✓ | 2,000 lb (907.2 kg) | 1,500 lb (680 kg) | 1,500 lb (680 kg) |
| Payload capacity | ✓ | 1,500 lb (680 kg) | 1,500 lb (680 kg) | 1,400 lb (635 kg) |
| Cargo Box capacity** | ✓ | 1,000 lb (454 kg) | 800 lb (363 kg) | 1,000 lb (454 kg) |
| Fuel capacity | ✓ | 10.6 gal (40 L) | 9 gal (34.1 L) | 7.3 gal (27.6 L) |
| Seat | ✓ | VERSA-PRO bench seat with passenger seats flipping up | Bench seat | Bench seat |
| Cage | ✓ | Profiled | Tubular | Tubular |
| Lighting | ✓ | 140-W lighting output from four 35-W reflectors | 50-W headlight | 75-W lighting from two 37.5-W reflector |

* 6 months BRP limited warranty + 30 months BRP limited warranty (promotion). The promotion is subject to termination or change at any time without notice.

© 2015 Bombardier Recreational Products Inc. (BRP). All rights reserved.™, ®, and the BRP logo are trademarks of Bombardier Recreational Products, Inc. or its affiliates. †Visco-Lok is a trademark of GKN Viscodrive GmbH. ‡All other trademarks are the property of their respective owners. Information valid as of October 1, 2015. Other manufacturers may offer special promotions from time to time. The \$10,999 MSRP is only valid in the US. For other jurisdictions, see your local dealer. All competitive comparisons are based on 2015/2016 models and on published manufacturer specifications at time of printing. In the USA, the products are distributed by BRP US Inc. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. *The promotion is subject to termination or change at any time without notice. **California only: 600 lb (272.2 kg) Read the side-by-side operator's guide and watch the safety DVD before driving. For your safety: wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. SxS are for off-road use only; never ride on paved surfaces or public roads. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Ride responsibly.

can-am

