

# can-am®

## DEFENDER DPS HD5

# 2021

### HIGHLIGHTS

<b>TOUGH</b>	<ul style="list-style-type: none"> <li>• Heavy-duty Rotax® engine</li> <li>• Smooth, durable and responsive transmission</li> <li>• True Can-Am DNA with a strong identity</li> </ul>
<b>CAPABLE</b>	<ul style="list-style-type: none"> <li>• Work or ride with confidence</li> <li>• Meaningful and versatile functionality</li> <li>• Easy handling and capabilities</li> </ul>
<b>CLEVER</b>	<ul style="list-style-type: none"> <li>• Advanced comfort and intuitive cockpit with optimized visibility</li> <li>• Multifunction cargo box with sturdy tailgate and smart storage</li> <li>• 1 year maintenance-free and easy access to key maintenance components</li> </ul>
<b>PLATFORM FEATURES</b>	<ul style="list-style-type: none"> <li>• 62 in. wide</li> <li>• 83 in. wheelbase</li> <li>• 10.5 in. of ground clearance</li> <li>• 1,500 lb towing capacity</li> <li>• Multifunction cargo box</li> <li>• 12 in. steel wheels</li> <li>• VERSA-PRO bench seat</li> <li>• HMWPE central skid plate</li> <li>• ECO™/ECO™ Off/Work modes</li> <li>• 4.5 in. digital display</li> </ul>
<b>SPECIFIC TO DPS HD5 PACKAGE</b>	<ul style="list-style-type: none"> <li>• Dynamic Power Steering (DPS™)</li> <li>• Visco-Lok® QE front differential</li> <li>• 12 in. cast-aluminum wheels</li> <li>• Mossy Oak Break-Up Country Camo water dipped option</li> </ul>

ENGINE	HD5
Type	38 hp, Rotax 427 cc single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	CVT, P/R/N/H/L, standard engine braking
Drive Train	Selectable 2WD/4WD with Visco-Lok QE auto-locking front differential
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS)

SUSPENSIONS	
Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas charged shocks

TIRES & WHEELS	
Front Tires	Maxxis® M923J¹ 25 x 8 x 12 in. (63.5 x 20.3 x 30.5 cm)
Rear Tires	Maxxis M924J¹ 25 x 10 x 12 in. (63.5 x 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast-aluminum

BRAKES	
Front	Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers
Rear	Single 220 mm ventilated disc brakes with hydraulic twin-piston calipers



Green / HD5  
 Mossy Oak® Break-Up Country Camo¹ / HD5

### DIMENSIONS & CAPACITIES

Chassis/Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,322.8 lb (600 kg)
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	10.5 in. (26.7 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	600 lb (272.2 kg)
Power Tilt Bed	N/A
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L) Under dash: 6 gal (22.8 L) Dash: 1.8 gal (6.9 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 0.9 gal (3.5 L)
Towing Capacity	1,500 lb (680 kg)
Payload Capacity	1,200 lb (544 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

### FEATURES

Gauge	4.5 in. (11.4 cm) wide digital display: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, ECO™/ECO™ Off/Work modes, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature
Battery	12 V (18 A/h)
Magneto	500 W
Instrumentation	Lighter type DC outlet in console (20 A)
Lighting	140 W lighting output from four 35 W reflectors ensuring wide visibility and LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks and contoured bench to improve entrance/exit of the cab
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

### WARRANTY & EXTENDED SERVICE

Factory Warranty	1 year BRP limited warranty
Extended Service Terms	B.E.S.T. term available up to 30 months

© 2020 Bombardier Recreational Products Inc (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. ¹ Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side-by-side vehicle (SSV) Operator's Guide and watch the Safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Always remember that riding and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speed. Ride responsibly.



# can-am®

## DEFENDER DPS HD8

# 2021

### HIGHLIGHTS

<b>TOUGH</b>	<ul style="list-style-type: none"> <li>• Heavy-duty Rotax® engine</li> <li>• Smooth, durable and responsive transmission</li> <li>• True Can-Am DNA with a strong identity</li> </ul>
<b>CAPABLE</b>	<ul style="list-style-type: none"> <li>• Work or ride with confidence</li> <li>• Meaningful and versatile functionality</li> <li>• Easy handling and capabilities</li> </ul>
<b>CLEVER</b>	<ul style="list-style-type: none"> <li>• Advanced comfort and intuitive cockpit with optimized visibility</li> <li>• Multifunction cargo box with sturdy tailgate and smart storage</li> <li>• 1 year maintenance-free and easy access to key maintenance components</li> </ul>
<b>PLATFORM FEATURES</b>	<ul style="list-style-type: none"> <li>• 62 in. wide</li> <li>• 83 in. wheelbase</li> <li>• 11 in. of ground clearance</li> <li>• 2,500 lb towing capacity</li> <li>• Multifunction cargo box</li> <li>• Rear differential with Turf mode</li> <li>• VERSA-PRO bench seat</li> <li>• HMWPE central skid plate</li> <li>• ECO™/ECO™ Off/Work modes</li> <li>• 4.5 in. digital display</li> </ul>
<b>SPECIFIC TO DPS HD8 PACKAGE</b>	<ul style="list-style-type: none"> <li>• Dynamic Power Steering (DPS™)</li> <li>• Visco-Lok® QE front differential</li> <li>• 14 in. cast-aluminum wheels</li> <li>• Mossy Oak Break-Up Country Camo water dipped option</li> </ul>

ENGINE	HD8
Type	50 hp/50 lb-ft, Rotax 799.9 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok QE auto-locking front differential
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS)

SUSPENSIONS	
Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas charged shocks

TIRES & WHEELS	
Front Tires	Depending on production date: Maxxis Bighorn 2.0' 27 x 9 x 14 in. XPS Trail Force 27 x 9 x 14 in.
Rear Tires	Depending on production date: Maxxis Bighorn 2.0' 27 x 11 x 14 in. XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. (35.6 cm) cast-aluminum

BRAKES	
Front	Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm ventilated disc brakes with hydraulic single-piston calipers



- Green / HD8
- Oxford Blue / HD8
- Timeless Black / HD8
- Mossy Oak® Break-Up Country Camo® / HD8

### DIMENSIONS & CAPACITIES

Chassis/Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,521.2 lb (690 kg)
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)/California only: 600 lb (272.2 kg)
Power Tilt Bed	N/A
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L) Under dash: 6 gal (22.8 L) Dash: 1.8 gal (6.9 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 0.9 gal (3.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

### FEATURES

Gauge	4.5 in. (11.4 cm) wide digital display: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, ECO™/ECO™ Off/Work modes, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature
Battery	12 V (18 A/h)
Magneto	650 W
Instrumentation	Lighter type DC outlet in console (20 A)
Lighting	140 W lighting output from four 35 W reflectors ensuring wide visibility and LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks and contoured bench to improve entrance/exit of the cab
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

### WARRANTY & EXTENDED SERVICE

Factory Warranty	1 year BRP limited warranty
Extended Service Terms	B.E.S.T. term available up to 30 months

# can-am

## DEFENDER DPS HD10

# 2021

### HIGHLIGHTS

<b>TOUGH</b>	<ul style="list-style-type: none"> <li>• Heavy-duty Rotax® engine</li> <li>• Smooth, durable and responsive transmission</li> <li>• True Can-Am DNA with a strong identity</li> </ul>
<b>CAPABLE</b>	<ul style="list-style-type: none"> <li>• Work or ride with confidence</li> <li>• Meaningful and versatile functionality</li> <li>• Easy handling and capabilities</li> </ul>
<b>CLEVER</b>	<ul style="list-style-type: none"> <li>• Advanced comfort and intuitive cockpit with optimized visibility</li> <li>• Multifunction cargo box with sturdy tailgate and smart storage</li> <li>• 1 year maintenance-free and easy access to key maintenance components</li> </ul>
<b>PLATFORM FEATURES</b>	<ul style="list-style-type: none"> <li>• 83 in. wheelbase</li> <li>• 13 in. of ground clearance</li> <li>• ECO™/ECO™ Off/Work modes</li> <li>• 2,500 lb towing capacity</li> <li>• Multifunction cargo box</li> <li>• 27 in. Maxxis® Bighorn 2.0<sup>1</sup></li> <li>• Rear differential with Turf mode</li> <li>• VERSA-PRO bench seat</li> <li>• HMWPE central skid plate</li> <li>• 4.5 in. digital display</li> </ul>
<b>SPECIFIC TO DPS HD10 PACKAGE</b>	<ul style="list-style-type: none"> <li>• 64 in. wide with arched A-arm</li> <li>• Dynamic Power Steering (DPS™)</li> <li>• Visco-Lok<sup>1</sup> QE front differential</li> <li>• 14 in. cast-aluminum wheels</li> </ul>

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok QE auto-locking front differential
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS)

SUSPENSIONS	
Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas charged shocks

TIRES & WHEELS	
Front Tires	Maxxis Bighorn 2.0 27 x 9 x 14 in. (68.6 x 22.9 x 35.6 cm)
Rear Tires	Maxxis Bighorn 2.0 27 x 11 x 14 in. (68.6 x 27.9 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum

BRAKES	
Front	Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm ventilated disc brakes with hydraulic single-piston calipers



- Green / HD10
- Oxford Blue / HD10
- Timeless Black / HD10

### DIMENSIONS & CAPACITIES

Chassis/Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,536.6 lb (697 kg)
L x W x H	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)/California only: 600 lb (272.2 kg)
Power Tilt Bed	N/A
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L) Under dash: 6 gal (22.8 L) Dash: 1.8 gal (6.9 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 0.9 gal (3.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

### FEATURES

Gauge	4.5 in. (11.4 cm) wide digital display: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, ECO™/ECO™ Off/Work modes, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature
Battery	12 V (18 A/h)
Magneto	650 W
Instrumentation	Lighter type DC outlet in console (20 A)
Lighting	140 W lighting output from four 35 W reflectors ensuring wide visibility and LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks and contoured bench to improve entrance/exit of the cab
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper, HMWPE central skid plate
Hitch Type	2 in. hitch receiver

### WARRANTY & EXTENDED SERVICE

Factory Warranty	1 year BRP limited warranty
Extended Service Terms	B.E.S.T. term available up to 30 months

© 2020 Bombardier Recreational Products Inc (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. <sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side-by-side vehicle (SSV) Operator's Guide and watch the Safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Always remember that riding and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speed. Ride responsibly.

