



MY25 Compare Sheets

August 2024








	<i>can-am</i>	Competition
Ute-Rec / Low HP Value	2025 Can-Am DEFENDER HD7	2025 Polaris† Ranger 570 Full-Size
Ute-Rec / Mid HP Value	2025 Can-Am DEFENDER HD9	2025 Polaris† Ranger 1000
Ute-Rec / Mid HP Value	2025 Can-Am DEFENDER DPS HD9	2025 Polaris† Ranger 1000 EPS
Ute-Rec / Mid HP Premium	2025 Can-Am DEFENDER XT HD9	2025 Polaris† Ranger 1000 Premium
Ute-Rec / High HP Premium	2025 Can-Am DEFENDER XT HD10	2025 Polaris† Ranger XP 1000 Premium
Ute-Rec / High HP Premium	2025 Can-Am DEFENDER Limited HD10	2025 Polaris† Ranger XP 1000 NorthStar Premium
Rec-Ute / Mid HP Value	2025 Can-Am COMMANDER DPS 700	2025 Kawasaki† TERYX
Rec-Ute / High HP Value	2025 Can-Am COMMANDER DPS 1000R	2025 Polaris† GENERAL 1000 Sport
Rec-Ute / High HP Value	2025 Can-Am COMMANDER XT-P 1000R	2025 Polaris† GENERAL XP 1000 Ultimate
Rec-Sport 50 / High HP Value	2025 Can-Am MAVERICK TRAIL DPS 1000	2025 Polaris† RZR Trail Sport
Rec-Sport 60 / High HP Value	2025 Can-Am MAVERICK SPORT X rc 1000R	2025 Polaris† RZR Trail S 1000 Ultimate
Rec-Sport 64 / Mid HP Value	2025 Can-Am MAVERICK X3 DS TURBO	2025 Polaris† RZR XP 1000 SPORT
Rec-Sport 64 / High HP Value	2025 Can-Am MAVERICK X3 DS TURBO RR	2025 Polaris† RZR PRO XP SPORT
Rec-Sport 64 / High HP Premium	2025 Can-Am MAVERICK X3 X ds TURBO RR with Smart Shox	2025 Polaris† RZR PRO XP Ultimate
Rec-Sport 72 / Mid HP Value	2025 Can-Am MAVERICK X3 RS TURBO	2025 Polaris† RZR XP 1000 Sport***
Rec-Sport 72 / High HP Value	2025 Can-Am MAVERICK X3 RS TURBO RR	2025 Polaris† RZR PRO S Sport
Rec-Sport 72 / High HP Premium	2025 Can-Am MAVERICK X3 X rs TURBO RR	2025 Polaris† RZR PRO S Premium
Rec-Sport 72 / High HP Premium	2025 Can-Am MAVERICK X3 X rs TURBO RR with Smart-Shox	2025 Polaris† RZR PRO S Ultimate
Rec-Sport 77 / High HP Value	2025 Can-Am MAVERICK R	2025 Polaris† RZR PRO R Sport
Rec-Sport 77 / High HP Premium	2025 Can-Am MAVERICK R X rs with Smart-Shox	2025 Polaris† RZR PRO R Ultimate
Rec-Sport 77 / High HP Premium	2025 Can-Am MAVERICK R MAX X rs with Smart-Shox	2025 Polaris† RZR 4 PRO R Ultimate

2025 Can-Am DEFENDER HD7



HOW TO WIN

-  **Performance**
+8HP / +6 lb-ft torque / More power and torque
-  **Traction**
8-Ply rating, Bigger and better tires for improved riding experience
-  **Towing capacity**
+1,000lb capability to tow more without a sweat
-  **Lighting Output**
Better visibility +90W front lighting output
-  **Features**
VERSA-PRO Bench seat for improved comfort.
LinQ and accessory ecosystem
Bigger gauge display

NEW For 2025

- Update coloration
New Compass Green
- New Speed Limiter

Key features

- 52 hp / 42 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled
- CVT with engine braking and Electronic Drive Belt Protection & pDrive primary clutch L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
- ECO™ / ECO™ Off / Work modes
- Speed Limiter
- 11 in. (28 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm / 10 in. (25.4 cm)
- RR: TTA with external sway bar / 10 in. (25.4 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail force with 14 in. steel wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bench seat with passenger seats flipping up with underside hooks
- Adjustable tilt steering
- Integrated front steel bumper
- HMWPE central skid plate
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger 570 Full-Size

Key features

- 44 hp / 567cc, single cylinder, liquid cooled, EFI
- CVT transmission
- On-Demand AWD / 2WD / VersaTrac Turf Mode
- 10.5 in. (26.7 cm) Ground clearance
- 79 in. (200.7 cm) Wheelbase

Suspension Travel:

- FR: MacPherson Strut 9 in. (22.9 cm)
- RR: Dual A-Arm, IRS 10 in. (25.4 cm)

Additional features

- 25in. Carlisle with 12in. Stamped steel wheels
- 1,500 lb (680 kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 9-gal (34.1 L) Fuel capacity
- 50W Headlight, LED Taillight
- Standard Bench Seat / 3-Seater
- Standard tilt steering
- Front Bumper
- 2 in. LCD Single analog display

2025 Can-Am DEFENDER HD9



HOW TO WIN



Performance
+4HP / More power and torque



Traction
8-Ply rating, Bigger and better tires for improved riding experience



Lighting Output
Better visibility +25W front lighting output



Features
VERSA-PRO Bench seat for improved comfort.
LinQ and accessory ecosystem
Speed Limiter

NEW For 2025

- Update coloration
New Compass Green
- Updated coloration
New Stealth Black
- New Speed Limiter

Key features

- 65 hp / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes
- Speed Limiter
- 11 in. (28 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm / 10 in. (25.4 cm)
- RR: TTA with external sway bar / 10 in. (25.4 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail force with 14 in. steel wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W
- LED taillights
- VERSA-PRO bench seat with passenger seats flipping up with underside hooks
- Adjustable tilt steering
- Integrated front steel bumper
- HMWPE central skid plate
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger 1000

Key features

- 61 hp / 999cc twin cylinders SOHC, liquid cooled, EFI
- CVT transmission
- On-Demand AWD / 2WD / VersaTrac Turf Mode
- 12 in. (30.5 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 10 in. (25.4 cm)
- RR: Dual A-Arm, IRS 10 in. (25.4 cm)

Additional features

- 25in. Carlisle with 12in. Stamped steel wheels
- 2,500 lb (1,134kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 11.35-gal (43 L) Fuel capacity
- Halogen Headlights, 55W Low Beam, 60W High Beam, Dual LED Tail Lights
- Standard Bench Seat / 3-Seater
- Standard tilt steering
- Central skid plate
- 4 in. LCD display

2025 Can-Am DEFENDER DPS HD9



HOW TO WIN



Performance
+4HP / More power and torque



Traction
8-Ply rating, Bigger and better tires for improved riding experience



Lighting Output
Better visibility +25W front lighting output



Features
VERSA-PRO Bench seat for improved comfort.
LinQ and accessory ecosystem
Speed Limiter

NEW For 2025

- Updated coloration
New Compass Green
- Updated coloration
New Stealth Black
- New Speed Limiter

Key features

- 65 hp / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes
- Speed Limiter
- 11 in. (28 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm / 10 in. (25.4 cm)
- RR: TTA with external sway bar / 10 in. (25.4 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail force with 14 in. Aluminum wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bench seat with passenger seats flipping up with underside hooks
- Adjustable tilt steering
- Integrated front steel bumper
- HMWPE central skid plate
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger 1000 EPS

Key features

- 61 hp / 999cc twin cylinders SOHC, liquid cooled, EFI
- Gen 2 Automatic PVT H/L/N/R/P; Shaft
- High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 12 in. (30.5 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 10 in. (25.4 cm)
- RR: Dual A-Arm, IRS 10 in. (25.4 cm)

Additional features

- 25in. Carlisle with 12in. Stamped steel wheels
- 2,500 lb (1,134kg) Towing capacity
- 1,500 lbs (680.4 kg) Payload capacity
- 11.35-gal (43 L) Fuel capacity
- Halogen Headlights, 55W Low Beam, 60W High Beam, Dual LED Tail Lights
- Standard Bench Seat / 3-Seater
- Standard tilt steering
- Front bumper & Central skid plate
- Lock & Ride®
- 4 in. LCD display

2025 Can-Am DEFENDER XT HD9



HOW TO WIN



Performance
+4HP / More power and torque



Traction
8-Ply rating, Bigger and better tires for improved riding experience



Features
VERSA-PRO bolster bench seat with reinforced XT seat skin
Vast LinQ and accessory ecosystem
Speed Limiter

NEW For 2025

- New Dusty Navy coloration
- Updated coloration New Stealth Black
- New Speed Limiter

Key features

- 65 hp / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes
- Speed Limiter
- 11 in. (28 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm / 10 in. (25.4 cm)
- RR: TTA with external sway bar / 10 in. (25.4 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail force with 14 in. Aluminum wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat. Adjustable tilt steering
- XT Front bumper, Full hard roof
- HMWPE full skid plate
- 4,500 lb (2,014 kg) winch
- Vast LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger 1000 Premium

Key features

- 61 hp / 999cc twin cylinders SOHC, liquid cooled, EFI
- Gen 2 Automatic PVT H/L/N/R/P; Shaft
- High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 12 in. (30.5 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 10 in. (25.4 cm)
- RR: Dual A-Arm, IRS 10 in. (25.4 cm)

Additional features

- 26in. PXT with 12in. Aluminum wheels
- 2,500 lb (1,134 kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 11.35-gal (43 L) Fuel capacity
- Dual LED Headlights, 600lm Low Beam, 1000lm High Beam, Dual LED Tail Lights
- Cut & Sew Bench Seat with adjustable Seat Slider. Standard tilt – steering
- Front bumper, Full roof and Central skid plate
- Polaris HD 4500 lb Synthetic Rope Winch
- Lock & Ride®
- 4 in. LCD display

2025 Can-Am DEFENDER XT HD10



HOW TO WIN

 **Performance**
+7 lb-ft / More torque

 **Features**
LinQ and accessory ecosystem
Speed Limiter

NEW For 2025

- New Dusty Navy coloration
- Updated coloration New Stealth Black
- New Speed Limiter

Key features

- 82 hp / 69 lb ft / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD auto-Locking front differential
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes / Speed Limiter
- 13 in. (33 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Arched double A-arm / 11 in. (27.9 cm)
- RR: Arched TTA with external sway bar / 11 in. (27.9 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail King with 14 in. Aluminum wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat. Adjustable tilt steering
- XT Front bumper, Full hard roof
- HMWPE full skid plate
- 4,500 lb (2,014 kg) winch
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger XP 1000 Premium

Key features

- 82 hp / 62 lb ft / 999cc twin cylinders, liquid cooled, EFI
- Gen 2 Automatic PVT H/L/N/R/P; Shaft
- High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 14 in. (36 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 11 in. (27.9 cm)
- RR: Dual A-Arm, IRS 11 in. (27.9 cm)

Additional features

- 29 in. PRO ARMOR X-TERRAIN with 14in. Aluminum wheels
- 2,500 lb (1,134kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 11.5-gal (43.5 L) Fuel capacity
- Dual LED Headlights, 600lm Low Beam, 1000lm High Beam, Dual LED Tail Lights
- Cut & Sew Bench Seat with adjustable Seat Slider. Standard tilt steering
- Front bumper, full roof and Central skid plate
- Polaris HD 4500 lb Synthetic Rope Winch
- Lock & Ride®
- 4 in. LCD display

2025 Can-Am DEFENDER Limited HD10



HOW TO WIN



Performance
+7 lb-ft / More torque



Suspension
+1 in. front and rear suspension travel
Front and rear Arched Double A-arms for aggressive stance



Traction
Bigger (30 in.) and better tires for improved riding experience



Features
Exclusive Smart-Lok*
Modern look with large painted door panels
HVAC with Climate system
Tinted windows for reduced heat gain
Bigger gauge

NEW For 2025

Key features

- New Dusty Navy coloration
- New Tinted windows
- New Door locks
- New Speed Limiter

- 82 hp / 69 lb ft / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Turf Mode / 2WD / 4WD with exclusive Smart-Lok*
- Dynamic Power Steering (DPS)

- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes
- Speed Limiter

- 14 in. (35.6 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Arched double A-arm with swaybar / 12 in. (30.5 cm)
- RR: Arched double A-arm with swaybar / 12 in. (30.5 cm)

Shocks:

- Twin tube gas charged shocks

- 30 in. XPS Trac Force with 14 in. Aluminum wheels

Additional features

- 2,500 lb (1,134kg) towing capacity
- 1,200 lb (544 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity

- Front lighting output 140-W, LED taillights, LED signature

- VERSA-PRO bolster bench seat with reinforced seat skin with Limited trim and adjustable driver seat. Adjustable tilt steering

- Full hard roof with liner and interior dome light
- Full color match doors with electric opening tinted windows and door locks
- 3-position full glass tilt up windshield with wiper/washer kit and Rear glass window
- Auto heating, venting and air conditioning (HVAC) climate system
- XT Front bumper, HMWPE full skid plate
- 4,500 lb (2,014 kg) winch
- 7.6 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger XP 1000 NorthStar Premium

Key features

- 82 hp / 62 lb ft / 999cc twin cylinders, liquid cooled, EFI

- Gen 2 Automatic PVT H/L/N/R/P; Shaft
- High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
- EPS (Electronic Power Steering)

- 14 in. (36 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 11 in. (27.9 cm)
- RR: Dual A-Arm, IRS 11 in. (27.9 cm)

Additional features

- 29 in. PRO ARMOR X-TERRAIN with 14in. Aluminum wheels

- 2,500 lb (1,134kg) towing capacity
- 1,230 lb (558 kg) Payload capacity
- 11.5-gal (40 L) Fuel capacity

- Dual LED Headlights, 1250lm Low Beam, 2300lm High Beam, Dual LED Tail Lights





- Cut & Sew Bench Seat with adjustable Seat Slider. Standard tilt steering

- Pro-Shield Cab, Doors with Powered Front Windows
- Tip-Out Windshield with Wiper, Rear Glass Panel.
- Factory-Installed Heat, AC, Defrost
- Front bumper, Central skid plate
- Polaris HD 4500 lb Synthetic Rope Winch
- 4 in. LCD display

2025 Can-Am COMMANDER DPS 700



HOW TO WIN

-  **Suspension**
+4.5 in. front and +5 in. rear suspension travel for improved riding dynamics and comfort
+1.3 in. Ground clearance
-  **Traction**
Bigger (27 in.) tires and wheels (14 in.) for improved riding experience
-  **Towing capacity & Cargo box dimensions**
+700 lb towing capacity and bigger cargo box
-  **Features**
Selectable Turf Mode
+2-gal Fuel capacity
Ergo-Lok cockpit with ErgoPrint seats for better comfort and ergonomics
LinQ and accessory ecosystem

NEW For 2025

- Update coloration New Compass Green

Key features

- 52 hp / Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled
- pDrive primary CVT with engine braking and Electronic Drive Belt Protection
- Selectable Turf Mode / 2WD / 4WD with Visco Lok† QE auto locking front differential
- Dynamic Power Steering (DPS)
- Predictable engine braking system
- SPORT / ECO™ modes
- 12.5 in. (31.7 cm) Ground Clearance
- 90.6 in. (230.1 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm with sway bar / 12.5 in. (31.7 cm)
- RR: Torsional Trailing arm (TTA) with sway bar / 13 in. (33 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail Force with 14 in. Steel wheels
- 2,000 lb (907kg) towing capacity
- 10-gal (38 L) Fuel capacity
- Cargo box dimensions: 29.5 x 45.2 x 10.6 in. with 600 lb of capacity
- Premium half doors, mudguards, Full skid plate: Central / Transmission / Front & Rear Differentials
- Ergo-Lok cockpit with ErgoPrint bucket seats
- Adjustable driver seat
- Adjustable steering wheel
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2024 Kawasaki† TERYX

Key features

- 57 hp / 783cc V twin, liquid cooled, EFI
- Automatic CVT with centrifugal clutch (H,L,N,R)
- Selectable 2WD/4WD with locking front differential
- Electric Power Steering (EPS) / rack-and-pinion and Engine braking system
- 11.2 in. (28.4 cm) Ground clearance
- 85.8 in. (218 cm) Wheelbase

Suspension Travel:

- FR: Double Wishbone 8 in. (20.3 cm)
- RR: Double Wishbone 8 in. (20.3 cm)

Shocks:

- FOX Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping





Additional features

- 26 in. Maxxis® with 12in. Steel wheels
- 1,300 lb (589kg) towing capacity
- 7.9-gal (29.9 L) Fuel Capacity
- Cargo box dimensions: 27.6 x 43.3 x 10.4 in. with 600 lb of capacity
- Quarter doors, front bumper, Full skid plate: Central / Transmission / Front & Rear differentials
- Bucket seats
- Adjustable driver seat
- 3.5 in. Display

2025 Can-Am COMMANDER DPS 1000R



HOW TO WIN

-  **Suspension**
+0.25 in. front suspension travel
+0.5 in. Ground clearance
-  **Wheels**
Bigger wheels (14 in.) for improved riding comfort
-  **Towing capacity & Cargo box dimensions**
+500 lb towing capacity and bigger cargo box
-  **Features**
+0.5-gal Fuel capacity
Ergo-Lok cockpit with ErgoPrint seats for better comfort and ergonomics
LinQ and accessory ecosystem
Bigger Digital display

NEW For 2025

- Update coloration
New Compass
Green

Key features

- 100 hp / 976cc Rotax @ V Twin, liquid cooled, EFI
- Quick Response System (QRS) CVT with Electronic Drive Belt Protection
- Selectable Turf Mode / 2WD / 4WD auto-locking front differential
- Dynamic Power Steering (DPS)
- Predictable engine braking system
- SPORT / ECO™ modes
- 12.5 in. (31.7 cm) Ground Clearance
- 90.6 in. (230.1 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm with sway bar / 12.5 in. (31.7 cm)
- RR: Torsional Trailing arm (TTA) with sway bar / 13 in. (33 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail Force with 14 in. Steel wheels
- 2,000 lb (907kg) towing capacity
- 10-gal (38 L) Fuel capacity
- Cargo box dimensions: 29.5 x 45.2 x 10.6 in. with 600 lb of capacity
- Premium half doors, mudguards, Full skid plate: Central / Transmission / Front & Rear Differentials
- Ergo-Lok cockpit with ErgoPrint bucket seats, adjustable driver seat
- Adjustable steering wheel
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† GENERAL 1000 Sport

Key features

- 100 hp / 999cc Twin-cylinder, liquid cooled, EFI
- Automatic PVT
- True On-Demand AWD/2WD/ VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 12 in. (30.5 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar 12.25 in. (31.1 cm)
- RR: Dual Arm IRS with Stabilizer Bar 13.2 in. (33.5 cm)

Shocks:

- ZF Sachs Twin Tube




Additional features

- 27 in. CST Clincher with 12in. Aluminum wheels
- 1500 lb (680 kg) towing capacity
- 9.5-gal (35.9 L) Fuel capacity
- Cargo box dimensions: 27.5 x 43.1 x 11.6 in. with 600 lb of capacity
- Half doors, mudguards
- Skid plate: Central / Transmission
- Bolstered Bucket Seats with Driver Seat Slider and Height Adjustable Seat Belts
- Adjustable Tilt Steering
- Lock & Ride®
- 4 in. LCD display

2025 Can-Am COMMANDER XT-P 1000R



HOW TO WIN

-  **Wheels**
Beadlock wheels for more robustness
-  **Towing capacity & Cargo box dimensions**
+500 lb towing capacity and bigger rear cargo box
-  **Features**
*Exclusive Smart Lok * technology.*
+0.5-gal Fuel capacity
Front & Rear Differential skid plate
Ergo-Lok cockpit with ErgoPrint seats for better comfort and ergonomics
LinQ and accessory ecosystem

NEW For 2025

Key features

- New Coloration
Mineral Grey &
Orange Crush

- 100 hp / 976cc Rotax @ V Twin, liquid cooled, EFI
- Quick Response System (QRS) CVT with Electronic Drive Belt Protection
- Selectable Turf Mode / 2WD / 4WD TRAIL / 4WD TRAIL ACTIV with exclusive Smart Lok * technology.
- Dynamic Power Steering (DPS)
- Predictable engine braking system
- SPORT / ECO™ modes
- 13.5 in (34.3 cm) Ground Clearance
- 90.6 in. (230.1 cm) Wheelbase

Suspension Travel:

- FR: Arched double A arm with sway bar / 14 in. (35.5 cm)
- RR: RR : Arched Torsional Trailing arm (TTA) with sway bar / 14 in. (35.5 cm)

Shocks:

- FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment

Additional features

- 30 in. XPS Hammer Force tires with 15 in. Aluminum beadlock wheels
- 2,000 lb (907kg) towing capacity
- 10-gal (38 L) Fuel capacity
- Cargo box dimensions: 29.5 x 45.2 x 10.6 in. with 600 lb of capacity
- Premium half doors, mudguards, XT front bumper, full roof
- Full skid plate: Central / Transmission / Front & Rear Differentials
- Ergo-Lok cockpit with ErgoPrint bucket seats, adjustable driver seat
- Adjustable steering wheel
- 4,500 lb (2,041 kg) winch with roller fairlead
- LinQ and accessory ecosystem
- 7.6 in. Digital display

2025 COMPARE SHEET

2025 Polaris† GENERAL XP 1000 Ultimate

Key features

- 100 hp / 999cc Twin-cylinder, liquid cooled, EFI
- Automatic PVT
- True On-Demand AWD/2WD/ VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 13.5 in (34.3 cm) Ground clearance
- 83 in (211 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar, 14 in (35.5 cm)
- RR: Dual Arm IRS with Stabilizer Bar, 14 in (35.5 cm)

Shocks:

- Walker Evans Velocity Series Shocks

Additional features


- 30 in. Pro Armor Crawler XGF with 15in. Aluminum wheels
- 1500 lb (680 kg) towing capacity
- 9.5-gal (35.9 L) Fuel capacity
- Cargo box dimensions: 27.5 x 43.1 x 11.6 in. with 600 lb of capacity
- Half doors, mudguards, front bumper, full roof
- Skid plate: Central / Transmission
- Bolstered Bucket Seats with Driver Seat Slider and Height Adjustable Seat Belts
- Adjustable Tilt Steering
- POLARIS HD 4500 LB Winch
- Lock & Ride®
- 7 in. RIDE COMMAND®
- Rockford Fosgate® Stage 3 Audio


2025 Can-Am MAVERICK TRAIL DPS 1000



HOW TO WIN

 **Wheels**
Aluminum wheels

 **Towing & Storage**
2 in. receiver (Standard)
More storage capacity

 **Features**
+0.5-gal Fuel capacity
Front & Rear Differential skid plate and front bumper
Ergo-Lok cockpit with ErgoPrint seats for better comfort and ergonomics
LinQ and accessory ecosystem
Bigger Display

Key features

- 75 hp / Rotax® 976 cc, V-twin, liquid cooled
- Quick Response System (QRS) CVT with Electronic Drive Belt Protection
Selectable 2WD / 4WD auto-locking front differential
Dynamic Power Steering (DPS)
- Electronic Hill Descent Control and SPORT / ECO driving modes
SPORT / ECO™ modes
- 10 in. (25.4 cm) Ground Clearance
- 90.6 in. (230.1 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm with sway bar / 10 in. (25.4 cm)
- RR: RR : TTA with sway bar / 10.5 in. (26.7 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 26 in. Carlisle ACT tires with 12 in. Aluminum wheels
- 2 in. hitch receiver with 1,500 lb (680 kg) of towing capacity
- 10-gal (38 L) Fuel capacity
- 300 lb (136 kg) Cargo box capacity
- 5.3-gal (20.2L) Storage capacity
- Integrated front steel bumper, half doors
- Full skid plate: Central / Transmission / Front & Rear Differentials
- Ergo-Lok cockpit with ErgoPrint bucket seats, adjustable driver seat
- Adjustable steering wheel
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† RZR Trail Sport

Key features

- 75 hp / 875cc, twin cylinders, liquid cooled, EFI
- Automatic PVT
- True On-Demand AWD/2WD
- EPS (Electronic Power Steering)
- Engine braking system
- 11 in (28 cm) Ground clearance
- 79 in (200.7 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar and 10 in (25.4 cm)
- RR: Dual A-Arm with Stabilizer Bar and 10 in (25.4 cm)

Shocks:

- ZF Twin Tube

Additional features

- 26 in. tires with 12in. Steel wheels
- 1.5 in. hitch receiver with 1500 lb (680 kg) towing capacity
- 9.5-gal (35.9 L) Fuel capacity
- 300 lb (136 kg) Cargo box capacity
- Standard glove box and cup holders
- Half doors , no bumper
- Skid plate: Central / Transmission
- Bolstered Bucket Seats with Standard Driver & Passenger Seat Sliders
- Adjustable Tilt Steering
- Lock & Ride®
- 4 in. LCD analog display

2025 Can-Am MAVERICK SPORT X rc 1000R



HOW TO WIN

**Suspension**

+2.6 in. front and +1.6 in. rear suspension travel for improved riding dynamics and comfort
Bigger shocks 2.5 in. FOX
Better ground clearance (+2.5 in.)

**Traction**

30 in. tires with bigger wheels, for improved riding experience

**Features**

Exclusive Smart-Lok*
Multiple skid plates, front bumper and rear bumper
4,500 lb (2,041 kg) winch with synthetic cable
Rock sliders and mudguards
More storage capacity

Key features

- 100 hp / 976cc Rotax ® V Twin, liquid cooled, EFI
- Quick Response System (QRS) CVT with Electronic Drive Belt Protection
- Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD ROCK / 4WD TRAIL
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- SPORT / ECO™ modes
- 15 in. (38.1 cm) Ground Clearance
- 90.6 in. (230.1 cm) Wheelbase

Suspension Travel:

- FR: Arched double A-arm with sway bar / 14.8 in. (37.6 cm)
- RR: Arched TTA with sway bar / 14.8 in. (37.6 cm)

Shocks:

- FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment

Additional features

- 30 in. Maxxis Liberty† tires with 14 in. Aluminum wheels
- 2 in. hitch receiver with 1,500 lb (680 kg) of towing capacity
- 10-gal (38 L) Fuel capacity
- 300 lb (136 kg) Cargo box capacity
- 5.3-gal (20.2L) Storage capacity
- Integrated front steel bumper, Premium half doors, Rear sport bumper, Mudguards, UHMWPE rock sliders
- HMWPE skid plate: Central / Transmission / Front & Rear Differentials / Front and rear suspension arm
- Ergo-Lok cockpit with ErgoPrint bucket seats, adjustable driver seat and Adjustable steering wheel
- 4,500 lb (2,041 kg) winch with synthetic cable
- LinQ and accessory ecosystem
- 7.6 in. wide digital display with keypad

2025 COMPARE SHEET

2025 Polaris† RZR Trail S 1000 Ultimate

Key features

- 100 hp / 999cc Twin cylinder, liquid cooled, EFI
- Automatic PVT
- High performance True On Demand AWD / 2WD
- EPS (Electronic Power Steering)
- Engine braking system
- 12.5 in (31.8 cm) Ground clearance
- 79 in (200.7 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar and 12.25 in (31.1 cm)
- RR: Dual A-Arm with Stabilizer Bar and 13.2 in (33.5 cm)

Shocks:

- 2 in. Walker Evans Needle Shocks with 16-Position Adjustable Clickers

Additional features

- 27 in. tires with 12in. Aluminum wheels
- 1.5 in. hitch receiver with 1500 lb (680 kg) towing capacity
- 9.5-gal (35.9 L) Fuel capacity
- 300 lb (136 kg) Cargo box capacity
- Standard glove box and cup holders
- Half doors, full roof,
- Skid plate: Central / Transmission
- Bolstered Bucket Seats with Toolless Driver Seat Slider and Standard Passenger Seat Slider with Adjustable Tilt Steering
- Lock & Ride®
- 7 in. RIDE COMMAND with rear camera
- Premium Rockford Fosgate® Stage 2 Audio

2025 Can-Am MAVERICK X3 DS TURBO



HOW TO WIN



Performance

Leading HP with +21 hp
Leading Power-to-weight +1.7 hp / 100lb



Transmission

pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance



Suspension

+4 in. Front and +2 in. Rear travel
All around 2.5 in. Shocks



Features

Exclusive Smart-Lok* Differential
30in. XPS Trac force tires
Ergo-Lok Cockpit, low seating position
Bigger Display with keypad
RF Digitally Encoded Security System (D.E.S.S.™)

NEW For 2025

- New Coloration Scandi Blue & Orange Crush
- New 30 in. XPS Trac force tires

Key features

- 135 hp / 900cc Rotax @ ACE, Turbocharged triple cylinder engine, liquid cooled, high performance air filter, EFI
- 8.7 hp / 100 lb Power-to-weight ratio
- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology . True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL
- 64in. (162.5 cm) Width & 14 in. (35.6 cm) Ground clearance
- 102 in. (259.1 cm) Wheelbase

Suspension travel:

- FR : Double A-arm with sway bar / 20 in. (50.8 cm)
- RR : 4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm)

Shocks:

- SHOWA HPG piggyback 2.5

Additional features

- 30in. XPS Trac Force with 14 in. Aluminum wheels
- 10.5-gal (40 L) Fuel Capacity
- Ergo-Lok cockpit with four-way adjustable seats, low seating position
- LED headlights and taillights
- Integrated front bumper, quarter doors, HMWPE full skid plate, rear tow hook
- 4.5 in. digital display with keypad
- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button
- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR XP 1000 SPORT

Key Features

- 114 hp / 999cc Twin-cylinder engine, liquid cooled, EFI
- 7.0 hp / 100lb power to weight ratio
- Automatic PVT transmission (CVT)
- High Performance True On-Demand AWD/2WD
- 64in. (162.5 cm) Width & 14 in. (35.6 cm) Ground clearance
- 90 in (228.6 cm)

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar / 16 in. (40.6 cm)
- RR: Trailing Arm with Stabilizer Bar / 18 in. (45.7 cm)

Shocks:

- FR: 2" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers
- RR: 2.5" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers

Additional features

- 29in. Radial Tire with 14in. cast aluminum wheels
- 9.5 gal (36 L) Fuel Capacity
- Bolstered Bucket Seats with Driver Seat Slider Retractable 3-Point Seat Belts
- Steering Wheel with Tilt Adjustment
- White LED Low/High & Red LED Tail / Brake Lights
- Half doors, full skid plate and Front bumper
- 4 in. LCD analog display

2025 Can-Am MAVERICK X3 DS TURBO RR



HOW TO WIN



Performance

Leading HP with +19 hp
Leading Power-to-weight +2.6 hp / 100lb



Transmission

pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance



Suspension

+3 in. Front travel
All around 2.5 in. Shocks



Features

Exclusive Smart-Lok* Differential
Ergo-Lok Cockpit, low seating position
Bigger Display with keypad

NEW For 2025

- New Coloration Scandi Blue & Orange Crush

- New 30 in. XPS Trac force tires

Key features

- 200 hp, 900cc, Rotax® ACE Turbocharged Triple cylinder engine, liquid cooled, with integrated intercooler and high-performance air filter, EFI
- Power to weight: 12.9 hp / 100 lb
- High Torque Tri - Mode Dynamic Power Steering

- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology. True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL

- 64in. (162.5 cm) Width & 14 in. (35.6 cm) Ground clearance
- 102 in. (259.1 cm) Wheelbase

Suspension travel:

- FR : Double A-arm with sway bar / 20 in. (50.8 cm)
- RR : 4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm)

Shocks:

- SHOWA HPG piggyback 2.5

Additional features

- 30in. XPS Trac Force with 14 in. Aluminum wheels

- 10.5-gal (40 L) Fuel Capacity

- Ergo-Lok cockpit with four-way adjustable seats, low seating position

- LED headlights and taillights

- Integrated front bumper, quarter doors, HMWPE full skid plate, rear tow hook

- 4.5 in. digital display with keypad

- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button

- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO XP SPORT

Key Features

- 181 hp, 925 cc, 925cc Turbocharged Twin cylinder engine, liquid cooled with intercooler, EFI
- Power to weight: 10.3 hp / 100 lb
- EPS
- Automatic PVT transmission (CVT)
- Isolated Xtreme Performance True On-Demand AWD/2WD
- 64in. (162.5 cm) Width & 14.5 in (36.8 cm) Ground clearance
- 96 in (244 cm)

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar / 17 in (43.2 cm)
- RR: Trailing Arm & Radius Rods with Stabilizer Bar / 20 in (50.8 cm)

Shocks:

- FR: 2" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers
- RR: 2.5" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers

Additional features

- 30 in. Tires with 14in. cast aluminum wheels

- 12-gal (45.4 L) Fuel Capacity

- Bolstered Bucket Seats with 4-way adjustability and 3-Pt Height Adjustable Seat Belts and Steering Wheel with Tilt Adjustment

- White LED Low/High & Red LED Tail / Brake Lights

- Half doors, full skid plate and Front bumper

- 4 in. Color LCD display

- Polaris P.A.S.S Anti-Theft System

2025 Can-Am MAVERICK X3 X ds TURBO RR with Smart-Shox



HOW TO WIN



Performance

Leading HP with +19 hp
Leading Power-to-weight +2.8 hp / 100lb



Transmission

pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance



Suspension

Suspension travel +3 in. In front
+0.5 in. on rear shocks size



Features

Exclusive Smart-Lok* Differential
Ergo-Lok Cockpit, low seating position

NEW For 2025

- New 15 in. Aluminum Beadlock wheels

- New 32 in. XPS Trac Force tires

Key features

- 200 hp, 900cc, Rotax @ ACE Turbocharged Triple cylinder engine, liquid cooled, with integrated intercooler and high-performance air filter, EFI

- High Torque Tri - Mode Dynamic Power Steering
- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology.

- True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL

- 64 in. (162.5 cm) Width & 14 in. (35.6 cm) Ground clearance
- 102 in. (259.1 cm) Wheelbase

Suspension travel:

- FR: Double A-arm with sway bar / 20 in. (50.8 cm)
- RR: 4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8cm)

Shocks: SMART-SHOX

- FR: FOX† 2.5 PODIUM† Piggyback with bypass, dual-speed compression and rebound adjustments
- RR: FOX† 3.0 PODIUM† with bypass, dual-speed compression and rebound adjustments

Additional features

- 30in. XPS Trac Force with 14 in. Aluminum wheels

- 10.5-gal (40 L) Fuel Capacity

- Ergo-Lok cockpit with four-way adjustable seats, low seating position, 4-point harness with shoulder pads

- LED headlights and taillights with unique Can-Am LED signature

- Integrated front bumper, quarter doors, HMWPE full skid plate, rear tow hook

- 7.6 in. digital display with keypad

- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button

- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO XP Ultimate

Key Features

- 114 hp / 999cc Twin-cylinder engine, liquid cooled, EFI

- Automatic PVT transmission (CVT)
- Isolated Xtreme Performance True On-Demand AWD/2WD

- 64 in. (162.5 cm) Width & 14.5 in. (36.8 cm) Ground clearance
- 90 in. (228.6 cm)

Suspension Travel:

- FR: Dual A-Arm with Stabilizer Bar / 17 in (43.2 cm)
- RR: Trailing Arm & Radius Rods with Stabilizer Bar / 20 in (50.8 cm)

Shocks: Polaris DYNAMIX 2.0

- FOX® 2.5 Podium Live Valve with Bottom-Out Control (Electronically Controlled Damping)

Additional features

- 30 in. tires with 14in. cast aluminum wheels

- 12-gal (45.4 L) Fuel Capacity

- Bolstered Bucket Seats with 4-way adjustability and Sub-Zero 4-Point Harnesses

- Signature Animated RZR Fang Accent Lighting White LED, Low / High & Red LED Tail / Brake Lights; Interior Accent Lighting

- Half doors, integrated front bumper, full skid plate

- 7 in. RIDE COMMAND with rear camera





- Rockford Fosgate Stage 4 Audio System

- Polaris P.A.S.S Anti-Theft System

2025 Can-Am MAVERICK X3 RS TURBO



HOW TO WIN

-  **Performance**
Leading HP with +21 hp
Leading Power-to-weight +1.7 hp / 100lb
-  **Transmission**
pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance
-  **Suspension**
+4 in. Front and +2 in. Rear suspension travel
All around 2.5 in. Shocks
-  **Features**
Exclusive Smart-Lok* Differential
30in. XPS Trac force tires
Ergo-Lok Cockpit, low seating position
Bigger Display with keypad
RF Digitally Encoded Security System (D.E.S.S.™)

NEW For 2025

- New Coloration
Scandi Blue & Orange Crush
- New 30 in. XPS Trac force tires

Key features

- 135 hp / 900cc Rotax® ACE, Turbocharged triple cylinder engine, liquid cooled, high performance air filter, EFI
8.7 hp / 100 lb Power-to-weight ratio
- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology . True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL
- 72in. (183.9 cm) Width & 14 in. (35.6 cm) Ground clearance
102 in. (259.1 cm) Wheelbase
- Suspension travel:**
FR : Double A-arm with sway bar / 20 in. (50.8 cm)
RR : 4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm)

Shocks:
SHOWA HPG piggyback 2.5

Additional features

- 30in. XPS Trac Force with 14 in. Aluminum wheels
- 10.5-gal (40 L) Fuel Capacity
- Ergo-Lok cockpit with four-way adjustable seats, low seating position
- LED headlights and taillights
- Integrated front bumper, quarter doors, HMWPE full skid plate, rear tow hook
- 4.5 in. digital display with keypad
- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button
- LinQ and accessory ecosystem

*Rec-Sport 72in. MID -HP

2025 COMPARE SHEET

2025 Polaris† RZR XP 1000 SPORT

Key Features

114 hp / 999cc Twin-cylinder engine, liquid cooled, EFI
7.0 hp / 100lb power to weight ratio

Automatic PVT transmission (CVT)
High Performance True On-Demand AWD/2WD

64in. (162.5 cm) Width & 14 in. (35.6 cm) Ground clearance
90 in (228.6 cm)

Suspension Travel:

FR: Dual A-Arm with Stabilizer Bar / 16 in. (40.6 cm)
RR: Trailing Arm with Stabilizer Bar / 18 in. (45.7 cm)

Shocks:

FR: 2" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers
RR: 2.5" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers

Additional features




- 29in. Radial Tire with 14in. cast aluminum wheels
- 9.5-gal (36 L) Fuel Capacity
- Bolstered Bucket Seats with Driver Seat Slider Retractable 3-Point Seat Belts
- Steering Wheel with Tilt Adjustment
- White LED Low/High & Red LED Tail / Brake Lights
- Half doors, full skid plate and Front bumper
- 4 in. LCD analog display

*Rec-Sport 64in. MID -HP

2025 Can-Am MAVERICK X3 RS TURBO RR



HOW TO WIN

-  **Performance**
Leading HP with +19 hp
Leading Power-to-weight +2.7 hp / 100lb
-  **Transmission**
pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance
-  **Features**
Exclusive Smart-Lok* Differential
Ergo-Lok Cockpit, low seating position
Bigger Display with keypad

NEW For 2025

- New Coloration Scandi Blue & Orange Crush
- New 30 in. XPS Trac force tires

Key features

- 200 hp, 900cc, Rotax® ACE Turbocharged Triple cylinder engine, liquid cooled, with integrated intercooler and high-performance air filter, EFI
- Powe to weight: 12 hp / 100 lb
- High Torque Tri - Mode Dynamic Power Steering
- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology. True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL
- 72in. (183.9 cm) Width & 14 in. (35.6 cm) Ground clearance
- 102 in. (259.1 cm) Wheelbase

Suspension travel:

- FR : Double A-arm with sway bar / 20 in. (50.8 cm)
- RR : 4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm)

Shocks:

- SHOWA HPG piggyback 2.5

Additional features

- 30in. XPS Trac Force with 14 in. Aluminum wheels
- 10.5-gal (40 L) Fuel Capacity
- Ergo-Lok cockpit with four-way adjustable seats, low seating position
- LED headlights and taillights
- Integrated front bumper, quarter doors, HMWPE full skid plate, rear tow hook
- 4.5 in. digital display with keypad
- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button
- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO S Sport

Key Features

- 181 hp, 925 cc, 925cc Turbocharged Twin cylinder engine, liquid cooled with intercooler, EFI
- Powe to weight: 9.3 hp / 100 lb
- EPS
- Automatic PVT transmission (CVT)
- Isolated Xtreme Performance True On-Demand AWD/2WD
- 72in. (183.9 cm) Width & 16 in (40.6 cm) Ground clearance
- 96 in (244 cm)

Suspension Travel:

- FR: Dual A-Arm with 3 Piece Stabilizer Bar / 22.25 in. (56.5 cm)
- RR: Tubular Trailing Arm with Boxed Gusseting and Toe Link, and Stabilizer Bar / 22.4 in (56.9 cm)

Shocks:

- FR: Walker Evans® 2.5" Velocity Needle Shock with 16-Position Adjustable
- RR: Walker Evans® 3.0" Velocity Needle Shock with 16-Position Adjustable

Additional features

- 32 in. Maxxis Rampage Fury tires with 15in. cast aluminum wheels
- 12-gal (45.4 L) Fuel Capacity
- Bolstered Bucket Seats with 4-way adjustability and Sub-Zero 4-Point Harnesses
- Signature White LED Low/High Beam Headlights, Red LED Tail / Brake Lights, Interior Footwell Lights
- Half doors, full skid plate
- 4 in. Color LCD display
- Polaris P.A.S.S Anti-Theft System

2025 Can-Am MAVERICK X3 X rs TURBO RR



HOW TO WIN



Performance

Leading HP with +19 hp
Leading Power-to-weight +2.8 hp / 100lb



Transmission

pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance



Suspension

Suspension travel +1.6in. in the rear
Premium FOX PORDIUM RC2 shocks all around



Features

Exclusive Smart-Lok* Differential
15 in. Aluminum beadlock wheels
Ergo-Lok Cockpit, low seating position
Full roof & Can-Am Signature LED Lights

NEW For 2025

Key features

- New 15 in. Aluminum Beadlock wheels

- New 32 in. XPS Trac Force tires

- 200 hp, 900cc, Rotax ACE Turbocharged Triple cylinder engine, liquid cooled, with integrated intercooler and high-performance air filter, EFI
- Powe to weight: 11.9 hp / 100 lb

- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology. True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL

- 72in. (183.9 cm) Width & 16 in. (40.6 cm) Ground clearance
- 102 in. (259.1 cm) Wheelbase

Suspension travel:

- FR: Double A-arm with sway bar / 22 in. (55.9 cm)
- RR: 4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm)

Shocks:

- FR: FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual-speed compression and rebound adjustments
- RR: FOX† 3.0 PODIUM RC2† with bypass, dual-speed compression and rebound adjustments

Additional features

- 32in. XPS Trac Force with 15 in. beadlock Aluminum wheels

- 10.5-gal (40 L) Fuel Capacity

- Ergo-Lok cockpit with four-way adjustable seats, low seating position, 4-point harness with shoulder pads

- LED headlights and taillights with unique Can-Am LED signature

- Integrated front bumper, quarter doors, HMWPE full skid plate, rear tow hook

- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button

- 7.6 in. digital display with keypad
- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO S Premium

Key Features

- 181 hp, 925 cc, 925cc Turbocharged Twin cylinder engine, liquid cooled with intercooler, EFI
- Powe to weight: 9.1 hp / 100 lb

- Automatic PVT transmission (CVT)
- Isolated Xtreme Performance True On-Demand AWD/2WD
- 74 in. (188 cm) Width & 16 in (40.6 cm) Ground clearance
- 96 in (244 cm)

Suspension Travel:

- FR: Dual A-Arm with 3 Piece Stabilizer Bar / 22.25 in. (56.5 cm)
- RR: Tubular Trailing Arm with Boxed Gusseting and Toe Link, and Stabilizer Bar / 22.4 in (56.9 cm)

Shocks:

- FR: Walker Evans® 2.5" Velocity Needle Shock with 16-Position Adjustable
- RR: Walker Evans® 3.0" Velocity Needle Shock with 16-Position Adjustable

Additional features

- 32 in. Maxxis Rampage Fury tires with 15in. cast aluminum wheels

- 12-gal (45.4 L) Fuel Capacity

- Bolstered Bucket Seats with 4-way adjustability and Sub-Zero 4-Point Harnesses

- White LED Low/High & Red LED Tail / Brake Lights

- Half doors, integrated front bumper, full skid plate

- 4 in. Color LCD display

- Polaris P.A.S.S Anti-Theft System

2025 Can-Am MAVERICK X3 X-rs with Smart-Shox



HOW TO WIN



Performance

Leading HP with +19 hp



Transmission

pDrive primary and Quick Response System X (QRS-X) CVT / reduce backlash on parts and maximizes performance



Suspension

Suspension travel + 1.6in. in the rear



Features

Exclusive Smart-Lok* Differential
15 in. Aluminum beadlock wheels
Ergo-Lok Cockpit, low seating position

NEW For 2025

- New 15 in. Aluminum Beadlock wheels

- New 32 in. XPS Trac Force tires

Key features

- 200 hp, 900cc, Rotax @ ACE Turbocharged Triple cylinder engine, liquid cooled, with integrated intercooler and high-performance air filter, EFI

- Quick Response System X (QRS-X) CVT with high airflow & pDrive primary clutch
- Lockable front differential with exclusive Smart - Lok* technology . True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV/ 4WD TRAIL

- 72in. (183.9 cm) Width & 16 in. (40.6 cm) Ground clearance
- 102 in. (259.1 cm) Wheelbase

Suspension travel:

- FR: Double A-arm with sway bar / 22 in. (55.9 cm)
- RR: 4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm)

Shocks: SMART-SHOX

FR: FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox**
RR: FOX† 3.0 PODIUM† with bypass and Smart-Shox**
Technology featuring DDA Valve (Dynamic Damping Adjustment)

Additional features

- 32in. XPS Trac Force with 15 in. Aluminum beadlock wheels

- Ergo-Lok cockpit with four-way adjustable seats, low seating position, 4-point harness with shoulder pads

- LED headlights and taillights with unique Can-Am LED signature

- Integrated front bumper , quarter doors, full roof, HMWPE full skid plate, rear tow hook

- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button

- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO S Ultimate

Key Features

- 181 hp, 925 cc, 925cc Turbocharged Twin cylinder engine, liquid cooled with intercooler, EFI

- Automatic PVT transmission (CVT)
- Isolated Xtreme Performance True On Demand AWD / 2WD

- 74 in. (188 cm) Width & 16 in. (40.6 cm)
- 96 in (244 cm) Wheelbase

Suspension Travel:

- FR: Light Weight Boxed Dual A-Arm with 3-piece Stabilizer Bar 22.25in.
- RR: Tubular Trailing Arm with Boxed Gusseting and Toe Link, and Stabilizer Bar 22.4in.

Shocks: Polaris Dynamix DV 3.0

FOX® 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)

Additional features

- 32 in. Maxxis Rampage Fury tires with 15in. cast aluminum wheels

- 12-gal (45.4 L) Fuel Capacity

- Bolstered Bucket Seats with Driver 4-way adjustability & Passenger tilt adjustability, Sub-Zero 4-Point Harnesses

- Signature Animated RZR Fang Accent Lighting; White LED, Low / High & Red LED Tail / Brake Lights; Interior Dash Accent Lighting
- Half doors, integrated front bumper, full skid plate, full roof

- 7 in. RIDE COMMAND with rear camera
- Rockford Fosgate Stage 4 Audio System
- Polaris P.A.S.S Anti-Theft System

2025 Can-Am MAVERICK R



HOW TO WIN



Performance

Industry leading HP with +15 HP
Engine Modes with Anti-Lag (ART) Technology



Transmission

Industry First High HP 7-Speed DCT transmission
Shift on the Fly High / Low



Suspension

Exclusive 77in. Forged aluminum Heavy-duty tall knuckle
Suspension travel +2.75 in. Front and +2.6 in. Rear
+1 in. Ground clearance
FOX† 2.5 PODIUM QS3† all around



Features

+1.2-gal more fuel capacity
Exclusive Smart-Lok* Differential
Ergo-Lok Cockpit, low seating position

NEW For 2025

- New Coloration
Catalyst Grey &
Legion Red

Key features

- 240 hp, Rotax® 999T engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter
- Engines modes with Anti-Lag (ART) Technology

- Rotax® DCT, 7 speed with high and low range / Shift on the Fly
- Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL

- 77in. Forged aluminum heavy-duty tall Knuckle
- 17 in. (43.2 cm) Ground Clearance
- 108 in. (274.3 cm). Wheelbase

Suspension Travel:

- FR: Double A-arm with sway bar / 25 in. (63.5 cm)
- RR: 4 Link Trailing / 25 in. (63.5 cm)

Shocks:

- FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment

Additional features

- 30 in. ITP Tenacity XNR tires with 15 in. Aluminum Flow Formed wheels

- 13.2-gal (50 L) Fuel Capacity

- Ergo-Lok cockpit with four-way adjustable seats, low seating position, 3 points retractable seat belt

- Premium high-performance LED headlights

- Premium half doors, Front lower deflector
Front / Rear anchor, Full plastic skid plate

- 4.5 in. wide digital display with keypad

- RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button

- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO R Sport

Key Features

- 225 hp, 1997 cc, 4-Stroke DOHC Inline Four Cylinder, liquid cooled, EFI

- Automatic PVT transmission
- Pro Performance True 2WD/4WD/4WD Lock

- 74in. (188 cm) Width & 16 in (40.6 cm) Ground clearance
- 104.5 in (265.4 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with 3-piece Stabilizer Bar 22.25 in. (56.5 cm)
- RR: Tubular Trailing Arm with Stabilizer Bar 22.4 in (56.9 cm)

Shocks:

- FR: Walker Evans® 2.5" Velocity Needle Shock with 16-Position Adjustable
- RR: Walker Evans® 3.0" Velocity Needle Shock with 16-Position Adjustable

Additional features

- 32 in. Maxxis Rampage Fury tires with 15in. cast aluminum wheels

- 12-gal (45.4 L) Fuel Capacity

- Bolstered Bucket Seats with Driver 4-way adjustability & Passenger tilt adjustability, Retractable Click-6 Harnesses

- White LED Low/High & Red LED Tail / Brake Lights

- Half doors, integrated front bumper, full skid plate

- 4 in. Color LCD display

- Polaris P.A.S.S Anti-Theft System

2025 Can-Am MAVERICK R X rs with Smart-Shox



HOW TO WIN



Performance

Industry leading HP with +15 HP
Engine Modes with Anti-Lag (ART) Technology



Transmission

Industry First High HP 7-Speed DCT transmission
Shift on the Fly High / Low



Suspension

Exclusive 77in. Forged aluminum Heavy-duty tall knuckle
Suspension travel +2.75 in. front and +1.5 in. rear
+ 1in. Ground clearance



Features

+1.2-gal more fuel capacity
Exclusive Smart-Lok* Differential
10.25 in. Touchscreen Display

NEW For 2025

- New premium coloration, Dusty Navy & Legion Red

Key features

- 240 hp, Rotax® 999T engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter
- Engines modes with Anti-Lag (ART) Technology
- Rotax® DCT, 7 speed with high and low range / Shift on the Fly
- Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
- 77in. Forged aluminum heavy-duty tall Knuckle
- 17 in. (43.2 cm) Ground Clearance
- 108 in. (274.3 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm with sway bar / 25 in. (63.5 cm)
- RR: 4 Link Trailing arm / 26 in. (66 cm)

Shocks: SMART-SHOX / Live Valve gen 3

- FR: FOX† 2.5 PODIUM† Piggyback with bypass
- RR: FOX† 3.0 PODIUM† Piggyback with bypass

Additional features

- 32 in. ITP Tenacity XNR with 16 in. aluminum flow formed beadlock (6 Lug)
- 10.25 in. touchscreen display with front & rear camera
- Telescopic steering wheel with infotainment controls
- Premium high-performance LED headlights Can-Am LED signature
- Full roof & Premium half doors Front / rear anchor & Full plastic skid plate
- 13.2-gal (50 L) Fuel Capacity
- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO R Ultimate

Key features

- 225 hp, 1997 cc, 4-Stroke DOHC Inline Four Cylinder, liquid cooled, EFI
- Automatic PVT transmission
- Pro Performance True 2WD/4WD/4WD Lock
- 74in. (188 cm) Width & 16 in (40.6 cm) Ground clearance
- 104.5 in (265.4cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with 3-piece Stabilizer Bar 22.25in. (56.5 cm)
- RR: Trailing Arm with Toe Link and 3 Piece Stabilizer Bar 24.5in. (62.2 cm)

Shocks: DYNAMIX DV 3.0

- FR/RR: FOX® 3.0 Live Valve X2 Internal Bypass

Additional features

- 32in. Maxxis Rampage Fury with 15in. aluminum wheels with Beadlock (5 Lug Pattern)
- 7" Ride Command with rear camera
- Steering Wheel with Tilt and Telescoping Adjustment
- Signature Animated RZR Fang Accent Lighting White LED, Low / High & Red LED Tail / Brake Lights and Interior Accent Lighting
- Aluminum Roof, Mud and Rock Guards
- Front: Heated & Vented Bolstered Bucket Seats
- 12.3-Gal Fuel capacity
- Rockford Fosgate Stage 4 Audio System

2025 Can-Am MAVERICK R MAX X rs with Smart-Shox



HOW TO WIN



Performance

Industry leading HP with +15 HP
Engine Modes with Anti-Lag (ART) Technology



Transmission

Industry First High HP 7-Speed DCT transmission
Shift on the Fly High / Low



Suspension

Exclusive 77in. Forged aluminum Heavy-duty tall knuckle
Suspension travel +1.75 in. front
+1 in. Ground clearance



Features

+1.2-gal more fuel capacity
Bigger leg space (15%)
Exclusive Smart-Lok* Differential
10.25 in. Touchscreen Display

NEW For 2025

- New MAX platform
- New premium coloration, Dusty Navy & Legion Red

Key features

- 240 hp, Rotax® 999T engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter

- Rotax® DCT, 7 speed with high and low range / Shift on the Fly
- Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL

- 77in. Forged aluminum heavy-duty tall Knuckle
- 17 in. (43.2 cm) Ground Clearance
- 142.5 in. (365 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm with sway bar / 24 in. (61 cm)
- RR: 4 Link Trailing arm / 24 in. (61 cm)

Shocks: SMART-SHOX / Live Valve gen 3

- FR: FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox
- RR: FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox

Additional features

- 32 in. ITP Tenacity XNR with 16 in. aluminum flow formed beadlock (6 Lug)

- 10.25 in. touchscreen display with front & rear camera

- Telescopic steering wheel with infotainment controls

- Premium high-performance LED headlights
Can-Am LED signature

- Full roof, Premium half doors, Rock guards
Front / rear anchor & Full plastic skid plate

- 13.2-gal (50 L) Fuel Capacity

- LinQ and accessory ecosystem

2025 COMPARE SHEET

2025 Polaris† RZR PRO R 4 Ultimate

Key features

- 225 hp, 1997 cc, 4-Stroke DOHC Inline Four Cylinder, liquid cooled, EFI

- Automatic PVT transmission
- Pro Performance True 2WD/4WD/4WD Lock

- 74in. (188 cm) Width & 16 in (40.6 cm) Ground clearance
- 133.5 in (339.1cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm with 3-piece Stabilizer Bar 22.25in. (56.5 cm)
- RR: Trailing Arm with Toe Link and 3 Piece Stabilizer Bar 24.5in. (62.2 cm)

Shocks: DYNAMIX DV 3.0

- FR/RR: FOX® 3.0 Live Valve X2 Internal Bypass

Additional features

- 32in. Maxxis Rampage Fury with 15in. aluminum wheels with Beadlock (5 Lug Pattern)

- 7" Ride Command with rear camera

- Steering Wheel with Tilt and Telescoping Adjustment

- Signature Animated RZR Fang Accent Lighting White LED, Low / High & Red LED Tail / Brake Lights and Interior Accent Lighting

- Aluminum Roof, Mud and Rock Guards

- Front: Heated & Vented Bolstered Bucket Seats

- 12.3-Gal Fuel capacity

- Rockford Fosgate Stage 4 Audio System