

2025 Can-Am DEFENDER XT HD9



HOW TO WIN



Performance
+4HP / More power and torque



Traction
8-Ply rating, Bigger and better tires for improved riding experience



Features
VERSA-PRO bolster bench seat with reinforced XT seat skin
Vast LinQ and accessory ecosystem
Speed Limiter

NEW For 2025

- New Dusty Navy coloration
- Updated coloration New Stealth Black
- New Speed Limiter

Key features

- 65 hp / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes
- Speed Limiter
- 11 in. (28 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Double A-arm / 10 in. (25.4 cm)
- RR: TTA with external sway bar / 10 in. (25.4 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail force with 14 in. Aluminum wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat. Adjustable tilt steering
- XT Front bumper, Full hard roof
- HMWPE full skid plate
- 4,500 lb (2,014 kg) winch
- Vast LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger 1000 Premium

Key features

- 61 hp / 999cc twin cylinders SOHC, liquid cooled, EFI
- Gen 2 Automatic PVT H/L/N/R/P; Shaft
- High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 12 in. (30.5 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 10 in. (25.4 cm)
- RR: Dual A-Arm, IRS 10 in. (25.4 cm)

Additional features

- 26in. PXT with 12in. Aluminum wheels
- 2,500 lb (1,134 kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 11.35-gal (43 L) Fuel capacity
- Dual LED Headlights, 600lm Low Beam, 1000lm High Beam, Dual LED Tail Lights
- Cut & Sew Bench Seat with adjustable Seat Slider. Standard tilt – steering
- Front bumper, Full roof and Central skid plate
- Polaris HD 4500 lb Synthetic Rope Winch
- Lock & Ride®
- 4 in. LCD display

2025 Can-Am DEFENDER XT HD10



HOW TO WIN

 **Performance**
+7 lb-ft / More torque

 **Features**
LinQ and accessory ecosystem
Speed Limiter

NEW For 2025

- New Dusty Navy coloration
- Updated coloration New Stealth Black
- New Speed Limiter

Key features

- 82 hp / 69 lb ft / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD auto-Locking front differential
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes / Speed Limiter
- 13 in. (33 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Arched double A-arm / 11 in. (27.9 cm)
- RR: Arched TTA with external sway bar / 11 in. (27.9 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail King with 14 in. Aluminum wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat. Adjustable tilt steering
- XT Front bumper, Full hard roof
- HMWPE full skid plate
- 4,500 lb (2,014 kg) winch
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 Polaris† Ranger XP 1000 Premium

Key features

- 82 hp / 62 lb ft / 999cc twin cylinders, liquid cooled, EFI
- Gen 2 Automatic PVT H/L/N/R/P; Shaft
- High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
- EPS (Electronic Power Steering)
- 14 in. (36 cm) Ground clearance
- 81 in. (206 cm) Wheelbase

Suspension Travel:

- FR: Dual A-Arm 11 in. (27.9 cm)
- RR: Dual A-Arm, IRS 11 in. (27.9 cm)

Additional features

- 29 in. PRO ARMOR X-TERRAIN with 14in. Aluminum wheels
- 2,500 lb (1,134kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 11.5-gal (43.5 L) Fuel capacity
- Dual LED Headlights, 600lm Low Beam, 1000lm High Beam, Dual LED Tail Lights
- Cut & Sew Bench Seat with adjustable Seat Slider. Standard tilt steering
- Front bumper, full roof and Central skid plate
- Polaris HD 4500 lb Synthetic Rope Winch
- Lock & Ride®
- 4 in. LCD display

2025 Can-Am DEFENDER XT HD10



HOW TO WIN



Features

- Front bumper protection
- Speed Limiter

NEW For 2025

- New Dusty Navy coloration
- Updated coloration New Stealth Black
- New Speed Limiter

Key features

- 82 hp / 69 lb ft / 976cc Rotax® V-twin, liquid cooled, EFI
- PRO-TORQ CVT with QRS, high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
- Selectable Turf Mode / 2WD / 4WD auto-Locking front differential
- Dynamic Power Steering (DPS)
- CVT Engine Braking
- ECO™ / ECO™ Off / Work modes / Speed Limiter
- 13 in. (33 cm) Ground Clearance
- 83 in. (211.5 cm) Wheelbase

Suspension Travel:

- FR: Arched double A-arm / 11 in. (27.9 cm)
- RR: Arched TTA with external sway bar / 11 in. (27.9 cm)

Shocks:

- Twin tube gas charged shocks

Additional features

- 27 in. XPS Trail King with 14 in. Aluminum wheels
- 2,500 lb (1,134 kg) towing capacity
- 1,500 lb (680 kg) Payload capacity
- 10.6-gal (40 L) Fuel capacity
- Front lighting output 140-W, LED taillights
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat. Adjustable tilt steering
- XT Front bumper, Full hard roof
- HMWPE full skid plate
- 4,500 lb (2,014 kg) winch
- LinQ and accessory ecosystem
- 4.5 in. Digital display

2025 COMPARE SHEET

2025 CFMoto U10 PRO

Key features

- 88 hp / 69 lb ft / 998cc 3 cylinder, 4-stroke, liquid-cooled, DOHC
- OmniDrive™ CVT P/R/N/H/L (Push-Button Shifting)
- 2WD/4WD/4WD lock
- EPS (Electronic Power Steering)
- 13 in. (33 cm) Ground clearance
- 81.1 in. (206 cm) Wheelbase

Suspension Travel:

- FR: High clearance A-arm 11 in. (27.9 cm)
- RR: Dual A-Arm, 10.4 in. (26.4 cm)

Additional features

- 29 in. R14 CST with 14in. Aluminum wheels
- 2,500 lb (1,134kg) Towing capacity
- 1,500 lbs (680 kg) Payload capacity
- 11.8 -gal (44.6 L) Fuel capacity
- LED headlights with integrated turn signals
- 3-seater bench
- Full roof and Central skid plate
- 4,500lb. Winch
- Side mirrors & 1000-lb. Capacity Electronic/ Hydraulic Tilting Cargo Box
- Audio system and speakers
- 8" MMI screen
- NFC key