

can-am®



Side-by-Side & ATV Product Spec Book

2025

Vehicle Specifications, Accessories and Parts & Maintenance

Jilaroo Jess, Can-Am Ambassador

TABLE OF CONTENTS

CAN-AM DEFENDER

Model Packages	8
Comparative Chart	22
Accessories	26

CAN-AM MAVERICK R

Model Packages	70
Comparative Chart	73
Accessories	74

CAN-AM MAVERICK X3

Model Packages	100
Comparative Chart	102
Accessories	103

CAN-AM ATVs

Model Packages	136
Comparative Chart	142
Accessories	143

PARTS AND MAINTENANCE

APPAREL AND RIDING GEAR

CANAMOFFROAD.COM

© 2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Products performance may vary depending on external factors. BRP recommends that all SxS drivers take a training course. See your dealer. SxS can be hazardous to operate. Never exceed the SxS's passenger capacity. All SxS models are meant to be used by drivers of aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit <https://can-am.brp.com/>.





IF WE SELL IT, WE STAND BY IT.

BRP Limited Warranty*
for new Parts, Accessories
and Riding Gear

1-year limited warranty**

- Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

GET ALL THE DETAILS FROM
YOUR CAN-AM OFF-ROAD DEALER

* Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories.

** Unless otherwise stipulated or required by law.



CUSTOMISING MADE EASY

1

Select
the
model.

2

Select
the
package.

3

Customise colour, engine,
and accessories (or accessory
bundles) for your vehicle.

4

Click "Save"
or "Send
to dealer."

Jilaroo Jess, Can-Am Ambassador



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

**BUILD
YOURS NOW**



CAN-AM DEFENDER

CAN-AM DEFENDER

MODEL PACKAGES

2024 Can-Am Defender DPS HD7	8
2024 Can-Am Defender DPS HD7 Competitive Chart	9
2025 Can-Am Defender XU HD9	10
2025 Can-Am Defender XU HD9 Competitive Chart	11
2025 Can-Am Defender XU HD10	12
2025 Can-Am Defender Limited HD10	13
2025 Can-Am Defender XT HD10	14
2025 Can-Am Defender XT HD10 Competitive Chart	15
2025 Can-Am Defender X mr HD10	16
2025 Can-Am Defender Max DPS HD9	17
2025 Can-Am Defender Max XT HD10	18
2025 Can-Am Defender Max Limited HD10	19
2025 Can-Am Defender Pro (Pick-up) DPS HD10	20
2025 Can-Am Defender 6x6 DPS HD10	21

COMPARATIVE CHART

Can-Am Defender Lineup	22
------------------------	----

ACCESSORIES

Utility Kit	27
Roofs	28
Cabs	29
Windshields & Mirrors	30
Rear Wind Protection	32
Doors	33
Seat Accessories	35
Aluminum Skid Plates	36
Bumpers & Guards	37
LinQ: Easy On, Easy Off Cargo	40
Cargo & Storage	45
Racks & Holders	48
Lights	51
Audio & Communication Systems	54
Electronic Accessories	55
Winches & Hitches	58
Performance	61
Apache Track Systems	63
Covers & Add-Ons	66





2024 CAN-AM DEFENDER DPS HD7



Tundra Green

ENGINES		HD7
Type	52 hp/42 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary CVT with Engine braking and Electronic Drive Belt Protection, L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok® QE auto-locking front differential	
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Double A-arm 10 in. (25.4 cm) travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	TTA with external sway bar 10 in. (25.4 cm) travel	
Rear Shocks	Twin tube gas charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers	

PACKAGE HIGHLIGHTS

- Fuel efficient 650 cc single cylinder Rotax® Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,471 lb (667 kg)
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate
Hitch Type	2 in. hitch receiver

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2024 Can-Am Defender DPS HD7	Polaris Ranger SP 570 HD	Kawasaki Mule Pro MX	Honda Pioneer 700-2
Engine Size (cc)		650 cc	567 cc	695 cc	675 cc
No of Cylinders		1	1	1	1
Horsepower		52 hp	44 hp	45 hp	61 hp
Transmission	+	pDrive primary CVT with engine braking	Automatic PVT	Dual Range (high/low) CVT with reverse	3 speed with reverse, manual and automatic transmissions
Front Diff. Type	+	Selectable Turf Mode/2WD/4WD with Visco Lok ¹ QE auto-locking front differential	On Demand True AWD/2WD	2WD/4WD Dual mode differential	2WD, 4WD, 4WD Lock
Turf Mode	=	Yes	Yes	Yes	No
Power Steering	=	Dynamic Power Steering (DPS™)	Electronic Power Steering	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance	=	Electric Descent Control	Active Descent Control	Engine Braking	Engine Braking
Seating Capacity	+	3	2	2	2
Front Suspension	=	Double A-Arm	MacPherson Strut	Double Wishbone	Double Wishbone
Rear Suspension	+	TTA with external sway bar	Dual A-arm IRS	Double Wishbone	Double Wishbone
Wheel Size	+	14"	12"	12"	12"
Wheel Material	=	Cast Aluminium	Aluminium	Steel	Steel
Tyre Size	+	27"	25"	25"	25"
Tyre Ply rating	+	8 ply	6 ply	4 ply	4 ply
Towing Capacity	+	1,134 kg	680.4 kg	680 kg	680 kg
Cargo bed capacity	+	454 kg	226.8 kg	317 kg	408 kg
Total Payload	+	680 kg	453.6 kg	544 kg	604 kg
Ground Clearance	+	28 cm	25.4 cm	27 cm	27 cm
Overall Length	+	307.1 cm	279 cm	279.5 cm	291 cm
Overall Width	+	157.5 cm	147 cm	152.5 cm	152.5 cm
Vehicle Dry Weight		667 kg	499 kg	728 kg (kerb)	583 kg
Fuel Capacity	+	40 L	34.1 L	36 L	30 L
Speed Limiting Safety Key	+	Optional	No	No	No
Anti Theft Device	+	Optional	No	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2yr Unlimited km	3yr Unlimited km	3yr Unlimited km

¹Visco-Lok is a trademark of GKN Viscodrives GmbH.

2025 CAN-AM DEFENDER XU HD9



Stealth Black
Yellow

ENGINES		HD9
Type	65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok® auto-locking front differential	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Double A-arm 10 in. (25.4 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	TTA with external sway bar 10 in. (25.4 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers Brake-holding mechanism	

PACKAGE HIGHLIGHTS

- New dash mounted Speed Limiter
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-Twin Engine
- 27 in. 8ply XPS Trail Force
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power steering (DPS™)
- 14 in. cast-aluminium wheels

TALK TO US ABOUT OUR UTILITY KIT (715008856)

- 3 position full glass tilt-up windshield with wipe/washer kit
- Wiper and power cable
- Roof power cable kit
- Full Glass Rear window kit

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,553 lb (706 kg)
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (27.9 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate Full hard roof
Hitch Type	2 in. hitch receiver with rear hitch and tow ball

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	---



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2025 Can-Am Defender XU HD9	Polaris Ranger 1000 EPS	CFMoto UFORCE 1000 EPS	Kawasaki Mule Pro-FX
Engine Size (cc)		976 cc	999 cc	963 cc	813 cc
No of Cylinders		2	2	2	3
Horsepower		65 hp	61 hp	71	47 hp
Transmission	+	Selectable Turf Mode/2WD/4WD with Visco-Lok ¹ auto-locking front differential	Automatic PVT (CVT)	CVT	Dual range (high/low) CVT with reverse
Front Diff. Type	+	PRO-TORQ CVT with Quick Response System (QRS)	AWD/2WD/Versatrac turf mode	Locking Front Diff	2WD/4WD dual mode differential
Turf Mode	=	Yes	Yes	Yes	Yes
Power Steering	=	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering	Speed sensitive Electric Power Steering
Hill Descent Assistance	=	Electric hill descent control	No engine braking	Electric hill descent control	Engine braking
Seating Capacity	=	3	3	3	3
Front Suspension	=	Double A-arm	Dual A-arm	Dual A-arm	Double wishbone
Rear Suspension	+	Torsional trailing arm with external sway bar	Dual A-arm	Dual A-arm	Double wishbone
Wheel Size	=	14"	12"	14"	12"
Wheel Material	+	Aluminium	Steel	Alloy	Steel
Tyre Ply Rating	=	8 ply	4 ply	8 ply	4 ply
Towing Capacity	=	1,134 kg	1,134 kg	800 kg	907 kg
Cargo Bed Capacity	=	454 kg	454 kg	350 kg	453 kg
Total Payload	=	680 kg	680 kg	Not Listed	733 kg
Ground Clearance	=	28 cm	30.5 cm	28 cm	26.5 cm
Overall Length		307.1 cm	305 cm	295 cm	338.5 cm
Overall Width		157.5 cm	158 cm	162 cm	162.5 cm
Vehicle Dry Weight		706 kg	674 kg	650 kg	824 kg - kerb
Fuel Capacity		40 L	43 L	40 L	30 L
On Dash Speed Limiter	+	Yes	No	No	No
Speed Limiting Safety Key	+	23 kph drivers seatbelt limiter, plus optional speed limiting safety keys (40 kph, 70 kph, and open)	Drivers seatbelt limiter 25 kph	Optional permanent 40 kmh accessory	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	2 years	3 years unlimited km

¹Visco-Lok is a trademark of GKN Viscodrives GmbH.

2025 CAN-AM DEFENDER XU HD10



Compass Green

ENGINES	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD auto-locking front differential
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter
Power Steering	Dynamic Power Steering (DPS™)
SUSPENSIONS	
Front Suspension	Arched double A-arm 11 in. (27.9 cm) suspension travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar 11 in. (27.9 cm) suspension travel
Rear Shocks	Twin tube gas-charged shocks
TYRES & WHEELS	
Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminium
BRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers Brake-holding mechanism

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-Twin Engine
- 27 in. 8ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power steering (DPS™)
- 14 in. cast-aluminium wheels

TALK TO US ABOUT OUR UTILITY KIT (715008856)

- 3 position full glass tilt-up windshield with wipe/washer kit
- Wiper and power cable
- Roof power cable kit
- Full Glass Rear window kit

DIMENSIONS & CAPACITIES

	HD10
Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,573 lb (715 kg)
L x W x H	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate Full hard roof
Hitch Type	2 in. hitch receiver with rear hitch and tow ball

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM DEFENDER LIMITED HD10



Desert Tan & Stealth Black

ENGINE		HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm with sway bar 12 in. (30.5 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	Arched TTA with external sway bar 12 in. (30.5 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trac Force 30 x 9 x 14 in.	
Rear Tyres	XPS Trac Force 30 x 10 x 14 in.	
Wheels	14 in. cast-aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers Brake-holding mechanism	

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- Auto heating, venting and air conditioning (HVAC) climate system
- Full hard roof with liner and interior dome light
- Full colour-match doors with electric-opening tinted windows and door locks
- 3-position full-glass tilt-up windshield with wiper/washer kit
- Rear glass window
- Smart-Lok™* front differential
- Brake-holding mechanism
- Panoramic mirror
- VERSA-PRO bolster bench seat with reinforced Limited seat skin and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- LED Signature lights
- 30 in. XPS Trac Force tyres
- 4,500 lb (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,976 lb (896 kg)
L x W x H	126 x 65 x 81 in. (319 x 165.1 x 252 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 12.7 gal (48.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (544 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	850 W
Instrumentation	DC outlet (10-A) USB port (10-A) x 2
Lighting	Front lighting output 140 W LED signature lights LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced seat skin featuring Limited package trims
Steering Wheel	Adjustable tilt steering
Protection	XT Front bumper HMWPE full skid plate Full hard roof with liner and interior dome light Full colour-match doors with electric-opening tinted windows and door locks 3-position full-glass tilt-up windshield with wiper/washer kit Rear glass window
Hitch Type	2 in. hitch receiver
	Panoramic mirror Auto heating and airconditioning (HVAC) climate system Noise suppression carpet and seals, inc. roof lining

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--

2025 CAN-AM DEFENDER XT HD10



Dusty Navy

ENGINE		HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD auto-locking front differential	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm 11 in. (27.9 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	Arched TTA with external sway bar 11 in. (27.9 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trail King 27 x 9 x 14 in.	
Rear Tyres	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers Brake-holding mechanism	

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- 4,500 lb. (2,041 kg) winch
- XT front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- 976 cc V-Twin Rotax® Engine
- 27 in. 8ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- 14 in. cast-aluminium wheels
- Dynamic Power Steering (DPS™)

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weigh	1,623 lb (736 kg)
L x W x H	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A) USB port (10-A) x 2
Lighting	Front lighting output 140 W LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced XT seat skin
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate Full hard roof
Hitch Type	2 in. hitch receiver

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	---



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2025 Can-Am Defender XT HD10	Polaris Ranger XP 1000 HD EPS ADC	Honda Pioneer 1000-3
Engine Size (cc)		976 cc	999 cc	999 cc
No of Cylinders	=	2	2	2
Horsepower	=	82 hp	82 hp	72 hp
Transmission	+	PRO-TORQ CVT Transmission with Quick Response System (QRS)	Automatic PVC	Automatic dual clutch transmission
Front Diff. Type		Selectable Turf Mode/2WD/4WD with Visco-Lok ¹ auto-locking front differential	High Performance On-Demand True AWD/2WD/Versatrac turf mode	2WD/4WD/4WD Lock
Turf Mode	=	Yes	Yes	Yes
Power Steering	+	Dynamic Power Steering (DPS™)	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance		Electric Hill descent control	Active Decent Control	Engine braking
Seating Capacity	=	3	3	3
Front Suspension	+	Arched Double A-arm	Dual A-arm	Independent Double-wishbone
Rear Suspension	+	Arched torsional trailing arm with external sway bar	Dual A-arm, IRS	Independent Double-wishbone
Wheel Size	=	14"	14"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Ply Rating	=	8 ply	8 ply	6 ply
Tyre Size	=	27"	27"	27"
Towing Capacity	=	1,134 kg	1,133.9 kg	1,134 kg
Cargo Bed Capacity	=	454 kg	454 kg	454 kg
Total Payload		680 kg	871 kg	748 kg
Ground Clearance		33 cm	33 cm	34.5 cm
Overall Length	+	319.4 cm	305 cm	296.6 cm
Overall Width	+	162.5 cm	158 cm	159.9 cm
Vehicle Dry Weight		736 kg	723 kg	703 kg - Kerb
Fuel Capacity		40 L	43.5 L	30 L
Winch	+	Yes - 2,041 kg with roller fairlead	No	No
Speed Limiting Device	+	23 kph drivers seatbelt limiter, plus optional D.E.S.S.™ speed limiting safety keys (40 kph, 70 kph, and open)	24 kph drivers seatbelt limiter	24 kph drivers seatbelt limiter
Anti Theft Device	+	Optional vehicle specific D.E.S.S.™ keys - vehicle can not be hot wired	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
Display	+	4.5" wide digital display	4" LCD	Multi-function LCD dash display

¹Visco-Lok is a trademark of GKN Viscodrive GmbH.

2025 CAN-AM DEFENDER X_{MR} HD10



 Hyper Silver & Legion Red

ENGINE		HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake and exhaust, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm with sway bar 12 in. (30.5 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	Arched TTA with external sway bar 12 in. (30.5 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Swamp Force 30 x 9 x 14 in.	
Rear Tyres	XPS Swamp Force 30 x 11 x 14 in.	
Wheels	14 in. cast aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers	
	Brake-holding mechanism	

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- Smart-Lok™** front differential
- Strategically positioned engine air intake and CVT inlet/outlet
- Brake-holding mechanism
- VERSA-PRO bolster bench seat, reinforced seat skin featuring X package trims and adjustable driver seat
- 7.6 in. digital display with keypad
- 64 in. wide with arched A-arm
- LED signature lights
- 30 in. XPS Swamp Force tyres
- 4,500 lb (2,014 kg) relocated winch
- Heavy-duty front steel bumper
- Aluminium rock sliders
- HMWPE full skid plate

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,746 lb (792 kg)
L x W x H	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	15 in. (38.1 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A) USB port (10-A) x 2
Lighting	Front lighting output 140 W LED signature lights LED tail lights
Winch	Highmount 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced seat skin featuring X package trims
Steering Wheel	Adjustable tilt steering
Protection	Heavy-duty front steel bumper HMWPE full skid plate Aluminium rock sliders Mudguards
Hitch Type	2 in. hitch receiver

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM DEFENDER MAX DPS HD9



 Compass Green

ENGINES		HD9
Type	65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok ¹ auto-locking front differential	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Double A-arm 10 in. (25.4 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	TTA with external sway bar 10 in. (25.4 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic twin-piston callipers	

PACKAGE HIGHLIGHTS

- New dash mounted Speed Limiter
- Rotax® 976 cc V-twin engine
- 6 seat capacity
- Longer wheelbase providing smoother ride over rough ground
- 27 in. 8 ply XPS Trail Force tyres
- 771 kg payload/1,134 kg towing capacity/454 kg tray capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,771 lb (803 kg)
L x W x H	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 11.1 gal (42.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate
Hitch Type	2 in. hitch receiver

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM DEFENDER MAX XT HD10



Dusty Navy

ENGINES		HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD auto-locking front differential	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm 11 in. (27.9 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	Arched TTA with external sway bar 11 in. (27.9 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trail King 27 x 9 x 14 in.	
Rear Tyres	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic twin-piston callipers Brake-holding mechanism	

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- 6 seat capacity
- 4,500 lb. (2,041 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seats with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,928 lb (875 kg)
L x W x H	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.9 gal (63.9 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A) USB port (10-A) x 2
Lighting	Front lighting output 140 W LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced XT seat skin
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate 2-piece full hard roof
Hitch Type	2 in. hitch receiver

WARRANTY


Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM DEFENDER MAX LIMITED HD10



 Desert Tan & Stealth Black

ENGINE		HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*	
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm with sway bar 12 in. (30.5 cm) suspension travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	Arched TTA with external sway bar 12 in. (30.5 cm) suspension travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trac Force 30 x 9 x 14 in.	
Rear Tyres	XPS Trac Force 30 x 10 x 14 in.	
Wheels	14 in. cast-aluminium	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
Rear	Dual 220 mm disc brakes with hydraulic twin-piston callipers Brake-holding mechanism	

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- Auto heating, venting and air conditioning (HVAC) climate system
- Full hard roof with liner and interior dome light
- Full colour-match doors with front electric-opening tinted windows and door locks all round
- 3-position full-glass tilt-up windshield with wiper/washer kit
- Rear glass window
- Smart-Lok™ front differential
- Brake-holding mechanism
- Panoramic mirror
- VERSA-PRO bolster bench seat with reinforced Limited seat skin and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- Longer wheelbase provides smoother ride over rough ground
- LED Signature lights
- 30 in. XPS Trac Force tyres
- 4,500 lb (2,014 kg) winch
- XT front bumper
- HMWPE full skid plate

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	2,466 lb (1,119 kg)
L x W x H	158 x 65 x 81 in. (402 x 165.1 x 226 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 12.7 gal (48.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,225 lb (555 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	850 W
Instrumentation	DC outlet (10-A) USB port (10-A) x 2
Lighting	Front lighting output 140 W LED signature lights LED tail lights
Winch	4,500 lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced seat skin featuring Limited package trims
Steering Wheel	Adjustable tilt steering
Protection	XT Front bumper HMWPE full skid plate Full hard roof with liner and interior dome light Full colour-match doors with electric-opening tinted windows in front and door locks all round 3-position full-glass tilt-up windshield with wiper/washer kit Rear glass window
Hitch Type	2 in. hitch receiver
	Panoramic mirror Auto heating and airconditioning (HVAC) climate system Noise suppression carpet and seals, inc. roof lining

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM DEFENDER PRO (PICK-UP) DPS HD10



 Yellow

ENGINE	HD10
Type	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD auto-locking front differential
Driving Assistance	CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter
Power Steering	Dynamic Power Steering (DPS™)
SUSPENSIONS	
Front Suspension	Arched double A-arm 11 in. (27.9 cm) suspension travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar 11 in. (27.9 cm) suspension travel
Rear Shocks	Twin tube gas-charged shocks
TYRES & WHEELS	
Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast aluminium
BRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston callipers

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- 712 kg. payload capability
- 6 ft. long tray
- Removable sides - turning the tray into a flatbed
- 316.5 L undertray dust and water resistant storage locker
- Ultrasmooth ride thanks to longer chassis
- One of the quietest SXS on the market
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,815 lb (823 kg)
L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 94 gal (356 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,570 lb (712 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate
Hitch Type	2 in. hitch receiver

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	---



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM DEFENDER 6X6 DPS HD10



 Compass Green

ENGINE		HD10
Type		82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission		PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P
Drive Train		Selectable 4WD/6WD auto-locking front differential
Driving Assistance		CVT engine braking ECO™/ECO™ Off/Work modes Speed limiter
Power Steering		Dynamic Power Steering (DPS™)
SUSPENSIONS		
Front Suspension		Arched double A-arm 11 in. (27.9 cm) suspension travel
Front Shocks		Twin tube gas-charged shocks
Rear Suspension		Arched TTA with external sway bar 11 in. (27.9 cm) suspension travel
Rear Shocks		Twin tube gas-charged shocks
TYRES & WHEELS		
Front Tyres		XPS Trail King 27 x 9 x 14 in.
Rear Tyres		XPS Trail King 27 x 11 x 14 in.
Wheels		14 in. cast aluminium
BRAKES		
Front		Dual 220 mm disc brakes with hydraulic twin-piston callipers
Rear		Dual 220 mm disc brakes with hydraulic twin-piston callipers

PACKAGE HIGHLIGHTS

- Upgraded heavy duty auto activating front diff.
- New dash mounted Speed Limiter
- Unmatched uphill and down hill stability
- Incredible traction and soft ground performance
- Selectable 4WD/6WD
- The industries longest SSV tray (6ft)
- Largest payload of any SXS (771 kg)
- Dynamic Power Steering (DPS™)
- 64 in. wide with arched A-arm
- 14 in. cast-aluminium wheels
- 27 in. XPS Trail King tyres

DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,953 lb (885.9 kg)
L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
Wheelbase	115.5 in. (293.4 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	72 x 54.5 x 10 in. (182.9 x 138.4 x 25.4 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.4 L)
Towing Capacity	3,000 lb (1,360.8 kg)
Payload Capacity	1,700 lb (771.1 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES




Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate
Hitch Type	2 in. hitch receiver

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--






*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

DEFENDER		MY24 DPS***	XU***	
				
COLOUR OPTIONS		Tundra Green	Yellow or Stealth Black	Compass Green
ENGINES	Type	HD7 52 hp/42 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	HD9 65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection, L/H/N/R/P	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† QE auto-locking front differential	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode/2WD/4WD auto-locking front differential
	Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode/2WD/4WD auto-locking front differential
	Power Steering	Dynamic Power Steering (DPS™)		
	SUSPENSIONS	Front Suspension	Double A-arm 10 in. (25.4 cm) travel	
Front Shocks		Twin tube gas-charged shocks		
Rear Suspension		TTA with external sway bar 10 in. (25.4 cm) travel		Arched TTA with external sway bar 11 in. (27.9 cm) travel
Rear Shocks		Twin tube gas-charged shocks		
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum		XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminium
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers		
	Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers		
		N/A	Brake-holding mechanism	
DIMENSIONS/CAPACITIES	Cage	Profiled cage, ROPS approved		
	Estimated Dry Weight	1,471 lb. (667 kg)	1,553 lb (706 kg)	1,573 lb (715 lb)
	L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)		121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)
	Wheelbase	83 in. (211.5 cm)		
	Ground Clearance	11 in. (28 cm)		13 in. (33 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		
	Cargo Box Capacity	1,000 lb (454 kg)		
	Tailgate Load Capacity	250 lb (113.4 kg)		
	Storage Capacity	Total: 10.4 gal (39.5 L)		
	Towing Capacity	2,500 lb (1,134 kg)		
	Payload Capacity	1,500 lb (680 kg)		
	Fuel Capacity	10.6 gal (40 L)		
	Person Capacity	3		
	FEATURES	Gauge	4.5 in. wide digital display	
Battery		12 V (18 amp/h)		
Magneto		650 W		
Instrumentation		DC outlet (10-A)		
Lighting		Front lighting output 140 W, LED tail lights		
Winch		N/A		
Seat		VERSA-PRO bench seat with passenger seat flipping up, underside hooks		
Steering Wheel		Adjustable tilt steering		
Protection		Integrated front steel bumper, HMWPE central skid plate	Integrated front steel bumper, HMWPE central skid plate, full hard roof	
Hitch Type		2 in. hitch receiver	2 in. hitch receiver with rear hitch and tow ball	

[†]Visco-Lok is a trademark of GKN Viscodrives GmbH.




***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit.

DEFENDER		XT***	Limited***	X mr***
				
COLOUR OPTIONS		Dusty Navy	Desert Tan & Stealth Black	Hyper Silver & Legion Red
ENGINES	Type	HD10	HD10	HD10
		82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled		82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra-L/H/N/R/P		PRO-TORQ CVT with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake, and exhaust, Extra-L/H/N/R/P
	Drive Train	Selectable Turf Mode/2WD/4WD auto-locking front differential	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology
	Driving Assistance	CVT engine braking, ECO™/ECO™ Off/Work modes, speed limiter		
	Power Steering	Dynamic Power Steering (DPS™)		
SUSPENSIONS	Front Suspension	Arched double A-arm 11 in. (27.9 cm) travel	Arched double A-arm with sway bar 12 in. (30.5 cm) travel	
	Front Shocks	Twin tube gas-charged shocks		
	Rear Suspension	Arched TTA with external sway bar 11 in. (27.9 cm) travel	Arched TTA with external sway bar 12 in. (30.5 cm) travel	
	Rear Shocks	Twin tube gas-charged shocks		
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast-aluminum	XPS Swamp Force 30 x 9/11 x 14 in. 14 in. cast-aluminum
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers		
	Rear	Dual 220 mm disc brakes with hydraulic single-piston callipers		
		Brake-holding mechanism		
DIMENSIONS/CAPACITIES	Cage	Profiled cage, ROPS approved		
	Estimated Dry Weight	1,623 lb (736 kg)	1,976 lb (896 kg)	1,746 lb (792 kg)
	L x W x H	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)	126 x 65 x 81 in. (319 x 165.1 x 252 cm)	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)
	Wheelbase	83 in. (211.5 cm)		
	Ground Clearance	13 in. (33 cm)	14 in. (35.6 cm)	15 in. (38.1 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		
	Cargo Box Capacity	1,000 lb (454 kg)		
	Tailgate Load Capacity	250 lb (113.4 kg)		
	Storage Capacity	Total: 16.2 gal (61.3 L)	Total: 12.7 gal (48.1 L)	Total: 16.2 gal (61.3 L)
	Towing Capacity	2,500 lb (1,134 kg)		
	Payload Capacity	1,500 lb (680 kg)	1,200 lb (544 kg)	1,500 lb (680 kg)
	Fuel Capacity	10.6 gal (40 L)		
	Person Capacity	3		
FEATURES	Gauge	4.5 in. wide digital display	7.6 in. wide digital display with keypad	
	Battery	12 V (30 amp/h)		
	Magneto	650 W	850 W	650 W
	Instrumentation	DC outlet (10-A), USB Port (10-A) x 2		
	Lighting	Front lighting output 140 W, LED tail lights	Front lighting output 140 W, LED signature lights, LED tail lights	
	Winch	4,500 lb (2,041 kg) winch with roller fairlead		Highmount 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
	Seat	VERSA-PRO bolster bench seat with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced XT seat skin	VERSA-PRO bolster bench seat with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trim	VERSA-PRO bolster bench seat with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims
	Steering Wheel	Adjustable tilt steering		
	Protection	XT front bumper, HMWPE full skid plate, full hard roof	XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full colour match doors with electric-opening tinted windows and door locks, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window	Heavy-duty front steel bumper, HMWPE full skid plate, aluminum rock sliders, mudguards
	Hitch Type	2 in. hitch receiver		

*Visco-Lok is a trademark of GKN Viscodrives GmbH.



*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit

DEFENDER		MAX DPS***	MAX XT***	MAX Limited***
				
COLOUR OPTIONS		Compass Green	Dusty Navy	Desert Tan & Stealth Black
ENGINES	Type	HD9	HD10	HD10
		65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled		82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra-L/H/N/R/P		
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential		Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok [*]
	Driving Assistance	CVT engine braking, ECO™/ECO™ Off/Work modes, speed limiter		
	Power Steering	Dynamic Power Steering (DPS™)		
SUSPENSIONS	Front Suspension	Double A-arm 10 in. (25.4 cm) travel	Arched double A-arm 11 in. (27.9 cm) travel	Arched double A-arm with sway bar 12 in. (30.5 cm) travel
	Front Shocks	Twin tube gas-charged shocks		
	Rear Suspension	TTA with external sway bar 10 in. (25.4 cm) travel	Arched TTA with external sway bar 11 in. (27.9 cm) travel	Arched double A-arm with sway bar 12 in. (30.5 cm) travel
	Rear Shocks	Twin tube gas-charged shocks		
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast aluminium
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers		
	Rear	Dual 220 mm disc brakes with hydraulic twin-piston callipers		
		N/A	Brake-holding mechanism	
DIMENSIONS/CAPACITIES	Cage	Profiled cage, ROPS approved		
	Estimated Dry Weight	1,771 lb (803 kg)	1,928 lb (875 kg)	2466 lb (1,119 kg)
	L x W x H	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)	158.3 x 65 x 81 in. (402 x 165.1 x 226 cm)
	Wheelbase	115.5 in. (294 cm)		
	Ground Clearance	11 in. (28 cm)	13 in. (33 cm)	14 in. (35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		
	Cargo Box Capacity	1,000 lb (454 kg)		
	Tailgate Load Capacity	250 lb (113.4 kg)		
	Storage Capacity	Total: 11.1 gal (42.1 L)	Total: 16.9 gal (63.9 L)	Total: 12.7 gal (48.1 L)
	Towing Capacity	2,500 lb (1,134 kg)		
	Payload Capacity	1,700 lb (771 kg)		1,225 lb (555 kg)
	Fuel Capacity	10.6 gal (40 L)		
	Person Capacity	6		
FEATURES	Gauge	4.5 in. wide digital display		7.6 in. wide digital display with keypad
	Battery	12 V (18 amp/h)	12 V (30 amp/h)	
	Magneto	650 W		850 W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A), USB Port (10-A) x 2	
	Lighting	Front lighting output 140 W, LED tail lights		Front lighting output 140 W, LED signature lights, LED tail lights
	Winch	N/A	4,500 lb (2,041 kg) winch with roller fairlead	
	Seat	VERSA-PRO bench seats with passenger seats flipping up, underside hooks	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims
	Steering Wheel	Adjustable tilt steering		
	Protection	Integrated front steel bumper, HMWPE full skid plate	XT front bumper, HMWPE full skid plate, 2-piece full hard roof	XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full colour-match doors with electric opening tinted windows in front and door locks all round, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window
	Hitch Type	2 in. hitch receiver		

¹Visco-Lok is a trademark of GKN Viscodrives GmbH.

***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit

DEFENDER		PRO (PICK-UP) DPS***	6x6 DPS***
			
COLOUR OPTIONS		Yellow	Compass Green
ENGINES	Type	HD10	HD10
		82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra-L/H/N/R/P	
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential	Selectable 4WD/6WD with Visco-Lok [†] auto-locking front differential
	Driving Assistance	CVT engine braking, ECO™/ECO™ Off/Work modes, speed limiter	
	Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS	Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel	
	Front Shocks	Twin tube gas-charged shocks	
	Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel	
	Rear Shocks	Twin tube gas-charged shocks	
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
	Rear	Dual 220 mm disc brakes with hydraulic twin-piston callipers	
		N/A	
DIMENSIONS/CAPACITIES	Cage	Profiled cage, ROPS approved	
	Estimated Dry Weight	1,815 lb (823 kg)	1,953 lb (885.9 kg)
	L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	
	Wheelbase	115.5 in. (294 cm)	
	Ground Clearance	13 in. (33 cm)	
	Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	
	Cargo Box Capacity	1,000 lb (454 kg)	
	Tailgate Load Capacity	250 lb (113.4 kg)	
	Storage Capacity	Total: 94 gal (356 L)	Total: 10.6 gal (39.5 L)
	Towing Capacity	2,500 lb (1,134 kg)	3,000 lb (1,360.8 kg)
	Payload Capacity	1,570 lb (712 kg)	1,700 lb (771 kg)
	Fuel Capacity	10.6 gal (40 L)	
	Person Capacity	3	
FEATURES	Gauge	4.5 in. wide digital display	
	Battery	12 V (18 amp/h)	
	Magneto	650 W	
	Instrumentation	DC outlet (10-A)	
	Lighting	Front lighting output 140 W, LED tail lights	
	Winch	N/A	
	Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks	
	Steering Wheel	Adjustable tilt steering	
	Protection	Integrated front steel bumper, HMWPE central skid plate	
	Hitch Type	2 in. hitch receiver	

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.

***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



DEFENDER ACCESSORIES

UNLOCK THE POWER OF YOUR DEFENDER WITH THE UTILITY KIT:

Flip Glass Windshield with Wiper & Washer Kit

Defender

715002441



- Curved laminated glass full windshield in metal frame
- Provides excellent optical clarity
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow
- Flip windshield can be set fully open according to your preference
- Ideal for muddy conditions
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield
- Single speed wiper with washer fluid dispenser

Roof Power Cable

Defender

715003094



- Brings power from the battery.
- Required for installation of some electrical accessories.

Rear Glass Window

Defender

715007079



- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust and/or rain in harsh conditions.
- Quick and easy installation.
- Sport Roof (715002430 or 715003038) required for installation.
- Rear Wind Protection Installation Seal Kit (715006705) required for installation on 2020 Defender models.
- Not compatible with Snorkel Kit.

ROOFS

Sport Roof	Defender	715002430
	Defender MAX	715003038



- Robust injection-molded polypropylene construction.
- Provides added protection for rider and passenger from the elements.

Sport Roof Seal Kit <i>(Not illustrated)</i>	Defender	715003126
	Defender MAX	715003583

- Necessary when installing individual cab components with Sport Roof or when installing the Front and Rear Roof Liners.

Bimini Roof with Sun Visor	Defender MAX	■ 715003030 · Black
----------------------------	--------------	---------------------



- Heavy-duty canvas made of UV-resistant polyester.
- Soft top comes with a hard visor that allows for storage of rolled-up soft top and mounting of Light Rack.
- Quick and easy installation.

Front Roof Liner	Defender, Defender MAX	715008226
------------------	------------------------	-----------



- Vehicle enhancement.
- Integrates seamlessly with roof-mounted light switch.
- Required for installation of roof-mounted lights and audio systems.
- Allows a better integration of Windshield Wiper and Washer Kit.
- Seal Kit necessary when installing with Sport Roof.

Rear Roof Liner	Defender†	715006334
	Defender MAX‡ (Not illustrated)	715006391



- Quick and easy vehicle enhancement.
- Allows better integration of other accessories installed on the roof.
- Seal Kit necessary when installing with Sport Roof.
- Not compatible with: 715002920, 715006680, 715003249, 715002852.

†Needs to be installed with Sport Roof (715002430).
‡Needs to be installed with Sport Roof (715003038).

CABS

Hard Cabs

Clear Rigid Cab



- Includes:
 - Front Clear Rigid Doors
 - Sport Roof
 - Flip Glass Windshield
 - Rear Polycarbonate Window
 - Sport Roof Seal Kit

Defender (all model years) (except X mr models)	715007269
Defender MAX 2022 & up (except X mr models)	715007270

NEW Deluxe Cab Enclosure



- Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.

Defender (all model years) (except X mr models)	715009904
Defender MAX 2022 & up (models produced after January 18, 2021) (except X mr models)	715009905

- Includes:
 - Deluxe Sport Roof Kit
 - Flip Glass Windshield with Wiper and Washer Kit
 - Front Deluxe Full Doors with key locking door latches
 - Rear Glass Window with Sliding Panel
 - Wiper and Powered Windows Cable
 - Roof Power Cable
 - Colour Panels required (sold separately)

Soft Cabs

Soft Cab Enclosure (Not illustrated)

Included:

- Sport Roof
- Full Hardcoated Windshield
- Soft Doors
- Rear Polycarbonate Window








Defender (all model years)	715008063
Defender MAX 2018 & prior, Defender MAX 2022 & up (models produced after January 18, 2021)	715008064







Cab Kits – Reference Chart

	Deluxe Cab Enclosure	Deluxe Cab Enclosure MAX	Clear Rigid Cab	Clear Rigid Cab MAX	Soft Cab Enclosure	Soft Cab Enclosure MAX
Kit	715009904	715009905	715007269	715007270	715008063	715008064
Windshield	715002441	715002441	715002942	715002942	715002432	715002432
Rear Window	715007080	715007080	715007081	715007081	715007081	715007081
Roof	715002430	715003038	715002430	715003038	715002430	715003038
Front Doors	715009906	715009906	715006261	715006261	715008059	715008059
Rear Doors	–	715009907	–	715006262	–	715006318
Others	715004462 715003094 715003126 715008226 715006334	715004462 715003094 715003583 715008226 715006391	715003126	715003583	–	–

WINDSHIELDS & MIRRORS

Windshields

Powerflip Windshield	Defender, Defender MAX	715003885
	<ul style="list-style-type: none">• The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.• Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.• Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.	<ul style="list-style-type: none">• Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of opening possibilities depending on protection, visibility and air flow preferences.• Compatible with Can-Am roofs and windshield wiper and washer kit.
Flip Glass Windshield	Defender, Defender MAX	715002942
	<ul style="list-style-type: none">• Curved and laminated glass full windshield in metal frame.• Provides excellent optical clarity.• Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow.• 3-position flip can be set at fully closed, ¼ open, or fully open.	<ul style="list-style-type: none">• Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.• Ideal for muddy conditions.• Can be used with Windshield Wiper & Washer Kit (715001638).
Flip Glass Windshield With Wiper & Washer Kit	Defender, Defender MAX	715002441
	<ul style="list-style-type: none">• Curved and laminated glass full windshield in metal frame.• Provides excellent optical clarity.• Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.• Flip windshield can be set fully closed or fully open according to your preference.	<ul style="list-style-type: none">• Ideal for muddy conditions.• Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.• Single-speed wiper with washer fluid dispenser.• Requires Wiper and Power Cables: If equipped with the Sport Roof, Power Cables 710004462 & 715003094 are required. If equipped with the Audio Roof, Power Cables 715008781 & 715003094 are required.
Flip Windshield – Hardcoated	Defender, Defender MAX	715002442
	<ul style="list-style-type: none">• High-impact-resistant Makrolon¹ hardcoated polycarbonate full windshield in metal frame.• Provides excellent optical clarity and better abrasion resistance.• Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow.	<ul style="list-style-type: none">• 3-position flip can be set at fully closed, ¼ open, or fully open.• Gas-shock-assisted operation.• Ideal for muddy conditions.
Glass Windshield	Defender, Defender MAX	715001303
	<ul style="list-style-type: none">• Curved and laminated glass full windshield in metal frame.• Seals firmly against the cage and protects rider and passenger from the elements while providing excellent optical clarity.	<ul style="list-style-type: none">• Must be used with Windshield Wiper & Washer Kit (715001638) to maintain clear visibility during severe riding conditions.
Full Windshield – Hardcoated	Defender, Defender MAX	715002432
	<ul style="list-style-type: none">• High-impact-resistant Makrolon¹ hardcoated polycarbonate full windshield.• Provides excellent optical clarity and better abrasion resistance.• Protects driver and passenger from the elements.• Quick and easy tool-less installation or removal.	
Full Windshield	Defender, Defender MAX	715002431
	<ul style="list-style-type: none">• High-impact-resistant durable polycarbonate full windshield.• Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.	<ul style="list-style-type: none">• Protects driver and passenger from the elements.• Quick and easy tool-less installation or removal.

Half Windshield	Defender, Defender MAX	715002433
	<ul style="list-style-type: none"> High-impact-resistant durable polycarbonate half windshield. Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity. 	<ul style="list-style-type: none"> Protects driver and passenger from the elements. Features reverse angle lip to deflect air flow. Quick and easy tool-less installation or removal. Not compatible with Soft Doors.
ProVent Windshield	Defender, Defender MAX	715005276
	<ul style="list-style-type: none"> High-impact-resistant Quantum hardcoated polycarbonate full windshield. Optimal performance with Full Cab Enclosure. Controllable vents to manage air flow. Channels air into the cabin, defogs windshield, fully closes to eliminate air flow. 	<ul style="list-style-type: none"> 2 lower vents and one upper vent (pre-filter installed). Provides excellent optical clarity and better abrasion resistance. Protects driver and passenger from the elements. Quick and easy tool-less installation or removal. Not compatible with wiper kits.
Windshield Wiper & Washer Kit	Defender, Defender MAX	715001638
	<ul style="list-style-type: none"> An ideal way to keep your windshield clear in rain, or while riding through mud and water. Includes single-speed wiper, washer fluid dispenser and windshields frame mount. Must be used with the Glass Windshield (715001303) or Flip Glass Windshield (715002942) or Powerflip Windshield (715003885). 	<ul style="list-style-type: none"> Requires Wiper and Power Cables: If equipped with the Sport Roof, Power Cables 710004462 & 715003094 are required. If equipped with the Audio Roof, Power Cables 715008781 & 715003094 are required.
Wiper & Power Window Cable <i>(Not illustrated)</i>	Defender, Defender MAX	715008781
<ul style="list-style-type: none"> Required to install the Audio Roof (715005206 or 715006879) with the following accessories: Flip Glass Windshield with Wiper & Washer Kit (715002441), Windshield Wiper & Washer Kit (715001638) and Front Deluxe Full doors (715009906 or 715009913). 		
Wiper & Power Windows Cable <i>(Not illustrated)</i>	Defender, Defender MAX	710004462
<ul style="list-style-type: none"> Required to install Front Deluxe Full Doors (715009906 or 715009913) and/or windshield wiper & washer kit (715001638). Necessary if you want to build your own cab enclosure from modular components. 		
Manual Wiper Kit	Defender, Defender MAX	715008755
	<ul style="list-style-type: none"> Single manual wiper that can be used to clear windshield of debris. Easy to install system that requires no electrical hookup. Large ergonomic handle provides a good grip over the entire sweeping surface. Compatible with glass and hardcoated windshields that use top mounted wipers. 	
Side Wind Deflectors	Defender, Defender MAX	715005081
	<ul style="list-style-type: none"> Clear polycarbonate air deflectors mount on each side of the cage. Not compatible with Full Doors. Sold in pairs. Compatible with all windshields. 	<ul style="list-style-type: none"> Can be adjusted at three different positions for cabin air flow control when a full windshield is installed: <ol style="list-style-type: none"> Outside deflection to reduce cabin air flow and turbulence. Inside deflection to increase air flow in the cabin. Windshield ventilation to reduce fog.
Mirrors		
Side Mirrors	Defender, Defender MAX	715008100 · Black
	<ul style="list-style-type: none"> Rugged black nylon 6/6 construction with coated cast-aluminum mount. Dual adjustment (horizontal and vertical) will suit any rider. Convex optics deliver optimal field of view (FOV). Spring-loaded pivots let mirrors fold back completely. 	<ul style="list-style-type: none"> Fit with and without doors and half doors. Sold in pairs. Not compatible with Soft Doors and Soft Cab Enclosures.

Side Mirror	Defender, Defender MAX (2022 & up)	715008101*
	Defender, Defender MAX (2021 & prior)	715002459



- Molded heavy-duty aluminum mirror.
- Stays in place on rough trails.
- Ball-joint design for steady multi-angle adjustment and outstanding vision.
- Use with or without any roof, windshield or doors.
- Not for road use.
- Fits either side.
- Sold individually.

**Not compatible with the Half Doors (715006314 & 715006316).*

Rear View Mirror & Camera Monitor	Defender, Defender MAX	715009410
--	------------------------	------------------



- Fully waterproof rearview mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear view camera.
- This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).
- The camera uses infrared light for night vision capabilities.

Panoramic Center Mirror	Defender, Defender MAX	715003638
--------------------------------	------------------------	------------------



- Wide-angle convex mirror.
- Offers enhanced visibility.
- Can be used with or without roof or windshield and with cab enclosures.

REAR WIND PROTECTION

Rear Glass Window with Sliding Panel	Defender, Defender MAX (except X mr models)	715007080
---	--	------------------



- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Sliding panel for enhanced ventilation.
- Quick and easy installation.
- Sport Roof (715002430 or 715003038) required for installation.
- Not compatible with Snorkel Kit.

Rear Glass Window	Defender, Defender MAX (except X mr models)	<input checked="" type="checkbox"/> 715009915 · Tinted NEW
		<input type="checkbox"/> 715007079 · Clear





- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick and easy installation.
- Sport Roof (715002430 or 715003038) required for installation.
- Not compatible with Snorkel Kit.
- Tinted glass 14% VLT (visual light transmission).
- Rear Wind Protection Installation Seal Kit (715006705) required for installation on 2020 Defender models.

Rear Polycarbonate Window	Defender, Defender MAX (except X mr models)	715007081
----------------------------------	--	------------------







- High-impact-resistant polycarbonate window.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick and easy installation.
- Sport Roof (715002430 or 715003038) required for installation.
- Not compatible with Snorkel Kit.


Rear Wind Screen	Defender, Defender MAX	715002851
	<ul style="list-style-type: none"> • Full rear mesh screen reduces windshield backdraft for added cabin comfort. • Installs quickly and easily on roll cage. • White Can-Am logo at top, to help maintain clear view. 	

Soft Rear Window	Defender, Defender MAX	715003249
	<ul style="list-style-type: none"> • Clear, flexible window made of see-through vinyl. • Resists cold cracking to -4°F (-20°C). • Blocks windshield backdraft or dust and rain from entering, for added cabin comfort. • Installs quick and easily on roll cage. • White Can-Am logo at top, to help maintain clear view. 	

DOORS

NEW Front Deluxe Full Doors	Defender (except X mr models), Defender MAX (except X mr models)	<input type="checkbox"/> 715009906 · Clear <input checked="" type="checkbox"/> 715009913 · Tinted
 	<ul style="list-style-type: none"> • New key locking door latches. • Premium doors made from robust polyethylene. • Offer excellent protection from the elements. • Tinted glass 55% VLT (visual light transmission). • Easy to remove on hot and sunny days. • Convenient integrated storage areas. • Doors' curved design provides even more room. • Rear-hinge wide opening for ease of ingress/egress in the cockpit. • Power window delivers added ventilation. • Compatible with all BRP windshields. • Require Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003126). • Colour Door Trims are required (sold separately). • Hardware to install the Door Trim is included. 	

NEW Rear Deluxe Full Doors	Defender MAX 2022 & up (models produced after January 18, 2021) (except X mr models)	<input type="checkbox"/> 715009907 · Clear <input checked="" type="checkbox"/> 715009914 · Tinted
 	<ul style="list-style-type: none"> • New key locking door latches. • Premium doors made from robust polyethylene. • Offer excellent protection from the elements. • Tinted glass 14% VLT (visual light transmission) • Easy to remove on hot and sunny days. • Convenient integrated storage areas. • Doors' curved design provides even more room. • Rear-hinge wide opening for ease of ingress/egress in the cockpit. • Roll-Down Window delivers added ventilation. • Require Front Deluxe Full Doors (715009906 or 715009913), Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003583 for MAX vehicle). • Colour Door Trims are required (sold separately). • Hardware to install the Door Trim is included. 	

Front Deluxe Half Doors	Defender and Defender MAX 2022 & up	715007201
	<ul style="list-style-type: none"> • Premium colour matching doors made from robust polyethylene. • Premium fit and finish. • Slim with interior pockets. • Rear hinge wide opening for ease of ingress/egress in the cockpit. • Interior and exterior handles. • Colour accent panels are required (sold separately). • Hardware to install the Door Trim is included. 	

Rear Deluxe Half Doors

Defender MAX 2022 & up

715007202



- Premium colour matching doors made from robust polyethylene.
- Premium fit and finish.
- Slim with interior pockets.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior and exterior handles.
- Colour accent panels are required (sold separately).
- Hardware to install the Door Trim is included.

NEW Front Trims

Front Deluxe Full Doors & Front Deluxe Half Doors



- Customize your Defender by adding colour-matched door panels.
- Front Deluxe Full Doors (715009906), Front Deluxe Full Doors - Tinted Windows (715009913) or Front Deluxe Half Doors (715007201) are required.

Front Left Door Trim

- 705801565 · Dusty Navy **NEW**
- 705801303 · Stealth Black **NEW**
- 705801330 · Compass Green **NEW**
- 705801504 · Timeless Black
- 705801340 · Fiery Red
- 705801344 · WildLand Camo
- 705801408 · Hyper Silver

Front Right Door Trim

- 705801566 · Dusty Navy **NEW**
- 705801305 · Stealth Black **NEW**
- 705801331 · Compass Green **NEW**
- 705801505 · Timeless Black
- 705801341 · Fiery Red
- 705801345 · WildLand Camo
- 705801409 · Hyper Silver

NEW Rear Trims

Rear Deluxe Full Doors & Rear Deluxe Half Doors



- Customize your Defender by adding colour-matched door panels.
- Rear Deluxe Full Doors (715009907), Rear Deluxe Full Doors - Tinted Glass (715009914) or Rear Deluxe Half Doors (715007202) are required.

Rear Left Door Trim

- 705801567 · Dusty Navy **NEW**
- 705801307 · Stealth Black **NEW**
- 705801332 · Compass Green **NEW**
- 705801506 · Timeless Black
- 705801342 · Fiery Red
- 705801346 · WildLand Camo
- 705801410 · Hyper Silver

Rear Right Door Trim

- 705801568 · Dusty Navy **NEW**
- 705801309 · Stealth Black **NEW**
- 705801333 · Compass Green **NEW**
- 705801507 · Timeless Black
- 705801343 · Fiery Red
- 705801347 · WildLand Camo
- 705801411 · Hyper Silver

Front Clear Rigid Doors

Defender (all model years) (except X mr models), Defender MAX 2022 & up (except X mr models)

715006261



- Sturdy and compact steel-frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximizes visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- EC- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Rear Clear Rigid Doors

Defender (all model years) (except X mr models), Defender MAX 2022 & up (except X mr models)

715006262



- Sturdy and compact steel-frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximizes visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- EC- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Half Doors	Defender (2 doors)	715006314
	Defender MAX (4 doors)	715006316



- Half doors made of plastic.
- Metal frame for a higher level of fit and finish and rigidity.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior pockets and liners for more comfort.

Soft Doors	Defender, Defender MAX (all model years)	715008059 · 2 front doors
	Defender MAX 2018 & prior, Defender MAX 2022 & up (models produced after January 18, 2021)	715006318 · 2 rear doors




- Weather-resistant soft doors reinforced with steel frame offer good protection from the elements.
- Made of heavy-duty UV-resistant canvas for excellent resistance to tear and abrasion.
- Rear hinge wide opening for ease of ingress/egress.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- Easily removable on hot sunny days.
- Compatible with roofs and mirrors.
- Soft Door Installation Kit (715006238/2X for MAX) is required for installation of 2019 & prior doors, on 2020 Defender models.

NEW Front Deluxe Door Locks	Defender, Defender MAX	715009951
------------------------------------	------------------------	------------------



- Allows you to upgrade your deluxe doors with integrated door locks.
- Includes a pair of locks for front doors.
- Included on Deluxe Doors and Deluxe Cab kits 2025 and over.
- 2 keys included.

NEW Front & Rear Deluxe Door Locks	Defender MAX	715009952
---	--------------	------------------



- Allows you to upgrade your deluxe doors with integrated door locks.
- Includes 4 locks for front and rear doors.
- Included on Deluxe Doors and Deluxe Cab kits 2025 and over.
- 2 keys included.

SEAT ACCESSORIES

Central Headrest	Defender, Defender MAX	715005163
-------------------------	------------------------	------------------



- Headrest for front-center-seating position on 3-seated models and for rear-center-seating position on MAX models.
- Front Headrests are available separately for front passengers on MAX models.
- Headrests are required for all passengers on some regulated trails.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.


Front Headrests	Defender MAX	715005164
------------------------	--------------	------------------



- Additional headrest for all three front-seating positions on MAX models.
- Central Headrest is available separately for rear-center-seating positions on MAX models.
- Headrests are required for all passengers on some regulated trails.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum $\frac{3}{16}$ " (4.5 mm) thick.

- Ultimate durability
- High strength


DEFENDER, DEFENDER MAX


	2019 & prior		2020 & up		
	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	62" Base, DPS (HD5, HD7, HD8 & HD9), XT (HD7, HD8 & HD9) & PRO (HD8)	64" 6x6 (DPS & XT) or Pro (DPS, XT), XT PRO, DPS (HD10), XT (HD10) & XT-P	65" XT Cab, DPS Cab, Hunting Edition, Lone Star Edition, Limited & X mr
Offer your Defender the full protection kit or get parts individually					
Full Protection Kit					
Aluminum Skid Plate Protection Kit	715003711 (except MAX)	715006977 (3-up)	715006694 (except MAX)	715006696 (3-up & 6x6)	715006979 (3-up 2020 to 2021 only)
	715003712 (MAX only)	715006978 (MAX)	715006695 (MAX only)	715006697 (MAX & PRO)	715006980 (MAX 2020 to 2021 only)
Individual Aluminum Skid Plates					
① Front A-Arm Protectors <ul style="list-style-type: none"> • Extra underside protection for your vehicle's steering mechanism and suspension (A-arm). • Sold in pairs. • Not compatible with Apache Track Systems. 	715008274	715006975	715008274	715008275	715008275 (2022 & up) 715006975 (2020 to 2021 only)
② Front Skid Plate <ul style="list-style-type: none"> • Protects the front underside of your vehicle when riding in rough terrain conditions. • Adds style to the front of your vehicle. 	715002447	715002447	715002447	715002447	715002447
③ Central Skid Plate <ul style="list-style-type: none"> • Central Skid Plate Kit includes central and lateral skid plates. • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Must be used with Underbelly Skid Plate Kit. 	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX & PRO only)	715003467 (MAX & PRO only)	715003467 (MAX & PRO only)
④ Underbelly Skid Plate Kit <ul style="list-style-type: none"> • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Kit includes central, lateral and rear skid plates. 	715002446	715002446	715007982	715007982	715007982
⑤ Rear A-Arm Protectors <ul style="list-style-type: none"> • Extra underside protection for your vehicle's suspension (A-arm). • Sold in pairs. • Not compatible with Apache Track Systems. 	715002445	715006976	715002445	715004388	715004388 (2022 & up) 715006976 (2020 to 2021 only)

BUMPERS & GUARDS


Bumpers

Front Bumper	Defender, Defender MAX (2019 & prior)	715002418
	Defender, Defender MAX (2020 & up)	715005754
 <ul style="list-style-type: none"> Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Provides enhanced protection. Inside and outside anti-corrosion coating with durable powder coat finish. Integrated mounting points for lights. Required to install the Xtreme Front Bumper Plates, Front Rack and the Front Corner Protectors. 		
Xtreme Front Bumper Plates	Defender, Defender MAX (2019 & prior) [†]	715003005
	Defender, Defender MAX (2020 & up) [‡]	715005777
 <ul style="list-style-type: none"> Made of high-strength heavy-gauge steel with rubber pads for increased protection. Inside and outside anti-corrosion coating with durable powder coat finish. Provide additional front-end protection. <p>[†]Require Front Bumper (715002418) for installation. [‡]Require Front Bumper (715005754) for installation.</p>		
Front Corner Protectors	Defender, Defender MAX (2019 & prior) [†]	715002833
	Defender, Defender MAX (2020 & up) [‡]	715005774
 <ul style="list-style-type: none"> Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. Provide enhanced protection for front corners. Inside and outside anti-corrosion coating with durable powder coat finish. Sold in pairs. <p>[†]Require Front Bumper (715002418) for installation [‡]Require Front Bumper (715005754) for installation.</p>		
Rancher Front Bumper	Defender, Defender MAX	715005410
 <ul style="list-style-type: none"> The low front-end protection and plates allow you to use your vehicle within cattle herds and guard the safety of both the vehicle and the animals. The flat front portion facilitates gently prodding cattle or pushing light objects, e.g., closing a fence. The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator. Inside and outside anti-corrosion coating with durable powder coat finish. Defender, Defender MAX (2020 & up) Improved approach angle. Compatible with front rack, snow plows, tyre and track kits, winches. 		
XT Front Bumper	Defender, Defender MAX (2019 & prior)	715004407
 <ul style="list-style-type: none"> 1.5" (3.8 cm) diameter steel-tube construction. Provides light-duty protection. Inside and outside anti-corrosion coating with durable powder coat finish. Light-kit compatible. Standard on XT and XT Cab models 2018 and 2019. Not compatible with Xtreme Front Bumper Plates, Front Corner Protectors or LinQ Front Rack. 		
X mr Front Bumper	Defender, Defender MAX	■ 715006143 · Black
 <ul style="list-style-type: none"> Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Includes a front tow hook. Standard on X mr models. Winch sold separately. Inside and outside anti-corrosion coating with durable finish. Provides additional front body protection. Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights. 		


Cargo Bed Protectors & Tie Rails	Defender 6x6 & PRO models	715005415
	<ul style="list-style-type: none"> Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Reliable cargo box protection and tie-down attachment point to secure large loads. 	<ul style="list-style-type: none"> Anti-corrosion coating with durable powder coat finish. Designed to stay in place when cargo bed side walls are removed.


Rear Bumper	Defender, Defender MAX	715008109
	<ul style="list-style-type: none"> Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design. Increased protection of rear box and lower box corner while allowing normal tailgate function. 	<ul style="list-style-type: none"> Inside and outside anti-corrosion coating with durable powder-coat finish. Required to install Rear Body Side Protector (715003055).

Rear Bumper Adapter <i>(Not illustrated)</i>	Defender 6x6& PRO models	715006060
	<ul style="list-style-type: none"> Required to install the Rear Bumper on Defender models with the long box. 	

Rear Body Side Protectors	Defender, Defender MAX (except 6x6 & PRO)	715003055
	<ul style="list-style-type: none"> Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Reliable cargo box protection. Inside and outside anti-corrosion coating with durable powder coat finish. 	<ul style="list-style-type: none"> Compatible with fender flares. Integrated brush and low-lying branch deflector. Require Rear Bumper for installation. Sold in pairs.

Body Side Protectors

Front Body Side Protectors	Defender, Defender MAX	715003450
	<ul style="list-style-type: none"> Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. Front side protection for farm, ranch and forestry applications. Offer complete front body protection. Inside and outside anti-corrosion coating with durable powder coat finish. 	<ul style="list-style-type: none"> Sold in pairs. Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and Rock Slider (715002569 or 715003040 for MAX models) for installation.

Front Rancher Body Side Protectors	Defender, Defender MAX	715003617
	<ul style="list-style-type: none"> Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. Front side protection for farm, ranch and forestry applications. Offer complete front body protection. 	<ul style="list-style-type: none"> Inside and outside anti-corrosion coating with durable powder coat finish. Sold in pairs. Require Rancher Bumper and Rock Sliders for installation.

Fender Flares

Fender Flares	Defender (except 6x6 & PRO), Defender MAX	715006821
	Defender 6x6	715005409
	Defender PRO	715006001



- Robust injection-molded polypropylene construction.
- Perfect for keeping mud and debris outside the vehicle.
- Include front and rear extension, and all mounting hardware.
- Ideal for track equipped vehicles.

Sport Fender Flares

Sport Fender Flares	Defender (except 6x6 & PRO), Defender MAX	715003898
---------------------	---	------------------



- Sleek fender flares just the right size to reduce mud and debris kick-up from your tyres.
- Robust injection-molded polypropylene construction.
- Include front and rear extension, and all mounting hardware.

Rock Sliders

Rock Sliders	Defender	■ 715006671 · Black
	Defender MAX, Defender PRO	■ 715006721 · Black



- Heavy-duty rock sliders made of painted $\frac{3}{16}$ " (5 mm) aluminum with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Not compatible with other rock sliders.
- Sold in pairs.
- Standard on Defender X mr, Defender MAX X mr and Defender XT-P models.

Rock Sliders

Rock Sliders	Defender, Defender 6x6	715002569
	Defender MAX, Defender PRO	715003040



- Protect vehicle's sides and undercarriage against large obstacles.
- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated step for easy cargo box access.
- Sold in pairs.

Mud Flaps

Mud Flaps	Defender, Defender MAX	715003041
-----------	------------------------	------------------



- Keep mud and debris out of cargo area and protect trailer or vehicles behind you.
- Add aesthetic appeal to your vehicle.
- Made of EPDM rubber.
- Require Rear Bumper for installation.
- Sold in pairs.

LINQ: EASY ON, EASY OFF CARGO

DEFENDER'S LINQ ACCESSORIES

Mounting location and requirements

<ul style="list-style-type: none">• No tools needed: Quickly install and remove accessories by hand.• Equip your Can-Am for specialized tasks in no time.• Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (long box bed LinQ)	LinQ Cargo Rack 715006140	Adventure Roof Rack 715003870/715004391	
<div>LinQ Accessories with 16" Base</div> <div><ul style="list-style-type: none">• LinQ anchors mounted 16 inches apart, center-to-center.• Lower loading capacity than the LinQ with 36" base accessories.• Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.</div>				
<div>LinQ 11.4 US Gal (43L) Cooler</div> <div>715007825 • Black</div> <div>715009276 • Gray</div>	LinQ Base Installation Kit 715008125	No compatibility	No compatibility	
<div>LinQ 4.2 Gal Cooler</div> <div>295100698 • White</div> <div>219400964 • Black</div>		LinQ Base Installation Kit 715008125		
<div>LinQ Tool Kit</div> <div>715006829</div>		No further requirements	No further requirements	
<div>LinQ Tool Box</div> <div>715008111</div>				
<div>LinQ SR 5.5 Gal (21 L) Bag</div> <div>860202449</div>				
<div>LinQ 4.5 Gal (17 L) Sport Bag</div> <div>860202447</div>				
<div>LinQ Modular Box</div> <div>715005494 • (10 L)</div> <div>715007112 • (20 L)</div> <div>715006830 • (30 L)</div>				
<div>LinQ Roll-Top Bag</div> <div>715008110</div>	No compatibility			
<div>LinQ Accessories with 36" Base</div> <div><ul style="list-style-type: none">• Mount on LinQ racks often used by Can-Am ORV vehicles.• Higher loading capacity than the LinQ with 16" base accessories.• Usage is limited to Can-Am ORV vehicles.</div>				
<div>LinQ 12 Gal (45 L) Cargo Box</div> <div>715003879</div>	No compatibility	No further requirements	No further requirements	
<div>LinQ 23 Gal (86 L) Trunk Box</div> <div>715004923</div>				
<div>LinQ 11.5 Gal (43 L) Audio Cargo Box</div> <div>715003018</div>				
<div>LinQ 8 Gal (30 L) Cooler Box</div> <div>715004778 • Black</div> <div>715004698 • Gray</div>			No compatibility	No compatibility
<div>LinQ Premium Storage Bag by OGIO†</div> <div>715002923 • Black</div>			No further requirements	
<div>LinQ Heavy Duty Basket</div> <div>715001215</div>				
<div>LinQ Low Profile Basket</div> <div>715004282</div>				
LinQ Holders				
<div>LinQ Gear Grips</div> <div>715005340</div>	No further requirements	No further requirements	Side wall installation LinQ Adapters 715003058	
<div>LinQ Tool Holder</div> <div>715007358</div>				

LinQ Accessories with 16" Base

NEW LinQ 11.4 US Gal (43L) Cooler

Defender, Defender MAX

■ **715007825** · Black
■ **715009276** · Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.
- See table for installation location and requirements.

LinQ Modular Box

Defender, Defender MAX

715005494 · (10 L)
715007112 · (20 L)
715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Defender, Defender MAX

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Defender, Defender MAX

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.
- See table for installation location and requirements.

LinQ Tool Kit

Defender, Defender MAX

715006829



- Includes:
 - Cutter pliers
 - Long-nose pliers
 - Locking pliers
 - Ratchet wrench ¾" drive
 - 6" ratchet extension
 - Integrated CVT belt storage location (belt not included)
 - Long-socket 19 mm ¾" drive - 6 pts
 - Socket 18 mm ¾" drive
 - Long-socket 17 mm ¾" drive - 6 pts
 - Socket 15 mm ¾" drive
 - Socket 13 mm ¾" drive
 - Socket 10 mm ¾" drive
 - Socket 8 mm ¾" drive
 - Socket Torx T40 ¾" drive
 - Socket Torx T30 ¾" drive
 - Socket Torx T20 ¾" drive
 - Breaker bar ¾" drive
 - Combination Wrench set:
 - Wrench 19 mm
 - Wrench 18 mm
 - Wrench 15 mm
 - Wrench 13 mm
 - Wrench 10 mm
 - Wrench 8 mm
- See table for installation location and requirements.

LinQ 4.2 Gal (16 L) Cooler

Defender, Defender MAX

■ **219400964** · Black
■ **295100698** · White



- All the benefits of LinQ—simple, fast and secure.
- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- Can contain twenty 355 ml cans.
- Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions: 9" L x 17" W x 7" H.
- See table for installation location and requirements.

LinQ SR 5.5 Gal (21 L) Bag	Defender, Defender MAX	860202449
-----------------------------------	------------------------	------------------



- Semi-rigid expandable bag.
- All the benefits of LinQ—simple, fast and secure.
- Easy one-second on/off tool-less system.
- Requires LinQ Base Installation Kit.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag	Defender, Defender MAX	860202447
--------------------------------------	------------------------	------------------



- All the benefits of LinQ—simple, fast and secure.
- 17 liter (4.5 US gallon) capacity.
- Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.
- Rigid bottom, semi-rigid top.
- Easy one-second on/off tool-less system.
- See table for installation location and requirements.

LinQ Roll-Top Bag	Defender, Defender MAX	715008110
--------------------------	------------------------	------------------



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.
- See table for installation location and requirements.

LinQ Explorer Bag	Defender, Defender MAX	295101016
--------------------------	------------------------	------------------



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S. key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.

LinQ Accessories with 36" Base

LinQ 12 Gal (45 L) Cargo Box	Defender, Defender MAX	715003879
-------------------------------------	------------------------	------------------



- Holds cargo safely and securely while riding.
- LinQ mounted for easy-on, easy-off installation.
- See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box	Defender, Defender MAX	715004923
-------------------------------------	------------------------	------------------










- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio Cargo Box	Defender, Defender MAX	715003018
---	------------------------	------------------



- An affordable and quick solution for adding music and storage to your next ride.
- The rear installation does not use up any cab space and allows easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.
- See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box	Defender, Defender MAX	715004698 · Gray 715004778 · Black
	<ul style="list-style-type: none"> • Installs without vehicle modification. • Rotomolded construction provides exceptional rigidity and durability. • Premium-quality foam insulation for optimal ice retention. • Integrated, fully removable compartment protects food. • Robust rubber latches keep the cover tightly closed. • Weather-resistant. • Convenient drain plug. • See table for installation location and requirements. 	
LinQ Premium Storage Bag by OGIO	Defender, Defender MAX	715002923 · Black
	<ul style="list-style-type: none"> • Tool-less installation and removal thanks to the LinQ system. • 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle. • Buckle and elastic closure with a rubber seal that protects dust from entering the bag. • 3-section lid for partial or full access to your bag. • Inside separators for optimal bag organization. • See table for installation location and requirements. 	
LinQ Heavy-Duty Basket	Defender, Defender MAX	715001215
	<ul style="list-style-type: none"> • Made of high-strength, low-alloy steel. • See table for installation location and requirements. 	
LinQ Low Profile Basket	Defender, Defender MAX	715004282
	<ul style="list-style-type: none"> • Low profile, open basket increases cargo space. • Perfect for easy access to tools, rope, winch and plow accessories. • Multiple bungee cord and tie-down anchor points. • Made of impact-resistant injected polypropylene. • See table for installation location and requirements. 	
LinQ Tailgate Extension	Defender, Defender MAX (except 6x6 and PRO models) Defender 6x6 & PRO	715002464
	<ul style="list-style-type: none"> • Adds rear cargo capacity when the tailgate is open. • Steel-tubing-system-style barrier mounts on top of the bed walls using the easy, tool-less LinQ system. • Can be mounted to serve as cargo divider at different locations along the bed wall while preventing larger items from falling off the back. 	<ul style="list-style-type: none"> • Stores neatly out of the way and offers additional cab area protection since it can be mounted upside down on the front bed wall as a mini headache rack. • Anti-corrosion coating with durable powder coat finish. • Not compatible with hard rear windows on Defender MAX produced before January 2021.
LinQ Tyre Holder	Defender (except 6x6 & PRO models), Defender MAX	715003448
	<ul style="list-style-type: none"> • Cargo box spare-tyre holder. • Heavy-duty steel construction. • Inside and outside anti-corrosion coating with durable powder coat finish. • Mounts on top of the bed walls using the easy, tool-less LinQ system. 	<ul style="list-style-type: none"> • Compatible with Bed Wall Extender. • Uses BRP standard wheel bolt pattern to mount tyre (nuts included). • Accommodates BRP tyres up to 28" (wheel not included). • Quickly allows installation in multiple positions thanks to the LinQ system.
LinQ Cargo Rack	Defender, Defender MAX	715006140
	<ul style="list-style-type: none"> • Strong, durable steel rack. • Easy and tool-less installation thanks to the LinQ system. • Allows the installation of LinQ accessories. • 2 racks can be installed at the same time. • Allows multi-level storage on cargo bed, accommodates 5 gal (19 L) bucket. 	<ul style="list-style-type: none"> • Helps keep cargo securely in place. • Multiple bungee cord and tie-down anchor points. • Kit includes LinQ Base. • Provides more usable space in the cargo box.

LinQ Front Rack

Defender, Defender MAX

715006064



- Rugged looking front rack mounts on top of vehicle hood and provides additional storage.
- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Flip-up configuration provides easy access to service area.
- Allows the installation of LinQ accessories (especially for use with LinQ Low Profile Basket (715004282)).
- Kit includes LinQ Base.
- Multiple bungee cord and tie-down anchor points.
- Requires Rancher Bumper (715005410) or Front Bumper (715002418 or 715005754) for installation.
- A great place to store tools while working in the field.

LinQ Holders

LinQ Tool Holder

Defender, Defender MAX

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Suitable for installation onto the cargo walls, Deluxe Headache Rack, Bed Wall Extender, Adventure Roof Rack and LinQ Loadout Rack.
- If mounted on the Deluxe Headache Rack or the Bed Wall Extender, LinQ Adapter is required for installation.
- Sold in pairs.

LinQ Gear Grips

Defender, Defender MAX

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ Mounting

LinQ Adapter

Defender, Defender MAX

715003058



- Allows the installation of the LinQ Tool Holder to the Bed Wall Extender, Adventure Roof Rack or the Deluxe Headache Rack.
- Sold in pack of 4.

LinQ Lock

Defender, Defender MAX

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.

LinQ Base Installation Kit

Defender, Defender MAX

715008125



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 LinQ Cargo Bases and hardware.

LinQ Replacement Part

Defender, Defender MAX

715001707



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

CARGO & STORAGE

Loadout Rack

Defender, Defender MAX

715005447



- LinQ installed versatile rack that creates a second level of storage.
- Adjustable height that goes from mid cab height to roof line.
- Modular basket adapts to different cargo with folding front and rear panels.
- Multiple hooks and holes to hang items both inside and outside the rack.
- Basket accommodates multiple LinQ positions.
- Combine with cargo net to create a hanging storage net below the basket for additional space.
- 2 racks can be installed on Defender Pro and Defender 6x6.

Hanging Storage Box Kit

Defender, Defender MAX

715005449



- Versatile rack designed to hold a standard storage box.
- Fully adjustable, the rack can be tailored to hold the crates in multiple positions: headache rack position, inside the box along the sidewall, and outside the box along the side wall.
- Includes Can-Am branded storage box.
- Exterior Cargo Reinforcement Panel is recommended when used outside of bed wall.

Can-Am Storage Box

(Not illustrated)

Defender, Defender MAX

708303237

- Conventional 13" x 13" plastic storage box with Can-Am branding.
- Perforated bottom allows water and debris to escape.

Exterior Cargo Reinforcement Panel

(Not illustrated)

715006198

- Plate that attaches to the bed side to further support and protect bed wall when in outward position.
- Recommended use of the hanging storage box and/or gun and tool holder when installed outside of the bed wall (except Defender 6x6 & PRO).

Deluxe Headache Rack

Defender, Defender MAX

715002423



- Protects cab components from cargo load.
- Increases box capacity when used in tandem with the Bed Wall Extender (715002421).
- Required to install the Bed Wall Extender (715002421).
- Compatible with gear rail.

Bed Wall Extender

Defender,
Defender MAX
(except Defender 6x6 & Defender PRO)

715002421

Defender 6x6 & PRO models

715005411



- Increases box capacity.
- Quick and easy tool-less modularity.
- Easily removable rear door can be latched open.
- Variable full or half height settings.
- Foldable top panels come off in seconds.
- Requires Deluxe Headache Rack (715002423).

Tonneau Cover

Defender 2018 & up (except Mossy Oak
Break-Up Country Camo models),
Defender MAX (except 6x6 and PRO models)

715008306



- Fitted to cover all of the items in your cargo box thoroughly.
- Prevents splash from entering the cargo box.
- Rolls up to the front.
- Easily removable for quick access.
- Not compatible with accessories that exceed the box height.

Removable Storage Bin	Defender, Defender MAX	715004344
------------------------------	------------------------	------------------



- Handy, removable on-dash tool box will make sure you have your critical equipment where you need it.
- Provides 1.7 gal (6.3 L) of storage and clips on and off in a snap.
- Water-resistant to ensure your contents remain safe and dry.
- Standard on all models except Base.

Removable Storage Bin – Passenger	Defender, Defender MAX	715003314
--	------------------------	------------------



- Convenient passenger-side underseat storage.
- Polypropylene-injected 3.7 gal (14 L) storage capacity bin.
- Bin installs and removes in a snap and comes with an integrated handle.
- Water-resistant.

Driver Underseat Storage Bin	Defender, Defender MAX	715003399
-------------------------------------	------------------------	------------------



- Polypropylene-injected 4 gal (15 L) capacity bin fits securely under the driver's seat.
- Front opening for quick and easy access.
- Ideal for storing weather-resistant items, such as ropes, tow straps and winch accessories that are needed at a moment's notice.

Center Underseat Storage Bin	Defender, Defender MAX	715003446
-------------------------------------	------------------------	------------------



- Polypropylene-injected 2 gal (8 L) capacity storage bin.
- Watertight design keeps ice and drinks cold.
- Easy to drain and wash by removing it with integrated handle.
- Accessible by lifting center seat section.

Cargo Bed Rails	Defender (except 6x6 & PRO), Defender MAX	715003444
------------------------	---	------------------



- Add integrated tie-down area to your cargo box while enhancing the look.
- Added cargo box protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Heavy-duty 1" (2.5 cm) diameter steel-tube construction.
- Add height to the bed side wall and serve as a tie-down anchor for ropes, straps or bungees.
- Not compatible with Bed Wall Extender.
- Sold in pairs.

Cargo Bed Net	Defender (except 6x6 & PRO), Defender MAX	715003445
----------------------	---	------------------



- Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.
- Keeps items tightly against the bed floor.

Dash Storage Compartment Net for Heating System	Defender, Defender MAX (2019 & prior)	715003544
--	---------------------------------------	------------------



- Perfect for securing items in the dash storage area.
- To be installed when Lower Dashboard for Heating System is installed.

Lower Dashboard for Heating System	Defender, Defender MAX (2019 & prior)	715003441
---	---------------------------------------	------------------



- Replaces the dashboard that comes stock with the vehicle, and features a tablet that makes it possible for driver and passenger to conveniently store small items in the dash.
- To be installed when the Defrost, Heat & Ventilation System is installed.
- Use together with the Dash Storage Compartment Net for Heating System (715003544) to prevent the items placed in the dash storage compartment from falling.

Dash Storage Compartment Nets	Defender, Defender MAX (except Limited models)	715003129
	<ul style="list-style-type: none"> • Perfect for securing items in the dash storage area. • Not compatible with Defrost, Heat & Ventilation System. • Sold in pairs. 	
Bed Tool Box	Defender, Defender MAX	715003028
	<ul style="list-style-type: none"> • Large 40 gal (150 L) multifunction weather-resistant tool box designed for cargo beds. • Rotomolded construction provides exceptional rigidity and durability. • Features cup holders and integrated groove for pipe or 2x4 cutting. • Sized to give you the option of installing 2 tool boxes in the cargo bed (quick bolt-on installation). • Double side openings with lockable covers and rubber latches. 	
Soft Storage Bag	Defender, Defender MAX	715003759
	<ul style="list-style-type: none"> • 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage. • 3 sections. • Weatherproof. 	
Backrest Rear Storage	Defender MAX	715003019
	<ul style="list-style-type: none"> • Netting installs easily. • Made from polyester that won't discolour. • Sold in pairs. 	
Storage 2.6 Gal (10 L) Bag	Defender, Defender MAX	269502121
	<ul style="list-style-type: none"> • Roll-top dry bag for fully protecting your cargo from the elements. 	
Passenger Storage Seat Bag	Defender, Defender MAX	715008080
	<ul style="list-style-type: none"> • This weather-resistant bag holds your gear safely and securely while you ride. • Bag settling on the passenger seat to increase the vehicle's cargo capacity. • This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments. • The top compartment is insulated to keep your beverages cold and includes two cup holders. • Additional pocket inside for additional storage, such as a cell phone. • The bottom compartment is accessible from both sides and serves as a large pocket for storing various items. • The detachable pocket at the front of the bag can be used as a garbage bag. 	

RACKS & HOLDERS

Rear Accessory Bar

Defender, Defender MAX

715005450



- Strong accessory bar allowing installation or hanging items off the back.
- Holes for carabiners, duck decoy hangers or other items.
- LinQ anchors allow installation of many LinQ accessories.

Adventure Roof Rack

Defender
Loads of up to 40 lb (18 kg).

715003870

Defender MAX
Loads of up to 75 lb (34 kg).

715004391



- Ideal cargo solution for packing everything you need to live your off-road experience fully and completely.
- Built with heavy-duty 1.25" (3.2 cm) diameter steel tubing.
- Modular LinQ support plates allow for installation of most LinQ cargo accessories.
- Integrated mounting points for lights can hold up to 8 pod-type LED lights (6 front and 2 back) or a 39" (99 cm) LED bar (front)—see table for compatibility.
- Features anchor points for spare tyre attachment.
- Spare Tyre Tie-Downs sold separately.
- Add the Cargo Box Net or the Cargo Box Elastic Net to secure and confine your cargo in the rack.
- Not compatible with Bimini Roof or Audio Roof.

Spare Tyre Ratchet Tie-Downs

Defender, Defender MAX

280000955



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points.
- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

LinQ Tool & Gun Holder

Defender, Defender MAX

715005466



- 2-in-1 holding rack can be used both on the job or on the hunt.
- Includes 5 locations to securely hold tools and guns using rubber grips and retention straps at the top and a rubber mat with gunstock shaped molding at the bottom.
- Easy to remove, install or reposition using our simple and secure LinQ system.
- Can be attached at multiple positions along the cargo bed walls, facing inside or outside the bed.
- Recommended to use with the Exterior Cargo Reinforcement Panel (715006198) when installed outside the bed wall.

LinQ Gun Case

Defender, Defender MAX

715009240



- Practical design allows you to store shotguns and rifles up to 52" (132 cm) even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- LinQ Gun Case Mounting Kit (715006443) is required for installation.

LinQ Gun Case Mounting Kit




Defender, Defender MAX

715006443



- Required to install the LinQ Gun Case on a Defender and Defender MAX.
- Allows you to install up to two LinQ gun cases.
- Includes one pair.

Gun Boot 6.0⁺ Impact by Kolpin[†]	Defender, Defender MAX	715001419
	<ul style="list-style-type: none"> • Extra room for pistol-grip-type weapons and small bipods. • Easily fits firearms up to 51" (1.3 m) in total length. • Provides ample room for 2.4" (60 mm) scopes. • Hatchback design allows easy access. • Snap-close cover with locking capability. • Ergonomically designed handle and molded attachment points for sling. • Designed to accommodate left- and right-hand bolt-action rifles and shotguns. • Requires Gear Rail and Gun Boot Mount by Kolpin for installation. • Includes removable, shock-absorbing foam and nylon Impact liner for superior interior protection. • Compatible for dual mount with additional Gun Boot Mount. 	
Gun Boot Mount by Kolpin	Defender, Defender MAX	715001420
	<ul style="list-style-type: none"> • Fits one Kolpin Gun Boot 6.0 Impact. • Lightweight and extremely durable. • Easily adjustable without the use of any tools. • Offers precision gun angle adjustability. • Requires Gear Rail for installation. 	
Dual Gun Holder	Defender, Defender MAX	715005265
	<ul style="list-style-type: none"> • Accommodates shotguns, rifles or muzzleloaders. • Mounts in the cab, on floor board between driver and passenger. • Rubber pads provide gun protection. • Can be removed to allow a center passenger. • Anti-corrosion coating with durable powder coat finish. • Comes with all hardware for easy installation. • Keeps your weapons within easy reach and protected within the cab area. • Refer to your local regulations governing the transportation of firearms before purchase. 	
Gear Rail	Defender, Defender MAX (except X mr models)	715003391
	<ul style="list-style-type: none"> • Stationary rail system specially designed for your side-by-side vehicle. • Universal mounting options for many Kolpin accessories like Gear Grips and Universal Saw Press. • Rail is made with heavy-duty 7-gauge extruded anodized black aluminum. • Mounts on roll bar. • Includes one versatile Gear Rail Mount by Kolpin. • Requires Deluxe Headache Rack (715002423) or Gear Rail Adapter (715003392). 	
Gear Rail Adapter	Defender, Defender MAX (except X mr models)	715003392
	<ul style="list-style-type: none"> • Allows the installation of gear rails directly onto the cargo box without the need for a headache rack. 	
Gear Rail Mount by Kolpin	Defender, Defender MAX	715001422
	<ul style="list-style-type: none"> • Accessory bracket for mounting additional accessories to the Gear Rail. • Includes C-clamp and metal mounting brackets. 	

Double Gun Bag	Defender (except XT Cab, X mr models), Defender MAX (except XT Cab and Limited package)	715003133 · Black
	<ul style="list-style-type: none"> • Shell constructed with heavy-duty, weather-resistant polyester to shelter guns from dust and other outdoor elements, while the thick interior padding protects the guns from shocks. • Fits perfectly on rear cage and guns are readily accessible from both sides of vehicle. • Design features include a removable center pocket that can be mounted on both sides of the bag and extra front storage pockets for hunting gear. • Solid, quick installation. • Not compatible with rear wind protection, headache racks and gear rails. • May interfere with the tilt function of the Defender 6x6 or Defender PRO models' beds. 	
Universal Saw Press by Kolpin	Defender, Defender MAX (except X mr models)	715001423
	<ul style="list-style-type: none"> • Specially crafted for transporting your chainsaw securely and safely aboard your side-by-side vehicle. • Heavy-duty, black powder-coated metal bracket designed to attach any chainsaw model with up to a 20" (51 cm) bar. • Rubber pads provide cushion and tight fit. • Hinged design for quick removal. • Holds saw in vertical position or 45° angle in either direction. • Requires Gear Rail. • Protective sheath included. 	
LinQ Gear Grips	Defender, Defender MAX	715001421
	<ul style="list-style-type: none"> • Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. • Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. • Quick-release button opens grip quickly for easy access to gear. • Heavy-duty base system built for the toughest adventures. • Easy installation on tubular racks, extension racks, brackets or bumpers. • Sold in pairs. 	

LIGHTS

1 Choose your mount point		2 Find your platform		3 Choose your lights			
			10" (25 cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) Round LED LIGHTS (Sold in pairs)	3.5" (9 cm) LED Lights (Sold in pairs)
Front Bumper Rancher Bumper XT Front Bumper X mr Front Bumper (w/o winch) X-TP Front Bumper	Defender Defender MAX 2019 & prior		715002933 PLUS 715002454 (Light Power Cable)	715002934 PLUS 715002454 (Light Power Cable)	N/A	715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715002454 (Light Power Cable)	
	Defender Defender MAX 2020 & up		715002933 PLUS 715006034 (Light Power Cable)	715002934 PLUS 715006034 (Light Power Cable)		715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715006034 (Light Power Cable)	
Light Rack or Light Bars *Roof Power Cable and Front Roof Liner may not be required if already installed with other accessories.	Defender & Defender MAX (except XT Cab)		715002933 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715008226 (Front Roof Liner)	715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	
	Defender Defender MAX XT Cab Limited		715002933	715002934	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot)	
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Defender & Defender MAX (except XT Cab Limited)	N/A		Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front or Rear: 715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	
	Defender, Defender MAX XT Cab Limited			Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	Front or Rear: 715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable)	
4 Order			Order all part numbers in intersecting box *Note: When installing more than one light kit, additional light power cable or mounting kit is required.				

Roof Power Cable

(Not illustrated)

Defender, Defender MAX

715003094

- Required for installation of some electrical accessories.
- Brings power from the battery.

Light Kit Power Cable

(Not illustrated)

Defender, Defender MAX (2019 & prior)


715002454

Defender, Defender MAX (2020 & up)


715006034

- Power cable for installation of compatible Can-Am light kits at front bumper location.

10" (25 cm) Double Stacked LED Light Bar (60 W)	Defender, Defender MAX	715002933
--	------------------------	------------------




5,400 lumens




- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Can be installed on front bumpers, sport roof and Bimini roof with sun visor.

- Requires light power cable for installation.
- Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- EC compliant.
- See table for installation location and requirements.

15" (38 cm) Double Stacked LED Light Bar (90 W)	Defender, Defender MAX	715002934
--	------------------------	------------------




8,400 lumens




- Equipped with 18 5 W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.

- Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- EC compliant.
- See table for installation location and requirements.

39" (99 cm) Double Stacked LED Light Bar (270 W)	Defender, Defender MAX	715004007
---	------------------------	------------------




24,300 lumens




- Equipped with 54 5W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.

- Compatible on the Adventure Roof Rack.
- Compatible with Flip Windshields and Full Windshields.
- See table for installation location and requirements.

4" (10 cm) Round LED Lights (2 x 25 W)	Defender, Defender MAX	715002935
---	------------------------	------------------




1,800 lumens




- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.

- Requires light power cable.
- Sold in pairs.
- Not EC compliant.
- See table for installation location and requirements.

3.5" (9 cm) LED Driving Lights (2 x 14 W)	Defender, Defender MAX	715003666
--	------------------------	------------------



1,260 lumens




- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.

- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- EC compliant.
- See table for installation location and requirements.

3.5" (9 cm) LED Flood Lights (2 x 14 W)

Defender, Defender MAX

715009774



- 14 W LED lights producing 1,260 lumens each.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.

- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- EC compliant.
- See table for installation location and requirements.

Light Bar Support

Defender, Defender MAX

715006226



- Mounting Bracket that allows the installation of the Can-Am 39" Lightbar (715004007).
- Low and forward mounting position for a sleek look.
- Compatible with all windshields, roofs and doors.
- This accessory is not compatible with the Can-Am Audio Roof (715005206) or Can-Am Max Audio Roof (715006879).

Light Rack

Defender, Defender MAX

715002456



- Rugged steel construction serves as both mount and protection for accessory light systems.
- Lights not included.
- Front Roof Liner is required for installation on the roof (except Cab models or with Deluxe Sport Roof).
- Power Cable, Sport Roof, Deluxe Sport Roof or Sport Roof for MAX required for installation.
- Integrates elegantly and seamlessly into our roof products.

Rear Cargo Light

Defender, Defender MAX (2020 & up)

715007077



- Powerful 55W H3 illumination for rear cargo area.
- Convenient in-dash switch.
- Wiring included.
- Sport Roof (715002430) or Sport Roof for MAX (715003038) is required for installation.
- Not EC compliant.
- Not compatible with headache rack on Defender Pro and Defender 6x6.

RAM[†] LED Spotlight

Defender, Defender MAX (2019 & prior)

710005423



- 540 lumen (9 watt) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.

Dome Light

Defender, Defender MAX

715002455



- LED array integrates perfectly with vehicle.
- Wiring included.
- Can be installed on cage or roof, with or without roof liner.
- Not compatible with Defender Audio Roofs.

LED Signature Lights

Defender, Defender MAX (2020 & up)

715006896



- The stylish LED set puts the finishing touch to your Defender, accentuating its aggressive stance.
- Included on Limited and Lone Star models.

AUDIO & COMMUNICATION SYSTEMS

Can-Am Audio Roof	Defender	715005206
	<ul style="list-style-type: none"> • Full roof with sleek built-in audio. • Fully sealed and waterproof. • Easy to install: one wire connects the roof to the vehicle's electronics. • Four 7.7" speakers, one 280 watt amplifier, and one weatherproof source unit supplied by JL Audio[®]. • Speakers include LED lighting integrated into the grille, designed to uniformly illuminate with an RGB glow. • A 3" full-colour LCD display, with separate day/night lighting themes for visibility, even in bright sunshine. • AM/FM tuner. 	<ul style="list-style-type: none"> • To install the Audio Roof with the following accessories, the Power Harnesses 715003094 and 715008781 are required: Flip Glass Windshield With Wiper and Washer Kit (715002441), Windshield Wiper and Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907). • Not compatible with Adventure Roof Rack or Headache Rack. • Not compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) and Light Bar Support (715006226).
Can-Am Audio Roof MAX	Defender MAX	715006879
	<ul style="list-style-type: none"> • Full roof with premium JL Audio system for Defender MAX. • Fully sealed and waterproof components and construction. • Simple to install: one connector connects the roof to the vehicle's electrical system. • Weatherproof components: Six 7.7" coaxial speakers, 280 watt amplifier and 70 watt Mediamaster[®] source unit. • AM/FM tuner. • Expertly tuned for exceptional sound on the move in your Defender MAX. • Speakers include adjustable RGB LED cone illumination, controlled via an app on your smartphone. • Mediamaster[®] source unit equipped with 3" full-colour LCD display, with day/night lighting modes. 	<ul style="list-style-type: none"> • Designed to not drain the battery. • Specific to the type of riding. • To install the Audio Roof with the following accessories, the Power Harnesses 715003094 & 715008781 are required: Flip Glass Windshield With Wiper & Washer Kit (715002441), Windshield Wiper & Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907). • Not compatible with Adventure Roof Rack. • Not compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) & Light Bar Support (715006226).
NEW Can-Am JL Audio Subwoofer & Amplifier Kit	Defender, Defender MAX	715010050
	<ul style="list-style-type: none"> • Orchestrated for outstanding sound quality and calibrated to enhance your audio experience. • Designed to be tough in the most demanding riding conditions. • Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience. • Includes the MX 500/1 amplifier with 715010050. • When combined with the Can-Am Audio Roof (715005206) or with the Can-Am Audio Roof MAX (715006879), this premium JL Audio component creates the ultimate sound experience (only compatible with JL Audio Roofs). 	715010342 · Sub only
NEW Can-Am Audio Roof Flip Kit	Defender, Defender MAX	715007133
	<ul style="list-style-type: none"> • Combines with Can-Am Audio Roofs (715005206 & 715006879) for Flip option. • Not compatible with the Roof Rack. • Compatible with LED Light Bar when installed directly on the Audio Roof. 	
Wetsound Stealth XT 6 Can-Am Edition Sound Bar	Defender, Defender MAX	715008282
	<ul style="list-style-type: none"> • Built-in Bluetooth connectivity with source control. • Built-in Broadcast mode. • Backlit control panel with Integrated LED RGB cabin lights. • Integrated LED Dome. • IP67 rated RF wireless remote control. • 3.5 aux input/output. • Built-in 300 W Class D Amplifier. 	<ul style="list-style-type: none"> • 4 marine-rated 3" full range drivers. • 2 marine-rated 1" tweeters. • Operating voltage: 12 V. • IP rated: IP67. • Length: 21.31" • Width: 4.04" • Height: 3.85" • Sound Bar Mounting Kit required for installation.

Sound Bar Mounting Kit	Defender, Defender MAX	715007840
-------------------------------	------------------------	------------------



- Required to install the Wetsound Stealth XT 6 Can-Am Edition Sound Bar on a Defender and Defender MAX.

Overhead Audio System		
------------------------------	--	--



- Rugged waterproof Jensen¹ Bluetooth Stereo Audio System offers multi-source input: AM/FM/WB and USB (iPod[®] and iPhone[®] ready).
- Convenient white LED-backlit LCD display and buttons.
- Stream from any Bluetooth-enabled device (smartphone, MP3 player).
- Powerful 4x40W amplifier with remote turn-on.
- Voice-control of AVRCP-active device.
- 30 programmable AM/FM stations with auto-store/pre-set scan.
- Separate RCA audio output and input.
- UV-resistant finish/corrosion-resistant components.
- Requires Sport Roof (715002430) or Front Roof Liner (715008226) and Power Cable (715003094).

NEW Complete Overhead Audio System	Defender, Defender MAX	715009764
---	------------------------	------------------

- Complete with 4 ultra-sturdy outdoor speakers (2 front and 2 rear) and 4 black speaker boxes.

NEW Overhead Front Audio System	Defender, Defender MAX	715009765
--	------------------------	------------------

- Complete with 2 ultra-sturdy front outdoor speakers and black speaker box.

ELECTRONIC ACCESSORIES

Back-Up Monitor and Camera Kit	Defender, Defender MAX	715003834
---------------------------------------	------------------------	------------------



- Fully waterproof rear view camera and monitor kit.
- The camera is one of the clearest and sharpest available on the market, with 250,000 pixel image resolution and a 2.1 mm lens with 130° viewing angle.
- Features 18 infrared lights that allow up to 50 ft. (15.24 m) visibility in complete darkness, an auto iris sensor that adapts to light intensity changes and an adjustable sunshade.
- 7" (17.78 cm) digital TFT LCD colour monitor comes with power harness and can support up to two camera inputs.
- The camera can be roof mounted to monitor your cargo load or to see farther behind, and it can be mounted under the cargo box for hitching purpose.
- Not compatible with Defrost Heat and Ventilation System or HVAC.

Power Tilt Bed	Defender (except 6x6), Defender MAX (2020 & up), Defender PRO	715007096
	Defender 6x6	715007204



- Powerful cargo box tilter with dash-integrated switch.
- Electrical actuated hydraulics for a strong and quick tilting system.

Quick Connect Battery Cable	715005408
------------------------------------	------------------








- Quickly and easily connect and charge different batteries with your charger.
- Included in the Battery Charger/Maintainer.
- Sold individually.

Quick Connect Cable with Battery Indicator	715006055
---	------------------





- Quickly and easily connect and charge different batteries with your charger.
- 3-colour LED indicator provides constant battery health indication.
- Sold individually.

3-Mode Switch	Defender, Defender MAX (2019 & prior)	715004445
	<ul style="list-style-type: none"> • Switches quickly and conveniently between Normal/Work/Eco modes. • Work mode: Reduced throttle sensitivity for smoother acceleration and reduced load impact. • Eco mode: Increased fuel economy. • In-dash plug-and-play mount. 	
Cellphone Holder	Defender, Defender MAX	715008786
	<ul style="list-style-type: none"> • Water resistant door allows for perfect phone positioning. • Features capacitive and resistive touch screen technology. • Spring system in back plate automatically adjusts for thickness. • Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions. • Works with almost all charger wires. • Does not include cellphone or charging wires. • Requires the RAM GPS Mount (715003325) bolted directly on the dashboard for the Cellphone Holder to be supported. 	
RAM GPS Mount	715003325	
	<ul style="list-style-type: none"> • Allows for GPS integration onto vehicle. • Standard AMPS hole pattern for Garmin Cradle. 	
Digitally Encoded Security System (D.E.S.S.™) Keys	Defender, Defender MAX (2023 & prior), Defender & Defender MAX 2024 (with HD9 & HD10 engine)	715002458
	<ul style="list-style-type: none"> • Top-security anti-theft protection for your vehicle. • Encrypted chip technology restricts access to your vehicle's electronic ignition system. • One vehicle/one code. • A vibration/shock-resistant ball-and-socket design that ensures a reliable connection. 	
Digitally Encoded Security System (D.E.S.S.™) Keys	Defender, Defender MAX 2024 (with HD7 engine)	715009300
	<ul style="list-style-type: none"> • Top-security anti-theft protection for Can-Am vehicles. • The encrypted chip technology restricts access to the unit's electronic ignition system. • One code per vehicle. • Features a vibration/shock-resistant ball-and-socket design that ensures a reliable connection. 	
Auxiliary Battery Installation Kit	Defender, Defender MAX (2019 & prior)	715003758
	<ul style="list-style-type: none"> • Allows you to add a second 30Ah battery for that dual battery setup that will give you the extra juice you'll need to power auxiliary electrical components like a sound system or winch. • Additional battery sold separately (515176151). 	
USB Power Outlet Kit	Defender, Defender MAX (2020 & up)	219400510
	<ul style="list-style-type: none"> • Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.). • Dual port USB connectors. <p><small>*The power outlet is not capable of recharging all device types while riding.</small></p>	



Defrost, Heat & Ventilation System	Defender, Defender MAX 2019 & prior (not compatible with HD5 Motorization)	715004917
	<ul style="list-style-type: none"> • Best integrated system on the market with 3-ventilation speed and in-dash adjustable temperature. • Adjustable/directional vents. • 10 vents specially positioned for better windshield and side windows defrosting/deicing, foot and hand heat. 	<ul style="list-style-type: none"> • Easy-service air filter. • Once installed, you might want to add storage space with the Lower Dashboard for Heating System and Dash Storage Compartment Net for Heating System.
	Defender, Defender MAX 2020 (except Defender PRO & HD5 models)	715005904
	Defender, Defender MAX (2021 & up)	715008093
	<ul style="list-style-type: none"> • Best integrated in-dash system on the market with 3 fan speeds and adjustable temperature. • Adjustable/directional vents can be closed to concentrate heat at specific areas. • A total of 8 vents specially positioned for windshield and occupant heating. 	<ul style="list-style-type: none"> • Easy-to-service air filter. • Includes the replacement lower dashboard compartment for the heating system. • Dash Storage Compartment Net for Heating System is recommended.
Heated Seat	Defender, Defender MAX	715006112
	<ul style="list-style-type: none"> • 25 W seat heater delivers chill-free riding comfort. • High/low temperature settings allow you to control the desired degree of warmth. • This kit includes one carbon fiber seat heater, foam sheet and in-dash switch. • Installs directly in the original seat cushion. 	<ul style="list-style-type: none"> • Heated Accessories Wiring Harness (710005757) is required for installation on front seat. • Heated Accessories Wiring Harness (715006036) is required for installation on Defender XT Cab, PRO and Limited models. • Heated Accessories Wiring Harness (715006004) is required for installation on rear seats on MAX models.
Heated Seat Harness for MAX Model (Not illustrated)	Defender MAX	715006004
	• Electric harness required to hook up and operate rear heated seats.	
Heated Visor Outlet	Defender, Defender MAX	715001246
	<ul style="list-style-type: none"> • Strategically positioned on vehicle to maintain your agility. • Optional visor outlet that delivers fog-free riding. • Quick and easy installation. • Sold individually. • Heated Visor not included. 	
Heated Accessories Wiring Harness (Not illustrated)	Defender, Defender MAX (models with defrost, heat & ventilation system), All Defender PRO models	715006036
	Defender, Defender MAX (models without defrost, heat & ventilation system)	710005757
	<ul style="list-style-type: none"> • Electric harness required to hook up and operate heated accessories. • Power up to 4 accessories: 2 hand accessories (grab bar/steering wheel) and 2 seat covers. 	


WINCHES & HITCHES







Can-Am HD Winches

Can-Am HD 4500 Winch	Defender, Defender MAX	715006416
	<ul style="list-style-type: none"> Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. EC compliant. 	<ul style="list-style-type: none"> Pulling strength capability of 4,500 lb (2,041 kg). 43' of 1/4" (13.1 m of 6.3 mm) wire steel cable. Heavy-duty 4-way roller fairlead. Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender Base and DPS 2022 and up.
Can-Am HD 4500-S Winch	Defender, Defender MAX	715006417
	<ul style="list-style-type: none"> Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. 	<ul style="list-style-type: none"> Pulling strength capability of 4,500 lb (2,041 kg). 50' of 1/4" (15.2 m of 6.35 mm) synthetic rope. Corrosion-proof aluminum hawse fairlead. Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender Base and DPS 2022 and up.

WARN[†] VRX Winches






WARN VRX 45 Winch	Defender, Defender MAX (except XT Cab 2018-2019, Lone Star Edition, X mr, Limited, DPS Cab & Hunting Edition 2020 & up)	715006110
	<ul style="list-style-type: none"> Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control. Smooth and reliable all-metal three-stage planetary gear train. 	<ul style="list-style-type: none"> Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of 1/4" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender 2022 and up.
WARN VRX 45-S Winch	Defender, Defender MAX (except XT Cab 2018-2019, Lone Star Edition, X mr, Limited, DPS Cab & Hunting Edition 2020 & up)	715006111
	<ul style="list-style-type: none"> Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control. Smooth and reliable all-metal three-stage planetary gear train. 	<ul style="list-style-type: none"> Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of 1/4" (15 m of 6.3 mm) synthetic rope. Cast aluminum hawse fairlead. Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender 2022 & up.

Cargo Bed Winch	Defender, Defender MAX	715006355
	<ul style="list-style-type: none"> Allows you to pull heavy loads into the cargo box easily. Perfect for hunting applications, i.e., loading game. Includes support base made of heavy-duty 2" (5 cm) steel tubing, winch and weather-sealed corded remote. 750 lb (340 kg) maximum pulling capacity. 	<ul style="list-style-type: none"> Electronic security module to prevent vehicle damage that could occur if loaded vehicle exceeds manufacturer's gross weight rating. Adapter Kit (715004709) required for installation with Gear Rail Adapter. Requires Powertilt bed for Defender 6x6 and PRO. Not EC compliant.

Synthetic Winch Cable*	Can-Am HD Winch	715006430
	WARN Winch	715007783
 <ul style="list-style-type: none"> • 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for WARN winch. • WARN Hawse Fairlead is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable. <p><i>*Ask your dealer or visit canamoffroad.com for price details.</i></p>		
Replacement Wire Rope*	Can-Am HD Winch	705014978
	WARN Winch	715006699
 <ul style="list-style-type: none"> • 43' of 1½/₄" (13.1 m of 6.3 mm) wire rope. • 4,500 lb (2,041 kg) pulling strength. <p><i>*Ask your dealer or visit canamoffroad.com for price details.</i></p>		
Synthetic Cable Extension		715001120
 <ul style="list-style-type: none"> • Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box. • Easily attaches to winch cable to provide additional 50' (15.2 m) of distance. • 4,500 lb (2,041 kg) single line capacity. 		
WARN Hawse Fairlead*	With WARN winch	715007785
 <ul style="list-style-type: none"> • Double-powder-coated construction. • Required to use the Synthetic Winch Cable (715007783) on WARN winches. • To be used with synthetic winch cables only. 		
Can-Am HD Hawse Fairlead	With Can-Am HD winch	715006426
 <ul style="list-style-type: none"> • A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide. • Must be used with synthetic cables only. 		
Roller Fairlead	With Can-Am HD winch	710007082
 <ul style="list-style-type: none"> • Suggested when changing the wire rope. • Heavy-duty replacement fairlead for winches. 		

Wired Remote Control	With Can-Am HD winch	715006504
	<ul style="list-style-type: none"> • This kit allows winch owners to add the hand-held remote to vehicles with a stock winch. • Works in conjunction with the mini-rocker switch. • Remote control and connection socket are included with Can-Am HD winch. • EC compliant. 	
Wireless Remote Control	With WARN winch	715002542
	<ul style="list-style-type: none"> • The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. • Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. • All components are weatherproof. 	
Lower Front Receiver Hitch	Defender, Defender MAX	715002519
	<ul style="list-style-type: none"> • Heavy-duty 1,500 lb (680 kg) towing capacity 2" (5 cm) receiver hitch. • Expand and enhance functionality by pairing it with Higher Front Receiver Hitch and Removable Winch Mounting Kit (need to relocate winch from its standard mounting position). 	
Higher Front Receiver Hitch	Defender, Defender MAX (except Limited models)	715003109
	<ul style="list-style-type: none"> • Heavy-duty 1,500 lb (680 kg) towing capacity 2" (5 cm) receiver hitch. • No need to relocate winch from its standard mounting position. 	
Winch Electrical Harness <i>(Not illustrated)</i>	Defender, Defender MAX (2019 & prior)	715003093
	Defender, Defender MAX (2020 & 2021)	715007078
	Defender, Defender MAX 2022	715008152
<ul style="list-style-type: none"> • Required to install a winch on a Defender without a factory-installed winch. 		
Front and Rear Hitch Drawbar	Defender, Defender MAX	715008350
	<ul style="list-style-type: none"> • Standard on 2" (5 cm) receiver hitch. • It offers 1,650 lb (750 kg) of towing capacity. • Hitch ball not included. • Forged steel. 	
Rubber Receiver Plug		705204503
	<ul style="list-style-type: none"> • Rubber cap for 2" (5 cm) Receiver Hitch. 	

PERFORMANCE

Performance Half Shaft	Defender and Defender MAX (2019 & prior –except X mr, XT-P and XT CAB 2018-2019) Defender, Defender MAX XT Cab 2018-2019, Lone Star Edition 2019 & prior	705402353 705402575
	<ul style="list-style-type: none"> • High-performance design ideal for off-road use, with superior wheel power and acceleration for racing, dunes and desert riding. • Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle. 	
Brake Holding Mechanism	Defender, Defender MAX	715004733
	<ul style="list-style-type: none"> • Maintains constant pressure on the brake pedal to keep the vehicle from moving on sloped terrain, without having to put the transmission in P (park). 	
Heavy-Duty Spring Kit	Defender (Base, DPS (HD5, HD7, HD8 & HD9), XT (HD7, HD8 & HD9) & PRO (HD8)). (Except Defender MAX, 6x6 and Defender PRO).	715005084
	<ul style="list-style-type: none"> • This set of heavy-duty springs will stiffen your suspension. • Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing. • Complete kit of 4 springs. • Not compatible with Defender HD5, HD10, XT CAB, Mossy Oak Edition & X mr models and Defender MAX. 	
850 W Magneto Kit	Defender, Defender MAX (2020 & up except HD5 & HD7)	715007122
	<ul style="list-style-type: none"> • Increases the magneto output to 850 W. • Includes rotor, stator and regulator. 	
Emergency Kit	Defender, Defender MAX	715006102
	<ul style="list-style-type: none"> • Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in. • Includes: jumper cables, air compressor, tyre repair kit, first aid kit, ratchet tie-down, duct tape, tow strap 3,300 lb (1,500 kg), zip-ties, cloth rags. 	

Air Intakes & Exhaust

Snorkel Kit	Defender, Defender MAX 2018 & up (except Defender HD5, HD7, Defender Limited and Defender PRO)	715003727
	<ul style="list-style-type: none"> • Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine. • Not compatible with Headache Racks, Gear Rail equipment, DragonFire Cargo Bed Roll Bar and Windshield Wiper & Washer Kit. • Snorkel Extension Kit is available for roof level air intake and CVT exhaust. • Standard on Defender X mr models. 	
Sealed Air Box (Not illustrated)	Defender, Defender MAX 2017 & prior	707801033
<ul style="list-style-type: none"> • Required when installing the Snorkel Kit (715003727) on Defender and Defender MAX 2017 and prior models. • Standard on Defender 2018 and up models. 		
Snorkel Pre-Filter	Defender, Defender MAX (except Defender PRO)	715005597
	<ul style="list-style-type: none"> • Pre-filter specifically for snorkels. • Adds extra protection to your engine in harsh riding conditions. • Helps keep air filter cleaner. • Filter blocks particles larger than 0.005" (0.13 mm). • Necessary to maintain vehicle warranty when tracks are installed for winter use. • For Defender and Traxter HD10 models 2020 & up: Replace CVT intake of snorkel kit with CVT relocation kit 715008651 or 703501211. 	
Air Intake Pre-Filter	Defender (except X mr models), Defender MAX	715003483
	<ul style="list-style-type: none"> • Adds extra protection to your engine in harsh riding conditions. • Helps keep air filter cleaner. • Filter blocks particles larger than 0.007" (0.19 mm). • Easy, tool-less installation. • Necessary to maintain vehicle warranty when tracks are installed. • Required to install the Apache and Backcountry Track Systems. • Not compatible with Snorkel Kit. 	
Foam Air Filter by Twin AIR[†]	Defender, Defender MAX	715003630
	<ul style="list-style-type: none"> • The best choice for the harshest conditions. • Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow. • Washable and reusable. 	
CVT Air Intake Relocation Kit	Defender, Defender MAX (without Snorkel Kit) Defender, Defender MAX (X mr models or models with Snorkel Kit)	703501210 703501211**
	<ul style="list-style-type: none"> • The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Defender and Traxter HD10 models used in snow conditions and highly recommended for other models. • This kit is sold separately. <p><i>*Comes from the factory on some MY23; inspect the vehicle to confirm.</i></p> <p><i>Mandatory on all MY20 and up Defender and Traxter HD10 models equipped with a snorkel.</i></p> <p><i>**When installed on X mr models or models with Snorkel Kit, it temporarily relocates CVT air intake to the standard factory location.</i></p>	

APACHE TRACK SYSTEMS

Apache XC LT

Limited Warranty*

NEW Apache XC LT Track System

Defender, Defender MAX (except 6x6)

715007719



- Long Track version.
- Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performances.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- Mounting kit sold separately.

NEW Apache XC LT Mounting Kit

(Not illustrated)

Defender, Defender MAX (except 6x6).

715006891

715008612

- Required for installation of the Apache XC LT Track System.
- DPS module and Engine Pre-Filter not included.
- The CVT air intake relocation kit is MANDATORY for track-equipped 2020 and up Defender models HD10 used in snow conditions and highly recommended for other models.*
- This kit is sold separately.
- See table for fit, compatibility and requirements.

**Comes from the factory on some 2023 and up models, inspect the vehicle to confirm.
Mandatory on all 2020 and up Defender models HD10 equipped with a snorkel.*

Apache Backcountry

Limited Warranty*

Apache Backcountry LT Track Kit

Defender, Defender MAX (except 6x6)

715005891



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry LT Mounting Kit, Track DPS Module and Engine Pre-Filter are required and sold separately.
- The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Defender and Traxter HD10 models and highly recommended for other models. This kit is sold separately.
- For winter use only.
- Track installation will affect vehicle width and length.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*

Mandatory on all MY20 and up Defender and Traxter HD10 models equipped with a snorkel.

Apache Backcountry LT Mount Kit

(Not illustrated)

See table for fit, compatibility and requirements.

715005888

715005493

715006196

- Required for installation of the Apache Backcountry Track LT System.
- DPS Module and Engine Pre-Filter are required and sold separately.
- The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Defender and Traxter HD10 models and highly recommended for other models. This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*

Mandatory on all MY20 and up Defender and Traxter HD10 models equipped with a snorkel.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Apache 360

Limited Warranty*

Apache 360 LT Track System	Defender, Defender MAX (except 6x6)	715005103
-----------------------------------	-------------------------------------	------------------



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.
- Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- EC compliant.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine Pre-Filter Kit are required and sold separately.

- The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender and Traxter HD10 models used in snow conditions and highly recommended for other models. This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.
Mandatory on all MY20 and up Defender and Traxter HD10 models equipped with a snorkel.*

Apache 360 LT Mounting Kit

(Not illustrated)

See table for fit, compatibility and requirements.

715004832

715004831

715005492

- Required for installation of the Apache 360 LT Track System.
- DPS module and Engine Pre-Filter not included.
- The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender and Traxter HD10 models used in snow conditions and highly recommended for other models.

- This kit is sold separately

**Comes from the factory on some MY23, inspect the vehicle to confirm.
Mandatory on all MY20 and up Defender and Traxter HD10 models equipped with a snorkel.*

Apache Accessories

Track DPS Module

(Not illustrated)

715006266

715007338

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Rail Ice Scratchers

Apache Backcountry and Backcountry LT Track Systems

860201728



- Provide additional lubrication in hard and icy conditions and extend slider life.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

Extra Wheel Kit

Apache Backcountry LT Wheel Kit

715006293



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache XC LT

Model Year/Model	Vehicle Width	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior Defender: Base, DPS, Hunting Edition, M.O. Hunting Edition, XT, XT Cab, XT-P Defender MAX: Base, DPS, XT, XT Cab	62"	715007719	715006891	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2020 & Up Defender: Base, DPS, XT Defender MAX: Base, DPS (HD8 & HD9), XT (HD8 & HD9)	62"					
2020 to 2022 Defender: DPS (HD10), XT(HD10), XT-P Defender MAX: DPS (HD10), XT(HD10) Defender PRO: DPS (HD10), XT(HD10)	64"		715008612			
2023 & Up Defender: DPS (HD10), Limited, Lone Star, Lone Star Cab, X mr, XT(HD10) Defender MAX: DPS (HD10), Limited, Lone Star, Lone Star Cab, X mr, XT(HD10) Defender PRO: DPS (HD10), Limited, XT(HD10)	64" and 65"					
2024 & Up Defender: Base (HD7), DPS (HD7), XT (HD7)	62"		715006891	715006266	Not Required	

Apache Backcountry LT


Model Year/Model	Vehicle Width	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"	715005891	715005888	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2019 & Prior Defender XT Cab 2018-2019, Lone Star Edition & X mr	65"		715006196			
2020 & Up Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9)	62"		715005888			
2020 & Up Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT	64"		715005493			
2020 to 2022 Defender XT Cab, XT Cab Limited, DPS Cab, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715006196			
2023 & Up Defender DPS Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715005493			
2024 & Up Defender HD7	62"		715005888	715006266		

Apache 360 LT


Model Year/Model	Vehicle Width	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"	715005103	715004831	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2019 & Prior Defender XT Cab 2018-2019, Lone Star Edition & X mr	64"		715004832			
2020 & Up Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9)	62"		715004831			
2020 & Up Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT	64"		715005492			
2020 to 2022 Defender XT Cab, XT Cab Limited, DPS Cab, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715004832			
2023 & Up Defender DPS Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	65"		715005492			
2024 & Up Defender HD7	62"		715004831	715006266		

COVERS & ADD-ONS


Trailer Cover	Defender, Defender 6x6, Defender PRO	715004453
	Defender MAX	715004454

	<ul style="list-style-type: none">• Heavy-duty canvas made of UV-resistant solution-dyed polyester.• Inner soft liner protects windshield and coloured panels from abrasion.• All high-abrasion areas are reinforced with a double canvas layer.	<ul style="list-style-type: none">• Weather-resistant trailering cover protects your vehicle during storage and transportation.• Opening for fuel cap.• Quick and easy installation.• Designed to perfectly fit your vehicle with or without Can-Am accessories.• Does not fit with Adventure Roof Rack (715003870).
---	--	--


Bolt-On† Retractable Ratcheting Tie-Downs	295101072
---	-----------

	<ul style="list-style-type: none">• Perfect for transporting your powersport vehicle or securing loads.• Mounts easily: Bolts on any flat surface (e.g., truck bed or frame).• 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.	<ul style="list-style-type: none">• Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.• Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.• Sold in pairs.
---	--	---

Ratchet Tie-Downs	715008309 · Black/Gray
-------------------	------------------------

	<ul style="list-style-type: none">• 400 lb (181 kg) safe working load.• 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.• Deluxe ratchet with rubber handle.• Coated S hooks.• Pack of 2.	
---	--	--

Heavy-Duty Ratchet Tie-Down	715008308
-----------------------------	-----------

	<ul style="list-style-type: none">• 1,000 lb (454 kg) safe working load.• 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.• Deluxe ratchet with rubber handle.• Black-coated clip hooks.• 12" (300 mm) webbing included.• Pack of two.	
---	---	--



CAN-AM MAVERICK R

CAN-AM MAVERICK R

MODEL PACKAGES

2025 Can-Am Maverick R X rs with Smart-Shox	70
2025 Can-Am Maverick R X rs with Smart-Shox Competitive Chart	71
2025 Can-Am Maverick R Max X rs with Smart-Shox	72

COMPARATIVE CHART

Can-Am Maverick R Lineup	73
--------------------------	----

ACCESSORIES

Roofs	75
Windshields & Wind Protection	75
Mirrors	77
Upper Wind Nets	77
HMWPE Skid Plates	78
Bumpers & Protection	79
LinQ: Easy On, Easy Off Cargo	81
Racks & Storage	85
ACM & SMART Accessories	88
Lights	90
Audio Systems	92
Electrical & Electronic Accessories	93
Winches	94
Performance	96





2025 CAN-AM MAVERICK R X RS WITH SMART-SHOX



 Dusty Navy & Legion Red

PACKAGE HIGHLIGHTS

- Rotax® 999T 240 hp 3 cylinder turbo charged and intercooled powerplant
- Rotax® Dual clutch technology (DCT) with 7 speed transmission with high and low range
- Paddle shift/Auto gear selection options selectable on the fly
- Adjustable mode settings (Normal, Sport, Sport+)
- Industry leading 78.1 in. stance
- 16 in. flow formed beadlock wheels
- 32 in. XPS Trac Force tyres
- Forge aluminium heavy duty tall knuckle front A-arms and trailing arms
- Front and rear camera
- Smart-Lok® front differential
- FOX® 2.5/3.0 PODIUM® Piggyback with bypass and Smart-Shox® Technology featuring Live Valve gen 3 (dual-valve compression and rebound)
- 10.25 in. touchscreen display
- Telescopic steering wheel with infotainment controls
- Full roof, full skid plate
- 4 way adjustable seats
- 4-point harnesses with shoulder pads
- Premium high-performance LED headlights, Can-Am LED signature lights
- Center dashboard storage with cell phone holder
- X package graphics/seats

ENGINE	999T DCT
Type	240 hp, Rotax® 999T engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	Rotax® Dual Clutch technology (DCT) 7-speed with high and low range
Drive Train	Lockable front differential with exclusive Smart-Lok® True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
Power Steering	Gen 2 Tri-mode DPS™ high torque

SUSPENSIONS

Front Suspension	Forged-aluminium heavy-duty tall knuckle Double A-arm with sway bar 25 in. (63.5 cm) suspension travel
Front Shocks	FOX® 2.5 PODIUM® Piggyback with bypass and Smart-Shox® Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)
Rear Suspension	4-link trailing arm with forged-aluminium heavy-duty tall knuckle 26 in. (66 cm) suspension travel
Rear Shocks	FOX® 3.0 PODIUM® Piggyback with bypass and Smart-Shox® Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)

TYRES & WHEELS

Front Tyres	XPS Trac Force 32 x 10 x 16 in.
Rear Tyres	XPS Trac Force 32 x 10 x 16 in.
Wheels	16 in. aluminium flow-formed beadlock

BRAKES

Front	Dual 265mm disc brakes with 32mm hydraulic twin-piston callipers
Rear	Dual 255mm disc brakes with 30mm hydraulic twin-piston callipers

DIMENSIONS & CAPACITIES

Estimated Dry Weight	2,250 lb (1,020 kg)
Chassis/Cage	High-strength (dual-phase) steel tubing and stampings
L x W x H	140 x 78.1 x 71.5 in. (355.6 x 198.4 x 181.6 cm)
Wheelbase	108 in. (274.3 cm)
Ground Clearance	17 in. (43.2 cm)
Rack Capacity	200 lb (90.7 kg)
Storage Capacity	Total: 2.1 gal (7.9 L)
Fuel Capacity	13.2 gal (50 L)
Person Capacity	2

FEATURES

Gauge	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display
Instrumentation	USB A (charging port and communication port) DC outlet (10-A)
Anti-Theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights Can-Am LED signature lights
Winch	4,500 lb (2,041 kg) winch-ready bumper (not installed)
Magneto	1,700 W
Protection	Full hard roof Premium half doors Front lower deflector Front/rear anchor Full HMWPE skid plate 4 point harnesses with shoulder pads

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2025 Can-Am Maverick R X rs with Smart Shox	2025 Can-Am Maverick X3 X rc Turbo RR 72" with Smart Shox	Polaris RZR PRO R Ultimate EPS
Engine Size (cc)		999 cc	900 cc	1997 cc
No of Cylinders		3	3	4
Horsepower	+	240 hp	200 hp	225 hp
Power to weight	=	11.9 hp/100 lb	11.9 hp/100 lb	10.5 hp/100 lb
Turbo	=	Yes	Yes	No
Transmission	+	Rotax® DCT, 7 speed with high and low range	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow	Automatic PVT
Front Diff. Type	=	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	Pro Performance True 2WD/4WD/4WD Lock
Power Steering	+	Gen 2 Tri-mode DPS™ high torque	High-torque Tri-Mode Dynamic Power Steering (DPS™)	High Assist with Quick Turn Rack
Seating Capacity	=	2	2	2
Front Suspension	+	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar	Trophy Truck-inspired double arched A-arm with sway bar	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar
Rear Suspension	+	4-link trailing arm with forged aluminum heavy-duty tall knuckle	4-link Torsional Trailing Arm X (TTX) with sway bar	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar
Wheel Size	+	16 in.	15 in.	15 in.
Wheels	+	Aluminium flow formed beadlock	Cast-aluminium beadlock	Cast Aluminium
Tyre Height	=	32 in.	32 in.	32 in.
Ground Clearance	+	43.2 cm	40.6 cm	40.6 cm
Overall Length	+	355.6 cm	341.6 cm	347 cm
Overall Width	+	198.5 cm	184.9 cm	188 cm
Vehicle Dry Weight		1,020 kg	836 kg	992 kg
Fuel Capacity	+	50 L	40 L	45.43 L
Anti Theft Device	=	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)	None
Warranty Period	=	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 yr unlimited km
Display	+	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display	7.6 in. wide digital display with keypad	7" Glove-Touch Display
Front Shocks		FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox** Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)	FOX† 2.5 PODIUM† Piggyback with bypass, dual-speed compression and rebound adjustments	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Rear Shocks	+	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox** Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)	FOX† 3.0 PODIUM† remote reservoir with bypass, dual-speed compression and rebound adjustments	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Lighting	=	Premium high-performance LED headlights, Can-Am LED signature lights	LED headlights and tail lights, LED signature lights	Signature White LED, Low/High & Red LED Tail/Brake Lights; Front, Rear, and Interior Accent Lighting
Protection		Full roof, Premium half doors, Front lower deflector, Front/rear anchor, Full HMWPE skid plate, 4 point harnesses	Front bumper, Half-doors, Full hard roof intrusion bar, 4-point harness with shoulder pads, UHMWPE rock sliders, HMWPE skid plates, Full heavy-duty with differential/Under-bumper/Front and rear suspension arm, Rear tow hook, Trailing arm protector, Lower A-arm protector	Half Door, 6 point harness, roof, skid plate

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.

†Visco-Lok is a trademark of GKN Viscodrive GmbH.

2025 CAN-AM MAVERICK R MAX X RS WITH SMART-SHOX



■ Triple Black

PACKAGE HIGHLIGHTS

- Rotax® 999T 240 hp 3 cylinder turbo charged and intercooled powerplant
- Rotax® Dual clutch technology (DCT) with 7 speed transmission with high and low range
- Paddle shift/Auto gear selection options selectable on the fly
- Adjustable mode settings (Normal, Sport, Sport+)
- Industry leading 78.1 in. stance
- 16 in. flow formed beadlock wheels
- 32 in. XPS Trac Force tyres
- Forge aluminium heavy duty tall knuckle front A-arms and trailing arms
- Front and rear camera
- Smart-Lok® front differential
- FOX® 2.5/3.0 PODIUM® Piggyback with bypass and Smart-Shox® Technology featuring Live Valve gen 3 (dual-valve compression and rebound)
- 10.25 in. touchscreen display
- Telescopic steering wheel with infotainment controls
- Full roof, full skid plate
- 4 way adjustable seats
- 4-point harnesses with shoulder pads
- Premium high-performance LED headlights, Can-Am LED signature lights
- Centre dashboard storage with cell phone holder
- X package graphics/seats

ENGINE	999T DCT
Type	240 hp, Rotax® 999T engine, 999 cc turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	Rotax® Dual Clutch technology (DCT) 7-speed with high and extra-low range
Drive Train	Lockable front differential with exclusive Smart-Lok® True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
Power Steering	Gen 2 Tri-mode DPS high torque

SUSPENSIONS

Front Suspension	Forged-aluminium heavy-duty tall knuckle Double A-arm with sway bar 24 in. (61 cm) suspension travel
Front Shocks	FOX® 2.5 PODIUM® RC2® Piggyback with bypass and Smart-Shox® Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)
Rear Suspension	4-Link trailing arm with forged-aluminium heavy-duty tall knuckle 24 in. (61 cm) suspension travel
Rear Shocks	FOX® 3.0 PODIUM® RC2® Piggyback with bypass and Smart-Shox® Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)

TYRES & WHEELS

Front Tyres	XPS Trac Force 32 x 10 x 16 in.
Rear Tyres	XPS Trac Force 32 x 10 x 16 in.
Wheels	16 in. aluminium flow-formed beadlock

BRAKES

Front	Dual 265mm disc brakes with 32mm hydraulic twin-piston callipers
Rear	Dual 255mm disc brakes with 30mm hydraulic twin-piston callipers

DIMENSIONS & CAPACITIES

Estimated Dry Weight	2,660 lb (1206.5 kg)
Chassis/Cage	High-strength (dual-phase) steel tubing and stampings
L x W x H	175 x 78.1 x 69.2 in. (444.5 x 198.4 x 175.7 cm)
Wheelbase	142.5 in. (362 cm)
Ground Clearance	17 in. (43.2 cm)
Rack Capacity	200 lb (90.7 kg)
Storage Capacity	Total: 2.1 gal (7.9 L)
Fuel Capacity	13.2 gal (50 L)
Person Capacity	4

FEATURES



Gauge	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display
Instrumentation	USB A (charging port and communication port) DC outlet (10-A)
Anti-Theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights Can-Am LED signature lights
Winch	4,500 lb (2,041 kg) winch-ready bumper (not installed)
Magneto	1,700 W
Protection	Full hard roof Premium half doors Front lower deflector Front/rear anchor Full HD HMWPE skid plate 4 point harnesses with shoulder pads Rock guard

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

MAVERICK R		X rs with Smart-Shox***	X rs with Smart-Shox***
			
COLOUR OPTIONS		Dusty Navy & Legion Red	Triple Black
ENGINES	Type	240 hp, Rotax® 999T engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter	
	Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	
	Transmission	Rotax® DCT, 7-speed with high and low range	Rotax® DCT, 7-speed with high and extra-low range
	Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	
	Power Steering	Gen 2 Tri-mode DPS™ high torque	
SUSPENSIONS	Front Suspension	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar/25 in. (63.5 cm) suspension travel	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar/24 in. (61 cm) suspension travel
	Front Shocks	FOX® 2.5 PODIUM¹ Piggyback with bypass and Smart-Shox** Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)	FOX® 2.5 PODIUM¹ RC2¹ Piggyback with bypass and Smart-Shox** Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)
	Rear Suspension	4-link trailing arm with forged aluminum heavy-duty tall knuckle/ 26 in. (66cm) travel	4-link trailing arm with forged aluminum heavy-duty tall knuckle/24in. (61cm) travel
	Rear Shocks	FOX® 3.0 PODIUM¹ Piggyback with bypass and Smart-Shox** Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)	FOX® 3.0 PODIUM¹ RC2¹ Piggyback with bypass and Smart-Shox** Technology featuring Live Valve Gen 3 (dual-valve compression and rebound)
TYRES/ WHEELS	Front/Rear Tyres Wheels	ITP Trac Force 32 x 10 x 16 in. 16 in. Aluminum flow-formed Beadlock	
BRAKES	Front	32 mm hydraulic triple-piston calliper with a 265 mm disc	
	Rear	30 mm hydraulic twin-piston calliper with a 255 mm disc	
DIMENSIONS/ CAPACITIES	Estimated Dry Weight	2,250 lb (1,020 kg)	2,660 lb (1,210 kg)
	Chassis/Cage	High-strength (dual-phase) steel tubing and stampings	
	L x W x H	140 x 78.1 x 71.5 in. (355.6 x 198.4 x 181.6 cm)	175 x 78.1 x 69.2 in. (444.5 x 198.4 x 175.7 cm)
	Wheelbase	108 in. (274.3 cm)	142.5 in. (362 cm)
	Ground Clearance	17 in. (43.2 cm)	17 in. (43.2 cm)
	Rack Capacity	200 lb (90.7 kg)	200 lb (90.7 kg)
	Storage Capacity	Total: 2.1 gal (7.9 L)	Total: 2.1 gal (7.9 L)
	Fuel Capacity	13.2 gal (50 L)	13.2 gal (50 L)
	Person Capacity	2	4
FEATURES	Gauge	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display	
	Instrumentation	USB A (charging port and communication port), DC outlet (10 A)	
	Anti-Theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	
	Lighting	Premium high-performance LED headlights, Can-Am LED signature lights	
	Winch	4,500 lb (2,041 kg) winch-ready bumper (not installed)	
	Magneto	1,700 W	
	Protection	Full hard roof, premium half doors, front lower deflector, front/rear anchor, full HMWPE skid plate, 4 point harnesses with shoulder pads	Full hard roof, premium half doors, front lower deflector, front/rear anchor, full HD HMWPE skid plate, 4 point harnesses with shoulder pads, rock guard

¹ Visco-Lok is a trademark of GKN Viscodrives GmbH.

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.

***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



MAVERICK R ACCESSORIES

ROOFS

NEW Sport Roof



- Impact-resistant injected polypropylene.
- Provides excellent protection from the elements and downhill visibility.
- Designed to work with the Cold Air Roof Scoop.
- Windshield compatible.

Maverick R

715007364

Maverick R MAX

715008074

NEW Cold Air Roof Scoop



- Feeds fresh air to the engine compartment.
- Sleek design for a sleek racing look.
- Increases cold air to the intake to prevent power loss.
- Required when using a full windshield.
- Requires a Sport Roof or Can-Am JL Audio Roof – Level 4.
- Not compatible with the Audio Roof Flip Kit.

Maverick R

715008280

Maverick R MAX

715008301

WINDSHIELDS & WIND PROTECTION

Windshields

NEW Powerflip Windshield



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- High-impact-resistant Quantum¹ hardcoated polycarbonate full windshield with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, or somewhere in between.
- You have an infinite number of opening possibilities depending on your protection, visibility and airflow preferences.
- Requires a Cold Air Roof Scoop (715008280 or 715008301).
- Needs Accessory Control Module (ACM) (715009796) or Powerflip Windshield Harness (715008854) for installation.
- Not compatible with SMART Integrated LED Roof Light (715007322) and Audio Roof Flip Kit (715008164).

Maverick R, Maverick R MAX

715009900

Glass Windshield



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects both the rider and the passenger from the elements.
- Provides maximum optical clarity and abrasion resistance.
- Must be used with the Wiper & Washer Kit for clear visibility during severe riding conditions, including mud riding.
- Use with rear wind protection to maximize passenger comfort.
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).
- Compatible with the SMART Integrated Roof LED Light.
- Not compatible with the Audio Roof Flip Kit (715008164).

Maverick R, Maverick R MAX

715007181

Full Windshield – Hardcoated



- Highly impact-resistant Quantum¹ hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects the driver and the passenger from the elements.
- Quick and easy tool-less removal.
- Use with rear wind protection to maximize comfort for the passenger.
- Can be used with the Windshield Wiper & Washer Kit (715007173) (light-duty usage only).
- Compatible with SMART Integrated Roof LED Light.
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).
- Not compatible with the Audio Roof Flip Kit (715008164).

Maverick R, Maverick R MAX

715007321

NEW SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX

715008555



- Washer fluid dispenser is perfectly concealed on the vehicle.
- Must be installed with the PowerFlip Windshield (715009900) (sold separately).
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.
- Electric Harness required (715008855) to hook up and operate the Wiper & Washer Kits when ACM is not installed (sold separately).

NEW Powerflip Windshield Harness

Maverick R, Maverick R MAX

715008854



- Electric harness required to hook up and operate the Powerflip Windshield (715009900) for on/off function when ACM is not installed.

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX

715007173



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on Glass or Hardcoated Windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.
- Electric Harness required (715008855) to hook up and operate the Wiper & Washer Kits when ACM is not installed. Sold separately.

Wiper & Washer Kit Wiring Harness

Maverick R, Maverick R MAX

715008855



- Electric harness required to hook up and operate the PowerFlip Intermittent Windshield Wiper & Washer Kit and the Intermittent Wiper & Washer Kit.

Manual Wiper Kit

Maverick R, Maverick R MAX

715009424



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

Rear Wind Protection

Rear Polycarbonate Window

Maverick R, Maverick R MAX

715007315




- High impact-resistant polycarbonate window.
- Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort.
- Quick and easy installation.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

NEW Rear Wind Screen for Speakers

Maverick R, Maverick R MAX

715009175




- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quick and easily on roll cage.
- Holes allowing the clearance of audio surround speakers.

Rear Wind Screen

Maverick R, Maverick R MAX

715007317



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Not compatible with Can-Am JL Audio System – Level 5 (715007957).

MIRRORS

Aluminum Side Mirrors

Maverick R, Maverick R MAX

715007363



- Sleek design.
- High-quality black molded aluminum for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Possibility to install the Integrated LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields and upper door net.
- Sold in pairs.

Side Mirrors

Maverick R, Maverick R MAX

715007188



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit. Can be installed at any height on the cage A-pillar for optimized rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields and upper door net.
- Sold in pairs.

Rear View Mirror and Camera Monitor

Maverick R, Maverick R MAX

715009410



- Fully waterproof rearview mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear view camera.
- This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).
- The camera uses infrared light for night vision capabilities.

UPPER WIND NETS

Upper Wind Nets


Maverick R

715007376



- This complete mesh screen net with a steel frame attaches to the door of the vehicle for added protection from the wind and mud.
- Easy to use, it follows the door's movements.
- Facilitates ingress and egress.
- The net zips up and down for added ventilation when required.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed 3/8" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

	MAVERICK R	MAVERICK R MAX
HMWPE Skid Plate Protection Kit		
	715007373	-
Individual HMWPE Skid Plates		
① HMWPE Front A-Arm and Trailing Arm Protectors	715007183	715007183
② HMWPE Front Skid Plate	715007313	715007313
③ HMWPE Underbelly Plate	715007314	-

BUMPERS & PROTECTION

Bumpers

Trail Front Bumpers

Maverick R, Maverick R MAX

- **715010071** · Black
- **715010072** · Yellow
- **715009925** · Legion Red



- Can-Am's largest front bumper protects the headlights and radiator area of the unit.
- Added heavy-duty protection in extreme driving conditions.
- Made of 1.5" (3.8 cm) diameter steel tubing.
- Anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Desert Front Bumpers

Maverick R, Maverick R MAX

- **715007311** · Black
- **715007691** · Yellow
- **715009926** · Legion Red



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel profiled tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Dune Front Bumpers

Maverick R, Maverick R MAX

- **715007169** · Black
- **715007305** · Raw Metal



- Highly integrated bumper that creates a more pronounced attack angle and provides added protection to the vehicle.
- Allows for better ground clearance.
- The sleek design gives the unit a sportier look.
- Made of heavy-duty steel with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Features an integrated Tow Hook.
- Not winch compatible.

Desert Rear Bumpers

Maverick R, Maverick R MAX

- **715007172** · Black
- **715007694** · Yellow
- **715009924** · Legion Red




- Rugged design.
- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
- Made of heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Front Bumper for ultimate protection.

Rock Sliders

	Maverick R	<div> <div>■</div> <div>715007170 · Black</div> </div> <div> <div>■</div> <div>715007693 · Yellow</div> </div> <div> <div>■</div> <div>715009923 · Legion Red</div> </div>
	Maverick R MAX	<div> <div>■</div> <div>715007922 · Black</div> </div> <div> <div>■</div> <div>715007923 · Yellow</div> </div> <div> <div>■</div> <div>715009922 · Legion Red</div> </div>

Rock Sliders



- Protect the vehicle's sides against obstacles.
- With added grip on top to improve accessibility to the roof cargo.
- Made of unique heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Front and Rear Bumpers for ultimate protection.
- Sold in pairs.

HMW-HDPE Rock Sliders



- The sleek design gives the vehicle a sportier look.
- Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.
- Made of combination of HMWPE and HDPE for extra durability.
- Add the Dune Front Bumper for ultimate protection and integrated lights for optimal visibility.
- Sold in pairs.

Intrusion Bar

Front Intrusion Bar	Maverick R, Maverick R MAX	715007312
---------------------	----------------------------	-----------



- The steel intrusion bar matches the vehicle's styling and enhances its visual impact.
- The tube's design doesn't obstruct the rider's line of sight, and reduces blind spots for increased visibility.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) and SMART Integrated LED Roof Light (715007322).
- Compatible with all windshields.

LINQ: EASY ON, EASY OFF CARGO



MAVERICK R'S LINQ ACCESSORIES

Mounting location and requirements

<ul style="list-style-type: none">• No tools needed: Quickly install and remove accessories by hand• Equip your Can-Am for specialized tasks in no time• Sturdy mounting system that holds up to the roughest terrain	Standard Cargo Bed	LinQ Pivoting Rack 715009465	Adventure Roof Rack 715007186
<div>LinQ Accessories with 16" Base</div> <ul style="list-style-type: none">• LinQ anchors mounted 16 inches apart, center-to-center.• Lower loading capacity than the LinQ with 36" base accessories.• Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.			
<div>LinQ 11.4 US Gal (43 L) Cooler</div> <div>715007825 • Black</div> <div>715009276 • Gray</div>	Central position: No further requirements	No compatibility	No compatibility
<div>LinQ 4.2 Gal Cooler</div> <div>295100698 • White</div> <div>219400964 • Black</div>	Central position: No further requirements (fit on stock mounted LinQ anchors) Other positions: LinQ Base Installation Kit 715008125 (1 set needed/accessory)	LinQ Base Installation Kit 715008125 (1 set needed/accessory)	LinQ Base Installation Kit 715008125 (1 set needed/accessory)
<div>LinQ Tool Kit</div> <div>715006829</div>			
<div>LinQ Tool Box</div> <div>715008111</div>			
<div>LinQ SR 5.5 Gal (21 L) Bag</div> <div>860202449</div>			
<div>LinQ 4.5 Gal (17 L) Sport Bag</div> <div>860202447</div>			
<div>LinQ Modular Box</div> <div>715005494 • (10 L)</div> <div>715007112 • (20 L)</div> <div>715006830 • (30 L)</div>			
<div>LinQ Roll-Top Bag</div> <div>715008110</div>			
<div>LinQ Accessories with 36" Base</div> <ul style="list-style-type: none">• Mount on LinQ racks often used by Can-Am ORV vehicles.• Higher loading capacity than the LinQ with 16" base accessories.• Usage is limited to Can-Am ORV vehicles.			
<div>LinQ Trunk Box (87 L) – G3L</div> <div>715009312</div>	No further requirements (fit on stock mounted LinQ anchors)	LinQ Base Installation Kit 715008125 (2 sets needed/accessory)	LinQ Base Installation Kit 715008125 (2 sets needed/accessory)
<div>LinQ Cargo Box (53 L)</div> <div>715006997</div>			
<div>LinQ Low Profile Box (63 L)</div> <div>715007827</div>			
<div>LinQ Cargo Basket (90 L)</div> <div>715005274</div>			
<div>LinQ 9.2 Gal (35 L) Cooler</div> <div>715006998</div>			
LinQ Cargo Accessories			
<div>LinQ Trunk Box (96 L)</div> <div>715007182</div>	No further requirements (fit on stock mounted LinQ anchors)	LinQ Base Installation Kit 715008125 (2 sets needed/accessory)	LinQ Base Installation Kit 715008125 (2 sets needed/accessory)
<div>LinQ Side Cargo Boxes (13.5 L)</div> <div>715007372</div>			
LinQ Holders			
<div>LinQ Gear Grips</div> <div>715005340</div>	No further requirements	LinQ Base Installation Kit 715008125 (1 set needed)	Side wall installation LinQ Adapters 715003058
<div>LinQ Tool Holder</div> <div>715007358</div>			

LinQ Accessories with 16" Base

NEW LinQ 11.4 US Gal (43 L) Cooler

Maverick R, Maverick R MAX

■ **715007825** · Black
■ **715009276** · Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.
- See table for installation location and requirements.

LinQ Modular Box

Maverick R, Maverick R MAX

715005494 · (10 L)
715007112 · (20 L)
715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Maverick R, Maverick R MAX

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Maverick R, Maverick R MAX

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.
- See table for installation location and requirements.

LinQ Tool Kit

Maverick R, Maverick R MAX

715006829



- Includes:
 - Cutter pliers
 - Long-nose pliers
 - Locking pliers
 - Ratchet wrench ¾" drive
 - 6" ratchet extension
 - Integrated CVT belt storage location (belt not included)
 - Long-socket 19 mm ¾" drive - 6 pts
 - Socket 18 mm ¾" drive
 - Long-socket 17 mm ¾" drive - 6 pts
 - Socket 15 mm ¾" drive
 - Socket 13 mm ¾" drive
 - Socket 10 mm ¾" drive
 - Socket 8 mm ¾" drive
 - Socket Torx T40 ¾" drive
 - Socket Torx T30 ¾" drive
 - Socket Torx T20 ¾" drive
 - Breaker bar ¾" drive
 - Combination Wrench set:
 - Wrench 19 mm
 - Wrench 18 mm
 - Wrench 15 mm
 - Wrench 13 mm
 - Wrench 10 mm
 - Wrench 8 mm
- See table for installation location and requirements.

LinQ 4.2 Gal (16 L) Cooler

Maverick R, Maverick R MAX

■ **219400964** · Black
■ **295100698** · White



- All the benefits of LinQ—simple, fast and secure.
- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- Can contain twenty 355 ml cans.
- Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions: 9" L x 17" W x 7" H.
- See table for installation location and requirements.


LinQ 4.5 Gal (17 L) Sport Bag


Maverick R, Maverick R MAX

860202447





- All the benefits of LinQ—simple, fast and secure.
- 17 liter (4.5 US gallon) capacity.
- Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.
- Rigid bottom, semi-rigid top.
- Easy one-second on/off tool-less system.
- See table for installation location and requirements.


SR 5.5 Gal (21 L) LinQ Bag	Maverick R, Maverick R MAX	860202449
	<ul style="list-style-type: none"> • All the benefits of LinQ—simple, fast and secure. • Semi-rigid expandable bag. • 5.5 gal (21 L) capacity. • Utilizes LinQ mounting system (Patent US 8777531 and US 8875830). 	<ul style="list-style-type: none"> • Easy one-second on/off tool-less system. • See table for installation location and requirements.


LinQ Roll-Top Bag	Maverick R, Maverick R MAX	715008110
	<ul style="list-style-type: none"> • Fully waterproof roll-top dry bag will securely store and confine your equipment. • LinQ mounted using heavy-duty rigid plastic base. • High capacity storage solution (40 L). • Bottom foam liner for additional equipment protection. 	<ul style="list-style-type: none"> • Integrated handle for easy transportation on/off the vehicle. • Dimensions: 14" L x 19" W x adjustable H. • See table for installation location and requirements.


LinQ Accessories with 36" Base

NEW LinQ Trunk Box (87 L) – G3L	Maverick R, Maverick R MAX	715009312
	<ul style="list-style-type: none"> • Weatherproof Polyethylene Rear Cargo Box compatible on the rear rack. • Storage capacity of 23 Gal (87 L). • Optimized shape of the cargo box base to fit the G3L rear rack perfectly. • Lockable with a lock on the front of the box (2 keys included). 	<ul style="list-style-type: none"> • Easy to install, easy to remove using the LinQ system. • Installation in LinQ 36" configuration. • Requires the installation of the stopper kit 715008895 included with the accessory. • See table for installation location and requirements.

LinQ 9.2 Gal (35 L) Cooler	Maverick R, Maverick R MAX	715006998
	<ul style="list-style-type: none"> • LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn. • Easy to install, easy to remove using the LinQ system. • Installation in LinQ 36" configuration. • Made of polyethylene for exceptional rigidity and durability. • Storage capacity of 35 L. • Lock the cooler on the vehicle using the LinQ Lock (860201968). • Premium-quality foam insulation for optimal ice retention. 	<ul style="list-style-type: none"> • Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler. • A dry basket is included to protect your food from water. • Drain plug at the bottom to get rid of excess water. • The new ergonomic and resistant latch system ensures the top is tightly sealed. • Innovative way to hold 12 cans (355 ml). • Molded-in handles for quick installation and removal. • See table for installation location and requirements.

LinQ Cargo Box (53 L)	Maverick R, Maverick R MAX	715006997
	<ul style="list-style-type: none"> • Made of polyethylene. • Storage capacity of 14 gal (53 L). • Easy to install and remove with the LinQ system. • New ergonomic and resistant latch system offers excellent sealing. • Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity. 	<ul style="list-style-type: none"> • Ability to install Tool Holders (715008896) on the box. • Lockable with a lock on the front of the box (2 keys included). • See table for installation location and requirements.

LinQ Low Profile Box (63 L)	Maverick R, Maverick R MAX	715007827
	<ul style="list-style-type: none"> • Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L. • LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system. • Can be installed in several 16" configurations, or in a 36" configuration. • LinQ 16" accessories can be installed on the cover to increase cargo capacity. 	<ul style="list-style-type: none"> • Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding. • Support feet at hinge level so the box can stand on its own. • The compact design allows for maximum rear field of vision. • Features a lock on the front of the box (two keys included). • See table for installation location and requirements.

LinQ Cargo Basket (90 L)	Maverick R, Maverick R MAX	715005274
	<ul style="list-style-type: none"> • Made of polyethylene. • Storage capacity of 23 gal (90 L). • Easy to install and remove with the LinQ system. • Can already be installed on your vehicle thanks to the stock mounted LinQ anchor. • 6 handles on the contour to easily install bungee cords. • Ability to install Tool Holders (715008896) on the basket. • See table for installation location and requirements. 	

LinQ Cargo Accessories

LinQ Trunk Box (96 L)

Maverick R, Maverick R MAX

715007182



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 96 L and 15 kg.
- Easy to install, easy to remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- Ability to install in conjunction with the LinQ Side Cargo Boxes (13.5 L) for a complete cargo solution.
- Compatible with the Pivoting Rack.
- See table for installation location and requirements.

LinQ Side Cargo Boxes (13.5 L)

Maverick R, Maverick R MAX

715007372



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 13.5 L each and 5 kg.
- Easy to install, easy to remove thanks to the LinQ system.
- Possibility of installing up to two LinQ 16" accessories between the LinQ Side Cargo Boxes (13.5 L).
- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.
- Compatible with the Pivoting Rack.
- See table for installation location and requirements.

LinQ Holders

LinQ Tool Holder

Maverick R, Maverick R MAX

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips

Maverick R, Maverick R MAX

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ Mounting

LinQ Adaptor

Maverick R, Maverick R MAX

715003058



- Sold in pack of 4.
- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.

LinQ Base Installation Kit

Maverick R, Maverick R MAX

715008125



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 Cargo LinQ bases and hardware.

LinQ Lock

Maverick R, Maverick R MAX

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.

Spare Tyre Ratchet Tie-Downs

Maverick R, Maverick R MAX

280000955



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points.
- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

RACKS & STORAGE

Racks

LinQ Pivoting Rack

Maverick R, Maverick R MAX

715009465



- Strong and durable, the LinQ Pivoting Rack helps keep cargo securely in place.
- Anti-corrosion coating with durable powder coat finish.
- Gas cylinder pivot action, locks in the open position.
- Possibility of installing up to three LinQ 16" accessories on top of the rack.
- Compatible with LinQ accessories for installation under the rack.
- Features anchor points for the spare-tyre attachment.
- Spare Tyre Tie-Downs sold separately.

NEW Adventure Roof Rack

Maverick R

715007186

Maverick R MAX

715008073



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.
- Integrated mounting points for lights.
- Features anchor points for a spare tyre attachment.
- Can be completed with LinQ Adaptor (715003058) on the side.
- The Spare Tyre Tie-Downs sold separately.
- Sport roof is required for installation.
- Sport Roof (715008074) is required for installation on Maverick R MAX.

Storage

NEW Center Console Bag

Maverick R MAX

715007895



- These weather-resistant bags hold your gear safely and securely while you ride.
- Extra storage solution for front and rear passenger.
- Accessible from front and rear seating position.
- Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.
- Volume 23 L.
- Goggles dedicated pocket.
- Detachable side pouches for additional storage/garbage.
- Clear side pockets for cellphones.

Shoulder Storage Bag

Maverick R, Maverick R MAX

715007371



- This weather-resistant bag holds your gear safely and securely while you ride.
- Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.
- This bag has a 1.5 gal (6 L) capacity and is equipped with outer netting compartments and a flexible inner net to hold items in place.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.

Overhead Storage Bag

Maverick R, Maverick R MAX

715007379



- This weather-resistant bag holds your gear safely and securely while you ride.
- Makes smart use of the overhead space and increases the vehicle's cargo capacity by 2.3 gal (9 L).
- The thermoformed base attaches to the roof for easy bag installation and the soft construction makes the bag flexible enough to fit oddly shaped loads.
- Features a hanging function for easier access to the items in the bag and an integrated net for even more storage space.
- Contains two sections: a fixed bag and a detachable bag that can be carried.
- Easily access your smartphone using the touchscreen-compatible clear front pocket.

NEW Rear Upper Door Storage Bags

Maverick R, Maverick R MAX

715007893

- Weather-resistant bags hold your gear safely and securely while you ride.
- Door Bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.

- Thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

Upper Door Storage Bags

Maverick R, Maverick R MAX

715008065

- These weather-resistant bags hold your gear safely and securely while you ride.
- The Door Bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.

- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

Lower Door Storage Bags

Maverick R, Maverick R MAX

715007324

- These weather-resistant bags hold your gear safely and securely while you ride.
- The Door Bags fit in the lower door opening to increase the vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.

- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added cushions for extra comfort.
- Sold in pairs.
- Not compatible with Door Speakers (Level 5 Audio System).

Passenger Storage Seat Bag

Maverick R, Maverick R MAX

715008080

- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.

- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Back Panel Storage Net

Maverick R, Maverick R MAX

715008312

- Storage net behind the passenger seat for more storage.

Bed Side Doors


Maverick R, Maverick R MAX

715009154

- Creates a storage solution out of the rear bed cavities of the unit.
- Perfect for housing trail and safety items that remain on the vehicle.
- Includes two Bed Side Doors, one for each side.

INTELLIGENCE MEETS ACCESSORIES

Maximize your riding experience with live ECU information from your vehicle.




Can-Am SMART Accessories are an industry first!


Driven by the Can-Am ACM (Accessory Control Module), the SMART accessories react to sensors in the vehicle. For example, lights change from Flood to Spot when you speed and follow a curve's direction based on steering input.

ACM & SMART ACCESSORIES


Accessory Control Module (ACM)



Accessory Control Module	Maverick R, Maverick R MAX	715009796
		
<ul style="list-style-type: none">• Bringing the SMART to accessories using live vehicle ECU information to maximize your accessory experience.• Connect your accessories to the 10.25" Colour Touchscreen Display.• Easy accessory installation (plug and play).• Creates an ecosystem that makes installing accessories quicker and easier.• Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).• Requires ACM Rear Harness (715009268) to connect rear-mounted SMART accessories to the Accessory Control Module.		

Rear ACM Harness <i>(Not Illustrated)</i>	Maverick R, Maverick R MAX	715009268
<ul style="list-style-type: none">• Required to connect rear-mounted accessories and rear chase lights to the ACM.• Creates an ecosystem that makes installing accessories quicker and easier.• Five auxiliary connectors are available.		

SMART Control Center for ACM	Maverick R, Maverick R MAX	715007712
		
<ul style="list-style-type: none">• Control the accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.• Icons illuminate when accessories are activated.• Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).• All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.• 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 8 programmable buttons to customize according to the accessories installed.		


SMART Accessories

NEW SMART Particle Separator	Maverick R, Maverick R MAX	715007187
		
<ul style="list-style-type: none">• Filters up to 96% of the dust prior to air intake.• Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).• Mounts directly to the stock air intake duct.• Air intake tube (706600403) is currently required for installation.• IP68 fan.• Requires Particle Separator Harness (715008890) when not equipped with the ACM.• Keeps your air filter clean longer.• Maintains engine performance.		

SMART Integrated LED Roof Light	Maverick R, Maverick R MAX	715007322
		
		
<ul style="list-style-type: none">• Mounted under the roof for a signature look.• Windshield compatible except PowerFlip Windshield (715009900).• Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).• Spot/Flood combo beam.• 22,100 lumens.• Off/Low/High (switch activated).• Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).• Accessory Control Module (715009796) is required for SMART functionality.• Electric Harness (715008209) required to hook up and operate the Integrated LED Roof Light (715007322) for on/off function when ACM is not installed. Sold separately.		

SMART Integrated LED Hood Light

Maverick R, Maverick R MAX


715007378

- Mounted flush inside the hood scoop for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.

- 5,250 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).
- Accessory Control Module (715009796) is required for SMART functionality.
- Wiring harness (715008211) required for on/off function when ACM is not installed. Sold separately.

SMART Integrated LED Side Mirror Lights

Maverick R, Maverick R MAX

715007185

- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.

- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.
- Accessory Control Module (715009796) is required for SMART functionality.
- Require Aluminum Side Mirrors (715007363).
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

NEW SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX

715008555

- Washer fluid dispenser is perfectly concealed on the vehicle.
- Must be installed with the PowerFlip Windshield (sold separately).

- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.
- Electric Harness required (715008855) to hook up and operate the Wiper & Washer Kits when ACM is not installed (sold separately).

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX

715007173

- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.

- For use on Glass or Hardcoated Windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.
- Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed.

LIGHTS

SMART Lights

SMART functionality	SMART LIGHTS WHEN ACM IS INSTALLED		
	SMART Integrated LED Roof Light 715007322	SMART Integrated LED Hood Light 715007378	SMART Integrated LED Side Mirror Lights 715007185
	Accessory Control Module (ACM) with Front ACM Harness 715009796		Aluminum Side Mirrors 715007363 + Accessory Control Module (ACM) with Front ACM Harness 715009796
ON/OFF functionality	SMART LIGHTS WHEN ACM IS NOT INSTALLED		
	SMART Integrated LED Roof Light 715007322	SMART Integrated LED Hood Light 715007378	SMART Integrated LED Side Mirror Lights 715007185
	Wiring Harness 715008209	Wiring Harness 715008211	Aluminum Side Mirrors 715007363 + Wiring Harness 715008212

*All lights are intended for off-road use only.


BAJA Lights

2 Choose your lights						
1 Choose your mount point	BAJA LIGHTS WHEN ACM IS INSTALLED					
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar 710006818	10" (25 cm) Baja Designs OnX6 LED Light Bar 710006819	Baja Designs XL Sport LED Lights 710006821	Baja Designs Squadron Sport LED Lights 710006820	Baja Designs XL80 LED Lights 710005041	
	N/A	LED Light Bars ACM Adaptor 715008213	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715	
		LED Light Bars ACM Adaptor 715008213				
		LED Light Bars ACM Adaptor 715008213	N/A	N/A		
Desert Front Bumper (715007311, 715007691 or 715009926)	N/A	LED Light Bars ACM Adaptor 715008213	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715	
Trail Front Bumper (715010071, 715010072 or 715009925)		LED Light Bars ACM Adaptor 715008213				
Roof with Light Support Bar (715003529)		LED Light Bars ACM Adaptor 715008213	N/A	N/A		
Roof Light Mounting Kit – Low Position (715008585)						
Roof Light Mounting Kit – High Position (715007930)						
2 Choose your lights						
1 Choose your mount point	BAJA LIGHTS WHEN ACM IS NOT INSTALLED					
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar 710006818	10" (25 cm) Baja Designs OnX6 LED Light Bar 710006819	Baja Designs XL Sport LED Lights 710006821	Baja Designs Squadron Sport LED Lights 710006820	Baja Designs XL80 LED Lights 710005041	
	N/A	Wiring Harness 715008863	Wiring Harness 715008865	Wiring Harness 715008865	Wiring Harness 715008863	
		Wiring Harness 715008864	N/A			
	Desert Front Bumper (715007311, 715007691 or 715009926)	N/A	Wiring Harness 715008863	Wiring Harness 715008865	Wiring Harness 715008865	Wiring Harness 715008863
Trail Front Bumper (715010071, 715010072 or 715009925)						
Roof with Light Support Bar (715003529)	Wiring Harness 715008864		N/A			
Roof Light Mounting Kit – Low Position (715008585)						
Roof Light Mounting Kit – High Position (715007930)						
3 Order	Order all part numbers in intersecting box					
	*Note: When installing more than one light kit, additional light power cable or mounting kit is required.					

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick R, Maverick R MAX


710006818**29,000
lumens**

- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.
- Requires Light Power Cable and Light Support Bar.

- ACM Adaptor required (715008213) to connect the Baja Designs LED Light Bars to the ACM harness.
- Electric Harness (715008864) required to hook up and operate the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) for on/off function when ACM is not installed.
- Baja Designs Light Mounting Kit (715007930 or 715008585) is required for installation.
- See table for installation location and requirements.

Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick R, Maverick R MAX


710006819**12,460
lumens**

- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.

- Requires Baja Designs Light Power Cable.
- ACM Adaptor required (715008213) to connect the Baja Designs LED Light Bars to the ACM harness.
- Electric Harness (715008863) required to hook up and operate the 10" (25 cm) Baja Designs OnX6 LED Light Bar (710006819) for on/off function when ACM is not installed.
- See table for installation location and requirements.

Baja Designs XL80 LED Lights

Maverick R, Maverick R MAX


710005041**9,500
lumens**

- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Require Baja Designs Light Power Cable.
- Sold in pairs.

- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- ACM Adaptor required (715007715) to connect the Baja Designs LED Lights to the ACM harness.
- Electric Harness (715008863) required to hook up and operate the Baja Designs XL80 LED Lights (710005041) for on/off function when ACM is not installed.
- See table for installation location and requirements.

Baja Designs Squadron Sport LED Lights

Maverick R, Maverick R MAX


710006820**3,150
lumens**

- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.

- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).
- Electric Harness (715008865) required to hook up and operate the Baja Designs Squadron Sport LED Lights (710006820) for on/off function when ACM is not installed.
- See table for installation location and requirements.


Baja Designs XL Sport LED Lights


Maverick R, Maverick R MAX

710006821**3,150
lumens**


- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Require Baja Designs Light Power Cable.
- Sold in pairs.


- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- ACM Adaptor required (715007715) to connect the Baja Designs LED Lights to the ACM harness.
- Electric Harness (715008865) required to hook up and operate the Baja Designs XL Sport LED Lights (710006821) for on/off function when ACM is not installed.
- See table for installation location and requirements.


Baja Designs Light Mounting Kit – High Position	Maverick R, Maverick R MAX	715007930
	<ul style="list-style-type: none"> • Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar. • Compatible with the Cold Air Roof Scoop. 	

Baja Designs Light Mounting Kit – Low Position	Maverick R, Maverick R MAX	715008585
	<ul style="list-style-type: none"> • Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar. • Not compatible with the Cold Air Roof Scoop. 	

AUDIO SYSTEMS

Can-Am JL Audio System – Level 5	Maverick R, Maverick R MAX	715007957
	<ul style="list-style-type: none"> • Orchestrated for outstanding sound quality and calibrated to enhance your audio experience. • Designed to fit the vehicle perfectly for a fully integrated look. • Designed to be Can-Am tough in the most demanding riding conditions. • Controlled by the 10.25" Colour Touchscreen Display or by the Can-Am JL Audio Source Unit. 	
	<ul style="list-style-type: none"> • Made using premium JL Audio components, including six 6.5" (165 mm) speakers (two dash, two door, and two surround speakers), as well as two 10" (254 mm) under-seat 250 W subwoofers that will enhance both the driver's and the passenger's experience. • Speakers include an adjustable RGB LED cone illumination. • Uses one MX500/4 to power up our six speakers, and one MX500/1 to feed the under-seat subwoofers. • Complements the Can-Am Audio Roof – Level 4 (715007309). 	

NEW Can-Am JL Audio Roof – Level 4	Maverick R	715007309
	Maverick R MAX	715007967
	<ul style="list-style-type: none"> • Full roof with premium JL Audio System for Maverick R. • Features fully sealed and waterproof components and construction. • Easy to install and connect. • Controlled by the 10.25" Colour Touchscreen Display or by the Can-Am JL Audio Source Unit. • Its weatherproof components include four 7.7" coaxial speakers (6 speakers for MAX) and a 500-watt amplifier. • The system is expertly tuned for exceptional sound when you're riding in your Maverick R. 	
	<ul style="list-style-type: none"> • Speakers include an adjustable RGB LED cone illumination, controlled via an app on your smartphone. • Specific to your type of riding. • When combined with the Can-Am Audio System – Level 3 (715007954) or Level 5 (715007957), it provides the ultimate sound experience. • Not compatible with the Adventure Roof Rack (715008073 or 715007186). 	

Can-Am JL Audio System – Level 3	Maverick R, Maverick R MAX	715007954
	<ul style="list-style-type: none"> • Orchestrated for outstanding sound quality and calibrated to enhance your audio experience. • Designed to fit the vehicle perfectly for a fully integrated look. • Designed to be Can-Am tough in the most demanding riding conditions. • Controlled by the 10.25" Colour Touchscreen Display or by the Can-Am JL Audio Source Unit. 	
	<ul style="list-style-type: none"> • Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers), and a 10" (254 mm) under-seat 250 W subwoofer that will enhance both the driver's and the passenger's experience. • Uses one MX280/4 to power up our four speakers, and one MX500/1 to power up the under-seat subwoofer. • Easy to install, with the option to add a second subwoofer (715007310). • Complements the Can-Am Audio Roof – Level 4 (715007309). 	

Can-Am JL Audio Roof Flip Kit	Maverick R, Maverick R MAX	715008164
--------------------------------------	----------------------------	------------------



- Combines with the Can-Am JL Audio Roof – Level 4 (715007309 or 715007967) for Flip option.
- Not compatible with the Cold Air Roof Scoop and the Roof Rack.

Can-Am JL Audio Subwoofer	Maverick R, Maverick R MAX	715007310
----------------------------------	----------------------------	------------------



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- When combined with the Can-Am audio system – Level 3 (715007954) or with the Can-Am audio roof – Level 4 (715007309), this premium JL Audio component creates the ultimate sound experience.
- To add one or two subwoofer to the Can-Am JL Audio Roof – Level 4, a Can-Am JL Audio Amplifier (715007714) is required.

Can-Am JL Audio Amplifier	Maverick R, Maverick R MAX	715007714
----------------------------------	----------------------------	------------------



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a seamless integration.
- Designed to be Can-Am tough in the most demanding riding conditions.
- This MX500/1 is a premium JL Audio component and is used to feed one or two 250 W under-seat subwoofers.
- When combined with the Can-Am Audio Roof – Level 4 (715007309 or 715007967), it creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, this item is required.
- Easy to install, mounting support included.

Can-Am JL Audio Source Unit	Maverick R, Maverick R MAX	715008230
------------------------------------	----------------------------	------------------



- Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Colour Touchscreen Display.
- Designed to fit the vehicle perfectly for a fully integrated look.
- AM/FM/Bluetooth compatible.

ELECTRICAL & ELECTRONIC ACCESSORIES

Electronic Device Holder	Maverick R, Maverick R MAX	715007176
---------------------------------	----------------------------	------------------



- Increases the storage capacity of the glovebox by 1 gal (4 L), with secure magnetic adjustable support for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction allows for the right fit and easy installation.
- Magnet 10 times stronger than any electronic device's weight, ride through rough terrain confidently.
- 2 possible positions for your electronic device: Portrait & Landscape. Adjustable support with 2 positions: facing the passenger or towards the pilot for an improved driving experience and immersion.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.

Cellphone Holder	Maverick R, Maverick R MAX	715008786
-------------------------	----------------------------	------------------



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.
- Requires the Electronic Device Holder (715007176) for the Cellphone Holder to be supported.

Colour Touchscreen Display Protector	Vehicle equipped with 10.25 in. Colour Touchscreen Display	860202680
---	--	------------------



- Provides additional protection for the digital display 10.25 in. touchscreen.
- Protects from scratches caused by ice, rocks, branches or other small debris.
- Anti-glare treatment to ensure good visibility.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

Auxiliary Battery Installation Kit

Maverick R, Maverick R MAX

715007837



- Allows the rider to add a second battery and/or replace the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.
- Automatic rundown protection.
- Installs behind the seat for easy access.
- Requires the purchase of a second battery and battery hardware (not included and sold separately).
- Equipped with an electronic module that prevents the auxiliary electrical components from draining the original battery.

WINCHES

Can-Am HD Winches

Can-Am HD 4500 Winch

Maverick R, Maverick R MAX

715006416



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- EC compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 1/4" (13.1 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch compatible front bumper are required.

Can-Am HD 4500-S Winch

Maverick R, Maverick R MAX

715006417



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of 1/4" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum hawse fairlead.
- Winch Electrical Harness (715008850) and winch compatible front bumper are required.

WARN[†] VRX Winches

WARN VRX 45 Winch

Maverick R, Maverick R MAX

715006110



- Extreme IP68-rated waterproof sealing keeps the elements out.
- Durable all-metal construction.
- Black powder-coated finish and stainless steel fasteners for corrosion resistance.
- Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how.
- Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.
- Dash-mounted rocker control.
- Limited lifetime warranty (mechanical), 3-year warranty (electrical).
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of 1/4" (15 m of 6.3 mm) wire steel cable.
- Roller fairlead.
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch compatible front bumper are required.

WARN VRX 45-S Winch









Maverick R, Maverick R MAX

715006111



- Extreme IP68-rated waterproof sealing keeps the elements out.
- Durable all-metal construction.
- Black powder-coated finish and stainless steel fasteners for corrosion resistance.
- Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how.
- Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.
- Dash-mounted rocker control.
- Limited lifetime warranty (mechanical), 3-year warranty (electrical).
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of 1/4" (15 m of 6.3 mm) synthetic rope.
- Cast aluminum hawse fairlead.
- Winch Electrical Harness (715008850) and winch compatible front bumper are required.

Winch Accessories

Can-Am HD Hawse Fairlead	Can-Am HD Winch	715006426
	<ul style="list-style-type: none"> • A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide. • Must be used with synthetic cables only. 	
WARN Hawse Fairlead	WARN Winch	715007785
	<ul style="list-style-type: none"> • Double-powder-coated construction. • To be used with synthetic winch cables only. 	
Winch Roller Fairlead Spacer	Maverick R, Maverick R MAX	715008922
	<ul style="list-style-type: none"> • Required when using a Winch and Roller Fairlead with a wire cable. • Made of aluminum, with an anti-corrosion finish. 	
Synthetic Winch Cable	Can-Am HD Winch	715006430
	WARN Winch	715007783
	<ul style="list-style-type: none"> • 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. • Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear. • WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable. 	
Wire Rope Replacement	Can-Am HD Winch	705014978
	WARN Winch	715006699
	<ul style="list-style-type: none"> • 43' of ¼" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch. • 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit. • 4,500 lb (2,041 kg) pulling strength. 	
Synthetic Cable Extension		715001120
	<ul style="list-style-type: none"> • Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box. • Easily attaches to winch cable to provide additional 50' (15.2 m) of distance. • 4,500 lb (2,041 kg) single line capacity. 	
Winch Electrical Harness (Not illustrated)	Maverick R, Maverick R MAX	715008850
<ul style="list-style-type: none"> • Required for winch installation. 		
Wired Remote Control	Can-Am HD Winch†	715006504
	<ul style="list-style-type: none"> • This kit allows winch owners to add the hand-held remote to vehicles with a stock winch. • OEM stock winch is sold separately. • EC compliant. <p>† Harness (710001023) is required to use remote control on a vehicle with a factory installed winch. ‡ Remote Control (710007050) and connection socket are included.</p>	
Wireless Remote Control	WARN Winch	715002542
	<ul style="list-style-type: none"> • The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. • The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. • All components are weatherproof. 	

PERFORMANCE

NEW SMART Particle Separator

Maverick R, Maverick R MAX

715007187



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- Air intake tube (706600403) is currently required for installation.
- IP68 fan.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.
- Keeps your air filter clean longer.
- Maintains engine performance.

NEW Particle Separator Harness

(Not Illustrated)

Maverick R, Maverick R MAX

715008890

- Electric harness required to hook up and operate the Engine Air Intake Particle Separator (715007187) for on/off function when ACM is not installed.

Lonestar Racing Fire Extinguisher Support

Maverick R, Maverick R MAX

715007320



- Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency.
- Made of billet anodized black aluminum.
- Fits 1.85" (4.7 cm) tubing.
- Can be fixed anywhere on the cage.
- Provides riders with the safety and security of knowing they have dependable emergency equipment on board.
- Comes with both billet mounts, quick-pull pin, mounting plate and two clamps.
- Fire extinguisher sold separately.
- "Lonestar Racing for Can-Am" branded.
- Incompatible with LinQ Pivoting Rack (715009465).

Performance Air Filter by Twin AIR†

Maverick R, Maverick R MAX

715002895



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Digitally Encoded Security System (D.E.S.S.) Green Key

Maverick R, Maverick R MAX

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
 - Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
 - Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
 - Performance mode: No restrictions.



CAN-AM MAVERICK X3

CAN-AM MAVERICK X3

MODEL PACKAGES

2025 Can-Am Maverick X3 rc Turbo RR	100
2025 Can-Am Maverick X3 Max X rs Turbo RR	101

COMPARATIVE CHART

Can-Am Maverick X3 Lineup	102
---------------------------	-----

ACCESSORIES

Roofs	104
Soft Cab Enclosure	105
Windshields & Wind Protection	105
Mirrors	107
Doors	108
Seat Accessories	109
HMWPE Skid Plates	110
Bumpers & Guards	111
LinQ: Easy On, Easy Off Cargo	114
Racks & Storage	118
Lights	120
Audio & Communication Systems	123
Electrical & Electronic Accessories	124
Winches & Hitches	126
Performance	128
Apache Track Systems	130
Cover & Trailering	132





Image for visual purposes only. Package shown not available in region.

2025 CAN-AM MAVERICK X3 X_{RC} TURBO RR



 Hybrid White & Legion Red

ENGINE	TURBO RR
Type	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P
Drive Train	Lockable front differential with exclusive Smart-Lok® technology True 4-modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	
Front Suspension	Trophy Truck-inspired double arched A-arm with sway bar 22 in. (55.9 cm) suspension travel
Front Shocks	FOX® 2.5 PODIUM RC2¹ Piggyback with bypass, dual-speed compression and rebound adjustments
Rear Suspension	4-link Torsional Trailing Arm X (TTX) with sway bar and arched lower links 24 in. (61 cm) suspension travel
Rear Shocks	FOX® 3.0 PODIUM RC2¹ with bypass, dual-speed compression and rebound adjustments
TYRES & WHEELS	
Front Tyres	XPS Trac Force 32 x 10 x 15 in.
Rear Tyres	XPS Trac Force 32 x 10 x 15 in.
Wheels	15 in. cast-aluminium beadlock
BRAKES	
Front	Dual 262 mm disc brakes with hydraulic twin-piston callipers
Rear	Dual 248 mm disc brakes with hydraulic twin-piston callipers

PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax® powerplant with intercooler
- 72.8 in. wide with over 55cm of suspension travel
- Smart-Lok® front differential
- FOX® 2.5/3.0 PODIUM RC2¹ shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- 4-point harnesses with shoulder pads
- Can-Am LED signature lights
- 15 in. aluminium beadlock wheels
- 32 in. XPS Trac Force tyres
- Front bumper, half-doors, sport roof, intrusion bar
- Front tow hook
- 4,500-lb (2,041 kg) winch with synthetic rope
- HMWPE differential and under bumper skid plates
- HMWPE front and rear suspension arm skid plates
- UHMWPE rock sliders

DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,843 lb (836 kg)
Chassis/Cage	Dual-phase 980 steel
L x W x H	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)
Wheelbase	102 in. (259.1 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	200 lb (91 kg) with LinQ™ quick-attach
Storage Capacity	Total: 2.5 gal (9.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	2

FEATURES

Gauge	7.6 in. wide digital display with keypad
Instrumentation	DC outlet (10-A)
Anti-Theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED signature lights LED tail lights
Winch	4,500 lb (2,041 kg) winch with synthetic rope
Magneto	850 W
Protection	Front bumper Half-doors Aluminium roof Intrusion bar 4-point harnesses with shoulder pads UHMWPE rock sliders HMWPE skid plates: full heavy-duty with differential/under bumper/front and rear suspension arm Rear tow hook Trailing Arm protector Lower A-arm protector

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--




*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

2025 CAN-AM MAVERICK X3 MAX X_{RS} TURBO RR

WITH SMART-SHOX



 Fiery Red & Hyper Silver

ENGINE		TURBO RR	
Type	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter		
Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)		
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P		
Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL		
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS™)		
SUSPENSIONS			
Front Suspension	Double A-arm with sway bar 22 in. (55.9 cm) suspension travel Trophy Truck-inspired arms		
Front Shocks	FOX® 2.5 PODIUM® Piggyback with bypass and Smart-Shox** technology featuring DDA valve (Dynamic Damping Adjustment)		
Rear Suspension	4-link Torsional Trailing Arm X (TTX) with sway bar 22 in. (55.9 cm) suspension travel		
Rear Shocks	FOX® 3.0 PODIUM® remote reservoir with bypass and Smart-Shox** technology featuring DDA valve (Dynamic Damping Adjustment)		
TYRES & WHEELS			
Front Tyres	XPS Trac Force 32 x 10 x 15 in.		
Rear Tyres	XPS Trac Force 32 x 10 x 15 in.		
Wheels	15 in. cast-aluminium beadlock		
BRAKES			
Front	Dual 262 mm disc brakes with hydraulic twin-piston callipers		
Rear	Dual 248 mm disc brakes with hydraulic twin-piston callipers		

PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax® powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Seating for 4 people
- Smart-Lok* front differential
- Smart-Shox** Technology featuring DDA Valve
- FOX® 2.5/3.0 PODIUM® shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- 4-point harnesses with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminium beadlock wheels
- 32 in. XPS Trac Force tyres
- Full roof
- HMWPE full skid plate

DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,942 lb (880.9 kg)
Chassis/Cage	Dual-phase 980 steel
L x W x H	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
Wheelbase	135 in. (342.9 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	150 lb (68 kg) with LinQ™ quick-attach
Storage Capacity	Total: 3 gal (11.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	4

FEATURES



Gauge	7.6 in. wide digital display with keypad
Instrumentation	DC outlet (10-A)
Anti-Theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED signature lights LED tail lights
Winch	N/A
Magneto	850 W
Protection	Integrated front bumper Quarter-doors Full hard roof 4-point harnesses with shoulder pads HMWPE full skid plate Rear tow hook

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	--



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.

MAVERICK X3		X rc TURBO RR 72****	MAX X rs TURBO RR***with Smart-Shox**
			
COLOUR OPTIONS		Hybrid White & Legion Red	Fiery Red & Hyper Silver
ENGINES	Type	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter	
	Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	
	Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P	
	Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL.	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
	Driving Assistance	High torque Tri-Mode Dynamic Power Steering (DPS™)	
SUSPENSIONS	Front Suspension	Trophy truck inspired arched double A-arm with sway bar 22 in. (55.9 cm) travel	Double A-arm with sway bar 22 in. (55.9 cm) travel/Trophy truck inspired arms
	Front Shocks	FOX® 2.5 PODIUM RC2¹ Piggyback with bypass, dual speed compression and rebound adjustments	FOX® 2.5 PODIUM¹ Piggyback with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)
	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel
	Rear Shocks	FOX® 3.0 PODIUM RC2¹ remote reservoir with bypass, dual speed compression and rebound adjustments	FOX® 3.0 PODIUM¹ remote reservoir with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)
TYRES/ WHEELS	Front/Rear Tyres	Maxxis Liberty¹ 32 x 10/10 x 15 in.	XPS Trac Force 32 x 10 x 15 in.
	Wheels	15 in. cast-aluminum beadlock	14 in. cast-aluminum beadlock
BRAKES	Front	Dual 262 mm disc brakes with hydraulic twin-piston callipers	
	Rear	Dual 248 mm disc brakes with hydraulic twin-piston callipers	
DIMENSIONS/CAPACITIES	Estimated Dry Weight	1,843 lb (836 kg)	1,942 lb (880.9 kg)
	Chassis/Cage	Dual-phase 980 steel	
	L x W x H	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
	Wheelbase	102 in. (259.1 cm)	135 in. (342.9 cm)
	Ground Clearance	16 in. (40.6 cm)	
	Rack Capacity	200 lb (91 kg) with LinQ® Quick-Attach	150 lb (68 kg) with LinQ® Quick-Attach
	Storage Capacity	Total: 2.5 gal (9.4 L)	Total: 3 gal (11.4 L)
	Fuel Capacity	10.5 gal (40 L)	
	Person Capacity	2	4
FEATURES	Gauge	7.6 in. wide digital display with keypad	
	Instrumentation	DC outlet (10-A)	
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	
	Lighting	LED headlight, LED signature lights, LED tail lights	
	Winch	4,500 lb (2,041 kg) winch with synthetic rope	N/A
	Magneto	850 W	
	Protection	Front bumper, half-doors, aluminum roof, intrusion bar, 4-point harnesses with shoulder pads, UHMWPE rock sliders, HMWPE skidplates: full heavy-duty with differential/under bumper/front and rear suspension arm, rear tow hook, trailing arm protector, lower A-arm protector	Integrated front bumper, quarter-doors, full roof, 4-point harnesses with shoulder pads, HMWPE full skid plate, rear tow hook

¹ Visco-Lok is a trademark of GKN Viscodrives GmbH.

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.

***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



MAVERICK X3 ACCESSORIES

ROOFS

Sport Roof



- Impact-resistant injected polypropylene.
- Excellent protection from the elements.
- Provides excellent downhill visibility.
- Windshield compatible.

Maverick X3
Maverick X3 MAX

715005521
715003750

- Standard on X rs model.
- Easy, tool-less installation and removal with quick-release ¼ turn fasteners and Velcro straps.

ProVent Roof Module Kit



- Provides fresh air in the cab area.
- Optimal performance with full cab enclosure.
- 4 vents provide infinite adjustment of air flow for driver and passenger.
- Filter and pre-filter to limit dust intrusion.
- Easy cleaning of filter and pre-filter.
- Patent pending water management system to keep water out of cabin while maintaining air flow.

Maverick X3, Maverick X3 MAX

715005279

- Outer plug closes air intake completely for winter or heavy weather.
- Sport Roof requires ProVent Module Adapter Kit.
- Not compatible with roof mounted LED bars, roof racks (715006225/715003868) or roof liners, Lonestar Roof, or Bimini tops.

ProVent Roof Module Adapter Kit for Sport Roof

(Not illustrated)

Maverick X3
Maverick X3 MAX

715006199
715006371

- Adapter for fitting ProVent Roof Module Kit onto Maverick X3.
- Includes roof adapter and hardware.
- Requires ProVent Roof Module Kit (715005279).

Aluminum Roof



- Formed aluminum roof 0.09" (2.3 mm) thick.
- Durable and lightweight.
- Sporty look.
- Windshield compatible.
- Easy and tool-less installation.

Maverick X3

■ **715004224** · Black
■ **715002900** · Silver

Bimini[®] Roof with Sun Visor



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Innovative soft top comes with a hard visor that allows for storage of rolled-up soft top.
- Easy, tool-less installation and removal with quick-release/turn fasteners and Velcro straps.

Maverick X3
Maverick X3 MAX

715002901
715003749

Tinted Sun Visor



- Tinted polycarbonate construction.
- Extra protection for driver and passenger from the sun.
- Not compatible with Aluminum Roof, Audio Roof or Full Windshields.

Maverick X3, Maverick X3 MAX

715007098

Lonestar Racing Aluminum Roof



- 0.083" (2.1 mm) thick aluminum roof.
- Durable and lightweight.
- Enhances the vehicle's racing appearance thanks to an authentic sporty look combined with unique graphics.
- Offers you protection from the elements with a personalized touch.
- Lower profile than other roofs.

Maverick X3 produced after January 1, 2017
Maverick X3 MAX

■ **715005507** · Black
■ **715005515** · Black

- Compatible with Lonestar Racing Light Bar Racks.
- Not compatible with LinQ Pivoting Rack, Light Support Bar and Full Windshields.
- "Lonestar Racing for Can-Am" branded.
- Includes middle intrusion bars for installation.

SOFT CAB ENCLOSURE

Soft Cab Enclosure



- Protection for rider and passenger from the elements.
- For added cabin comfort, complete your cab enclosure with Cab Seal Kit.
- Includes:
 - Bimini roof with sun visor
 - Full windshield — hardcoated
 - Upper soft door panels
 - Front lower door panels
 - Soft rear window

Maverick X3 (except X mr models)

715003754

Maverick X3 MAX (except X mr models)

715003755

Cab Seal Kit

(Not illustrated)

- Prevents dirt, dust and wind infiltration in the cab area.
- Improves cabin comfort for driver and passenger.
- Recommended with Soft Cab Enclosures.

Maverick X3

715004433

Maverick X3 MAX

715004434

WINDSHIELDS & WIND PROTECTION

Windshields

PowerFlip Windshield



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of opening possibilities depending on protection, visibility and air flow preferences.
- Compatible with Can-Am roofs.

Maverick X3, Maverick X3 MAX

715007097

Windshield Wiper for PowerFlip Windshield



- An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allows windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.
- Must be installed with the PowerFlip Windshield (sold separately).

Maverick X3, Maverick X3 MAX

715006310

Provent Windshield



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Controllable vents to manage air flow.
- Optimal performance with full cab enclosure.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- One upper vent and one lower vent with pre-filters.
- Formed polycarbonate construction for enhanced rigidity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Not compatible with wiper kits and Wet Sounds Stealth 6 Ultra HD Can-Am Edition Sound Bar.
- Upper vent channels air into the cabin.
- Lower vents defog windshield.
- Provides excellent optical clarity and better abrasion resistance.

Maverick X3, Maverick X3 MAX

715005277

Glass Windshield



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Provides the best optical clarity and abrasion resistance.
- Must be used with Windshield Wiper & Washer Kit to maintain clear visibility during severe riding conditions, such as mud riding.
- Recommended to use with rear wind protection to maximize comfort for passenger.

Maverick X3, Maverick X3 MAX

715008859

Glass Windshield with Wiper & Washer Kit	Maverick X3, Maverick X3 MAX	715008858
---	------------------------------	------------------



- Complete kit that includes a curved and laminated glass windshield with a single-speed wiper and washer fluid dispenser.
- Seals firmly against the cage and protects rider and passenger from the elements.
- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Recommended to use with rear wind protection to maximize comfort for passenger.

Full Windshield	Maverick X3, Maverick X3 MAX	715002907
------------------------	------------------------------	------------------



- High-impact-resistant durable polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Recommended to use with rear wind protection to maximize comfort for passenger.

Full Windshield – Hardcoated	Maverick X3, Maverick X3 MAX	715004417
-------------------------------------	------------------------------	------------------



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Recommended to use with rear wind protection to maximize comfort for passenger.
- Can be used with the Windshield Wiper and Washer Kit (715004762).

Half Windshield	Maverick X3, Maverick X3 MAX	<input type="checkbox"/> 715002909 · Clear <input checked="" type="checkbox"/> 715004291 · Tinted
------------------------	------------------------------	--



- High-impact-resistant durable polycarbonate half windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

Windshield Wiper & Washer Kit	Maverick X3, Maverick X3 MAX Fit with Full Windshield Hardcoated (715004417)	715004762
	Maverick X3, Maverick X3 MAX Fit with Glass Windshield (715008859)	715003282



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper and washer fluid dispenser.
- Wiper mechanism and washer fluid dispenser perfectly concealed within the vehicle.

Manual Wiper Kit	Maverick X3, Maverick X3 MAX	715009424
-------------------------	------------------------------	------------------



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

Wind Protection

Rear Wind Screen	Maverick X3, Maverick X3 MAX (except X mr models)	715006701
-------------------------	--	------------------



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Large white Can-Am logo on black mesh.

Rear Polycarbonate Window	Maverick X3, Maverick X3 MAX (except X mr models)	715006387
----------------------------------	--	------------------



- High-impact-resistant polycarbonate window.
- Blocks windshield backdraft or dust and rain from entering for added cabin comfort.
- Quick and easy tool-less installation.
- Ready for MTX Audio System Rear Speakers.

Soft Rear Window	Maverick X3, Maverick X3 MAX (except X mr models)	715006702
-------------------------	--	------------------



- Clear, flexible window made from transparent vinyl.
- Resists cold-cracking to -4°F (-20°C).
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick tool-less installation.

MIRRORS

Aluminum Side Mirrors	Maverick X3, Maverick X3 MAX	715007363
------------------------------	------------------------------	------------------



- Sleek design.
- High-quality black molded aluminum for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Possibility to install the Integrated LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Not compatible with Glass Windshield.
- Sold in pairs.

Side Mirrors	Maverick X3, Maverick X3 MAX	715007188
---------------------	------------------------------	------------------



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Not compatible with Glass Windshield.
- Sold in pairs.

Side Mirrors	Maverick X3, Maverick X3 MAX	715004236 • For stock quarter doors 715005315 • For aluminum doors
---------------------	------------------------------	---



- Rugged cast aluminum mount with black nylon cover.
- Multi-position adjustable ball-joint mounted mirrors.
- Convex optics for a wide viewing angle.
- Spring-loaded pivots let mirrors fold back completely.
- Door mounted.
- Compatible with Upper Soft Door Panels.
- Sold in pairs.

Racing Side Mirrors	Maverick X3, Maverick X3 MAX	715002898
----------------------------	------------------------------	------------------



- Race-inspired design features rugged black nylon % construction with coated cast-aluminum mount.
- Dual adjustment provides optimal field of view (FOV).
- Multi-position adjustable ball-joint mounted mirrors.
- Flat optics deliver improved distance perception.
- Spring-loaded pivots let mirrors fold back completely.
- Not compatible with Lonestar Racing Light Racks, Upper Soft Door Panels or Flip Audio Roof Kit (715007131).
- Sold in pairs.

Rally Side Mirrors

Maverick X3, Maverick X3 MAX

715005262



- Sleek design with unique racing style.
- High-quality black molded aluminum for extreme durability.
- 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Multi-position adjustable ball-joint-mounted mirrors.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.
- Not compatible with Glass Windshield.

Rear Mirror & Camera Monitor

Maverick X3, Maverick X3 MAX

715009410



- Fully waterproof rearview mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear view camera.
- This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).
- The camera uses infrared light for night vision capabilities.

DOORS

Aluminum Half Doors

Maverick X3, Maverick X3 MAX

715007971 · Front

Maverick X3 MAX

715007972 · Rear



- Lightweight half doors made of formed 5/64" (2 mm) thick aluminum.
- Smooth finish.
- Engineered for maximum rigidity and durability.
- Designed for a perfect fit and seamless integration with the vehicle's lines.
- Contoured with a thick seal for better protection from the elements.
- Easy installation using the standard door frame.
- Includes the easy-to-operate Deluxe Door Handles.
- Compatible with the Upper Soft Door Panels, the Window Nets and Upper Door Storage Bags.
- Not compatible with the Lower Door Panel Storage Bags.
- Sold in pairs.


Deluxe Door Handles

Maverick X3, Maverick X3 MAX

715004758 · Front

Maverick X3 MAX

715004860 · Rear



- Convert the standard door straps into easy-to-access door handles.
- Include inside and outside handles for each door.
- Greatly facilitate door opening.
- Standard on accessory Aluminum Half Doors.
- Sold in pairs.

Lower Door Panels

Maverick X3, Maverick X3 MAX

715002903 · Front

715003751 · Rear



- Robust injection-molded polypropylene construction designed to match vehicle.
- Extend stock doors at bottom to protect from the elements.
- A great-looking add-on.
- Easy and quick installation.
- Sold in pairs.

Window Nets

Maverick X3

715006693 · Front

Maverick X3 MAX

715004694 · Front

Maverick X3 MAX

715006700 · Rear



- Window mesh screen for added protection from wind.
- Can be easily lowered in seconds.
- Sold in pairs.
- Not compatible with Can-Am Audio Roof.

Upper Soft Door Panels

Maverick X3 (except X mr models)

715008091 · 2 doors

Maverick X3 MAX (except X mr models)

715008092 · 4 doors



- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.
- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors and Can-Am Audio Roof.

SEAT ACCESSORIES

4-Point Harness

Maverick X3, Maverick X3 MAX

715008033 - Driver

715008034 - Passenger



- Exclusive controlled decelerator technology (patent pending) absorbs additional energy in case of accident.
- Designed to offer maximum riding comfort.
- Easy one-click latch and release.
- Patent pending.
- Not EC compliant.

Retractable 4-Point Harness

Maverick X3, Maverick X3 MAX

715005021 - Driver

715005022 - Passenger



- Convenient harness allows you to move freely in your seat, and at the same time fully benefit from the extra support given by the 4-point attachments.
- Makes it easier to buckle up and requires fewer adjustments when switching passenger or driver.
- Retractor Protector (707900653) is required for installation on front seats of MAX models.
- Compatible with rear passenger seats on MAX models.
- Standard on select Maverick X3 models.

Retractor Protector

(Not illustrated)

Maverick X3 MAX

707900653

- Protective pad required for the installation of the Retractable 4-Point Harness on front seat of MAX models.
- Protects the passengers from the retractor mechanism.
- Sold individually.

Seat Belt Shoulder Pads


Maverick X3, Maverick X3 MAX

715002894



- Provide additional riding comfort by preventing seat belt from rubbing on neck and shoulder.
- Fit with stock 3-point seat belts and 4 point harness.
- Easy Velcro installation.
- Can-Am branded.
- Sold in pairs for driver and passenger.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed $\frac{3}{8}$ " (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

MAVERICK X3, MAVERICK X3 MAX

HMWPE Skid Plates are standard on X rs models (2019 to 2021) and X rc models (2022 & up) only.

Maverick X3
64" models

Maverick X3 Max
64" models

Maverick X3,
Maverick X3 Max
72" models
(except Base models)

Maverick X3
Base 72" models

Maverick X3 Max
Base 72" models

HMWPE Skid Plate Protection Kit

715003713

715003747

715003718

715006767

715006769

Individual HMWPE Skid Plates

① HMWPE Front A-Arm and Trailing Arm Protectors	715002905	715002905	715003552	715003552	715003552
② HMWPE Front Skid Plate	715003933	715003933	715003933	715003933	715003933
③ HMWPE Central Skid Plate	—	715003731	Standard on X rc models only	—	715003731
④ HMWPE Underbelly Plate	715004904	715004904	Standard on X rc models only	715004904	715004904

BUMPERS & GUARDS

Bumpers

Front Pre-Runner Bumper

Maverick X3, Maverick X3 MAX

■ **715002878** · Black
■ **715003433** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch mounting plate and mount points for lights.

Rear Pre-Runner Bumper

Maverick X3, Maverick X3 MAX

■ **715002880** · Black
■ **715003436** · Can-Am Red



- Extra-durable 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protects vehicle bodywork and exhaust system.
- Rear Receiver Hitch compatible.
- Required for installation of the Rear Cage Extension.

Dune Front Bumper

Maverick X3, Maverick X3 MAX

■ **715002961** · Black
■ **715003432** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Features a more pronounced attack angle and integrated mounting points for lights.
- Not winch compatible.

Dune Rear Bumper

Maverick X3, Maverick X3 MAX 2021 & prior
Maverick X3, Maverick X3 MAX 2022 & up

■ **715002962** · Black
■ **715003437** · Can-Am Red
■ **715009242** · Black



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Protects vehicle bodywork and exhaust system.
- Rear hitch compatible.
- Not compatible with Rear Cage Extension and Lonestar Racing Spare Tyre Holder.

X rc/X mr Front Bumper

Maverick X3, Maverick X3 MAX

■ **715004788** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing.
- Offers all the essential features required for technical driving: low front-end protection, support base for winch installation and integrated tow hook.
- Standard on Maverick X3 X rc and X mr models.
- Not compatible with winches with steel cable.

Lonestar Racing Front Bumper

Maverick X3, Maverick X3 MAX
(not compatible X mr and X rc models)

■ **715005510** · Hyper Silver
■ **715005509** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a 1/8" (3 mm) thick aluminum plate for added vehicle-front protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar.
- Not compatible with stock Smart-Shox.

Lonestar Racing Rear Bumper

Maverick X3, Maverick X3 MAX 2021 & prior

■ **715005512** · Hyper Silver
■ **715004162** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Provides additional vehicle-rear bodywork and exhaust system protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Compatible with Lonestar Racing Spare Tyre Holder.
- Not hitch compatible.

S3⁺ Front Bumper

Maverick X3, Maverick X3 MAX

■ **715004867** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch support plate and mount points for lights.
- Hook support anchor allows you to keep the winch hook within easy reach when riding in deep mud.
- "S3 for Can-Am" branded.
- Winch not included.

S3 Rear Bumper

Maverick X3, Maverick X3 MAX 2021 & prior

■ **715004869** · Black



- Made of extra-durable 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions—protects vehicle bodywork and exhaust system.
- Permits installation of a winch at a higher location to improve accessibility in muddy conditions.
- "S3 for Can-Am" branded.
- Engineered to sustain heavy winch loads without damaging the vehicle's frame.
- Compatible with Can-Am HD and WARN VRX winches—Rear Winch Harness (715006007) is required to install a winch on the bumper.
- Includes a robust recovery hook to facilitate vehicle recovery.
- Winch not included.
- Not EC compliant.

Rock Sliders

Maverick X3 (except X rc)

■ **715002963** · Black
■ **715003438** · Can-Am Red

Rock Sliders

Maverick X3 MAX

■ **715003730** · Black
■ **715003888** · Can-Am Red



- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's sides and undercarriage against large obstacles.
- Support plate adds rigidity and style.
- Sold in pairs.

Lonestar Racing Rock Sliders

Maverick X3 (except X rc models)

■ **715005514** · Hyper Silver
■ **715008845** · Black
■ **715008846** · Can-Am Red

Maverick X3 MAX

■ **715008847** · Black
■ **715008848** · Can-Am Red



- Race-engineered to Lonestar Racing's trademark standards for toughness, these stylishly crafted accessories will also enhance your vehicle with visual impact.
- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Essential protection for your vehicle's sides from large obstacles.
- Sold in pairs.
- Maverick X3 MAX: Not compatible with the Rear Aluminum Half Doors (715007972).

Intrusion Bars

Front Intrusion Bar

Maverick X3, Maverick X3 MAX

■ **715002889** · Black
■ **715003435** · Can-Am Red



- Matches vehicle styling.
- Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.
- Tube design reduces obstructed lines of sight and blind spots for better visibility.
- Not compatible with windshields or Lonestar Racing Aluminum Roof.

Lonestar Racing Front Intrusion Bar

Maverick X3, Maverick X3 MAX

■ **715003916** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Enhances the racing look of the vehicle.
- Compatible with Lonestar Racing Aluminum Roof and Aluminum Roofs.
- Not compatible with windshields.

Lonestar Racing Rear Intrusion Bar

Maverick X3 (except X mr models),
Maverick X3 MAX

■ **715003918** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Sleek styling enhances the vehicle's race-inspired look.
- Required for the installation of the Lonestar Racing Spare Tyre Holder.
- Not compatible with LinQ mounted accessories and Pre-Filter in the cargo bed.

Other Accessories

Fender Flares

Maverick X3, Maverick X3 MAX

715002973



- Extended fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.

Lonestar Racing Spare Tyre Holder

Maverick X3, Maverick X3 MAX 2021 & prior
(except X mr models)

■ **715003922** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Adjustable height to fit Can-Am tyres up to 30 in.
- Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation.
- Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.
- Wheel not included.
- Not compatible with the S&B Particle Separator and LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder

Maverick X3, Maverick X3 MAX

715003943



- Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
- Not compatible with LinQ Pivoting Rack.
- Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- Black background.

S3 Rear Pull Plate

Maverick X3, Maverick X3 MAX 2021 & prior

■ **715004870** · Black



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- "S3 for Can-Am" branded.

LINQ: EASY ON, EASY OFF CARGO

MAVERICK'S LINQ ACCESSORIES

Mounting location and requirements

<ul style="list-style-type: none">• No tools needed: Quickly install and remove accessories by hand• Equip your Can-Am for specialized tasks in no time• Sturdy mounting system that holds up to the roughest terrain	Standard Cargo Bed	LinQ Pivoting Rack 715008295/715008296	Adventure Roof Rack 715003868/715006225
<div>LinQ Accessories with 16" Base</div> <div><ul style="list-style-type: none">• LinQ anchors mounted 16 inches apart, center-to-center.• Lower loading capacity than the LinQ with 36" base accessories.• Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.</div>			
<div>LinQ 4.2 Gal Cooler</div> <div>295100698 • White</div> <div>219400964 • Black</div>	LinQ Anchor Adapter Kit 715004960	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125
<div>LinQ Tool Kit</div> <div>715006829</div>			
<div>LinQ Tool Box</div> <div>715008111</div>			
<div>LinQ SR 5.5 Gal (21 L) Bag</div> <div>860202449</div>			
<div>LinQ 4.5 Gal (17 L) Sport Bag</div> <div>860202447</div>			
<div>LinQ Modular Box</div> <div>715005494 • (10 L)</div> <div>715007112 • (20 L)</div> <div>715006830 • (30 L)</div>			
<div>LinQ Roll-Top Bag</div> <div>715008110</div>			
<div>LinQ Accessories with 36" Base</div> <div><ul style="list-style-type: none">• Mount on LinQ racks often used by Can-Am ORV vehicles.• Higher loading capacity than the LinQ with 16" base accessories.• Usage is limited to Can-Am ORV vehicles.</div>			
<div>LinQ 12 Gal (45 L) Cargo Box</div> <div>715003879</div>	No further requirements	No further requirements	No compatibility
<div>LinQ 23 Gal (86 L) Trunk Box</div> <div>715004923</div>	No further requirements		
<div>LinQ 32 Gal (121 L) Trunk Box</div> <div>715001748</div>	*Not compatible if the LinQ Pivoting Rack is installed.		
<div>LinQ 11.5 Gal (43 L) Audio Cargo Box</div> <div>715003018</div>			
<div>LinQ 8 Gal (30 L) Cooler Box</div> <div>715004778 • Black</div> <div>715004698 • Gray</div>			
<div>LinQ Premium Storage Bag by OGIO†</div> <div>715002923 • Black</div>	No further requirements		
<div>LinQ Heavy Duty Basket</div> <div>715001215</div>			
<div>LinQ Low Profile Basket</div> <div>715004282</div>			
LinQ Holders			
<div>LinQ Gear Grips</div> <div>715005340</div>	No further requirements	No further requirements	Side wall installation LinQ Adapters 715003058
<div>LinQ Tool Holder</div> <div>715007358</div>			

LinQ Accessories with 16" Base

LinQ Modular Box



Maverick X3, Maverick X3 MAX

715005494 · (10 L)

715007112 · (20 L)

715006830 · (30 L)

- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)



Maverick X3, Maverick X3 MAX

219401110

- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box



Maverick X3, Maverick X3 MAX

715008111

- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.
- See table for installation location and requirements.

LinQ Tool Kit



Maverick X3, Maverick X3 MAX

715006829

- Includes:
 - Cutter pliers
 - Long-nose pliers
 - Locking pliers
 - Ratchet wrench ¾" drive
 - 6" ratchet extension
 - Integrated CVT belt storage location (belt not included)
 - Long-socket 19 mm ¾" drive - 6 pts
 - Socket 18 mm ¾" drive
 - Long-socket 17 mm ¾" drive - 6 pts
 - Socket 15 mm ¾" drive
 - Socket 13 mm ¾" drive
 - Socket 10 mm ¾" drive
 - Socket 8 mm ¾" drive
 - Socket Torx T40 ¾" drive
 - Socket Torx T30 ¾" drive
 - Socket Torx T20 ¾" drive
 - Breaker bar ¾" drive
 - Combination Wrench set:
 - Wrench 19 mm
 - Wrench 18 mm
 - Wrench 15 mm
 - Wrench 13 mm
 - Wrench 10 mm
 - Wrench 8 mm
- See table for installation location and requirements.

LinQ 4.2 Gal (16 L) Cooler



Maverick X3, Maverick X3 MAX

■ **219400964** · Black

■ **295100698** · White

- All the benefits of LinQ—simple, fast and secure.
- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- Can contain twenty 355 ml cans.
- Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions: 9" L x 17" W x 7" H.
- See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag



Maverick X3, Maverick X3 MAX

860202447

- All the benefits of LinQ—simple, fast and secure.
- 17 liter (4.5 US gallon) capacity.
- Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.
- Rigid bottom, semi-rigid top.
- Easy one-second on/off tool-less system.
- See table for installation location and requirements.


SR 5.5 Gal (21 L) LinQ Bag




Maverick X3, Maverick X3 MAX


860202449


- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- See table for installation location and requirements.


LinQ Roll-Top Bag	Maverick X3, Maverick X3 MAX	715008110
	<ul style="list-style-type: none"> Fully waterproof roll-top dry bag will securely store and confine your equipment. LinQ mounted using heavy-duty rigid plastic base. High capacity storage solution (40 L). Bottom foam liner for additional equipment protection. Integrated handle for easy transportation on/off the vehicle. Dimensions: 14" L x 19" W x adjustable H. See table for installation location and requirements. 	


LinQ Accessories with 36" Base


LinQ 12 Gal (45 L) Cargo Box	Maverick X3, Maverick X3 MAX	715003879
	<ul style="list-style-type: none"> LinQ mounted for easy-on, easy-off installation. Holds cargo safely and securely while riding. See table for installation location and requirements. 	

LinQ 23 Gal (86 L) Trunk Box	Maverick X3 (except X mr models), Maverick X3 MAX	715004923
	<ul style="list-style-type: none"> LinQ mounted for easy-on, easy-off installation. Holds cargo safely and securely while riding. See table for installation location and requirements. 	





LinQ 32 Gal (121 L) Trunk Box	Maverick X3 (except X mr models), Maverick X3 MAX	715001748 · (No rear tail light)
	<ul style="list-style-type: none"> Equipped with the LinQ system, the rear trunk box plugs in and out in seconds. 32 gal (121 L) load capacity with unobstructed space to maximize storage room and access to the trunk's interior. Made of injection-molded polyethylene, double walled in critical areas. The fully sealed lid protects your belongings from dust, moisture and the elements. No rear tail light. Trunk Box Panels available in many colours to match your vehicle (sold separately). See table for installation location and requirements. 	

LinQ 32 Gal (121 L) Trunk Box Panels	Fit with LinQ 32 Gal (121 L) Trunk Box EUROPEAN VERSION (EC compliant)	
	<ul style="list-style-type: none"> Colour panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle. No rear tail light 	
	<ul style="list-style-type: none"> 715001397 · Black 715001398 · Yellow 715002483 · White 	<ul style="list-style-type: none"> 715006123 · Orange Crush 715006124 · Viper Red

LinQ 8 Gal (30 L) Cooler Box	Maverick X3, Maverick X3 MAX	<ul style="list-style-type: none"> 715004778 · Black 715004698 · Gray
	<ul style="list-style-type: none"> LinQ mounted for easy-on, easy-off installation. Rotomolded construction provides exceptional rigidity and durability. Premium-quality foam insulation for optimal ice retention. Integrated, fully removable compartment protects food. Robust rubber latches keep the cover tightly closed. Weather-resistant. Convenient drain plug. See table for installation location and requirements. 	




LinQ 11.5 Gal (43 L) Audio Cargo Box	Maverick X3, Maverick X3 MAX	715003018
	<ul style="list-style-type: none"> An affordable and quick solution for adding music and storage to your next ride. The rear installation does not use up any cab space and allows easy listening at an average speed. Mounts on/off easily to hold/carry cargo safely and securely. Backlit control panel perfect for night riding. Water-resistant speakers. The Bluetooth¹ enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover. Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity. See table for installation location and requirements. 	

LinQ Heavy-Duty Basket	Maverick X3, Maverick X3 MAX	715001215
	<ul style="list-style-type: none">• Made of high-strength, low-alloy steel.• LinQ mount for easy-on, easy-off installation.• See table for installation location and requirements.	
LinQ Premium Storage Bag by OGIO	Maverick X3, Maverick X3 MAX	715002923 - Black
	<ul style="list-style-type: none">• Tool-less installation and removal thanks to the LinQ system.• 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.• Buckle and elastic closure with a rubber seal that protects dust from entering the bag.• 3-section lid for partial or full access to your bag.• Inside separators for optimal bag organization.• See table for installation location and requirements.	
LinQ Low Profile Basket	Maverick X3, Maverick X3 MAX	715004282
	<ul style="list-style-type: none">• Low profile, open basket increases cargo space.• Perfect for easy access to tools, rope, winch and plow accessories.• Multiple bungee cord and tie-down anchor points.• Made of impact-resistant injected polypropylene.• See table for installation location and requirements.	
LinQ Holders		
LinQ Tool Holder	Maverick X3, Maverick X3 MAX	715007358
	<ul style="list-style-type: none">• Ultra-versatile tool holder.• Convenient swivel-latch allows tools to be stored in any orientation.• Sold in pairs.	
LinQ Gear Grips	Maverick X3, Maverick X3 MAX	715005340
	<ul style="list-style-type: none">• Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.• Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.• Quick-release button opens grip quickly for easy access to gear.• Heavy-duty base system built for the toughest adventures.• Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.• 360° orientation.• Sold in pairs.	
LinQ Mounting		
LinQ Anchor Adapter Kit	Maverick X3, Maverick X3 MAX	715004960
	<ul style="list-style-type: none">• Allows the installation of LinQ accessories with 16" base on LinQ racks.• Tool-less installation and removal.	
LinQ Base Installation Kit	Maverick X3, Maverick X3 MAX	715008125
	<ul style="list-style-type: none">• Allows installation of compatible LinQ accessories.• Included: 2 LinQ Cargo bases and hardware.	
LinQ Lock	Maverick X3, Maverick X3 MAX	860201968
	<ul style="list-style-type: none">• Simple way to securely lock most LinQ accessories.• Lock cover protects lock from the elements.• Corrosion resistant.• Pack of 1, includes 2 keys.• Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.	

LinQ Replacement Part	Maverick X3, Maverick X3 MAX	715001707
	<ul style="list-style-type: none"> • Unique mounting fastener usable on any LinQ system accessory. • Tool-less installation and removal. • Sold in pairs. 	
LinQ Adapter	Maverick X3 MAX	715003058
	<ul style="list-style-type: none"> • Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack. • Sold in pack of 4. 	
Cargo Box Net	Maverick X3, Maverick X3 MAX	715001371
	<ul style="list-style-type: none"> • Solid net designed to secure and ensure the compact confinement of your Adventure Roof Rack. 	
Spare Tyre Ratchet Tie-Downs	Maverick X3, Maverick X3 MAX	280000955
	<ul style="list-style-type: none"> • 3-way ratcheting tie-down strap with loop ends. • Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points. • Adjustable to accommodate most common UTV tyre sizes. • Ratchet and junction ring made of durable zinc-plated steel. • Required for spare tyre attachment on Adventure Roof Rack. 	

RACKS & STORAGE

Racks

LinQ Pivoting Rack	Maverick X3, Maverick X3 MAX (except X mr models)	<div> <div>■</div> 715008295 · Black </div> <div> <div>■</div> 715008296 · Can-Am Red </div>
	<ul style="list-style-type: none"> • LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tyre (tyre not included). • Includes custom tie-down strap for fast spare tyre installation or removal (tyre not included). • Gas-cylinder pivot action, locks in the raised position. • Trunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rack is installed. • Not compatible with Rear Intrusion Bars, Rear Cage Extension and Lonestar Racing Aluminum Roofs. 	
Adventure Roof Rack	Maverick X3 Maverick X3 MAX	<div> 715006225 </div> <div> 715003868 </div>
	<ul style="list-style-type: none"> • Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely. • Built with lightweight 1.25" (3.2 cm) diameter steel tubing. • Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front). • Features anchor points for spare-tyre attachment. • LinQ anchor on both sides. • Spare Tyre Tie-Downs sold separately. • Add the Cargo Box Net to secure and confine your cargo in the rack. • Loads up to 75 lb (34 kg). 	
Adventure Roof Rack	Maverick X3 Maverick X3 MAX	<div> 715007186 </div> <div> 715008073 </div>
	<ul style="list-style-type: none"> • The ideal cargo solution. Pack all the gear you need to take on any off-road experience. • Built using lightweight 1.25" (3.2 cm) diameter steel tubing. • Supports loads of up to 75 lb (34 kg). • This roof rack features a height adjustment setting to precisely accommodate a stock roof. • Integrated mounting points for lights. • Features anchor points for a spare tyre attachment. • LinQ anchor on both sides. • The Spare Tyre Tie-Downs sold separately. • Sport roof or Aluminum roof is required for installation. 	

Storage

Passenger Storage Seat Bag

Maverick X3, Maverick X3 MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Shoulder Storage Bag

Maverick X3 (except X mr models),
Maverick X3 MAX (rear only)

715004277



- Bag attaches in unused space between the seats to increase your vehicle's cargo capacity.
- Installs between the rear seats only on MAX models.

Front Shoulder Storage Bag

Maverick X3 MAX

715004888



- Opens on each side so that both front and rear passengers can access the bag's content.
- Installs between the driver and passenger seats on MAX models.

Overhead Storage Bag

Maverick X3, Maverick X3 MAX

715004275



- Weather-resistant bag, holds your gear safely and securely while riding.
- Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 gal (10 L).
- Semi-rigid construction renders it flexible enough to fit odd-shaped loads.
- Touchscreen-compatible clear front pocket allows for easy access to your smartphone.
- Not compatible with the Bimini Roof.

Upper Door Storage Bags

Maverick X3, Maverick X3 MAX

715004276



- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on stock quarter doors to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Sold in pairs.

Lower Door Panel Storage Bags

Maverick X3, Maverick X3 MAX

715004355



- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on Lower Door Panels to increase your vehicle's cargo space.
- Each bag is designed as a 1.6 gal (6 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Sold in pairs.
- Not compatible with aluminum doors and Off-Road Screw Jack.
- Lower add-on doors required for installation.

Soft Storage Bag

Maverick X3, Maverick X3 MAX

715003759



- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage.
- 3 sections.
- Weatherproof.

Storage 2.6 Gal (10 L) Bag

Maverick X3, Maverick X3 MAX

269502121



- Roll-top dry bag for fully protecting your cargo from the elements.

LIGHTS

2 Choose your lights										
1 Choose your mount point	BAJA DESIGNS [†] LIGHTS					CAN-AM LIGHTS				
	10" (25 cm) LED Light Bar	40" (102 cm) Baja Design OnX6 Arc LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
Front Pre-Runner or Dune Bumpers	710006819 + 715007049 (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 (Not compatible with Pre-Runner Bumper) + 715003417 (Power Cable)		715002935 (4" Round), 715009774 (3.5" Flood) or 715003666 (3.5" Spot) + 715003417 (Power Cable)	
Lonestar Racing Front Bumper	NA	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)					
Light Support Bar or Adventure Roof Rack		710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)		715002934 + 715003417 (Power Cable)	715004007 + 715005822 (Light Mounting Kit)		
Lonestar Racing 40" (102 cm) LED Light Bar Rack		710006818 + 715007117 (Power Cable)	NA	NA	NA	NA	NA	NA		
Lonestar Racing Light Rack		NA	710006821 + 715002884 (Power Cable)	NA	710005041 + 715007049 (Power Cable)					
3 Order	Order all part numbers in intersecting box <i>*Note: When installing more than one light kit, additional light power cable or mounting kit is required.</i>									

*All lights are intended for off-road use only.

Lights Power Cable

(Not illustrated)

Maverick X3, Maverick X3 MAX

715003417

715007049

715002884

715007117

- Required for installation of Baja Designs LED lights onto roof or bumper.
- 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).
- Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715002884).
- 40" (102 cm) Arc LED Light Bar ONX6 (715007117).


40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick X3, Maverick X3 MAX

710006818



29,000 lumens



- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.

- Designed for installation onto Light Support Bar equipped roofs.
- Requires Light Power Cable and Light Support Bar.
- See table for installation location and requirements.


Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick X3, Maverick X3 MAX

710006819



12,460 lumens



- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.

- Dual intensity (high/low) settings.
- Requires Baja Designs Light Power Cable.
- See table for installation location and requirements.


Baja Designs XL80 LED Lights

Maverick X3, Maverick X3 MAX

710005041



9,500
lumens



- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.

- Require Baja Designs Light Power Cable.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- See table for installation location and requirements.


Baja Designs Squadron Sport LED Lights

Maverick X3, Maverick X3 MAX

710006820



3,150
lumens



- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.

- Require Baja Designs Light Power Cable.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).
- See table for installation location and requirements.


Baja Designs XL Sport LED Lights

Maverick X3, Maverick X3 MAX

710006821



3,150
lumens



- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.

- Require Baja Designs Light Power Cable.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- See table for installation location and requirements.


10" (25 cm) Double Stacked LED Light Bar (60 W)

Maverick X3, Maverick X3 MAX

715002933



5,400
lumens



- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Requires light power cable for installation.

- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- EC compliant.
- See table for installation location and requirements.


15" (38 cm) Double Stacked LED Light Bar (90 W)

Maverick X3, Maverick X3 MAX

715002934



8,400
lumens



- Equipped with 18 5 W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.

- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- EC compliant.
- See table for installation location and requirements.


39" (99 cm) Double Stacked LED Light Bar (270 W)

Maverick X3, Maverick X3 MAX

715004007




















24,300
lumens



- Equipped with 54 5 W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.


- Compatible on the Adventure Roof Rack.
- Requires light power cable for installation.

4" (10 cm) Round LED Lights (2 x 25 W)	Maverick X3, Maverick X3 MAX	715002935
 <ul style="list-style-type: none"> • 25 W LED spotlights. • 1,800 lumens. 	  <ul style="list-style-type: none"> • Rugged and waterproof. • Includes basic wiring and switch. • Can-Am branded grill. • Requires light power cable. • Sold in pairs. • Not EC compliant. • Requires light power cable for installation. 	
3.5" (9 cm) LED Driving Lights (2 x 14 W)	Maverick X3, Maverick X3 MAX	715003666
 <ul style="list-style-type: none"> • 14 W LED lights producing 1,260 lumens each. • Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. • Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	  <ul style="list-style-type: none"> • Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light. • Sold in pairs. • EC compliant. • Requires light power cable for installation. 	
3.5" (9 cm) LED Flood Lights (2 x 14 W)	Maverick X3, Maverick X3 MAX	715009774
 <ul style="list-style-type: none"> • 14 W LED lights producing 1,260 lumens each. • Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions. • Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 	  <ul style="list-style-type: none"> • Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light. • Sold in pairs. • EC compliant. • Requires light power cable for installation. 	
Integrated LED Side Mirror Lights	Maverick X3, Maverick X3 MAX	715007185
	<ul style="list-style-type: none"> • Light up corners. • Increase the width of the beams and illuminate the wheels for increased visibility. • Wide flood beam. 	<ul style="list-style-type: none"> • 3,000 lumens for each light. • Require Aluminum Side Mirrors (715007363). • Wiring Harness (715008212) is required for installation.
Can-Am LED Signature Lights	Maverick X3, Maverick X3 MAX	715003673
	<ul style="list-style-type: none"> • Add style with a more aggressive look. • Use bright and energy efficient LEDs. • Do not give additional lighting for driving. 	
Dome Light	Maverick X3, Maverick X3 MAX	715002455
	<ul style="list-style-type: none"> • LED array integrates perfectly with vehicle. • Wiring included. • Can be installed on cage, Sport Roof or All-Terrain Trunk Cover. 	
Lonestar Racing 40" (102 cm) LED Light Bar Rack	Maverick X3, Maverick X3 MAX	715003920
	<ul style="list-style-type: none"> • Designed for use with 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar. • Enhances the vehicle's race-inspired look. • Compatible with Aluminum Roof, Lonestar Racing Aluminum Roof and Sport Roof. • Not compatible with Racing Side Mirrors and PowerFlip Windshield. • Lights sold separately. 	

Lonestar Racing Light Rack	Maverick X3, Maverick X3 MAX	715003948
	<ul style="list-style-type: none"> • Designed for use with Baja Designs XL80 LED Light and Baja Designs XL Sport LED Light. • Accommodates up to two pairs of XL Lights. • Not compatible with Racing Side Mirrors and PowerFlip Windshield. • Compatible with Lonestar Racing Aluminum Roof, Aluminum Roof and Sport Roof. • Lights sold separately. 	
Chase Lights	Maverick X3, Maverick X3 MAX	715002887
	<ul style="list-style-type: none"> • Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions. • Feature in-dash switches to activate one of the two modes and to choose among 11 different high-visibility coloured light patterns (blue, red and yellow). • Trail Mode: Serves as a tail light and as a brake light. • Chasing Mode: Displays amber and blue light patterns and serves as a brake light (brake light function can be deactivated for racing applications). • Modular to allow installation with rear roll cage mounted accessories. • Plug-and-play installation. • Verify your local regulations concerning the use of blue lighting. 	
LED Chase Lights	Maverick X3, Maverick X3 MAX	715009887
	<ul style="list-style-type: none"> • Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions. • High-visibility coloured light patterns (red, yellow, white). • Three modes available: <ul style="list-style-type: none"> - Trail Mode: serves as a tail light and as a brake light. - Chasing Mode: displays amber light pattern. - Work Mode: white light to light up your cargo bed. • Modular to allow installation with rear roll cage mounted accessories. • Plug-and-play installation. • Wiring harness required (715008210). • Sold separately. 	
Light Support Bar	Maverick X3, Maverick X3 MAX	715003529
	<ul style="list-style-type: none"> • Sleekly styled rugged aluminum construction. • Accommodates light bars and spotlights with or without any roof and windshield combination. • Full vehicle width to allow the installation of any large LED light bar. • Required for light installation on vehicle's roof. • Not compatible with Lonestar Racing Aluminum Roof. • Lights sold separately. 	
Mounting Kit for 39" (99 cm) LED Light Bar <i>(Not illustrated)</i>	Maverick X3, Maverick X3 MAX	715005822
<ul style="list-style-type: none"> • Required for installation of the 39" (99 cm) double stacked LED Light Bar. • Includes wiring and support bracket. • Light Support Bar required for installation. 		
Light Power Cable <i>(Not illustrated)</i>	Maverick X3, Maverick X3 MAX	715003417
<ul style="list-style-type: none"> • Required for installation of 10" (25 cm), 15" (38 cm) and Double Stacked LED Light Bars and 4" (10 cm) Round LED Lights. • For bumper and roof mounting locations. 		

AUDIO & COMMUNICATION SYSTEMS


Audio







Can-Am Audio Roof	Maverick X3	715007130
	<ul style="list-style-type: none"> • Full roof with sleek built-in audio. • Fully sealed and waterproof. • Easy to install: one wire connects the roof to the vehicle's electronics. • Four 8" speakers, one 400 RMS and 800 peak watt amplifier, and one Head Unit supplied by Rockford Fosgate Audio. • Multi-coloured RGB LED accent lighting around each speaker. • 2.7" colour display with Bluetooth and Pandora connectivity. • Flip Kit-compatible. • Not compatible with the Adventure Roof Rack if the Flip Kit is installed. • Not compatible with the Upper Soft Door Panels. 	

Can-Am Audio Roof	Maverick X3 MAX	715006709
	<ul style="list-style-type: none"> • Full roof with built-in audio. • Fully sealed and waterproof. • Easy to install, one wire connects the roof to the vehicle's electric system. • Six 8" speakers, one 400 RMS and 800 peak watt amplifier, one Head Unit calibrated by Rockford Fosgate Audio. 	<ul style="list-style-type: none"> • Multi-coloured RGB LED accent lighting around each speaker. • 2.7" colour Display with Bluetooth and Pandora connectivity. • Not compatible with the Adventure Roof Rack if the Flip Kit is installed. • Not compatible with the Upper Soft Door Panels.
Can-Am Audio Roof Flip Kit	Maverick X3, Maverick X3 MAX	715007131
	<ul style="list-style-type: none"> • Combines with Audio Roof (715007130 or 715006709) for Flip option. • Not compatible with the Racing Side Mirrors (715002898). 	
MTX Central Speakers	Maverick X3 MAX	715004748
	<ul style="list-style-type: none"> • Top mounted central speaker case holding two 6.5" (16.5 cm)/100W speakers. • Designed to be Can-Am-tough in the most demanding riding conditions. 	<ul style="list-style-type: none"> • Perfect add-on to the Complete MTX Audio System for a 7-speaker system or as a stand-alone system by plugging the AUX input jack directly into your music device. • Not compatible with Lonestar roofs.
Complete MTX Audio System	Maverick X3, Maverick X3 MAX	715002873
	<ul style="list-style-type: none"> • Bluetooth 5⁺ equipped 400 W RMS/800 W peak audio system by MTX. • Designed to be Can-Am-tough in the most demanding riding conditions. 	<ul style="list-style-type: none"> • Includes front-dashboard and rear-roll-cage mounted stereo speakers and head unit with an integrated 6.5" (16.5 cm) subwoofer. • Add the Electronic Device Holder to securely hold your Bluetooth device ready to play your favorite tunes.
Can-Am Subwoofer	Maverick X3, Maverick X3 MAX	715004956
	<ul style="list-style-type: none"> • Powerful Rockford Fosgate Underseat 10" Subwoofer speaker box. • Easy plug-and-play connections to Audio Roof system. • Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt. 	<ul style="list-style-type: none"> • Requires 1 Amplifier Kit (715007227) for 1 or 2 subwoofers. • Fits two per vehicle: under driver or passenger seat.
Can-Am Amplifier Kit	Maverick X3, Maverick X3 MAX	715007227
	<ul style="list-style-type: none"> • A powerful 400 W amplifier to feed up to two Underseat Subwoofers. • Easy plug-and-play connections to Audio Roof system and subwoofer. • Installation plate and wiring included. 	
Electronic Device Holder	Maverick X3, Maverick X3 MAX	715002874
	<ul style="list-style-type: none"> • A great in-ride entertainment system platform. • Robust injected-polypropylene construction allows for right fit and easy installation. • Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case). 	<ul style="list-style-type: none"> • Combines seamlessly with Complete MTX Audio System and Rugged Radios Intercom System. • Allows the installation of Garmin Montana 680T GPS. • Integrated storage (1 gal [3.8 L] capacity) with access to the dash 12V outlet for device charging.

ELECTRICAL & ELECTRONIC ACCESSORIES


Electrical


Seat Heater	Maverick X3, Maverick X3 MAX	715006112
	<ul style="list-style-type: none"> • 25 W seat heater delivers chill-free riding comfort. • High/low temperature settings allow you to control the desired degree of warmth. • This kit includes one carbon fiber seat heater, foam sheet and in-dash switch. • Installs directly in the original seat cushion. • Heated Accessories Wiring Harness (710005757) is required for front seat installation. • Heated Accessories Wiring Harness (715006004) is required for rear seat installation. 	

Heated Visor Outlet	Maverick X3, Maverick X3 MAX	715001246
	<ul style="list-style-type: none"> • Strategically positioned on vehicle to maintain your agility. • Optional visor outlet that delivers fog-free riding. • Quick and easy installation. • Sold individually. • Heated Visor not included. 	
Heated Accessories Wiring Harness <i>(Not illustrated)</i>	Maverick X3, Maverick X3 MAX	710005757
<ul style="list-style-type: none"> • Electric harness required to hook up and operate front heated seats, heated steering wheel and heated grab bar. • Heated Accessories Wiring Harness (715006004) is required for rear seat installation. 		
Auxiliary Battery Installation Kit <i>(Not illustrated)</i>	Maverick X3, Maverick X3 MAX	715006315
<ul style="list-style-type: none"> • Allows you to add a second 18Ah battery for a dual battery setup necessary to power auxiliary electrical components such as sound systems or winches. • Equipped with an IP67-rated waterproof electronic module that will prevent your auxiliary electrical components from draining your starting battery. • Kit includes an additional battery junction block, all necessary wiring and the battery holder. • Both batteries are perfectly integrated, in stock location, behind the passenger seat. • Additional battery (410301203), plus battery hardware (250000282) sold separately. 		
Electronic		
Cellphone Holder	Maverick X3, Maverick X3 MAX	715008786
	<ul style="list-style-type: none"> • Water resistant door allows for perfect phone positioning. • Features capacitive and resistive touch screen technology. • Spring system in back plate automatically adjusts for thickness. • Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions. • Works with almost all charger wires. • Does not include cellphone or charging wires. • Requires the Electronic Device Holder (715002874) for the Cellphone Holder to be bolted on its door. 	
Lighted Whip Flag	Maverick X3, Maverick X3 MAX	715002886
	<ul style="list-style-type: none"> • A must for riding the dunes. • 5 W Cree LED. • 5 coloured lenses to allow personalization. • Glow-through whip, quickly removable and replaceable pole. • Increases vehicle's visibility. • Meets most dune-area requirements. • Die cast aluminum base, acetal hand nut. • Includes mounting brackets and wiring. • 4' (1.2 m) flag mounts on top of the roll cage. • Can be installed on both sides of a vehicle. 	
Quick Connect Battery Cable		715005408
	<ul style="list-style-type: none"> • Quickly and easily connect and charge different batteries with your charger. • Included in the Battery Charger/Maintainer. • Sold individually. 	
Quick Connect Cable with Battery Indicator		715006055
	<ul style="list-style-type: none"> • Quickly and easily connect and charge different batteries with your charger. • 3-colour LED indicator provides constant battery health indication. • Sold individually. 	
Digitally Encoded Security System (D.E.S.S.) Green Key	Maverick X3 (Turbo/TurboR/Turbo RR motorization)	710005232
	<ul style="list-style-type: none"> • Top-security anti-theft protection for your vehicle. • Encrypted chip technology restricts access to your vehicle's electronic ignition system. • One vehicle/one code. • A vibration/shock-resistant ball-and-socket design that ensures a reliable connection. • 2 programmable modes: <ul style="list-style-type: none"> - Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction. - Performance mode: No restrictions. 	


WINCHES & HITCHES


Can-Am HD Winches

Can-Am HD 4500 Winch	Maverick X3, Maverick X3 MAX	715006416
	<ul style="list-style-type: none"> Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. 	<ul style="list-style-type: none"> EC compliant. Pulling strength capability of 4,500 lb (2,041 kg). 43' of $\frac{1}{8}$" (13.1 m of 6.3 mm) wire steel cable. Heavy-duty 4-way roller fairlead. Winch Electrical Harness (715003585) and winch compatible front bumper are required.


Can-Am HD 4500-S Winch	Maverick X3, Maverick X3 MAX	715006417
	<ul style="list-style-type: none"> Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather-sealed corded remote and dash mounted switch. 	<ul style="list-style-type: none"> Pulling strength capability of 4,500 lb (2,041 kg). 50' of $\frac{1}{4}$" (15.2 m of 6.35 mm) synthetic rope. Corrosion-proof aluminum hawse fairlead. Winch Electrical Harness (715003585) and winch compatible front bumper are required.


WARN[†] VRX Winches

WARN VRX 45 Winch	Maverick X3, Maverick X3 MAX	715006110
	<ul style="list-style-type: none"> Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control. Smooth and reliable all-metal three-stage planetary gear train. 	<ul style="list-style-type: none"> Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of $\frac{1}{4}$" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch Electrical Harness (715003585) and winch compatible front bumper are required.

WARN VRX 45-S Winch	Maverick X3, Maverick X3 MAX	715006111
	<ul style="list-style-type: none"> Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control. Smooth and reliable all-metal three-stage planetary gear train. 	<ul style="list-style-type: none"> Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of $\frac{1}{4}$" (15 m of 6.3 mm) synthetic rope. Cast aluminum hawse fairlead. Winch Electrical Harness (715003585) and winch compatible front bumper are required.

Winch Accessories

Can-Am HD Hawse Fairlead	Can-Am HD Winch	715006426
	<ul style="list-style-type: none"> A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide. Must be used with synthetic cables only. 	

WARN Hawse Fairlead	WARN Winch	715007785
	<ul style="list-style-type: none"> Double-powder-coated construction. To be used with synthetic winch cables only. 	

Synthetic Winch Cable	Can-Am HD Winch	715006430
	WARN Winch	715007783



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement	Can-Am HD Winch	705014978
	WARN Winch	715006699



- 43' of 15/64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension	715001120
----------------------------------	------------------



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

Winch Electrical Harness <i>(Not illustrated)</i>	Maverick X3, Maverick X3 MAX	715003585
---	------------------------------	------------------

- Required for winch installation.

Rear Winch Harness <i>(Not illustrated)</i>	715006007
---	------------------

- Required for installation of a winch on the S3 Rear Winch Bumper.

Wired Remote Control	Can-Am HD Winch†	715006504
-----------------------------	------------------	------------------



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.

† *Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.*
‡ *Remote control (710007050) and connection socket are included.*

Wireless Remote Control	WARN Winch	715002542
--------------------------------	------------	------------------



- The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are weatherproof.

X rc/X mr Rear Tow Hook	Maverick X3, Maverick X3 MAX 2021 & prior	715004450
--------------------------------	---	------------------



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- Made of rugged 3/16" (5 mm) steel plate and 5/8" (16 mm) steel hook tube.
- Standard on Maverick X rc and X mr models.

Hitches

Rear Hitch	Maverick X3, Maverick X3 MAX 2021 & prior	■ 715002883 - Black
		■ 715003938 - Can-Am Red



- Rugged lightweight steel construction.
- E-coated finish.
- Fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Hitch ball not included.

Front and Rear Hitch Drawbar	Maverick X3, Maverick X3 MAX	715008350
-------------------------------------	------------------------------	------------------



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

PERFORMANCE

Smart-Lok Technology

Smart-Lok Differential

Maverick X3 produced after January 1, 2017
Maverick X3 MAX

705402936



- Can-Am-exclusive Smart-Lok technology constitutes a true fully lockable on-the-fly front differential with electronically controlled automatic modes.
- Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff Lock" for a fully locked 4 wheel drive, and "4x4 Smart Mode" that offers preset, intelligent calibrations for your type of riding.
- Using multiple input sources, "Smart Mode" will instantaneously engage locking with the right load at the right moment to procure maximum traction while retaining low-speed maneuverability, allowing for optimal placement and a feeling of confidence.
- The Smart-Lok Differential Kit comes standard with the Trail Mode.
- Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode Module (sold separately) to fine-tune your riding environment.
- Requires Performance Half Shafts (2x) and Smart-Lok Installation Kit for installation.

Performance Half Shaft

Maverick X3, Maverick X3 MAX
Maverick X3, Maverick X3 MAX

705401634 · 64"

705402048 · 72"



- High-performance design ideal for off-road use, with superior protection in any riding usage.
- Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.
- Required to install the Smart-Lok Differential Kit.

Mud Smart Mode Module

(Not illustrated)

Maverick X3, Maverick X3 MAX with
Smart-Lok Differential
(except Turbo RR models 2021 & up)

715005282

- This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes.
- When high engine torque and/or slippage is detected, Smart-Lok will fully lock the front end.
- The system will stay locked until throttle release.
- Only one Smart Mode Module can be installed at a time.

Rock Smart Mode Module

(Not illustrated)

Maverick X3, Maverick X3 MAX with
Smart-Lok Differential
(except Turbo RR models 2021 & up)

715005283

- This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Rock Mode has been specially designed to help cross challenging rocks.
- When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engagement allows for easier steering when maneuvering the vehicle.
- Only one Smart Mode Module can be installed at a time.

Trail Activ Smart Mode Module

(Not illustrated)

Maverick X3, Maverick X3 MAX with
Smart-Lok Differential
(except Turbo RR models 2021 & up)

715005284

- This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Trail Activ mode has been designed for aggressive riding, delivering the ultimate cornering precision.
- When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressively engage the front end and maintain it engaged until throttle release or vehicle speed reduction.
- The progressive engagement allows for smoother and lower steering effort.
- Only one Smart Mode Module can be installed at a time.









Lonestar Racing Mud Flaps with Brackets


Maverick X3, Maverick X3 MAX

715004865




- These bolt-on mud flaps make a great addition.
- Durable chromoly brackets.
- Protect trailing arms, rotors and CVs from rocks and debris.
- Sold in pairs.
- Incompatible with HMWPE Front A-Arm And Trailing Arm Protector (715002905 and 715003552).

Lonestar Racing Heavy-Duty Shift Plate & Knob	Maverick X3, Maverick X3 MAX	715004866
	<ul style="list-style-type: none">• The shift plate is made from durable stainless steel and bolts into place for a secure fit.• The kit comes with a billet aluminum Lonestar Racing shift knob.• Offers improved durability for the performance-oriented driver.	
Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead	Maverick X3, Maverick X3 MAX 2021 & prior	715004868
	<ul style="list-style-type: none">• Protects and strengthens the middle radius rod links from rough riding conditions.• Includes high-grade steel bolts.	
Lonestar Racing Quick Release Clutch Cover Pins	Maverick X3, Maverick X3 MAX	715005045
	<ul style="list-style-type: none">• This kit will allow you to take off your clutch cover in seconds to access the belt tool-lessly.• Includes 4 stainless steel "quick release" pins with clips and tethers.• Replaces all clutch cover screws.• This product affects the clutch cover sealing. It is highly recommended to use this product under dry riding conditions only.	
Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate	Maverick X3, Maverick X3 MAX 2021 & prior	715005046
	<ul style="list-style-type: none">• Double-layered radius rod support plate made of high-grade steel.• Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.• Easy to install.	
Yoshimura† Slip-on Exhaust	Maverick X3, Maverick X3 MAX	715002882
	<ul style="list-style-type: none">• Developed in collaboration with Yoshimura.• Made from 304-grade stainless steel with brushed aluminum tip.• Better sounding, better looking and 19% lighter than stock muffler.• USDF/USDA approved spark arrester.• Fuel injection system tuning not required.• ROHVA and EPA compliant.• Not EC compliant.	
Performance Air Filter by Twin AIR†	Maverick X3, Maverick X3 MAX	715002895
	<ul style="list-style-type: none">• The best choice for the harshest conditions.• Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.• Washable and reusable.	
Snorkel Pre-Filter	Maverick X3, Maverick X3 MAX (with Snorkel Kit)	715005599
	<ul style="list-style-type: none">• Pre-filter specifically for snorkels.• Adds extra protection to your engine in harsh riding conditions.• Helps keep air filter cleaner.• Filter blocks particles larger than 0.005" (0.13 mm).• Necessary to maintain vehicle warranty when tracks are installed.	
Snorkel Kit	Maverick X3, Maverick X3 MAX (2019 and prior)	715003733
	Maverick X3, Maverick X3 MAX (2020 & up)	715007110
	<ul style="list-style-type: none">• Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water or mud without the engine taking in water.• Not compatible with S&B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar or any rear panels or windows.• Sealed Air Box 707800780 (sold separately) is required for installation on models manufactured before January 1, 2018.• Standard on Maverick X3 X mr models.• Not EC-compliant.• No fit on all models equipped with remote shock reservoir mounted on C-pillar.	


Radiator Relocator	Maverick X3, Maverick X3 MAX	715004937
	<ul style="list-style-type: none">Relocates stock radiator to rear of cage.Protects it from debris and rocks.Prevents cooling performance loss in muddy conditions.Reduces hot air in the cabin.Easy to clean.Includes support hardware and hoses.	<ul style="list-style-type: none">Not compatible with any bed accessories, Rear Cage mounted accessories, Complete MTX Audio system and Upper Soft Doors (except LinQ 8 gal [30 L] Cooler Box).Radiator (709200703) is required for installation on 2017 models.Not compatible with full windshield.


WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

850 W Magneto Kit	Maverick X3, Maverick X3 MAX (2021 & up)	715006279
 <ul style="list-style-type: none">Increases the magneto output to 850 W.Includes rotor, stator and regulator.		

172 HP Intercooler Upgrade Kit (Not illustrated)	Maverick X3, Maverick X3 MAX (2018 and 2019)	715007137
	<ul style="list-style-type: none"> Intercooler upgrade for the Maverick X3 2018 & up. Installation must be done by an authorized BRP dealership to preserve the vehicle's warranty. Requires the Power Upgrade Installation Kit (715007111). 	

Emergency Accessories

Lonestar Racing Fire Extinguisher Support	Maverick X3, Maverick X3 MAX	715007320
	<ul style="list-style-type: none">• Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency.• Made of billet anodized black aluminum.• Fits 1.85" (4.7 cm) tubing.• Can be fixed anywhere on the cage.• Provides riders with the safety and security of knowing they have dependable emergency equipment on board.	<ul style="list-style-type: none">• Comes with both billet mounts, quick-pull pin, mounting plate and two clamps.• Fire extinguisher sold separately.• "Lonestar Racing for Can-Am" branded.


Emergency Kit	Maverick X3, Maverick X3 MAX	715006102
	<ul style="list-style-type: none">• Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.• Includes: jumper cables, air compressor, tyre repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties, cloth rags.	

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

APACHE TRACK SYSTEMS

Winter Tracks

Limited Warranty*

Apache Backcountry LT Track System		Maverick X3, Maverick X3 MAX	715004734
		<ul style="list-style-type: none">Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.Large contact patch, 37% bigger than the Apache 360 LT.Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.Lightweight snowmobile-inspired rail design.	<ul style="list-style-type: none">Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.Apache Backcountry LT Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required.Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.For winter use only.Track installation will affect vehicle width and length.
Apache Backcountry LT Mounting Kit <i>(Not illustrated)</i>		Maverick X3, Maverick X3 MAX	715004397 64" models 715004394 72" models
<ul style="list-style-type: none">Required for installation of the Apache Backcountry Track LT System.DPS Module and Pre-Filter are required and sold separately.			

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Year-Round Tracks

Limited Warranty*

Apache 360 LT Track System

Maverick X3, Maverick X3 MAX

715010085



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.
- Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- EC compliant.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter Kit are required and sold separately.
- Recommended for use on snow only.

Apache 360 LT Mounting Kit

(Not illustrated)

Maverick X3, Maverick X3 MAX

715004392 · 64" models

715004393 · 72" models

- Required for installation of the Apache 360 LT Track System.
- Track DPS Module and Pre-Filter not included.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry LT

Model Year/Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up Maverick X3, Maverick X3 MAX (64" Models)	715004734	715004397	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR Engine) OR 715006266 Maverick X3, Maverick X3 Max 2023, and 2022 & prior with Turbo RR Engines	715005600 (except X mr)	715005599
2017 & Up Maverick X3, Maverick X3 MAX (72" Models)		715004394			

Apache 360 LT

Model Year/Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up Maverick X3, Maverick X3 MAX (64" Models)	715010085	715004392	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR Engine) OR 715006266 All Maverick X3, Maverick X3 Max 2023 & up and 2022 & prior with Turbo RR	715005600	715005599
2017 & Up Maverick X3, Maverick X3 MAX (72" Models)		715004393			

Accessories

Rail Ice Scratchers

Apache Backcountry LT Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.
- Extends slider life.

Apache Backcountry LT Wheel Kit

Apache Backcountry LT Track System

715006293



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Sliders with Vespel[†] Inserts	Apache Backcountry LT Track Systems	503194815
--	-------------------------------------	------------------



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Track DPS Module <i>(Not illustrated)</i>	Maverick X3, Maverick X3 MAX (Turbo RR Engine only)	715006266
	Maverick X3, Maverick X3 MAX (except Turbo RR Engine)	715007338

- Innovative DPS module that ensures speedometer accuracy and optimized steering assist, making for perfect track control and riding ease.
- Required to install the Apache Track Systems.
- See table for fit, compatibility and requirements.

Engine & CVT Air Intake Pre-Filter	Maverick X3, Maverick X3 MAX (except X mr models)	715005600
---	---	------------------



- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy installation.
- Not compatible with S&B Particle Separator.
- Necessary to maintain vehicle warranty when tracks are installed.

Required to install the Apache Backcountry LT and Apache 360 LT Track Systems.

COVER & TRAILERING

Trailering Cover <i>(Not illustrated)</i>	Maverick X3	715005813
	Maverick X3 MAX	715005814

- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and coloured panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap and cabin access on passenger side.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Bolt-On[†] Retractable Ratcheting Tie-Downs	295101072
---	------------------



- Perfect for transporting your powersport vehicle or securing loads.
- Mounts easily: bolts on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs	715008309 · Black/Gray
--------------------------	-------------------------------



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down	715008308
------------------------------------	------------------



- 1,000 lb (454 kg) safe working load.
- 1.5 in. x 6 in. (38 mm x 1.8 mm) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.



CAN-AM ATVs

CAN-AM ATVs

MODEL PACKAGES

2024 Can-Am Outlander Max 6x6 DPS 450	136
2024 Can-Am Outlander Max 6x6 DPS 450 Competitive Chart	137
2024 Can-Am Outlander Max 6x6 DPS 650	138
2024 Can-Am Outlander Max 6x6 DPS 650 Competitive Chart	139
2024 Can-Am Renegade 1100 EFI	140
2024 Can-Am Renegade 1100 EFI Competitive Chart	141

COMPARATIVE CHART

Can-Am ATV Lineup	142
-------------------	-----

ACCESSORIES

LinQ: Easy On, Easy Off Cargo	144
Racks & Holders	149
Cargo & Storage	150
Can-Am Windshields	151
Handlebars & Mirrors	152
Seats	153
HMWPE Skid Plates	154
Aluminum Skid Plates	155
HMWPE & Aluminum Skid Plates	157
Bumpers & Guards	158
Lights & Electrical	160
Winches	163
Hitches	165
Performance	165
Covers, Decals & Add-Ons	168
Apache Track Systems	169





2024 CAN-AM OUTLANDER MAX 6X6 DPS 450



Tundra Green

ENGINE	
Type	38 hp, Rotax® 427 cc single-cylinder, liquid-cooled
Fuel Delivery System	Electronic Fuel Injection (EFI)
Transmission	CVT, standard engine braking Extra-low L/H/N/R/P
Drive Train	Selectable 4WD/6WD with Visco-Lok® QE auto-locking front differential
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	
Front Suspension	Double A-arm 9 in. (22.9 cm) travel
Front Shocks	Twin-tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22.4 cm) travel
Rear Shocks	Twin-tube
TYRES & WHEELS	
Front Tyres	Carlisle® ACT HD 26 x 8 x 12 in.
Rear Tyres	Carlisle® ACT HD 26 x 10 x 12 in.
Wheels	12 in. cast-aluminium
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston callipers
Rear	Single 214 mm disc brake with hydraulic twin-piston calliper

PACKAGE HIGHLIGHTS

- Unmatched uphill and downhill stability
- Incredible traction and soft ground performance
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS™)
- Continuously Variable Transmission (CVT) with extra low L-gear
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release rear sway bar
- 12 in. cast-aluminium wheels
- 26 in. Carlisle® ACT HD 6-Ply tyres
- Rear bed with cargo extenders
- RF Digitally Encoded Security System (D.E.S.S.™)
- Passenger seat
- Extended wheelbase
- Raised floorboards

DIMENSIONS & CAPACITIES

Estimated Dry Weight*	1,000 lb (454 kg)
L x W x H	118 x 46 x 57 in. (300 x 117 x 145 cm)
Wheelbase	90 in. (228.5 cm)
Ground Clearance	10.5 in. (26.7 cm)
Seat Height	33.8 in. (85.8 cm)
Rack Capacity	Front: 120 lb (54.4 kg) Rear: 350 lb (159 kg)
Storage Capacity	2.9 gal (10.9 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)
Person Capacity	2

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC outlet, 15 A connector
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	70 W headlights
Winch	Prewired for available winch
Seat	Convertible Rack System (CRS)
Handlebar	Standard
Protection	Central skid plate

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	---



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2024 Can-Am Outlander Max 6X6 DPS 450	Polaris SP 570 HD	Honda Pioneer 520
Engine Size (cc)		427 cc	530 cc	518 cc
No. of Cylinders	=	1	1	1
Horsepower	+	38 hp	32 hp	Not listed
Transmission	=	CVT with extra low L-range	Automatic PVT; shaft	5 speed with reverse; manual and automatic modes
Traction Options	+	4WD or 6WD selectable (ultimate traction)	On Demand True AWD/2WD/Versatracturf mode	2WD or 4WD
Power Steering	+	Tri-Mode Dynamic Power Steering (DPS™)	No	No
Front Suspension	=	Double A-arm	MacPherson Strut	Independent Double-Wishbone
Rear Suspension		Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar	Dual A-arm IRS	Independent Double-Wishbone
Wheel Size	=	12"	12"	12"
Wheel Material	+	Aluminium	Steel	Steel
Tyre Diameter	+	26"	25"	24"
Tyre Ply Rating	=	6 ply	6 ply	4 ply
Towing Capacity	+	750 kg	680 kg	454 kg
Total Cargo Capacity		213 kg	227 kg	204 kg
Ground Clearance		27 cm	28 cm	22 cm
Overall Length	+	300 cm	279 cm	267 cm
Overall Width	+	117 cm	147 cm	127 cm
In-Line Vineyard Ready Seating	+	Yes	No	No
Vehicle Dry Weight	=	454 kg	525 kg	482 kg - Kerb
Fuel Capacity		20.5 L	35.9 L	15.4 L
Speed Limiting Device	+	Programmable speed limiting safety key	No	No
Anti Theft Device	+	RF Digitally Encoded Security System (D.E.S.S.™)	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
Seating Capacity	=	2	2	2
Display	=	4.5" Digital Display	4" LCD	Analog speedo with LCD insert

2024 CAN-AM OUTLANDER MAX 6X6 DPS 650



Tundra Green

ENGINE	
Type	62 hp, Rotax® 650 cc V-twin, liquid-cooled
Fuel Delivery System	Electronic Fuel Injection (EFI)
Transmission	CVT, standard engine braking Extra-low L/H/N/R/P
Drive Train	Selectable 4WD/6WD with Visco-Lok [†] QE auto-locking front differential
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	
Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	Twin-tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel
Rear Shocks	Twin-tube
TYRES & WHEELS	
Front Tyres	ITP [†] Terracross 26 x 8 x 14 in.
Rear Tyres	ITP [†] Terracross 26 x 10 x 14 in.
Wheels	14 in. cast-aluminium
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston callipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston callipers

PACKAGE HIGHLIGHTS

- Unmatched uphill and downhill stability
- Incredible traction and soft ground performance
- Towing and cargo carrying capability to rival most mid sized SSVs
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS™)
- Continuously Variable Transmission (CVT) with extra low L-gear
- Visco-Lok[†] QE auto-locking front differential
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release rear sway bar
- 14 in. cast-aluminium wheels
- 26 in. ITP[†] Terracross radial tyres
- Dump dual-level cargo box with removable sidewalls and tailgate
- 2 person capability, with removable passenger seat

DIMENSIONS & CAPACITIES

Estimated Dry Weight*	1,100 lb (499 kg)
L x W x H	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)
Wheelbase	90 in. (228.5 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg) Rear: 700 lb (318 kg)
Storage Capacity	Dual-level cargo box with removable sidewalls and tailgate 18.5 gal (70 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)
Person Capacity	2

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC outlet, 15 A connector
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	Prewired for available winch
Seat	Convertible Rack System (CRS)
Handlebar	Standard
Protection	Central skid plate

WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
------------------	---



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2024 Can-Am Outlander Max 6X6 DPS 650	Polaris Ranger 570 HD EPS (ADC)	Honda Pioneer 700-2
Engine Size (cc)		650 cc	567 cc	675 cc
No. of Cylinders	+	2	1	1
Horsepower	+	62 hp	44 hp	36.1 hp
Transmission	=	CVT with extra low L-range	Automatic PVT; shaft	3 speed with reverse; manual and automatic modes
Traction Options	+	4WD or 6WD selectable (ultimate traction)	On Demand True AWD/2WD/Versatracturf mode	2WD, 4WD, 4WD Lock
Power Steering	+	Tri-Mode Dynamic Power Steering (DPS™)	Electronic Power Steering	Electric Power Steering
Front Suspension	+	Arched double A-arm with front sway bar	MacPherson Strut	Independent Double-wishbone
Rear Suspension	+	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar	Dual A-arm IRS	Independent Double-wishbone
Wheel Size	+	14"	12"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Diameter	+	26"	25"	25"
Tyre Ply Rating	=	6 ply	6 ply	4 ply
Towing Capacity	+	750 kg	680.4 kg	680 kg
Total Cargo Capacity		363 kg	453.6 kg	408 kg
Ground Clearance	+	27.9 cm	25.4 cm	27 cm
Overall Length	+	317 cm	279 cm	291 cm
Overall Width	+	123 cm	147 cm	152.5 cm
Vehicle Dry Weight	=	499 kg	499 kg	583 kg - Kerb
Fuel Capacity		20.5 L	34.1 L	30 L
Speed Limiting Device	+	Programmable speed limiting safety key	Drivers seatbelt limiter 25kph	Drivers seatbelt limiter 25kph
Anti Theft Device	+	RF Digitally Encoded Security System (D.E.S.S.™)	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
In-Line Vineyard Ready Seating	+	Yes	No	No
Seating Capacity	+	2	2	2
Display	+	4.5" Digital Display	2" LCD	Analog speedo with LCD insert

2024 CAN-AM RENEGADE 110 EFI



Catalyst Grey & Neo Yellow

ENGINE		110 EFI
Type	112 cc 4-stroke single-cylinder, air-cooled	
Fuel Delivery System	Electronic Fuel Injection (EFI) with built-in throttle limiter	
Transmission	CVT F/N/R	
Drive Train	Chain driven/2WD Electric starting system	
Power Steering	N/A	
SUSPENSIONS		
Front Suspension	Single A-arm 5 in. (12.7 cm) travel	
Front Shocks	Twin-tube	
Rear Suspension	Swingarm 6 in. (15.2 cm) travel	
Rear Shocks	Twin-tube	
TYRES & WHEELS		
Front Tyres	19 x 7 x 8 in.	
Rear Tyres	18 x 9.5 x 8 in.	
Wheels	8 in. steel	
BRAKES		
Front	Dual drum brakes	
Rear	Single drum brakes	

PACKAGE HIGHLIGHTS	
▪ For ages 10 and up	
▪ Heavy duty design capable of 100kg+ riders	
▪ 4-stroke engine with Electronic Fuel Injection (EFI)	
▪ Fully automatic continuously variable transmission (CVT)	
▪ Independent A-arm front suspension	
▪ Electric start	
▪ Built-in throttle limiter	




DIMENSIONS & CAPACITIES	
Estimated Dry Weight*	295 lb (134 kg)
L x W x H	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)
Wheelbase	41 in. (105 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame 4.5 in. (11.4 cm) under rear axle
Seat Height	28 in. (71 cm)
Rack Capacity	N/A
Storage Capacity	N/A
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)
Person Capacity	1
FEATURES	
Gauge	Neutral, reverse, fuel level, and check engine lights
Instrumentation	N/A
Ignition	Mechanical key
Lighting	Halogen running headlights
Winch	N/A
Seat	Standard
Handlebar	Ergonomy and controls sized for ages 10 and up
Protection	Front bumper
WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



*Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25 ATV and MY24/MY25 SSV models.



		2024 Can-Am Renegade 110 EFI	Yamaha Raptor 110	Suzuki QuadSport Z90	Kawasaki KFX 90	CFMoto Cforce 110
Engine Size (cc)	=	112 cc	112 cc	80 cc	90 cc	110 cc
No. of Cylinders	=	1	1	1	1	1
Transmission	=	CVT (no gears)	CVT (no gears)	CVT (no gears)	CVT (no gears)	CVT (no gears)
Front Suspension		Single A-arm	Single A-arm	Single A-arm	Single A-arm	Independent double A-arm
Rear Suspension	=	Swingarm	Swingarm	Swingarm	Swingarm	Mono mid-placed shock absorber
Wheel Size		8"	8"	8"	8"	10"/8"
Wheel Material	=	Steel	Steel	Steel	Steel	Steel
Tyre Size	=	19"/18"	18"	19"	18"	19"/18"
Ground Clearance		21.1 cm under frame/ 11.4 cm under rear axle	10 cm	15 cm	10 cm	11 cm
Overall Length	+	154 cm	148.5 cm	150.5 cm	142.5 cm	149 cm
Overall Width	+	103 cm	102 cm	87.5 cm	90.5 cm	95 cm
Fuel Capacity		6 L	6.8 L	6 L	5.3 L	6.4 L
Fuel Delivery System	=	Electronic Fuel Injection	Electronic Fuel Injection	Carburetor	Carburetor	Electronic Fuel Injection
Seat Height		71 cm	75 cm	65 cm	65 cm	69 cm
Starter		Electric	Electric with backup kickstart	Electric with backup recoil	Electric with backup kickstart	Electric
Overall Weight		Dry 134 kg	Wet 130.4 kg	Dry 127 kg	Dry 122 kg	Wet 125 kg
Ages		10 and up	10 and up	12 and up	12 and up	10 and up
Maximum Rider Weight	+	102 kg	82 kg	90 kg	85 kg	Not listed

		MY24 OUTLANDER MAX 6x6 DPS***		MY24 RENEGADE 110 EFI***
				
COLOUR OPTIONS		Tundra Green		Catalyst Grey & Neo Yellow
ENGINES	Type	450	650	110 EFI
		38 hp, Rotax® 427 cc single cylinder, liquid-cooled	62 hp, Rotax® 650 cc, V-twin, liquid-cooled	112 cc 4-stroke single cylinder, air cooled
	Fuel Delivery System	Electronic Fuel Injection (EFI)		Electronic Fuel Injection (EFI) with built-in throttle limiter
	Transmission	CVT, standard engine braking, extra-low L/H/N/R/P		CVT, F/N/R
	Drive Train	Selectable 4WD/6WD with Visco-Lok ¹ QE auto-locking front differential		Chain driven/2WD, electric starting system
	Power Steering	Tri-Mode Dynamic Power Steering (DPS™)		N/A
SUSPENSIONS	Front Suspension	Double A-arm/9 in. (22.9 cm) travel	Arched double A-arm with front sway bar/9.2 in. (23.3 cm) travel	Single A-arm/5 in. (12.7 cm) travel
	Front Shocks	Twin-tube		
	Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar/8.8 in. (22 cm) travel	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar/9.9 in. (25.1 cm) travel	Swingarm/6 in. (15.2 cm) travel
	Rear Shocks	Twin-tube		
TYRES/ WHEELS	Front Tyres	Carlisle ¹ ACT HD 26 x 8 x 12 in.	ITP Terracross ¹ 26 x 8 x 14 in.	19 x 7 x 8 in.
	Rear Tyres	Carlisle ¹ ACT HD 26 x 10 x 12 in.	ITP Terracross ¹ 26 x 10 x 14 in.	18 x 9.5 x 8 in.
BRAKES	Wheels	12 in. cast-aluminum	14 in. cast-aluminum	8 in. steel
	Front	Dual 214 mm disc brakes with hydraulic twin-piston callipers		Dual drum brakes
DIMENSIONS/CAPACITIES	Rear	Single 214 mm disc brake with hydraulic twin-piston calliper	Dual 214 mm disc brakes with hydraulic twin-piston callipers	Single drum brake
	Estimated Dry Weight	1,000 lb (454 kg)	1,100 lb (499 kg)	295 lb (134 kg)
	L x W x H	118 x 46 x 57 in. (300 x 117 x 145 cm)	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)
	Wheelbase	90 in. (228.5 cm)		41 in (105 cm)
	Ground Clearance	10.5 in. (26.7 cm)	11 in. (27.9 cm)	8.3 in. (21.1 cm) under frame 4.5 in. (11.4 cm) under rear axle
	Seat Height	33.8 in. (85.8 cm)	34.5 in. (87.7 cm)	28 in. (71 cm)
	Rack Capacity	Front: 120 lb (54.4 kg)/Rear: 350 lb (159 kg)	Front: 100 lb (45 kg)/Rear: 700 lb (318 kg)	N/A
	Storage Capacity	2.9 gal (10.9 L)	Dual-level cargo box with removable sidewalls and tailgate/18.5 gal (70 L)	N/A
	Towing Capacity	1,650 lb (750 kg)		N/A
	Fuel Capacity	5.4 gal (20.5 L)		1.6 gal (6 L)
FEATURES	Person Capacity	2		1
	Gauge	4.5 in. digital display		Neutral, reverse, fuel level, & check engine lights
	Instrumentation	DC outlet, 15-A connector		N/A
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)		Mechanical Key
	Lighting	70 W headlights	LED headlights	Halogen running headlights
	Winch	Prewired for available winch		N/A
	Seat	Convertible Rack System (CRS)		Standard
	Handlebar	Standard		Ergonomics and controls sized for ages 10 years and up
	Protection	Central Skid Plate		Front bumper

¹Visco-Lok is a trademark of GKN Viscodrive GmbH.

***3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



ATV ACCESSORIES

LINQ: EASY ON, EASY OFF CARGO

LINQ ACCESSORIES

Compatibility/requirements

<ul style="list-style-type: none">• No tools needed: Quickly install and remove accessories by hand.• Equip your Can-Am for specialized tasks in no time.• Sturdy mounting system that holds up to the roughest terrain.	OUTLANDER 450/570	OUTLANDER	RENEGADE
LinQ Accessories with 16" Base	<ul style="list-style-type: none">• LinQ anchors mounted 16 inches apart, center-to-center.• Lower loading capacity than the LinQ with 36" base accessories.• Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ 4.2 Gal (16 L) Cooler 219400964 • Black/295100698 • White	LinQ Adapter Plate 715007273 & LinQ Base Installation Kit 715008125	LinQ Anchor Adapter Kit 715004960 & LinQ Base Installation Kit 715008125	LinQ Luggage Rack 715001734 & LinQ Anchor Adapter Kit 715004960 OR LinQ Adapter Plate 715007274 & LinQ Base Installation Kit 715008125
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Tool Kit 715006829			
LinQ Roll-Top Bag 715008110			
LinQ Accessories with 36" Base	<ul style="list-style-type: none">• Mount on LinQ racks often used by Can-Am ORV vehicles.• Higher loading capacity than the LinQ with 16" base accessories.• Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base 715002350	No further requirements	LinQ Luggage Rack 715001734
LinQ 23 Gal (86 L) Trunk Box 715004923			
LinQ 32 Gal (121 L) Trunk Box 715001747 (1-up) 715001749 (MAX)	No compatibility		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base 715002350		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black/715004698 • Gray	No compatibility		
LinQ Premium Storage Bag by OGIO 715002923 • Black	LinQ Base 715002350		
LinQ Heavy Duty Basket 715001215			
LinQ Low Profile Basket 715004282			
LinQ Holders			
LinQ 4" (10 cm) Rack Extension 715001711 • Silver/715001665 • Black	Not compatible <i>*Alternative 5" or 8" Rack Extensions (715001913) are available for G2L</i>	No further requirements	LinQ Luggage Rack 715001734
LinQ 6" (15 cm) Rack Extension 715001712 • Silver/715001671 • Black			
LinQ Mounted Gear Grips 715005340			
LinQ Tool Holder 715007358	LinQ Base 715002350		
LinQ Gun Boot Rack 715002112 715002113	Not compatible <i>*Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L</i>		No compatibility

LinQ Accessories with 16" Base

LinQ Modular Box

G2, G2L, G2S

715005494 · (10 L)

715007112 · (20 L)

715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

G2, G2L, G2S

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions : 9" L x 17" W x 2½" H.

LinQ Tool Kit

G2, G2L, G2S

715006829



- Includes:
 - Cutter pliers
 - Long-nose pliers
 - Locking pliers
 - Ratchet wrench ¾" drive
 - 6" ratchet extension
 - Integrated CVT belt storage location (belt not included)
 - Long-socket 19 mm ¾" drive - 6 pts
 - Socket 18 mm ¾" drive
 - Long-socket 17 mm ¾" drive - 6 pts
 - Socket 15 mm ¾" drive
 - Socket 13 mm ¾" drive
 - Socket 10 mm ¾" drive
 - Socket 8 mm ¾" drive
 - Socket Torx T40 ¾" drive
 - Socket Torx T30 ¾" drive
 - Socket Torx T20 ¾" drive
 - Breaker bar ¾" drive
 - Combination Wrench set:
 - Wrench 19 mm
 - Wrench 18 mm
 - Wrench 15 mm
 - Wrench 13 mm
 - Wrench 10 mm
 - Wrench 8 mm
- See table for installation location and requirements.

LinQ 4.2 Gal (16 L) Cooler

G2, G2L, G2S

■ **219400964** · Black
 ■ **295100698** · White



- All the benefits of LinQ—simple, fast and secure.
- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- Can contain twenty 355 ml cans.
- Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions : 9" L x 17" W x 7" H.
- See table for installation location and requirements.

LinQ Tool Box

G2, G2L, G2S

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ – simple, fast and secure.
- See table for installation location and requirements.

LinQ Roll-Top Bag

G2, G2L, G2S

715008110



- Fully waterproof Roll-Top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Marineized for salt water purposes.
- Dimensions: 14" L x 19" W x adjustable H.
- See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag	G2, G2L, G2S	860202449
-----------------------------------	--------------	------------------



- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag	G2, G2L, G2S	860202447
--------------------------------------	--------------	------------------



- All the benefits of LinQ – simple, fast and secure.
- 17 liter (4.5 US gallon) capacity.
- Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.
- Premium insulating foam for optimal ice retention.
- Rigid bottom, semi-rigid top.
- Easy one-second on/off tool-less system.
- See table for installation location and requirements.

LinQ Accessories with 36" Base

LinQ 12 Gal (45 L) Cargo Box	G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S	715003879
-------------------------------------	--	------------------



- LinQ mounted for easy on, easy off installation.
- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box	G2 (except 6x6 models), G2L, G2S	715004923
-------------------------------------	----------------------------------	------------------



- LinQ mounted for easy on, easy off installation.
- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.
- Comfort pads for passenger.
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box	G2 (except MAX models & 6x6), G2S	715001747
	European Version (EC compliant)	715001748 · No rear tail light.



- LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box for Outlander Max	G2 (MAX models only except 6x6 models)	715001749
	European Version (EC compliant)	715001750 · No rear tail light.



- Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed passenger padding, which is comfort-fitted with a portion made of closed cell foam that won't absorb water.
- Very easy to embark even when driver is seated.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).

LinQ 32 Gal (121 L) Trunk Box Panels	G2 (except 6x6 models), G2S	
---	-----------------------------	--



- Colour panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.

■ **715001391** · Black

■ **715001392** · Yellow

□ **715002481** · White

■ **715002984** · Octane Blue

■ **715002985** · Manta Green

■ **715002986** · Can-Am Red

■ **715006119** · Orange Crush

■ **715006120** · Squadron Green

■ **715007074** · Tundra Green

LinQ 32 Gal (121 L) Trunk Box Panels

(Not illustrated)

EUROPEAN VERSION (EC compliant)

- Colour panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.
- No rear tail light.

■ **715001397** · Black
 ■ **715001398** · Yellow
 ■ **715006124** · Viper Red

□ **715002483** · White
 ■ **715006123** · Orange Crush

LinQ 11.5 Gal (43 L) Audio Cargo Box

G2 (front only for 6x6 & MAX models
2013-2014), G2L, G2S

715003018



- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.
- Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier.
- See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

G2 (except 6x6 models), G2S

■ **715004778** · Black
 ■ **715004698** · Gray



- LinQ mounted for easy on, easy off installation.
- Rotomolded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully-removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- Weather-resistant.
- Convenient drain plug.
- See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

G2 (except 6x6 models), G2L, G2S

■ **715002923** · Black



- LinQ mounted for easy on, easy off installation.
- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ Low Profile Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.
- See table for installation location and requirements.

LinQ Heavy-Duty Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715001215



- Made of high-strength, low-alloy steel.
- LinQ mount for easy on, easy off installation.
- Can be placed on both front and back racks of vehicle.
- See table for installation location and requirements.

Large Cargo Box

G2, G2L (except 6x6)

715007001



- Rear bed to carry large items.
- Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable.

LinQ Holders

LinQ Tool Holder

G2, G2L, G2S

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.
- G2S: LinQ Luggage Rack (715001734) is required for installation.

LinQ Gear Grips

G2, G2L, G2S

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ Mounting

LinQ Anchor Adapter Kit

G2, G2S

715004960



- Allows the installation of accessories with LinQ Base of 16" on LinQ racks.
- Tool-less installation and removal.
- For G2S, the LinQ Luggage Rack (715001734) is required for installation.

LinQ Base

G2L

715002350



- Made of glass fiber reinforced polypropylene.
- Allows you to install LinQ accessories.
- Sold in pack of 4.

LinQ Lock

G2, G2L, G2S

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.


LinQ Replacement Parts

715001707



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

RACKS & HOLDERS

LinQ Rack Extension – 4" (10 cm)	G2, G2S	715001711 - Silver 715001665 - Black
 <ul style="list-style-type: none"> • Fits front or rear. • Strong and durable. • Helps keep cargo securely in place. • Easy and tool-less installation thanks to the LinQ system. • Anti-corrosion coating with durable powder coat finish. • LinQ Luggage Rack (715001734) is required for G2S. 		
LinQ Rack Extension – 6" (15 cm)	G2, G2S	715001712 - Silver 715001671 - Black
 <ul style="list-style-type: none"> • Fits front or rear. • Strong and durable. • Helps keep cargo securely in place. • Easy and tool-less installation thanks to the LinQ system. • Anti-corrosion coating with durable powder coat finish. • LinQ Luggage Rack (715001734) is required for G2S. 		
Rack Extension – 5" (13 cm)	G2L	715001913
 <ul style="list-style-type: none"> • Fits front or rear. • Made of carbon steel. • Provides tie-down points to secure cargo on racks. • Easy installation on tubular rack. • Anti-corrosion coating with durable powder coat finish. 		
LinQ Luggage Rack	G2S (except X mr models)	715001734
 <ul style="list-style-type: none"> • Bolt-on rack. • Enables use of LinQ mounted accessories on the G2S. 		
LinQ Base Plate	G2L	715007273
 <ul style="list-style-type: none"> • Enables use of 16" wide LinQ Base accessories on G2L to extend cargo options and journey opportunities. • Requires LinQ Base Kit (715008125). 		
LinQ Base Plate	G2S	715007274
 <ul style="list-style-type: none"> • Enables use of 16" wide LinQ Base accessories on G2S to extend cargo options and journey opportunities. • Requires LinQ Base Kit (715008125). 		
Gun Boot Rack	G2L (except MAX models) G2L (MAX models only)	715001918 715001919
 <ul style="list-style-type: none"> • Made of steel. • Designed for the tubular rack. • For use with Gun Boot 6.0 Impact by Kolpin. • Can be mounted to either side of the vehicle. 		
Gun Boot 6.0 Impact[†] by Kolpin[†]	G2, G2L	715001419
 <ul style="list-style-type: none"> • Extra room for pistol-grip-type weapons and small bipods. • Easily fits firearms up to 51" (130 cm) in total length. • Provides ample room for 2 3/4" (60 mm) scopes. • Hatchback design allows easy access. • Ergonomically designed handle and molded attachment points for sling. 	<ul style="list-style-type: none"> • Snap-close cover with locking capability. • Designed to accommodate left and right hand bolt-action rifles and shotguns. • Includes removable, shock absorbing foam and nylon impact liner for superior interior protection. • Requires appropriate mounting kit for installation. 	

LinQ Gun Boot Rack (Not illustrated)

G2 (except MAX, 6x6 & X mr 1000)
G2 (MAX & X mr 1000 models only)

715002112
715002113

- This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ system.
- For use with Gun Boot 6.0 Impact by Kolpin.

Multi-Fit Holder

G2, G2L

715002354 · Single
715001945 · Double



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- Easy installation on tubular rack, extension racks, basket or bumpers.
- For G2, the LinQ Rack Extension (715001711) is required.
- Sold in pairs.

LinQ Gear Grips

G2L

715001421



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

CARGO & STORAGE

Hard Top

G2 (6x6 models only)

715002394



- The hard top provides a 116 gal (440 L) cargo box.
- Locking secures your belongings.
- The cover raises assisted by gas cylinders.

Cargo Box Pool

G2L (6x6 models only)

715005256



- Transforms the flatbed into a large capacity cargo box for increased loading possibilities.
- Made of durable formed HDPE and shaped to maximize cargo space.
- Allows access to vehicle's water-resistant rear compartment.
- Designed for perfect fit and easy installation.

Tarpaulin

G2 (6x6 models only)

715002416



- Fitted to cover all of the items in your cargo box thoroughly.
- Prevents splash from entering cargo box.
- Easily removable for quick access.

18 Gal (70 L) Utility Box

G2 (6x6 models only)

715001999



- Wherever you go and whatever you do, this handy 18 gal (70 L) utility box is your mobile storage.
- The lid keeps your equipment safe from the elements in all conditions.
- Slides under the flatbed with handles for easy access.


Cargo Box Net


G2 (6x6 models only)

715001371




- Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.


Soft Storage Bag	G2, G2L, G2S	715003759
 <ul style="list-style-type: none"> • 3 -section bag. • Transport gear in a weatherproof bag. • 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage. • LinQ Luggage Rack (715001734) is required for G2S. 		


Storage 2.6 Gal (10 L) Bag	269502121
 <ul style="list-style-type: none"> • Roll-top dry bag for fully protecting your cargo from the elements. • Fits in rear compartment of your vehicle. 	


CAN-AM WINDSHIELDS

Deluxe Fairing	G2 (except X mr & 6x6), G2L	<ul style="list-style-type: none"> ■ 715001232 · Black ■ 715002479 · Light Gray ■ 715006125 · Squadron Green ■ 715007073 · Tundra Green
 <ul style="list-style-type: none"> • Innovative, richly featured wind protection. • Quick tool-less removal once base brackets are mounted on handlebar. • Two cup holders. • Ready for GPS mounting kit. • Optional mirrors and auxiliary lighting. • Requires low, high or extra high windshield. • Tapered Handlebar Adapter Kit is required for vehicles with 1½" (28 mm) tapered aluminum handlebars. 		

Tapered Handlebar Adapter Kit (Not illustrated)	Deluxe Fairing	715002470
<ul style="list-style-type: none"> • Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with 1½" (28 mm) tapered aluminum handlebars. 		

Extra High Windshield	Deluxe Fairing	715000936
 <ul style="list-style-type: none"> • 16" (41 cm) windshield provides the ultimate protection against the elements while touring. • For wind protection and winter applications. • Tool-less installation and replacement. 		

High Windshield	Deluxe Fairing	715001211
 <ul style="list-style-type: none"> • 11" (28 cm) high, for wind protection and winter applications. • Tool-less installation and replacement. 		

Low Windshield	Deluxe Fairing	715001227
 <ul style="list-style-type: none"> • 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection from the elements and the possibility of enjoying directional lighting. • Tool-less installation and replacement. 		

Accessories

Auxiliary Windshield Lighting

Deluxe Fairing

715003115



- 2 premium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1,800 lumens.
- 2 x 10 W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.

Deluxe Mirror Kit

Deluxe Fairing

715002353



- Improved mounting system.
- Wide rear view.
- Perfect fit with your Deluxe Fairing.

Windshield Kits

Extra High Windshield Kit

G2, G2L, G2S (except X mr models)

715003023



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 16" (41 cm) windshield.
- For ultimate wind protection and winter applications.

High Windshield Kit

G2, G2L, G2S (except X mr models)

715006382



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 11" (28 cm) windshield.
- For wind protection and winter applications.

Low Windshield Kit

G2, G2L, G2S (except X mr models)

715003021



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 6" (15 cm) windshield.
- Allows you to keep your vehicle looking sporty while giving you some protection from the elements.

HANDLEBARS & MIRRORS

Handlebar Wind Deflectors

G2, G2L, G2S



- Rugged injected plastic construction with Can-Am logo.
- Include removable cap for air flow adjustment.
- Mounting kit sold separately.

- **715000525** · Black/Yellow
- **715000537** · White/Black
- **715001706** · Black/Black
- **715003811** · Can-Am Red/Black
- **715003812** · Manta Green/Black

- **715003813** · Orange/Black
- **715003814** · Octane Blue/Black
- **715006117** · Squadron Green/Black
- **715006118** · Viper Red/Black

Passenger Wind Deflectors

G2 and G2L (MAX models only)

715001669



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- Easy to install and remove.

Full Wrap Aluminum Mounting Kit	G2, G2L, G2S	715001378
--	--------------	------------------



- Lightweight black die cast aluminum construction.
- Includes complete hardware.
- Handlebar wind deflectors sold separately.

Aluminum Tapered Handlebar	G2, G2L, G2S	715000550
-----------------------------------	--------------	------------------



- $\frac{7}{8}$ " – $1\frac{1}{8}$ " (22 mm – 28 mm) tapered handlebar made of 6061-T6 aluminum.
- Includes all hardware, center steering foam and cover.

Mirrors Left – $\frac{3}{8}$" (10 mm)	G2, G2L, G2S	708200963
---	--------------	------------------



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Matte finish.
- Stem includes $\frac{3}{8}$ " (10 mm) thread.
- Bracket (715000190) is required for installation on DS 450.
- Bracket not required for installation on Outlander and Renegade.

Mirrors Right – $\frac{3}{8}$" (10 mm) (Not illustrated)	G2, G2L, G2S	709400523
---	--------------	------------------

- True vision surface 5" x 3" (13 cm x 8 cm).
- Matte finish.
- Stem includes $\frac{3}{8}$ " (10 mm) thread.
- Bracket (715000190) required except for vehicles with right hand brake.

Handlebar Mirrors	G2, G2L, G2S	715005366
--------------------------	--------------	------------------



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Doesn't require a windshield or fairing to be mounted.
- Works with all windshield options.

SEATS

Driver Backrest	G2L (except MAX models)	715003941
------------------------	-------------------------	------------------




- Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.
- Adjusts horizontally to match the driver's height and preference.
- Mounts and locks firmly onto the vehicle.

Outlander Max Passenger Seat Kit	G2 2015 & up, G2L (MAX models only)	715002373
---	-------------------------------------	------------------



- Perfect to replace used or damaged passenger seat.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

OUTLANDER, RENEGADE

G2						G2L		G2S	
2016 & Prior		2017-2018		2019 & Up				2017-2018	2019-2022
Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except Max & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		


HMWPE Skid Plate Protection Kit

715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Individual HMWPE Skid Plates

① A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
② Underbelly Plates <i>Footwell portion not compatible with Renegade X mr</i>	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
③ Trailing Arm Protectors	-	-	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823

ALUMINUM SKID PLATES




For ultimate durability and strength, all our Aluminum Skid Plates are made with $\frac{3}{16}$ " (4.5 mm) thick High Strength 5052 H32 Aluminum.

- Ultimate durability.
- High strength.

OUTLANDER

G2							G2L	
2016 & prior		2017-2018		2019 & Up		Any year		
Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only	
Aluminum Skid Plate Protection Kit								
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
Individual Aluminum Skid Plates								
① A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
② Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
④ Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922 (except X mr 850 models)	715000922	715000922	715000922
⑤ Trailing Arm Protectors	—	—	715008595	715008595	715004821	715004821	715008595	715008595
⑥ Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
⑦ Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with $\frac{3}{16}$ " (4.5 mm) thick High Strength 5052 H32 Aluminum.


- Ultimate durability.
- High strength.

RENEGADE

G2S

	2016 & prior	2017-2018	2019-2022	2023 & up
Aluminum Skid Plate Protection Kit				
<i>Not compatible on X mr models</i>	715002139	715004201	715004808	715009730
Individual Aluminum Skid Plates				
② A-Arm Protectors	715001667	715001667	715004820	715004820
② Front Skid Plate	715000925	715000925	715000925	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078
④ Footwell Protector Plates <i>Not compatible on X mr models</i>	715001359	715001359	715001359	715001359
⑤ Trailing Arm Protectors	715001129	715008595	715004821	715004821
⑥ Rear Differential Protectors	715000920	715000920	715000920	715000920
⑦ Rear Skid Plate	715002028	715002028	715002028	715002028

HMWPE & ALUMINUM SKID PLATES



Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Made of ¼" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

ALUMINUM

Made with High Strength ¾" (4.5 mm) thick 5052 H32 Aluminum.








- Ultimate durability.
- High strength.

OUTLANDER 6X6

	G2 6x6			G2L 6x6
	2016 & prior	2017 - 2018	2019 & up	Any year
Individual HMWPE Skid Plates				
① HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924
② HDPE Full Underbelly Skid Plate	715005290 (except Max)	715005290	715005290 (except Max)	715005259 (MAX only)
	715005320 (MAX only)	715005320	715005320 (MAX only)	
③ HMWPE Trailing Arm Protectors	-	715003466	715004823	715003466 (2020 models & prior only)
Individual Aluminum Skid Plates				
① Aluminum A-Arm Protectors	715001667	715001667	715004820	715001667
② Aluminum Full Underbelly Skid Plate	-	-	-	-
③ Aluminum Trailing Arm Protectors	-	715008595	715004821	715008595

BUMPERS & GUARDS

Bumpers

Expedition Front Bumper	G2, G2L (except X mr models & X xc models 2022 & up)	715007233
	<ul style="list-style-type: none"> • Made of 1.5" profiled steel tubes for complete protection of the vehicle's front. • Protects and doesn't obstruct the vehicle's headlights. • Integrated mounting spots for lights. • Inside and outside anticorrosion coating with a durable powder coat finish. 	
Expedition Rear Bumper	G2, G2L	715007234
	<ul style="list-style-type: none"> • Made of 1.5" profiled steel tubes for complete protection of the vehicle's rear. • Protects and doesn't obstruct the vehicle's taillights. • Inside and outside anticorrosion coating with a durable powder coat finish. • G2 base and DPS rear bumper installation requires 705008164 and 705008165. 	
X mr Front Bumper	G2S 2023 & up	715008198
	<ul style="list-style-type: none"> • Enhanced vehicle front protection. Required as a mounting point for Radiator Relocator (715008898). 	
XT Front Bumper	G2	715004837
	<ul style="list-style-type: none"> • Provides additional protection against obstacles. • Tough and durable, can be added on base Outlander model to convert vehicle into XT model. • Standard on XT, XT-P, Mossy Oak and Limited models. • Large tube construction with textured black finish and metal corners. 	
XT Rear Bumper	G2	715004920
	<ul style="list-style-type: none"> • Provides additional protection against obstacles. • Tough and durable, can be added on base Outlander model to convert vehicle into XT model. • Standard on XT, XT-P, Mossy Oak and Limited models. • Large tube construction with textured black finish and metal corners. 	
XT Front Bumper	G2L	715001910
	<ul style="list-style-type: none"> • Winch compatible. • Large tube construction. • Protects vehicle against obstacles. • Standard on XT models. 	
XT Rear Bumper	G2L	715001911
	<ul style="list-style-type: none"> • Large tube construction. • Protects vehicle against obstacles. • Standard on XT models. 	

Extreme Front Bumper	G2	715001286*
	G2L	715004279



- Ultra-sturdy build.
- Enhances front-vehicle protection.
- Compatible with XT Front Bumper.
- Fits the Apache™ 360 Track System (when side panels are removed).

**Not compatible with Front Hitch.*

Rancher Rear Bumper	G2, G2L (except 6x6 models)	715003462
----------------------------	-----------------------------	------------------



- Ideal for using your ATV within cattle herds and guarding the safety of both the vehicle and the animals.
- Coverage extends to provide an extra layer of defense to your taillights.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with track systems.

Renegade Extreme Front Bumper	G2S 2022 and prior (except X mr models)	715002469
--------------------------------------	---	------------------



- Enhanced vehicle front protection.
- Required as a mounting point for Radiator Relocator (715008898).

Guards

Body Side Protector	G2 2012 to 2018 with stock XT Bumper, G2 2012 & up with Rancher Bumper, G2L with Rancher Bumper, (except X mr and 6x6 models)	715003459
	G2 2019 & up with XT Bumpers, (except X mr and 6x6 models)	715004940*



- The heavy-duty fender guard designed to pull double duty, protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.
- Durable and bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.
- Requires Body Side Protector Extensions (715003460) for installation on MAX models.

**Not compatible with Front and Rear Rancher Bumpers.*

Mud Flaps	G2 (with stock fender flares)	715007089
------------------	-------------------------------	------------------



- Keep mud, snow and debris out of cargo area and protect trailer and vehicles behind you.
- Add aesthetic appearance to your vehicle.
- Require stock fender flare.
- Sold in pairs.

Fender Flares	G2 2012-2018 (except with 30" tyres) (except 6x6 models)	715001764*
	G2 2019 & up (with 30" tyres) (except 6x6 models)	715004250**
	G2L	715001909***
	G2L European vehicles only 2015 & up	715004487



- Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flair for that rugged cool look.
- Includes front and rear extensions and all mounting hardware.

**Comes stock on G2 models 2019 & up (except X mr models).*

***Standard on G2 X mr 1000R.*


****Not compatible with European vehicles.*


Fender Flare Extensions	G2 (except 6x6 models)	715005111*
--------------------------------	------------------------	-------------------




- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.
- Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.
- Include front and rear extensions.


**Must be used with Fender Flare for G2 (715001764).*


Fender Flares	G2S (except X mr models)	705012695
 <ul style="list-style-type: none"> • Integrated extended Fender Flares for sporty look and full body protection from dirt and water. • Include front and rear extensions and all mounting hardware. 		

Flatbed Protection Tubes	G2 (6x6 models only)	715002030
 <ul style="list-style-type: none"> • Bolt-on bumpers for the sides of the 6x6 flatbed. • Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed. 		


Flatbed Protection Tubes	G2L (6x6 models only)	715005266
 <ul style="list-style-type: none"> • Bolt-on bumpers for the sides of the 6x6 flatbed. • Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed. 		


LIGHTS & ELECTRICAL

Integrated Heated Grips & Thumb Throttle Combo	G2, G2L, G2S (2024 & up)	715005072
 <ul style="list-style-type: none"> • Heat levels for grips and thumb displayed on vehicle screen. • Ergonomic button integrated on LH grip. • Single button for both grips and thumb heat selection. • Five temperature settings for the thumb and grips. • Adjustable heat ratio between grip and thumb warmer. • Hold button to reach maximum heat quickly. • Remembers your last heat setting. • IP67-rated waterproof sealing keeps the elements out. • ECE compliant. • Plug-and-play installation. • Clamp-on grips, no glue required. 		








Heated Grips & Thumb Throttle Combo	G2, G2L, G2S	715003250 Not compatible with Intelligent Throttle Control (iTC)
	G2, G2L, G2S	715008739 Compatible with Intelligent Throttle Control (iTC)
 <ul style="list-style-type: none"> • LED dimmer facilitates reading temperature settings. • 4 temperature settings with individual controls for thumb and grips. • Returns to previous heat setting. • One-touch shutdown. • Wiring Cable is required for installation on G2L models only. 		

Wiring Cable (Not illustrated)	G2L	710004567
<ul style="list-style-type: none"> • Required for installation of Heated Hand Grips and Throttle Combo. 		

Heated Visor Outlet	G2, G2L	715001246
 <ul style="list-style-type: none"> • Strategically positioned on vehicle to maintain your agility. • Optional visor outlet that delivers fog-free riding. • Quick and easy installation. • Sold individually. • Heated Visor not included. 		



Heated Passenger Grips & Visor Outlet	G2, G2L (MAX models only)	715008794
 <ul style="list-style-type: none"> • Replace your stock passenger handles. • Dual temperature switch integrated into seat arm for 3-zone heated handles and grips. • Heated visor outlet integrated into seat arm. 		

USB Power Outlet Kit	G2, G2L, G2S	219400510
	<ul style="list-style-type: none"> • Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.). • Dual port USB connectors. • The power outlet is not capable of recharging all device types while riding. 	
Seat Heater	G2, G2L	715007211
	<ul style="list-style-type: none"> • 25 W seat heater delivers chill-free riding comfort. • One temperature only. • Heated pad and electrical harness only. • Heavy Duty Seat Cover (715007212) is required for the installation. 	
Bluetooth Handlebar Soundbar by MTX	G2, G2L, G2S	219400840
	<ul style="list-style-type: none"> • Bluetooth speaker with the unbeatable convenience of fingertip control. • Rugged IP66-rated weather-resistant speaker designed for outdoor use. • Driven by 150 watts of quality audio power. • Seamless integration and operation from Bluetooth enabled devices. • Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable. • Not compatible with XT Handlebar Protector Kit. • EC compliant. <p><i>Note: We recommend you use 320 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.</i></p>	
Electronic Device Holder	G2, G2L (except 6x6 & X mr models)	715004919
	<ul style="list-style-type: none"> • Robust injected-polypropylene construction allows for the right fit and easy installation. • Adjustable unit safely holds smartphones or small tablets with a length or width measuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case. • Integrated storage (0.6 gal/2.1 L). • Guiding wire grooves to pass charging cable through the lid. • Possibility of relocating 12V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately). • Not compatible with windshields or Snorkel Kit. 	
3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights	G2, G2L (except X mr models)	715009775
	<ul style="list-style-type: none"> • 14 W LED lights producing 1,260 lumens each. • Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing. • Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light. • Sold in pairs. • EC compliant. • Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. • Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation. 	
3.5" (9 cm) LED Flood Lights (2 X 14 W)	G2, G2L (except X mr models)	715009774
	<ul style="list-style-type: none"> • 14 W LED lights producing 1,260 lumens each. • Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing. • Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light. • Sold in pairs. • EC compliant. • Flood lens for a wide light beam spread, ideal for working applications like plowing or for winding, dusty or foggy riding conditions. • Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation. 	
4" (10 cm) Round LED Lights (2 x 25 W)	G2, G2L (except X mr models)	715002935
	<ul style="list-style-type: none"> • 25 W LED spotlights. • 1,800 lumens. • Rugged and waterproof. • Includes basic wiring and switch. • Can-Am branded grill. • Sold in pairs. • Not EC compliant. • Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation. 	
10" (25 cm) Double Stacked LED Light Bar (60 W)	G2, G2L (except X mr models)	715002933
	<ul style="list-style-type: none"> • Equipped with twelve 5 W Cree LEDs. • 5,400 lumens. • Packs a big punch for its size. • Rugged and waterproof. • Can be installed on front bumpers, sport roof and Bimini roof with sun visor. • Expedition Front Bumpers (715007233) and Light Power Cable (715007275) required for installation. • Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side. • EC-compliant. 	
Light Power Cable (Not illustrated)	G2, G2L	715007275
• Required for installation of the 10" (25 cm) LED Light Bar, the 3.5" (9 cm) and 4" (10 cm) LED Lights.		





Baja Designs High Beam Kit	G2 (2022 and prior)	715004284
	<ul style="list-style-type: none"> • Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play. • Each spot is equipped with 4 Cree LEDs producing 4,900 lumens at 40 watts. • Driving/Combo light pattern for smooth blend of light for both near field applications and distance. 	
2" (5 cm) Square LED Lights (2 X 10 W)	G2, G2L, G2S	715004293
	<ul style="list-style-type: none"> • 2 x 900 lumens 10 W LED Cree light kit. • Long-range illumination up to 350' (107 m), drawing less than 1 amp per light. • Multi-Position Light Mount Kit is required for installation. • Not EC compliant. 	
Multi Position Light Mount Kit	G2, G2L, G2S	715004274
	<ul style="list-style-type: none"> • Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm). • Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10 W). • Kit includes tube clamp mounts and power cables. 	
RAM[†] LED Spotlight	G2, G2L, G2S	710005423
	<ul style="list-style-type: none"> • 540-lumen LED light (9 W) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system. 	
Quick Connect Cable with Battery Indicator		715006055
	<ul style="list-style-type: none"> • Quickly and easily connect and charge different batteries with your charger. • 3-colour LED indicator provides constant battery health indication. • Sold individually. 	
GPS RAM[†] Mount for Handlebar	G2, G2L, G2S	715001985
	<ul style="list-style-type: none"> • Convenient bracket for installing the Garmin Montana GPS (not included) onto your unit's handlebar. 	
Digitally Encoded Security System (D.E.S.S.[™]) Green Key	G2, G2S (2018 & up)	710005232
	<ul style="list-style-type: none"> • Anti-theft technology, Digitally Encoded Security System (D.E.S.S.) key snaps easily on the vehicle and provides riders easy and quick starts every time. • The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind. • The Programmable D.E.S.S. Key can also be programmed in 3 modes: <ul style="list-style-type: none"> • Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque. • Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction. • Performance mode: No restrictions. 	








WINCHES

Can-Am HD Winches

Can-Am HD 2500 Winch	G2, G2L	715006414
	<ul style="list-style-type: none">• Heavy-duty four-way roller fairlead.• Ergonomic clutch handle.• Rugged all-steel gears and bushings provide more torque and longer life.• Automatic 100% load-holding brake.• Sealed solenoid for all-weather protection.• Wired Remote Control sold separately.	<ul style="list-style-type: none">• Plug-and-play wiring and attachment brackets.• Weather-sealed handlebar-mounted switch.• Pulling strength capability of 2,500 lb (1,134 kg).• 50 ft. of 3/8" (15.2 m of 4.8 mm) wire steel cable.• EC-compliant.
Can-Am HD 3500 Winch	G2, G2L	715006415
	<ul style="list-style-type: none">• Heavy-duty four-way roller fairlead.• Ergonomic clutch handle.• Rugged all-steel gears and bushings provide more torque and longer life.• Automatic 100% load-holding brake.• Sealed solenoid for all-weather protection.• Wired Remote Control sold separately.	<ul style="list-style-type: none">• Plug-and-play wiring and attachment brackets.• Weather-sealed handlebar-mounted switch.• Pulling strength capability of 3,500 lb (1,588 kg).• 50 ft. of 7/32" (15.2 m of 5.4 mm) wire steel cable.• EC-compliant.



Winch Accessories

Wireless Remote Control	WARN Winches	715002542
 <ul style="list-style-type: none"> • The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. • The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. • All components are weatherproof. 		
Wired Remote Control	WARN Winches	715006378
	Can-Am HD Winches (715006414 & 715006415)	715006555
	Can-Am HD Winches (715008140, 715008141 & 715008285)	715008121
 <ul style="list-style-type: none"> • This kit allows owners to add a handheld remote to their winch or a stock winch. • Works with the handlebar-mounted switch. • Wired Remote and Remote Socket included. • 10 ft. wire. 		
Winch Accessories Kit		715002409
 <ul style="list-style-type: none"> • Get the most out of your winch. • Double your pulling power, change your pulling direction and keep your winch in proper working order. • Includes tree straps, snatch block, shackle and winching gloves. 		
WARN Hawse Fairlead	WARN Winches	715007698
 <ul style="list-style-type: none"> • Double powder-coated construction. • Required to use the Synthetic Winch. • Cable (715004254) on WARN winches. • To be used with synthetic winch cables only. 		




Winch Accessories Kit		715002409
	<ul style="list-style-type: none"> • Get the most out of your winch. • Double your pulling power, change your pulling direction and keep your winch in proper working order. • Includes tree straps, snatch block, shackle and winching gloves. 	
WARN Hawse Fairlead	WARN Winches	715007698
	<ul style="list-style-type: none"> • Double powder-coated construction. • Required to use the Synthetic Winch. • Cable (715004254) on WARN winches. • To be used with synthetic winch cables only. 	
Roller Fairlead	WARN Winches	715007699
	Can-Am HD Winch	710007459
	<ul style="list-style-type: none"> • Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching. 	
Hook with Safety Latch & Strap Kit <i>(Not illustrated)</i>	Can-Am HD Winches	705014949
	<ul style="list-style-type: none"> • Heavy-duty winch-rope hook with stainless steel snap. • Includes a nylon safety strap. 	
Replacement Wire Rope – Can-Am HD		705014983
		705014984
	<ul style="list-style-type: none"> • Play it safe, always carry a replacement wire rope. • 2,500 lb (1,134 kg) pulling strength with 50 ft of 3/16" (15.2 m of 4.8 mm) wire rope for 705014983. • 3,500 lb (1,588 kg) pulling strength with 50 ft of 7/32" (15.2 m of 5.5 mm) wire rope for 705014984. 	
Replacement Wire Rope – ATV WARN Winches		715006256
	<ul style="list-style-type: none"> • Play it safe, always carry a replacement wire rope. • 3,500 lb (1,588 kg) pulling strength. • 50 ft. of 7/32" (15.2 m of 5.5 mm) aircraft grade steel wire. 	
Synthetic Winch Cable	ATV WARN Winches	715004254
	<ul style="list-style-type: none"> • Easier to manipulate than steel cable. • Replaces the original cable on any factory installed WARN winch or sold as an accessory by BRP. • Kit includes synthetic rope and rock guard sleeve. • Always use with the new Hawse Fairlead (715007698). • 50 ft. (15.2 m) of 3/16" (15.2 m of 4.8 mm) synthetic rope. • 3,500 lb (1,588 kg) pulling strength. 	
Winch Mounting Plate	G2S 2022 & prior	715000927
	<ul style="list-style-type: none"> • Adds functionality to your Renegade. • Fits Can-Am winches by WARN. 	
Winch Wire Harness <i>(Not illustrated)</i>	G2 2021 & up, G2S 2021 & up and G2L	715002453
	<ul style="list-style-type: none"> • Required plug-and-go wiring to install WARN winch only. • Not required for Can-Am HD winches. 	

HITCHES

Hitches


Rear Hitch	G2, G2L (except 6x6 models), G2S	715001925
 <ul style="list-style-type: none"> • E-coat finish. • Fixed hitch ball mounting bracket. • Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities. • This hitch offers 1,300 lb (590 kg) of towing capacity. • Hitch ball not included. 		
Front and Rear Hitch Drawbar	G2, G2L, G2S	715008350
 <ul style="list-style-type: none"> • Standard on 2" (5 cm) receiver hitch. • It offers 1,650 lb (750 kg) of towing capacity. • Hitch ball not included. • Forged steel. 		

Hitch Accessories


Rear Receiver Hitch	G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2	715005186
 <ul style="list-style-type: none"> • E-coat finish. • Does not affect ground clearance. • Trailer ball not included. • On 4x4 use, this hitch offers 1,500 lb (680 kg) of towing capacity. • On 6x6 use, this hitch offers 1,654 lb (750 kg) of towing capacity. • Compliant with European T regulations. • Not compatible with G2L models with Rear Skid Plates. 		
Front Receiver Hitch	G2	715000921
 <ul style="list-style-type: none"> • Front receiver hitch for Outlander with or without a winch. • This hitch offers 1,300 lb (590 kg) of towing capacity. • Allows you to maneuver your trailer easily in tight, confined areas. • Hitch bar sold separately. • Not compatible with Extreme Front Bumper, Rancher Bumper and ProMount Plows. 		
Rubber Receiver Plug		705204503
 <ul style="list-style-type: none"> • Rubber cap for 2" (5 cm) hitch receiver. 		


PERFORMANCE


Performance


Renegade Snorkel Kit	G2S (2021 & up)	715007083
 <ul style="list-style-type: none"> • Comprehensive kit. • Extended air intakes and CVT exhaust. • CVT outlet integrates into pod cover. • Ideal for muddy conditions. 		

Renegade Radiator Relocator Kit	G2S (2023 & up)	715008898
	G2S (2022 & prior)	715001929
	<ul style="list-style-type: none"> Relocates radiator to top mount position. Prevents cooling performance loss in muddy conditions. Uses existing radiator. Includes support, hardware and hoses. Engineered for easy cooling system bleeding and maintenance. Radiator not included. Renegade Extreme Front Bumper (715002469) required for G2S 2022 and prior or X mr Front Bumper (715008198) required for 2023 and up for installation (except X mr). 	
Mud Strap	G2, G2L, G2S	715003053
	<ul style="list-style-type: none"> Convenient sturdy grab-handle. Lets drivers redistribute their weight for improved traction in demanding conditions. 	
Radiator Protector	G2, G2S (except G2S with 500 engine)	715001744
	<ul style="list-style-type: none"> Metal shield that mounts over radiator face, providing protection from stones and branches. 	
Outlander Snorkel Kit	G2 2015 & up, G2L (except X mr & 6x6 models)	715005999
	<ul style="list-style-type: none"> Comprehensive kit. Extended air intakes and CVT exhaust. CVT outlet integrates into pod cover. Must be installed on a vehicle without XT Handlebar Protector Kit. Ideal for muddy conditions. Not compatible with windshields. 	
Outlander Snorkel Kit	G2 (X mr models only), G2L (X mr models only)	715002518
	<ul style="list-style-type: none"> Comprehensive kit. Extended air intakes and CVT exhaust. CVT outlet integrates into pod cover. Must be installed on a vehicle without XT Handlebar Protector Kit. Ideal for muddy conditions. Not compatible with windshields. Raised horn only. Provides higher intake. For best fit and finish, appropriate gauge support is required. 	
Outlander Radiator Relocator Kit	G2, G2L (except X xc 2022 & up and 6x6 models)	715001930
	<ul style="list-style-type: none"> Relocates radiator to top mount position. Prevents cooling performance loss in muddy conditions. Uses existing radiator. Includes support, hardware and hoses. Engineered for easy cooling system bleeding and maintenance. Radiator not included. 	
X mr Traction Plates	G2 (MAX models only), G2L	715001752
	<ul style="list-style-type: none"> Provide extra foot grip for driver when riding in extreme mud conditions. Help driver maintain ideal riding position to maximize vehicle traction. Made of aluminum. Not meant for a passenger. 	
Self-Clearing Footwells	G2 2015 & up, G2L	715004759
	<ul style="list-style-type: none"> Made from aluminum. Replace original footwells. Feature large evacuation ports to avoid mud and snow accumulation in footwells. Aggressive design for improved traction. Not compatible with Body Side Protectors. Sold in pairs. 	


Footpeg Kit	G2, G2L	715001131
 <ul style="list-style-type: none"> • Provides maximum integrated grip and more stability during vigorous riding. • Kick-up end generates added grip during hard cornering. • Made of aluminum. • Sold in pairs. 		


Foam Air Filter by Twin Air†	G2, G2S, G2L	715001333
 <ul style="list-style-type: none"> • Maximizes performance by increasing air flow throughout RPM range. • Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments. 		

Heavy-Duty Springs	G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only)	715003199 · Front
	G2L (except Mossy Oak, PRO, 6x6 and X mr models)	715007203 · Front
	G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only)	715003200 · Rear
	G2 2019 & up (Base, DPS & XT models, except 6x6)	715005159 · Front & Rear
 <ul style="list-style-type: none"> • Heavy-duty springs provide enhanced stiffness. • Perfect for snow clearing and hauling heavy loads. • Improve handling. • Standard on Outlander PRO and Mossy Oak models. 		


Front Shock Covers	G2, G2L, G2S	715500301
 <ul style="list-style-type: none"> • Feature ventilation holes. • Offer added protection in rough terrain and weather conditions. • Sold in pairs. 		

Yoshimura

Yoshimura Slip-On Exhaust – Outlander	G2 (except 6x6 models)	715005480
 <ul style="list-style-type: none"> • Made from 304-grade stainless steel. • Better sounding, better looking and lighter than stock muffler. • USDF/USDA approved spark arrester. • Non-EPA compliant (for racing application only). • Not EC compliant. • Fuel injection system tuning not required. • Not compatible with CARB and T Category models 2018 and up, NRMM and 650 Engine 2022 and up. 		

Yoshimura Slip-On Exhaust – Renegade	G2S 2012 & up (except 570 engine and X mr models)	715005481
 <ul style="list-style-type: none"> • Made from 304-grade stainless steel. • Better sounding, better looking and lighter than stock muffler. • USDF/USDA approved spark arrester. • Non-EPA compliant (for racing application only). • Not EC compliant. • Fuel injection system tuning not required. • Not compatible with CARB and T Category models 2018 and up, NRMM and 650 Engine 2022 and up. 		

Emergency Accessories

Emergency Kit	715006102
 <ul style="list-style-type: none"> • Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in. • Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags. 	

COVERS, DECALS & ADD-ONS

Trailer Cover



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Protect windshield and coloured panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap access.
- Weather-resistant trailer cover protects your vehicle during transportation.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2 (except MAX models)

715001737

G2 (MAX and X mr 1000R models only)

715001736

G2L (except MAX models)

715002026

G2L (MAX models only)

715002025

G2S (except X mr models)

715000683

Heavy-Duty Seat Cover



- Heavy-duty materials to cover and protect the seat.
- Abrasion- and tear-resistant.
- Simply installs by stretching around the original seat; the elastic holds the cover securely in place.

G2, G2L

715007212

Storage Cover



- Weather-resistant storage covers.
- For vehicle storage only.
- UV-resistant solution-dyed polyester construction.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr

715001720

G2, G2L (MAX and X mr 1000R models only)

715001668

G2, G2L (except MAX models)

■ **715001597** · Mossy Oak Break-Up Country Camo

Flag



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 8-ft. (2.4 m) length.
- Includes Flag Mount (715000127).

■ **715000277** · Yellow

Flag Mount

(Not illustrated)

715000127

Bolt-On† Retractable Ratcheting Tie-Downs

295100737







- Perfect for transporting your powersport vehicle or securing loads.
- Mounts easily: Bolts on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

■ **715008309** · Black/Gray




- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down		715008308
	<ul style="list-style-type: none"> • 1,000 lb (454 kg) safe working load. • 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands. • Deluxe ratchet with rubber handle. • Black-coated clip hooks. • 12" (300 mm) webbing included. • Pack of two. 	
Shifter Lock		715007337
	<ul style="list-style-type: none"> • Secure the vehicle's shifter by locking it in position. • Prevents the vehicle from going into neutral without the lock key. 	
Lockable Gas Tank Cap		860200387
	<ul style="list-style-type: none"> • Protects your fuel. • Meets EPA requirements. 	
License Plate Bracket		715001401
	<ul style="list-style-type: none"> • Provides specific area to install license plate. • Mounts to rear of vehicle. 	

APACHE TRACK SYSTEMS

Apache Track Systems

Apache Backcountry Track System		G2 (except 6x6 models), G2L, G2S	715005247
	<ul style="list-style-type: none"> • Designed to deliver the best flotation level and deep-snow performance on the market. • Contact patch is 23% bigger than the Apache 360 LT. • Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow. • Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. • Apache Backcountry Mounting Kit and engine and air intake pre-filters are required. • For winter use only. 		
Apache Backcountry Mounting Kit (Not illustrated)		G2 2018 & prior, G2S 2018 & prior, G2L G2 2019 & up, G2S 2019 & up	715004830 715004796
<ul style="list-style-type: none"> • Required for installation of the Apache Backcountry Track System. • DPS module and pre-filter are required and sold separately. 			

Apache XC and XC LT

NEW Apache XC LT Track System

G2 2019 & up, G2S 2019 & up

715007719



- Long Track version.
- Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the 4 wheels tandem.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- Mounting kit sold separately.

NEW Apache XC Track System

G2 2019 & up, G2S 2019 & up

715008664



- Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the 4 wheels tandem.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3.25" of ground clearance vs 25" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- Mounting kit sold separately.

NEW Apache XC & XC LT Mounting Kit

(Not illustrated)

G2 2019 & up, G2S 2019 & up

715008200

- Required for installation of the Apache XC and XC LT Track System.
- Track DPS Module and Pre-Filter not included.

Apache 360 & 360 LT

Apache 360 Track System

G2 (except 6x6 models), G2L, G2S

715006323



- Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required.
- EC compliant.

Apache 360 LT Track System

G2, G2L, G2S

715005103



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% bigger than the Apache 360's. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- EC compliant.
- ATV: Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and CVT air intake pre-filters are required and sold separately.

Apache 360 LT 6x6

Apache 360 LT (6x6) Track System

G2, G2L (6x6 only)

715005104



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine and Pre-Filter Kit are required.
- Reliable heavy-duty build.
- EC compliant.
- Exclusively for the Outlander 6x6.
- Recommended for use on snow only.

Apache 360 & 360 LT Mounting Kit (Not illustrated)

G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G2L

715007207

G2 2019 & up (except 6x6 models), G2S 2019 & up

715007206

G2 2018 & prior, G2L (6x6 models)

715004991

G2 2019 & up (6x6 models)

715005105

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.

Apache Track System Accessories

Track DPS Module (Not illustrated)

G2, G2L, G2S

715007338

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Air Intake Pre-Filter

715003483



- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.
- Required to install the Apache and Backcountry Track Systems.
- Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO.
- Not compatible with Snorkel Kits.

Engine Air Intake Pre-Filter

G2, G2L, G2S

715004729



- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed.

Idler Wheel Kit

Apache Backcountry Track System
(rear tracks only)

860201230
· 141 mm



- Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Sliders with Vespel[†] Inserts

Apache Backcountry Track System

503194815



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Rail Ice Scratchers

Apache Backcountry Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry

Model Year/Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715005247	715004830	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)
2018 & Prior G2, G2S					
2019 & Up G2, G2S					
2019 & Up G2 1000R	715005247 & 715005891	715004796			

Apache XC and XC LT

Model Year/Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Up G2, G2S	715007719 and 715008664	715008200	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)

Apache 360 and Apache 360 LT

Model Year/Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715006323 (Apache 360) OR 715005103 (Apache 360 LT)	715007207	715007338	715004729 & 715003483 (standard on G2 models and G2L PRO model)	715004729
2018 & Prior G2, G2S					
2019 & Up G2, G2S		715007206			

Apache 360 LT 6x6

Model Year/Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior G2 6x6	715005104	715004991	715007338	715004729 & 715003483 (standard on G2 models and G2L PRO model)	715004729
2019 & Up G2L 6x6					
2019 & Up G2 6x6		715005105			



PARTS AND MAINTENANCE

PARTS AND MAINTENANCE

XPS Tyres

176

Maintenance Products

177





Image for visual purposes only. Package shown not available in region.

XPS TYRES

SHOP BY USAGE



GRAVEL &
HARD PACK



ROCK



MUD


XPS Trail Force



- All-terrain radial tyre.
- 8-ply rated construction.
- Versatile and suitable for many types of terrain.
- Aggressive tread pattern for better traction on dirt, mud and rocky terrains.
- Tread depth: 20 mm (0.78").

705403026 · 26X8R14
705503322 · 26X10R14
705402754 · 27X9R14
705503103 · 27X11R14

XPS Trail King



- All-terrain radial tyre.
- 8-ply rated construction.
- Aggressive tread pattern for tougher terrains.
- An almost continuous center tread offers a smoother trail ride.
- Tread depth: 26 mm (1.02").

705402713 · 26X8R12*
705503073 · 26X10R12*
705403081 · 27X9R14

*6 ply rating

705503355 · 27X11R14
705402825 · 28X9R14
705503181 · 28X11R14

XPS Trail King 2



- All-terrain radial tyre.
- 6-ply rated construction.
- Tyre excels in various terrains from loose to hard packed.
- Non directional tread pattern with optimized construction providing precision handling ensuring maximum grip and low rolling resistance
- Tread depth: 20 mm (0.78").

705403398 · 26X8R14
705503518 · 26X10R14
705403397 · 27X8R14
705503517 · 27X10R14

XPS Trac Force



- All-terrain light truck style radial tyre.
- 8-ply rated construction.
- Central tread for good grip and comfort on compact terrain.
- Tread depth: 18 mm (0.71").

705403080 · 30X9R14
705403369 · 30X9R15
705503354 · 30X10R14
705403586 · 30X10R14 UT*

705403370 · 30X10R15
705403416 · 32X10R16 UT*
705403587 · 32X10R15 UT*
*6 ply rating

XPS Hammer Force



- Light truck-inspired tyre.
- 8-ply rated construction.
- Rock-crawling tread pattern with unique contact patch.
- Aggressive sidewall for maximum traction when faced with technical terrains.
- Tread depth: 15 mm (0.59").

705402918 · 30X10R15

XPS Swamp Force



- Hybrid radial tyre for mud and trail.
- 8-ply rated construction.
- Unique tread pattern allowing good grip in mud and mud ejection.
- Center tread provides for comfortable trail riding.
- Tread depth: 36-38 mm (1.41"-1.49").

705403201 · 30X9R14
705503387 · 30X11R14

XPS Swamp King



- Bias tyres for mud and trail.
- 6-ply rated construction.
- Ultimate performance in mud without sacrificing good trail handling.
- Tread depth: 38 mm (1.49").

705403028 · 28X8X14

XPS Swamp King XL



- Bias ply for mud and trail
- 6-ply rated construction.
- Our best performing mud tyre that does not compromise your trail riding
- Deep V grooved Lugs with extended shoulder tread for max traction in deep ruts that also help eject mud faster.
- Tread depth: 38 mm (1.49") center, max depth 52 mm (2.05").

705503687 · 30X9X14
705403381 · 30X10X14

MAINTENANCE PRODUCTS

Synthetic Gear Oil

75W-90
75W-140

9779158 · 1 qt/946 ml
9779160 · 1 qt/946 ml



- Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials.
- Allows higher loads, superior shear stability and reduced oxidation.
- Exceptional wear protection and superior performance at all operating temperatures.

XPS Synthetic Dct Fluid

(Not illustrated)

9779710 · 1 qt/946 ml



- Meets or exceeds API GL-4 industry specifications.
- Formulated for dual clutch system.
- Enhanced cooling capabilities for optimal clutch functionality.
- Anti foaming agents for smooth hydraulic function.

Extended Life Pre-Mixed Coolant

9779150 · 1 qt/946 ml



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- Long-life, 5-year formula specially formulated for BRP vehicles.
- Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

Anti-Corrosive Lubricant

9779701 · 120 oz/340 g



- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

Extreme Duty Suspension Grease

9779708 · 14 oz/400 g



- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease

(Not illustrated)

9779704 · 4 oz/115 g

- Enhanced rust and corrosion resistance.
- Protects against seizure, heat-freeze, galling, rust and corrosion.

DOT 4 Brake Fluid

9779151 · 12 fl. oz./355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600

9779152 · 12 fl. oz./355 ml



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer

9779171 · 8 fl. oz./236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

A man with blonde hair and a goatee, wearing a black Can-Am baseball cap, a black and grey long-sleeved shirt, and yellow overalls. He is holding a black glove in his right hand. The background is a clear blue sky with some clouds. The Can-Am logo is visible on the cap, the shirt, and the overalls. The overalls also feature a 'can-am FASTHOUSE' logo and a map graphic.

APPAREL AND RIDING GEAR

APPAREL AND RIDING GEAR

Sizing chart	182
Cam-Am x FastHouse	185
Play and licensing products	189






Image for visual purposes only. Products shown may not be available in your region.

SIZING CHART

HOW TO MEASURE



What code represents your style?

- For best results, have someone else take measurements.
- Measure body in underwear.
- Tape must be snug but not tight.
- If measurements fall between two sizes, order the larger size.

1 HEAD	Around your head, from the center of the forehead, above the ears and over the natural bump at the back of the head.
2 ARM LENGTH	Let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist.
3 CHEST/BUST	Measure under your arms, around the fullest part of your chest.
4 WAIST	Measure around your natural waistline, keeping one finger between the tape and body.
5 HIPS	Across the widest part of the seat.
6 INSEAM	Without shoes, from crotch to the floor.

- 1 Find your size and colour.
- 2 The corresponding code is THE CODE you use to complete the part number on your order.

Example:
440975 (style number for the Men's Sythe Mesh Jacket CE/UKCA)
06 (sizing code M)
90 (colour code Black)

	Style	Size	Colour
Full SKU:	440975	06	90

SIZING CODE

Adult		Adult		Adult		Adult		Adult		Adult		Youth/Kids	
Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code
One Size	00	XLT	13	X	26	5	24	13	33	36	40	3-4	79
XS	02	2XL	14	1X	86	6	25	14	34	38	41	5-6	52
S	04	2XLT	15	2X	87	7	27	16	35	40	42	6-8	48
M	06	3XL	16	3X	95	8	28	18	78	42	43	7-8	54
MT	07	3XLT	17	1	20	9	29	28	36			10-12	49
L	09	4XL	18	2	21	10	30	30	37	S/M	72	14-16	50
LT	10	4XLT	19	3	22	11	31	32	38	M/L	91		
XL	12	5XL	88	4	23	12	32	34	39	L/XL	73		

COLOUR CODE

Name	Code	Name	Code	Name	Code	Name	Code
Clear	00	Lava Red	17	Violet	41	Indigo Blue	82
White	01	Mixed Colour	18	Deep Purple	42	Royal Blue	83
Brown	04	Mirror Silver	22	Smoke	57	Navy	89
Charcoal Grey	07	Magnesium	24	Green	70	Black	90
Silver	08	Lilac	25	Teal	74	Black with Graphics	94
Grey	09	Hi-Vis Yellow	26	Turquoise (Aqua)	76	Amber	95
Yellow	10	Heather Charcoal	29	Army Green	77	Ivory	97
Gold	11	Red	30	Denim Blue	79		
Orange	12	Pink	36	Blue	80		
Coral	13	Ice	38	Light Blue	81		

APPAREL & SPORTSWEAR

MEN'S - 5'7" - 6'0"

	XS	S	M	L	XL	2XL	3XL
Sizing Code	02	04	06	09	12	14	16
Chest	34-37	37-40	40-42	42-44	44-48	48-51	51-54
Waist	28-31	31-34	34-36	36-38	38-42	42-46	46-49
Hips (seat)	34-37	37-40	40-42	42-44	44-48	48-51	51-54
Arm length	30	31	32	33	34	35	35
Inseam	31	31 ½	32	32	32	32	32

WOMEN'S - 5'3" - 5'8"

	XS	S	M	L	XL	X	1X	2X	3X
Sizing Code	02	04	06	09	12	26	86	87	95
Chest	32-34	34-36	36-38	38-40	40-43	43-46	46-49	50-53	54-57
Waist	26-28	28-30	30-32	32-34	34-37	37-40	40-43	44-47	48-51
Hips (seat)	35-37	37-39	39-41	41-43	43-46	45-48	48-51	52-55	56-59
Arm length	30	30	30 1/2	31	31 ½	31	31	32	32
Inseam	30	30	30	30	30	30	30	31	31

Helmet sizing information is available on page 10.

Glove sizing information is available on page 22.





CAN-AM x FASTHOUSE

Desert racing runs deep in Fasthouse's roots. Their passion is forged by the camaraderie, good times, and heritage of the trailblazers who came before us.

Fasthouse is built upon the legacy of those who came before it, while forging its own path of being the Purveyors of Good Times®. This collection merges Fasthouse's aesthetic with Can-Am Off-Road's prowess, a partnership that sets a new benchmark for off-road lifestyle, capturing the core of their shared values and leaving behind a legacy for all to revel in.



1) CAN-AM X FH DESERT RACER
LONG-SLEEVE TEE - WHITE
288011_01

2) CAN-AM X FH CUFF BEANIE
- BLACK
288079_90

3) CAN-AM X FH RACING T-SHIRT
- WHITE
288048_01

4) CAN-AM X FH NO BOUNDARIES
LONG-SLEEVE TEE - BLACK
288016_90

5) CAN-AM X FH RACING FLAT-
BRIM CAP - BROWN
448804_04

6) CAN-AM X FH OFF-ROAD
T-SHIRT - HEATHER GREY
288042_27

7) CAN-AM X FH NO BOUNDARIES
T-SHIRT - WINE
288040_32

8) CAN-AM X FH BADGE CAP
- IVORY
448805_97

9) CAN-AM X FH BADGE T-SHIRT
- DARK NAVY
288025_16

10) CAN-AM X FH DUST TO DAWN
T-SHIRT - BLACK
288050_90

CAM-AM x FASTHOUSE

MEN'S

Can-Am x FH Motorall

441716 • 28, 30, 32, 34, 36, 38, 40, 42

Bronze (92), Black (90)



The Motorall® is our tried and true Grindhouse moto pant in an overall cut.

- 69% polyester, 27% nylon, 4% spandex.
- Zippered cargo pockets on front chest and both thighs.
- Zippered mesh ventilation pockets on both thighs.
- Zippered fly for easy pit stops.
- Adjustable elastic comfort straps for step-in entry.
- 600 denier poly and 4-way stretch mainbody fabric.
- Upper chest molle straps for radios, tools and accessories.
- High-strength nylon thread double- and triple-stitched seams.
- Silky soft tricot ¾ length knee brace optimized lining.
- Patterned and fit for every style of rider.

"Be sure to use the right size codes from the sizing chart at page 3"

Can-Am x FH Jersey

288075 • S, M, L, XL, 2XL, 3XL

Black with Graphics (94)



High-performance jersey using breathable materials with a traditional cut.

- 100% polyester.
- High-quality silk screened graphics.
- Moisture-wicking materials help keep you dry.
- Mesh vent paneling on sides and under sleeves for airflow.
- Drop tail on back panel to keep jersey tucked in and secure.
- Athletic fit, moderately slim throughout body and sleeves.
- Overlocked stitching for superior durability and longevity.

NEW Can-Am x FH Racing Pullover Hoodie

288013 • S, M, L, XL, 2XL, 3XL

Black (90)



Midweight hooded pullover for men.

- 80% cotton, 20% polyester.
- Soft midweight material (280 gsm).
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Pullover fit with lined hood.
- Screen-printed graphics.
- Ribbed-sleeve cuffs and waistband hem.

Can-Am x FH Duster Hooded Zip-Up

288077 • S, M, L, XL, 2XL, 3XL

Black (90)



Traditional midweight zip-up hoodie.

- 80% cotton, 20% polyester.
- Ultrasoft midweight material (8 oz.).
- Fabric dye with screen-printed graphics.
- Zip-up fit with unlined hood.
- Metal eyelets and hood drawstring.
- Ribbed cuffs and waistband hem.

NEW Can-Am x FH Desert Racer Long-Sleeve Tee**288011** • S, M, L, XL, 2XL, 3XL

White (01)



Ultrasoft 100% combed ring-spun cotton tee.

- 100% cotton.
- 150 gsm.
- Soft and lightweight material.
- Crew collar.
- Plastisol ink screen-printed graphics.

NEW Can-Am x FH No Boundaries Long-Sleeve Tee**288016** • S, M, L, XL, 2XL, 3XL

Black (90)



Ultrasoft 100% combed ring-spun cotton tee.

- 100% combed ring-spun cotton.
- 150 gsm.
- Soft and lightweight material.
- Crew collar.
- Plastisol ink screen-printed graphics.

NEW Can-Am x FH Badge T-Shirt**288025** • S, M, L, XL, 2XL, 3XL

Dark Navy (16), White (01)



Ultrasoft Poly-cotton tee.

- 50% cotton, 50% polyester.
- Soft and lightweight material.
- Crew collar.
- Screen-printed graphics.

NEW Can-Am x FH Racing T-Shirt**288048** • S, M, L, XL, 2XL, 3XL

Black (90), White (01)



Ultrasoft 100% combed ring-spun cotton tee.

- 100% combed ring-spun cotton.
- Soft and lightweight material.
- Crew collar.
- Plastisol ink screen-printed graphics.

NEW Can-Am x FH Dust to Dawn T-Shirt**288050** • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90)



Ultrasoft tee.

- Solid colour: 100% combed ring-spun cotton.
- Heather colour: 50% cotton, 50% polyester.
- Soft and lightweight material.
- Crew collar.
- Screen-printed graphics.

Can-Am x FH Coilover Tee**288065** • S, M, L, XL, 2XL, 3XL

Black (90), Bronze (92)



Ultrasoft 100% combed ring-spun cotton tee.

- 100% combed ring-spun cotton.
- Soft and lightweight material.
- Crew collar.
- Plastisol ink screen-printed graphics.

NEW Can-Am x FH Racing Pullover Hoodie**288039** • S, M, L

Black (90)



- Midweight hooded pullover for women.
- 80% cotton, 20% polyester.
 - Soft midweight material (8 oz.).
 - Two front welt pockets.
 - Metal eyelets and hood drawstring.
 - Pullover fit with lined hood.
 - Screen-printed graphics.
 - Ribbed-sleeve cuffs and waistband hem.

Can-Am x FH Jersey**288081** • XS, S, M, L, XL, 2XL

Black (90), Silver (08)



- High-performance jersey using breathable materials with a traditional cut.
- 100% polyester.
 - High-quality silk screened graphics.
 - Moisture-wicking materials help keep you dry.
 - Mesh vent paneling on sides and under sleeves for airflow.
 - Drop tail on back panel to keep jersey tucked in and secure.
 - Athletic fit, moderately slim throughout body and sleeves.
 - Overlocked stitching for superior durability and longevity.

Can-Am x FH Long-Sleeve Tee**288083** • S, M, L

Black (90), White (01)



- Ultrasoft Poly-cotton long-sleeve tee.
- 50% cotton, 50% polyester.
 - Soft and lightweight material.
 - Crew collar.
 - Screen-printed graphics.

NEW Can-Am x FH No Boundaries T-Shirt**288040** • XS, S, M, L, XL, 2XL

Black (90), Wine (32)



- Ultrasoft Poly-cotton tee.
- 50% cotton, 50% polyester.
 - Soft and lightweight material.
 - Crew collar.
 - Screen-printed graphics.

NEW Can-Am x FH Off-Road T-Shirt**288042** • XS, S, M, L, XL, 2XL

Heather Grey (27), White (01)



- Ultrasoft Poly-cotton tee.
- 50% cotton, 50% polyester.
 - Soft and lightweight material.
 - Crew collar.
 - Screen-printed graphics.

Can-Am x FH Tee**288082** • XS, S, M, L, XL, 2XL

Black (90)



- Ultrasoft Poly-cotton tee.
- 50% cotton, 50% polyester.
 - Soft and lightweight material.
 - Crew collar.
 - Screen-printed graphics.

Can-Am x FH Speed Gloves**446384** • XS, S, M, L, XL, 2XL

Ivory (97)



- The Speed-style gloves use quality materials with a traditional moto fit.
- 77% polyamide, 15% polyurethane, 7% elastane, 1% polychloroprene.
 - Durable form fitting 2-way stretch material.
 - Perforated Clarino® palm and thumb guards.
 - Touchscreen fingertips on index and thumb.
 - Gusseted knuckles for increased dexterity.
 - Molded neoprene low-pro cuff.
 - Mesh-finger gussets and silicone grippers.
 - TPR and printed embellishments throughout.

NEW Can-Am x FH Cuff Beanie**288079** • One size

Black (90), Bronze (92)



- Heavy-knit cuff beanie made of ultrasoft, anti-itch 100% acrylic.
- 100% acrylic.
 - Ultrasoft anti-itch material.
 - Woven patch at front.

NEW Can-Am x FH Racing Flat-Brim Cap**448804** • One size

Black (90), Brown (04)



- Structured 5-panel snapback with flat brim using premium acrylic wool.
- 100% acrylic wool.
 - 5-panel construction.
 - Flat brim and matching underbrim.
 - Branded taping and flag label.
 - Contrast snapback.
 - Snapback closure at back.

NEW Can-Am x FH Badge Cap**448805** • One size

Army Green (77), Ivory (97)



- Structured 5-panel trucker-style cap with snapback closure.
- 100% cotton and Polymesh at back.
 - 5-panel construction.
 - Curved brim.
 - Woven patch at front.
 - Branded taping and flag label.
 - Snapback closure at back.




Can-Am x FH Blaze Hat**288078** • One size

Silver (08)



- Deep-profile structured 5-panel snapback constructed using premium acrylic wool.
- 80% acrylic, 20% wool.
 - 5-panel construction.
 - Deep-profile, structured.
 - Woven front patch.
 - Branded taping and flag label.
 - Matching underbrim.
 - Contrast snapback.

PLAY AND LICENSING PRODUCTS

UNISEX	NEW 1:32 Diecast Maverick Bundle	B10777 • One size	Mixed colour (18)
		Bundle includes: <ul style="list-style-type: none">• 10 x 1:32 Maverick X3 X RS Turbo RR (Black).• 5 x 1:32 Maverick X3 X RS Turbo RR (Blue).• 5 x 1:32 Maverick X3 X RS Turbo RR (Red).• 2 x 1:32 Maverick X3 X RS Turbo RR Sand (Red).• 2 x 1:32 Maverick X3 X RS Turbo RR Winter (Red).	
	NEW 1:32 Diecast Outlander Bundle	B10778 • One size	Mixed colour (18)
		Bundle includes: <ul style="list-style-type: none">• 12 x 1:32 Outlander XT 1000R (Blue).• 12 x 1:32 Outlander XT 1000R (Yellow).	
	NEW 1:32 Diecast Renegade Bundle	B10779 • One size	Mixed colour (18)
		Bundle includes: <ul style="list-style-type: none">• 6 x 1:32 Renegade X XC (Sand).• 6 x 1:32 Renegade X XC (Red).• 6 x 1:32 Renegade X MR 1000R (Sand).• 6 x 1:32 Renegade X MR 1000R (Gold).	





BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you. Because it's not about the destination, it's about the journey — yours.

Discover our brands:

ski-doo **LYNX** **SEA-DOO** **can-am** **ROTAX** **ALUMACraft** **MANITOU** **QUINTREX**

www.brp.com





CANAMOFFROAD.COM

MY25

A BRP BRAND

