

2026 CAN-AM DEFENDER XT HD11

COMPARISON SHEET



NEW FOR 2026

KEY FEATURES

ADDITIONAL FEATURES

HOW TO WIN

PERFORMANCE

New triple-cylinder engine
+13 hp / +8 lb-ft / more power and torque
New engine modes

SUSPENSION

+1 in. front and +1 in. rear travel
New suspension dynamics

FEATURES

New MY26 platform
New Quick-4Lok auto-locking front differential
+700 lm LED headlights
Speed limiter
Optional 10.25 in. Touchscreen display

New platform
New design and bold look
New engine and transmission
New front differential
New suspension dynamic
New features All-around
Infotainment option
95 hp / 70 lb-ft / Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple-cylinder, liquid-cooled
pDrive primary and Quick Response System X (QRS-X) CVT with high airflow and electronic drive belt protection L / H / N / R / P
Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
High-torque Tri-Mode dynamic power steering (DPS™)
CVT engine braking / brake holding mechanism
Sport / Normal / Work modes / Speed limiter
14 in. (35.6 cm) ground clearance
85 in. (216 cm) wheelbase
SUSPENSION TRAVEL: FR: Arched double A-arm with sway bar / 12 in. (30.5 cm) RR: Arched double A-arm / 12 in. (30.5 cm)
SHOCKS: Twin-tube gas-charged shocks
29 in. XPS Trail King 2 tires with 14 in. aluminum wheels
2,500 lb (1,134 kg) towing capacity
1,500 lb (680 kg) payload capacity
11.9 gal (45 L) fuel capacity
1700 lm LED headlights, LED tail lights with back-up light
Adjustable driver seat 40/20/40 bolster, premium steering wheel, Adjustable steering wheel with full tilt-up feature
Heavy-duty front bumper, full hard roof
Full heavy-duty HMW plastic skid plate
4,500 lb (2,041 kg) winch with synthetic cable
D.E.S.S. RF Digitally Encoded Security System
4.5 in. digital display or 10.25 in. touchscreen display

2026 POLARIS® RANGER XP 1000 PREMIUM

KEY FEATURES	82 hp / 62 lb ft / 999 cc twin-cylinders, liquid-cooled, EFI	ADDITIONAL FEATURES	29 in. PRO ARMOR X-TERRAIN tires with 14 in. aluminum wheels
	Gen 2 automatic PVT H/L/N/R/P; shaft		2,500 lb (1,134 kg) towing capacity
	High-performance true on-demand AWD/2WD/VersaTrac Turf Mode		1,500 lb (680 kg) payload capacity
	EPS (Electronic Power Steering)		11.5 gal (43.5 L) fuel capacity
	14 in. (36 cm) ground clearance		Dual LED headlights, 600 lm low beam, 1000 lm high beam, dual LED tail lights
	81 in. (206 cm) wheelbase		Cut-and-sew bench seat with adjustable seat slider, standard tilt steering
	SUSPENSION TRAVEL: FR: Dual A-arm 11 in. (27.9 cm) RR: Dual A-arm, IRS 11 in. (27.9 cm)		Front bumper, full roof and central skid plate
	Polaris HD 4,500 lb (2,041 kg) synthetic rope winch		
	Lock & Ride®		
	4 in. LCD display		

©2025 Bombardier Recreational Products Inc. All rights reserved. ®, TM and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the USA, the products are distributed by BRP US Inc. Visco Lok is a trademark of GKN Vis codrive GmbH. †All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side by side vehicle (Operator's Guide and watch the Safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Always fasten lateral net and seat belt. Always remember that riding and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speeds. Ride responsibly. *Smart Lok was developed in conjunction with TEAM industries, a market leader in the drive train industry.



2026 CAN-AM DEFENDER XT HD11

COMPARISON SHEET



NEW FOR 2026

KEY FEATURES

ADDITIONAL FEATURES

HOW TO WIN

PERFORMANCE

New triple-cylinder engine
+23 hp / more power
New engines modes

SUSPENSION

+1.4 in. front and
+2 in. rear travel 0.4 in.
ground clearance
New suspension dynamics

TIRES

+2 in. tire size / 29 in. XPS Trail King 2 tires

FEATURES

New MY26 platform
New Quick-4Lok auto-locking front differential
Back-up LED light
Speed limiter
Optional 10.25 in. Touchscreen display

New platform
New design and bold look
New engine and transmission
New front differential
New suspension dynamic
New features All-around
Infotainment option
95 hp / 70 lb-ft / Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple-cylinder, liquid-cooled
pDrive primary and Quick Response System X (QRS-X) CVT with high airflow and electronic drive belt protection L / H / N / R / P
Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
High-torque Tri-Mode dynamic power steering (DPS™)
CVT engine braking / brake holding mechanism
Sport / Normal / Work modes / Speed limiter
14 in. (35.6 cm) ground clearance
85 in. (216 cm) wheelbase
SUSPENSION TRAVEL: FR: Arched double A-arm with sway bar / 12 in. (30.5 cm) RR: Arched double A-arm / 12 in. (30.5 cm)
SHOCKS: Twin-tube gas-charged shocks
29 in. XPS Trail King 2 tires with 14 in. aluminum wheels
2,500 lb (1,134 kg) towing capacity
1,500 lb (680 kg) payload capacity
11.9 gal (45 L) fuel capacity
1700 lm LED headlights, LED tail lights with back-up light
Adjustable driver seat 40/20/40 bolster, premium steering wheel, Adjustable steering wheel with full tilt-up feature
Heavy-duty front bumper, full hard roof
Full heavy-duty HMW plastic skid plate
4,500 lb (2,041 kg) winch with synthetic cable
D.E.S.S. RF Digitally Encoded Security System
4.5 in. digital display or 10.25 in. touchscreen display

2026 HONDA PIONEER FOREST

KEY FEATURES	72 hp / 999 cc liquid-cooled longitudinally mounted parallel-twin four-stroke	ADDITIONAL FEATURES	27 in. tires with 14 in. aluminum wheels
	Six-speed automatic Dual-Clutch Transmission (DCT)		2,500 lb (1,134 kg) towing capacity
	Turf/2WD/4WD/Diff lock		1,500 lb (680 kg) payload capacity
	EPS (Electronic Power Steering)		7.9 gal (29.9 L) fuel capacity
	13.6 in. (34 cm) ground clearance		LED headlights with integrated turn signals
	80.2 in. (203 cm) wheelbase		3-seater bench
	SUSPENSION TRAVEL: FR: Independent double-wishbone; 10.6 in. (26.9 cm) RR: Independent double-wishbone; 10 in. (25.4 cm)		Half doors
	Central skid plate		
	Front bumper		
	Warn VRX45 winch		
	LCD instrument display		

©2025 Bombardier Recreational Products Inc. All rights reserved. ®, TM and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the USA, the products are distributed by BRP US Inc. Visco Lok is a trademark of GKN Vis codrive GmbH. †All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side by side vehicle (Operator's Guide and watch the Safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Always fasten lateral net and seat belt. Always remember that riding and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speeds. Ride responsibly. *Smart Lok was developed in conjunction with TEAM industries, a market leader in the drive train industry.



2026 CAN-AM DEFENDER XT HD11

COMPARISON SHEET



NEW FOR 2026

KEY FEATURES

ADDITIONAL FEATURES

HOW TO WIN

PERFORMANCE

New triple-cylinder engine
+7 hp / +1 lb-ft / more power and torque

SUSPENSION

+1 in. front and +1.6 in. rear suspension travel
+1 in. ground clearance
New suspension dynamics

FEATURES

New MY26 platform
New Quick-4Lok auto-Locking front differential
Back-up LED light
Speed limiter
Optional: 10.25 in. touchscreen display with rear camera and steering wheel controls

New platform
New design and bold look
New engine and transmission
New front differential
New suspension dynamic
New features
10.25 in. infotainment option
95 hp / 70 lb-ft / Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple-cylinder, liquid-cooled
pDrive primary and Quick Response System X (QRS-X) CVT with high airflow and electronic drive belt protection L / H / N / R / P
Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
High-torque Tri-Mode dynamic power steering (DPS™)
CVT engine braking / brake holding mechanism
Sport / Normal / Work modes / Speed limiter
14 in. (35.6 cm) ground clearance
85 in. (216 cm) wheelbase
SUSPENSION TRAVEL: FR: Arched double A-arm with sway bar / 12 in. (30.5 cm) RR: Arched double A-arm / 12 in. (30.5 cm)
SHOCKS: Twin-tube gas-charged shocks
29 in. XPS Trail King 2 tires with 14 in. aluminum wheels
2,500 lb (1,134 kg) towing capacity
1,500 lb (680 kg) payload capacity
11.9 gal (45 L) fuel capacity
1700 lm LED headlights, LED tail lights with back-up light
Adjustable driver seat 40/20/40 bolster, premium steering wheel, premium adjustable steering wheel with full tilt-up feature
Heavy-duty front bumper, full hard roof
Full heavy-duty HMW plastic skid plate
4,500 lb (2,041 kg) winch with synthetic cable
D.E.S.S. RF Digitally Encoded Security System
4.5 in. digital display or 10.25 in. touchscreen display with rear camera and steering wheel controls

2026 CFMOTO U10 PRO

KEY FEATURES	88 hp / 69 lb ft / 998 cc 3-cylinder, 4-stroke, liquid-cooled, DOHC	ADDITIONAL FEATURES	29 in. R14 CST tires with 14 in. aluminum wheels
	OmniDrive™ CVT P/R/N/H/L (push-button shifting)		2,500 lb (1,134 kg) towing capacity
	2WD/4WD/4WD lock		1,500 lb (680 kg) payload capacity
	EPS (Electronic Power Steering)		11.8 gal (44.6 L) fuel capacity
	13 in. (33 cm) ground clearance		LED headlights with integrated turn signals
	81.1 in. (206 cm) wheelbase		3-seater bench
	SUSPENSION TRAVEL: FR: High-clearance A-arm 11 in. (27.9 cm) RR: Dual A-arm, 10.4 in. (26.4 cm)		Full roof and central skid plate
	4,500 lb (2,041 kg) winch		
	Side mirrors and 1,000 lb (454 kg) capacity electronic/ Hydraulic tilting cargo box		
	Audio system and speakers		
	8 in. MMI screen		
	NFC key		

©2025 Bombardier Recreational Products Inc. All rights reserved. ®, TM and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the USA, the products are distributed by BRP US Inc. Visco Lok is a trademark of GKN Vis codrive GmbH. †All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side by side vehicle (Operator's Guide and watch the Safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Always fasten lateral net and seat belt. Always remember that riding and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speeds. Ride responsibly. *Smart Lok was developed in conjunction with TEAM industries, a market leader in the drive train industry.

