can-am®



PRODUCT SPEC BOOK NEW ZEALAND

VEHICLE SPECIFICATIONS, ACCESSORIES, PARTS & MAINTENANCE AND APPAREL

2027

BRP

TABLE OF CONTENTS

CAN-AM DEFENDER 5

CAN-AM MAVERICK R 96

CAN-AM MAVERICK X3 133

SSV PARTS AND MAINTENANCE 177

CAN-AM OUTLANDER 201

ATV PARTS AND MAINTENANCE 296

CAN-AM APPAREL 310

Always use the digital version of the Product Spec Book for the most up-to-date information.

IF WE SELL IT, WE STAND BY IT.

BRP LIMITED WARRANTY*

for new Parts, Accessories and Riding Gear

1-year limited warranty**

- Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

4-year limited warranty**

- Helmets

GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

* Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories.
** Unless otherwise stipulated or required by law.

CANAMOFFROAD.COM

© 2026 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. BRP recommends that all SxS drivers take a training course. See your dealer. SxS can be hazardous to operate. Never exceed the SxS's passenger capacity. All SxS models are meant to be used by drivers aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engauge in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit https://can-am.brp.com/. Printed in Canada.


DEFENDER

CAN-AM DEFENDER

CAN-AM DEFENDER

MODEL PACKAGES 7

Defender DPS HD9 7
Defender XU HD9 8
Defender DPS CAB HD10 G1 10
Defender XU HD10 G2 11
Defender XT HD10 G2 12
Defender XT CAB HD11 13
Defender XT HD11 14
Defender Limited HD11 16
Defender X mr HD11 with Half-Doors 17
Defender PRO (Pick-Up) DPS HD10 G1 18
Defender MAX DPS HD9 19
Defender MAX DPS CAB HD10 G1 20
Defender MAX XT HD11 21
Defender MAX Limited HD11 22
Defender MAX Lone Star CAB HD11 23
Defender MAX X mr HD11 with Half-Doors 24

COMPARATIVE CHART 25

ACCESSORIES 33

Roofs 33
Cabs 34
Windshields & Mirrors 36
Rear Wind Protection 39
Doors 40
Cab Accessories 43
Aluminium Skid Plates 44
Bumpers & Guards 45
Defender G1 LinQ Accessories 48
Defender G2 LinQ Accessories 49
Defender G2 LinQ Accessories 50
Cargo & Storage 59
Rack & Holders 62
ACM & SMART Accessories 64
Lights 67
Audio 72
Electronic Accessories 77
Winches & Hitches 80
Winch Accessories 81
Hitches 83
Recovery 83
Performance 84
Apache Track Systems 87
Can-Am Fisher Plows 89
ProMount Plows 91
Covers & Tie-Downs 95

2027 CAN-AM DEFENDER DPS HD9



Compass Green

PACKAGE HIGHLIGHTS

- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminum wheels
- 8 ply 27 in. XPS Trail Force tyres
- 1,134 kg towing capacity
- 650 kg payload capacity
- 40 L fuel tank
- 3 person seating capacity

ENGINES	HD9
Type	65 hp / 59 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm / 10 in. (25.4 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail Force 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 220 mm discs
Rear	Single piston caliper (32 mm) / 220 mm discs
Brake Holding Mechanism	N/A

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,545 lb (701 kg)
Cage	Profiled cage ROPS approved
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	4.5 in. digital display
Battery	18 Ah (270 CCA)
Magneto	650 watts
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140-W LED taillights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Tilt steering adjustment
Protection	Integrated front steel bumper • Full heavy-duty HMWPE skid plate • Door safety nets
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER XU HD9



Yellow

PACKAGE HIGHLIGHTS

- RF D.E.S.S.™ key with Start / Stop button
- Brake hold mechanism
- Rear hitch and towball
- 8ply 27» XPS Trail Force tyres
- 1,134 kg towing capacity
- 680 kg payload capacity
- 3 person seating capacity
- Rear differential with Turf mode
- Full hard roof

ENGINE	HD9
Type	65 hp / 59 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm / 10 in. (25.4 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail Force 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 220 mm discs
Rear	Single piston caliper (32 mm) / 220 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,585 lb (719 kg)
Cage	Profiled cage ROPS approved
L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	4.5 in. digital display
Battery	18 Ah (270 CCA)
Magneto	650 watts
Instrumentation	DC outlet (10-A)
Anti-theft System	RF D.E.S.S.™ key with Start / Stop button
Lighting	Front lighting output 140-W LED taillights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Tilt steering adjustment
Protection	Integrated front steel bumper • HMWPE central skid plate • Full hard roof • Door safety nets
Hitch Type	2 in. receiver with hitch and towball

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		2027 Can-Am Defender XU HD9	Polaris Ranger 1000 EPS	CFMoto Pro SE	Kawasaki Mule Pro FX 820
Engine Size (cc)		976 cc	999 cc	998 cc	812 cc
No of Cylinders		2	2	3	3
Horsepower		65 hp	61 hp	90 hp	48 hp
Transmission	+	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation	Automatic PVT (CVT)	CVT	Dual range (high/low) CVT with reverse
Front Diff. Type	+	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	AWD/2WD/Versatrac turf mode	Locking Front Diff	2WD/4WD dual mode differential
Turf Mode	=	Yes	Yes	Yes	Yes
Power Steering	=	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering	Speed sensitive Electric Power Steering
Hill Descent Assistance	=	CVT Engine Braking	No engine braking	Electric hill descent control	Engine braking
Seating Capacity	=	3	3	3	3
Front Suspension	=	Double A-arm	Dual A-arm	Dual A-arm	Double wishbone
Rear Suspension	+	Torsional trailing arm with external sway bar	Dual A-arm	Dual A-arm	Double wishbone
Wheel Size	=	14"	12"	14"	12"
Wheel Material	+	Aluminium	Steel	Alloy	Steel
Tyre Ply Rating	=	8 ply	4 ply	8 ply	4 ply
Towing Capacity	=	1,134 kg	1,134 kg	1,134 kg	907 kg
Cargo Bed Capacity	=	454 kg	454 kg	454 kg	453 kg
Total Payload		680.4 kg	680 kg	Not Listed	717 kg
Ground Clearance		29.7 cm	30.5 cm	33 cm	26.5 cm
Overall Length		307.3 cm	305 cm	295 cm	338.5 cm
Overall Width		157.5 cm	158 cm	162.5 cm	162.5 cm
Vehicle Dry Weight		716.2 kg	674 kg	835 kg (kerb - wet)	840 kg - kerb
Fuel Capacity		40.1 L	43 L	45 L	30 L
On Dash Speed Limiter	=	Yes	No	Yes On dash pin code activated	No
Speed Limiting Safety Key	+	23 kph drivers seatbelt limiter, plus optional speed limiting safety keys (40 kph, 70 kph, and open)	Drivers seatbelt limiter 25 kph	Optional permanent 40 kmh accessory	No
Warranty Period	+	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	2 years	3 years unlimited km

† Visco-Lok is a trademark of GKN Viscodrive GmbH.

Can-Am model information is correct at the time of printing. Competitor model details have been sourced from publicly available websites and are correct to the best of our knowledge at the time of printing. As competitor specifications may change without notice, this chart should not be relied upon as a definitive comparison of current models.

2027 CAN-AM DEFENDER DPS CAB HD10 G1



Dolomite Grey

PACKAGE HIGHLIGHTS

- Dynamic Power Steering (DPS™)
- Heating and ventilation
- Full hard roof with liner and interior dome light
- Full colour match doors with electric opening windows and door locks
- Full glass tilt up windshield with wiper/ washer kit
- Clear rear glass window
- 65 in. wide with arched A-arm
- 14 in. aluminum wheels
- Heating, venting and air conditioning (HVAC) climate system
- Full hard roof with liner and interior dome light
- Full colour match doors with electric opening windows and door locks
- Full glass tilt up windshield with wiper/washer kit
- Clear rear glass window
- Brake holding mechanism
- 65 in. wide with arched A-arm
- 27 in. XPS Trail King tyres with 14 in. aluminum wheels

ENGINES	HD10
Type	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential
Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with swaybar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 220 mm discs
Rear	Single piston caliper (32 mm) / 220 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,921 lb (871 kg)
Cage	Profiled cage ROPS approved
L x W x H	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	13 in. (30.5 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (544 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES	
Heating / HVAC	Heating, venting and air conditioning (HVAC) climate system
Gauge	4.5 in. display
Battery	30 Ah (400 CCA)
Magneto	850 watts
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140-W LED taillights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Tilt steering adjustment
Protection	Integrated front bumper • Full heavy-duty HMWPE skid plate • Full hard roof with liner and interior dome light • Full colour match doors with electric opening windows and door locks • Full glass tilt up windshield with wiper/ washer kit • Clear rear glass window
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER XU HD10 G2



Stealth Black

PACKAGE HIGHLIGHTS

- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- Brake holding mechanism
- 65 in. wide with Double A-arm and sway bar
- 27 in. XPS Trail King 2 Tyres
- 4,500 lb (2,041 kg) winch with synthetic cable
- Full heavy-duty HMWPE skid plate
- Full hard roof
- LED headlights and LED taillights with back up light
- 3 person seating capacity

ENGINES	HD10
Type	80 hp / 65 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)
Rear	Dual 236 mm disc brakes with hydraulic single piston caliper (28 mm)
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,893 lb (858 kg)
Cage	Profiled cage ROPS approved
L x W x H	122.7 x 65 x 81 in. (312 x 165 x 206 cm)
Wheelbase	85 in. (216 cm)
Ground Clearance	13 in (33cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display with keypad
Battery	32 Ah (400 CCA)
Magneto	650 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED taillights with back up light
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Reinforced Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel Adjustable steering wheel with full tilt-up feature
Protection	Full heavy-duty HMWPE skid plate • Full hard roof • Door safety net
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER XT HD10 G2



Stealth Black

PACKAGE HIGHLIGHTS

- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- Brake holding mechanism
- 4,500 lb (2,041 kg) winch with synthetic cable
- Full heavy-duty HMWPE skid plate
- Full hard roof
- Heavy-duty front bumper
- LED headlights and LED taillights with back up light
- 3 person seating capacity

ENGINES	HD10
Type	80 hp / 65 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Single piston caliper (32 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,883 lb (854 kg)
Cage	Profiled cage ROPS approved
L x W x H	129.8 x 65 x 81 in. (330 x 165 x 206 cm)
Wheelbase	85 in. (216 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display
Battery	30 Ah (400 CCA)
Magneto	650 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED taillights with back up light LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full heavy-duty HMWPE skid plate • Full hard roof • Heavy-duty front bumper • Door safety net
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER XT CAB HD11



Dolomite Grey

PACKAGE HIGHLIGHTS

- Heating, venting and air conditioning (HVAC) climate system
- High capacity radiator with fan and condenser
- Full glass tilt up windshield with wiper kit
- Full colour match doors with locks and electric opening windows
- Rear clear glass window
- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- 1,700-W magneto
- Brake holding mechanism
- 65 in. wide with Arched double A-arm and sway bar
- 4,500 lb (2,041 kg) winch with synthetic cable
- Full heavy-duty HMWPE skid plate
- Full hard roof with liner and dome light
- Heavy-duty front bumper
- LED headlights and LED taillights with back up light
- 3 person capacity

ENGINES	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 29 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Single piston caliper (32 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,187 lb (992 kg)
Cage	Profiled cage • ROPS approved
L x W x H	129.8 x 65 x 81 in. (330 x 165 x 206 cm)
Wheelbase	85 in. (216 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box • Weather resistant passenger glove box with USB-C, USB-A & DC outlet • Cubby storage and lower dash storage • 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (545 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	3

FEATURES	
Heating / HVAC	Heating, venting and air conditioning (HVAC) climate system
Gauge	5 in. Colour digital display
Battery	30 Ah (400 CCA)
Magneto	1,700 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights • LED taillights with back up light • LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full glass fixed windshield with wiper kit • Full colour match doors with locks and electric opening windows • Rear clear glass window • Full heavy-duty HMWPE skid plate • Full hard roof with liner and dome light • Heavy-duty front bumper
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER XT HD11



Dolomite Grey

PACKAGE HIGHLIGHTS

- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- Brake holding mechanism
- 4,500 lb (2,041 kg) winch with synthetic cable
- Full heavy-duty HMWPE skid plate
- Full hard roof
- Heavy-duty front bumper
- LED headlights and LED taillights with back up light
- 8 ply 29 in XPR Trail King 2 tyres
- 45L fuel capacity
- 3 person seating capacity

ENGINES	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 29 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Single piston caliper (32 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,883 lb (854 kg)
Cage	Profiled cage ROPS approved
L x W x H	129.8 x 65 x 81 in. (330 x 165 x 206 cm)
Wheelbase	85 in. (216 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display
Battery	30 Ah (400 CCA)
Magneto	650 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED taillights with back up light LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full heavy-duty HMWPE skid plate • Full hard roof • Heavy-duty front bumper • Door safety net
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		2027 Can-Am Defender XT HD11	Polaris Ranger 1000 XP	Honda Pioneer 1000-3
Engine Size (cc)	=	999 cc	999 cc	999 cc
No of Cylinders	+	3	2	2
Horsepower	+	95 hp	82 hp	72 hp
Transmission	+	pDrive primary and Quick Response system X (QRS-X with QRS) CVT with high airflow	Automatic PVC	Automatic dual clutch transmission
Front Diff. Type		Selectable Turf Mode/2WD/4WD with Quick-4Lok auto-locking front differential	High Performance On-Demand True AWD/2WD/Versatrac turf mode	2WD/4WD/4WD Lock
Turf Mode	=	Yes	Yes	Yes
Power Steering	+	High torque Tri-Mode Dynamic Power Steering (DPS)	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance		CVT Engine braking	Active Decent Control and Engine braking	Engine braking
Seating Capacity	=	3	3	3
Front Suspension	+	Arched Double A-arm with sway bar	Dual A-arm	Independent Double-wishbone
Rear Suspension	+	Arched double A-arm	Dual A-arm	Independent Double-wishbone
Wheel Size	=	14"	14"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Ply Rating	=	8 ply	8 ply	6 ply
Tyre Size	=	29"	29"	27"
Towing Capacity	=	1,134 kg	1,134 kg	1,134 kg
Cargo Bed Capacity	=	454 kg	454 kg	454 kg
Total Payload		680.4 kg	680 kg	748 kg
Ground Clearance	=	36 cm	36 cm	34.5 cm
Overall Length	+	329.7 cm	305 cm	296.6 cm
Overall Width	+	165.1 cm	158 cm	159.9 cm
Vehicle Dry Weight	+	848.2 kg	768 kg	723 kg
Fuel Capacity	+	45 L	43.5 L	30 L
Winch	+	Yes - 2041.2 kg with synthetic cable	Yes	No
Speed Limiting Device	+	23 kph drivers seatbelt limiter, speed limiter, plus optional D.E.S.S.™ speed limiting safety keys (40 kph, 70 kph, and open)	Yes - On dash pin code activated	24 kph drivers seatbelt limiter
Anti Theft Device	+	D.E.S.S.™ keys - vehicle can not be hot wired	No	No
Warranty Period	+	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
Display	+	5" Colour digital display	4" LCD	Multi-function LCD dash display

† Visco-Lok is a trademark of GKN Viscodrive GmbH.

Can-Am model information is correct at the time of printing. Competitor model details have been sourced from publicly available websites and are correct to the best of our knowledge at the time of printing. As competitor specifications may change without notice, this chart should not be relied upon as a definitive comparison of current models.

2027 CAN-AM DEFENDER LIMITED HD11



Hybrid White

PACKAGE HIGHLIGHTS

- Heating, venting and air conditioning (HVAC) climate system
- High capacity radiator with fan and condenser
- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Rockford Fosgate Premium Audio System – Level 2, 2 speakers & subwoofer with AMP
- AM / FM radio
- Full glass tilt up windshield with wiper kit
- Full colour match doors with locks and electric opening tinted windows
- Full hard roof with liner and dome light
- Rear tinted glass window
- Panoramic mirror
- New side mirrors
- Speed Limiter
- 5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
- Rear camera
- 1,700-W magneto
- Brake holding mechanism
- 65 in. wide with Arched double A-arm and sway bar
- 30 in. XPS Trac Force tyres with 15 in. aluminum wheels
- 4,500 lb (2,041 kg) winch with synthetic cable and autostop
- Full heavy-duty HMWPE skid plate
- Large heavy-duty front bumper
- Floor mats
- LED headlights, LED taillights with back up light & LED signature lights
- 3 person seating capacity

ENGINE	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trac Force 30 x 9/10 x 15 in.
Wheels	15 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Single piston caliper (32 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,282 lb (1,035 kg)
Cage	Profiled cage • ROPS approved
L x W x H	129.8 x 65 x 81 in. (330 x 165 x 206 cm)
Wheelbase	85 in. (216 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box including protected cell phone area and USB A plug • Weather resistant passenger glove box with USB-C, USB-A & DC outlet • Cubby storage and lower dash storage • 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (545 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	3

FEATURES	
Heating / HVAC	Heating, venting and air conditioning (HVAC) climate system
Gauge	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
Battery	30 Ah (400 CCA)
Magneto	1,700 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights • LED taillights with back up light • LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full glass tilt up windshield with wiper kit • Full colour match doors with locks and electric opening tinted windows • Rear tinted glass window • Panoramic & side mirrors • Full heavy-duty HMWPE skid plate • Full hard roof with liner and dome light • Large heavy-duty front bumper • Floor mats
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER X MR HD11 WITH HALF-DOORS



Loft Green Satin

PACKAGE HIGHLIGHTS

- 5 in. colour digital display with keypad & 10.25 in. Wireless Touch display (including premium steering wheel with controls and rear camera)
- Smart-Lok™ technology front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- Brake holding mechanism
- 65 in. wide with Arched double A-arm and sway bar
- 30 in. XPS Swamp Force Tyres with 14 in. aluminum wheels
- Repositioned inlet snorkles
- Half doors
- 15»/38cm ground clearance
- 3 person seating capacity
- Highmount 4,500 lb (2,041 kg) winch with synthetic cable and autostop
- Full heavy-duty HMWPE skid plate
- Large heavy-duty front bumper
- Steel rock sliders
- Wide mudguards
- Front anchor
- LED headlights, LED taillights with back up light & LED signature lights

ENGINE	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow, Strategically positioned CVT air intakes and exhaust. Lower gearing ratio and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Turf Mode and lockable front differential with exclusive Smart-Lok™* technology. True 4-mode traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Swamp Force 30 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Single piston caliper (32 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,048 lb (929 kg)
Cage	Profiled cage • ROPS approved
L x W x H	131.7 x 65 x 79.8 in. (335 x 165 x 203 cm)
Wheelbase	85 in. (216 cm)
Ground Clearance	15 in. (38.1 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box including protected cell phone area and USB A plug • Weather resistant passenger glove box with USB-C, USB-A & DC outlet • Cubby storage and lower dash storage
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
Battery	30 Ah (400 CCA)
Magneto	650 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED taillights with back up light LED signature lights
Winch	Highmount 4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full heavy-duty HMWPE skid plate • Large heavy-duty front bumper • Steel rock sliders • Wide mudguards • Half doors • Front anchor
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER PRO (PICK-UP) DPS HD10 G1



Yellow

PACKAGE HIGHLIGHTS

- Dynamic Power Steering (DPS™)
- 64 in. wide with arched A-arm
- Dual entry under tray storage locker
- 6ft long cargo tray
- 712 kg payload capacity
- 3 person seating capacity
- 14 in. cast-aluminum wheels
- 27 in. XPS Trail King Tyres

ENGINE	HD10
Type	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential
Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm / 11 in. (27.9 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar / 11 in. (27.9 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 220 mm discs
Rear	Twin piston caliper (28 mm) / 220 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,924 lb (872 kg)
Cage	Profiled cage ROPS approved
L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 94 gal (356 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,570 lb (712 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES	
Heating / HVAC	N/A
Gauge	4.5 in. digital display
Battery	18 Ah (270 CCA)
Magneto	650 watts
Instrumentation	DC outlet (10 A)
Lighting	Front lighting output 140 W LED taillights
Winch	N/A
Seat	VERSA-PRO bench seat with passengers' seats flipping up Underside hooks
Steering Wheel	Tilt steering adjustment
Protection	Integrated front steel bumper • Full heavy-duty HMWPE skid plate • Door safety nets
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER MAX DPS HD9



Compass Green

PACKAGE HIGHLIGHTS

- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminum wheels
- 8 ply 27 in. XPS Trail Force tyres
- 1,134 kg towing capacity
- 650 kg payload capacity
- 40 L fuel tank
- 6 person seating capacity

ENGINES	HD9
Type	65 hp / 59 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm / 10 in. (25.4 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail Force 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 220 mm discs
Rear	Twin piston caliper (28 mm) / 220 mm discs
Brake Holding Mechanism	N/A

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,876 lb (851 kg)
Cage	Profiled cage ROPS approved
L x W x H	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	11 in. (28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 11.1 gal (42.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

FEATURES	
Heating / HVAC	N/A
Gauge	4.5 in. display
Battery	18 Ah (270 CCA)
Magneto	650 watts
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140-W LED taillights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Tilt steering adjustment
Protection	Integrated front steel bumper • Full heavy-duty HMWPE skid plate • Door safety nets
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER MAX DPS CAB HD10 G1



Dolomite Grey

PACKAGE HIGHLIGHTS

- Heating, venting and air conditioning (HVAC) climate system
- Full hard roof with liner and interior dome light
- Full colour match front doors with locks and electric opening windows
- Lockable rear colour match doors with roll down windows
- 6 person seating capacity
- Full clear glass tilt up windshield with wiper/washer kit
- Clear rear glass window
- Brake holding mechanism
- 65 in. wide with arched A-arm
- 27 in. XPS Trail King tyres with 14 in. aluminum wheels

ENGINE	HD10
Type	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential
Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with swaybar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	TTA with external sway bar / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 27 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 220 mm discs
Rear	Twin piston caliper (28 mm) / 220 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,485 lb (1,114.5 kg)
Cage	Profiled cage ROPS approved
L x W x H	160 x 65 x 81 in. (405.7 x 165.1 x 228.7 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (30.5 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.5 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (544 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

FEATURES	
Heating / HVAC	Heating, venting and air conditioning (HVAC) climate system
Gauge	4.5 in. display
Battery	30 Ah (400 CCA)
Magneto	850 watts
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140-W LED taillights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Tilt steering adjustment
Protection	Integrated front bumper • Full heavy-duty HMWPE skid plate • Full hard roof with liner and interior dome light • Full colour match front doors with locks and electric opening windows • Rear colour match doors with locks and roll down windows • Full clear glass tilt up windshield with wiper/washer kit • Clear rear glass window
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER MAX XT HD11



Stealth Black

PACKAGE HIGHLIGHTS

- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- Brake holding mechanism
- 65 in. wide with Double A-arm and sway bar
- 4,500 lb (2,041 kg) winch with synthetic cable
- Full heavy-duty HMWPE skid plate
- Full hard roof
- Heavy-duty front bumper
- LED headlights and LED taillights with back up light
- 6 person seating capacity

ENGINES	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in.(30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 29 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,209 lb (1,002 kg)
Cage	Profiled cage ROPS approved
L x W x H	162.4 x 65 x 81.4 in. (412 x 165 x 207 cm)
Wheelbase	117.5 in. (298 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,425 lb (646 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	6

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display
Battery	30 Ah (400 CCA)
Magneto	650 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED taillights with back up light
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full heavy-duty HMWPE skid plate • Full hard roof • Heavy-duty front bumper • Door safety net
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER MAX LIMITED HD11



Sandstone

PACKAGE HIGHLIGHTS

- Heating, venting and air conditioning (HVAC) climate system
- High capacity radiator with fan and condenser
- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Rockford Fosgate Premium Audio System – Level 3 , 4 speakers & subwoofer with AMP
- AM / FM radio
- Full glass tilt up windshield with wiper kit
- Full colour match front doors with locks and electric opening tinted windows
- Lockable rear colour match doors with roll down window
- Rear tinted glass window
- Panoramic mirror
- New side mirrors
- 6 person seating capacity
- Speed Limiter
- 5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
- Rear camera
- 1,700-W magneto
- Brake holding mechanism
- 65 in. wide with Arched double A-arm and sway bar
- 30 in. XPS Trac Force tyres with 15 in. aluminum wheels
- 4,500 lb (2,041 kg) winch with synthetic cable and autostop
- Full heavy-duty HMWPE skid plate
- Full hard roof with liner and dome light
- Large heavy-duty front bumper
- Floor mats
- LED headlights, LED taillights with back up light & LED signature lights

ENGINE	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trac Force 30 x 9/10 x 15 in.
Wheels	15 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,741 lb (1,243 kg)
Cage	Profiled cage • ROPS approved
L x W x H	162.4 x 65 x 81.4 in. (412 x 165 x 207 cm)
Wheelbase	117.5 in. (298 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	700 lb (318 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box including protected cell phone area and USB A plug • Weather resistant passenger glove box with USB-C, USB-A & DC outlet • Cubby storage and lower dash storage • 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	850 lb (385 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	6

FEATURES	
Heating / HVAC	Heating, venting and air conditioning (HVAC) climate system
Gauge	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
Battery	30 Ah (400 CCA)
Magneto	1,700 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights • LED taillights with back up light • LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full glass tilt up windshield with wiper kit • Full Colour match front doors with locks and electric opening tinted windows • Lockable rear colour match doors with roll down window • Rear tinted glass window • Panoramic & side mirrors • Full heavy-duty HMWPE skid plate • Full hard roof with liner and dome light • Large heavy-duty front bumper • Floor mats
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER MAX LONE STAR CAB HD11



Stealth Black

PACKAGE HIGHLIGHTS

- Heating, venting and air conditioning (HVAC) climate system
- High capacity radiator with fan and condenser
- Quick-4Lok auto-locking front differential
- Dynamic Power Steering (DPS™)
- Rockford Fosgate Premium Audio System – Level 3 , 4 speakers & 1 subwoofer with AMP
- AM / FM radio
- Full glass tilt up windshield with wiper kit
- Full colour match front doors with locks and electric opening tinted windows
- Rear colour match doors with roll down window
- Full hard roof with liner and dome light
- Rear tinted glass window
- New side mirrors
- 6 person seating capacity
- Panoramic mirror
- Speed Limiter
- 5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
- Front and rear cameras
- 1,700-W magneto
- Brake holding mechanism
- 65 in. wide with Arched double A-arm and sway bar
- 30 in. XPS Trac Force tyres with 15 in. aluminum wheels
- 4,500 lb (2,041 kg) winch with synthetic cable and autostop
- Full heavy-duty HMWPE skid plate
- Steel rock sliders
- Large heavy-duty front bumper
- Floor mats
- LED headlights, LED taillights with back up light & LED signature lights

ENGINE	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Trac Force 30 x 9/10 x 15 in.
Wheels	15 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,765 lb (1,254 kg)
Cage	Profiled cage • ROPS approved
L x W x H	162.4 x 65 x 82.6 in. (412 x 165 x 210 cm)
Wheelbase	117.5 in. (298 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	700 lb (318 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box including protected cell phone area and USB A plug • Weather resistant passenger glove box with USB-C, USB-A & DC outlet • Cubby storage and lower dash storage • 3.7 gal (14 L) underseat removable bin
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	850 lb (385 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	6

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
Battery	30 Ah (400 CCA)
Magneto	1,700 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights • LED taillights with back up light • LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full glass tilt up windshield with wiper kit • Full Colour match front doors with locks and electric opening tinted windows • Rear colour match lockable doors with roll down window • Rear tinted glass window • Panoramic & side mirrors • Full heavy-duty HMWPE skid plate • Full hard roof with liner and dome light • Steel rock sliders • Large heavy-duty front bumper • Floor mats
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM DEFENDER MAX X MR HD11 WITH HALF-DOORS



Loft Green Satin

PACKAGE HIGHLIGHTS

- 5 in. colour digital display with keypad & 10.25 in. Wireless Touch display (including premium steering wheel with controls and rear camera)
- Smart-Lok™ technology front differential
- Dynamic Power Steering (DPS™)
- Speed Limiter
- Brake holding mechanism
- 65 in. wide with Arched double A-arm and sway bar
- 30 in. XPS Swamp Force Tyres with 14 in. aluminum wheels
- Repositioned inlet snorkles
- Half doors
- 15»/38cm ground clearance
- 6 person seating capacity
- Highmount 4,500 lb (2,041 kg) winch with synthetic cable and autostop
- Full heavy-duty HMWPE skid plate
- Large heavy-duty front bumper
- Steel rock sliders
- Wide mudguards
- Front anchor
- LED headlights, LED taillights with back up light & LED signature lights

ENGINE	HD11
Type	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow, Strategically positioned CVT air intakes and exhaust. Lower gearing ratio and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Turf Mode and lockable front differential with exclusive Smart-Lok* technology. True 4-mode traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL
Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel
Rear Shocks	Twin tube gas charged shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Swamp Force 30 x 9/11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 236 mm discs
Brake Holding Mechanism	Standard

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2437 lb (1,105 kg)
Cage	Profiled cage • ROPS approved
L x W x H	164.2 x 65 x 79.8 in. (417 x 165 x 203 cm)
Wheelbase	117.5 in. (298 cm)
Ground Clearance	15 in. (38.1 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,175 lb (532 kg)
Fuel Capacity	11.9 gal (45 L)
Person Capacity	6

FEATURES	
Heating / HVAC	N/A
Gauge	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
Battery	30 Ah (400 CCA)
Magneto	650 watts
Instrumentation	USB outlets • Lighter DC outlet • Cargo 12V outlet
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlights LED taillights with back up light LED signature lights
Winch	Highmount 4,500 lb (2,041 kg) winch with synthetic cable and autostop
Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
Protection	Full heavy-duty HMWPE skid plate • Large heavy-duty front bumper • Steel rock sliders • Wide mudguards • Half doors • Front anchor
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty







		DEFENDER DPS HD9	DEFENDER XU HD9	DEFENDER DPS CAB HD10 G1
COLOUR OPTIONS		Compass Green	Yellow	Dolomite Grey
ENGINES		HD9	HD9	HD10
	Type	65 hp / 59 lb-ft, Rotax® 976 cc, V-twin, liquid cooled	65 hp / 59 lb-ft, Rotax® 976 cc, V-twin, liquid cooled	82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential
	Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Double A-arm / 10 in. (25.4 cm) suspension travel	Double A-arm / 10 in. (25.4 cm) suspension travel	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel	TTA with external sway bar / 10 in. (25.4 cm) suspension travel	TTA with external sway bar / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	Front/Rear Tyres	XPS Trail Force 27 x 9/11 x 14 in.	XPS Trail Force 27 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminium	14 in. cast-aluminium	14 in. cast-aluminium
BRAKES	Front	Twin piston caliper (32 mm) / 220 mm discs	Twin piston caliper (32 mm) / 220 mm discs	Twin piston caliper (32 mm) / 220 mm discs
	Rear	Single piston caliper (32 mm) / 220 mm discs	Single piston caliper (32 mm) / 220 mm discs	Single piston caliper (32 mm) / 220 mm discs
	Brake Holding Mechanism	N/A	Standard	Standard
DIMENSIONS / CAPACITIES	Cage	Profiled cage ROPS approved	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	1,545 lb (701 kg)	1,585 lb (719 kg)	1,921 lb (871 kg)
	L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)
	Wheelbase	83 in. (211.5 cm)	83 in. (211.5 cm)	83 in. (211.5 cm)
	Ground Clearance	11 in. (28 cm)	11 in. (28 cm)	13 in. (30.5 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	1,000 lb (454 kg)	1,000 lb (454 kg)	1,000 lb (454 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Total: 10.4 gal (39.5 L)	Total: 10.4 gal (39.5 L)	Total: 10.4 gal (39.5 L)
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	1,500 lb (680 kg)	1,500 lb (680 kg)	1,200 lb (544 kg)
	Fuel Capacity	10.6 gal (40 L)	10.6 gal (40 L)	10.6 gal (40 L)
	Person Capacity	3	3	3
FEATURES	Heating and/or Air Conditioning	N/A	N/A	Heating, venting and air conditioning (HVAC) climate system
	Gauge	4.5 in. digital display	4.5 in. digital display	4.5 in. display
	Battery	18 Ah (270 CCA)	18 Ah (270 CCA)	30 Ah (400 CCA)
	Magneto	650 W	650 W	850 watts
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	N/A	RF D.E.S.S.™ key with Start / Stop button	N/A
	Lighting	Front lighting output 140 W LED taillights	Front lighting output 140 W LED taillights	Front lighting output 140-W LED taillights
	Winch	N/A	N/A	N/A
	Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks	VERSA-PRO bench seat with passenger seats flipping up Underside hooks	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
	Steering Wheel	Tilt steering adjustment	Tilt steering adjustment	Tilt steering adjustment
	Protection	Integrated front steel bumper · Full heavy-duty HMWPE skid plate · Door safety nets	Integrated front steel bumper · HMWPE central skid plate · Full hard roof · Door safety nets	Integrated front bumper · Full heavy-duty HMWPE skid plate · Full hard roof with liner and interior dome light · Full colour match doors with electric opening windows and door locks · Full glass tilt up windshield with wiper/washer kit · Clear rear glass window
	Hitch Type	2 in. hitch receiver	2 in. receiver with hitch and towball	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

				
		DEFENDER XU HD10 G2	**DEFENDER XT HD10 G2**	**DEFENDER XT HD11**
COLOUR OPTIONS		Stealth Black	Stealth Black	Dolomite Grey
ENGINES		HD10	HD10	HD11
	Type	80 hp / 65 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	80 hp / 65 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
	Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	**Front Suspension**	Double A-arm with sway bar / 12 in. (30.5 cm) suspension travel	Double A-arm with sway bar / 12 in. (30.5 cm) suspension travel	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Double A-arm / 12 in. (30.5 cm) suspension travel	Double A-arm / 12 in. (30.5 cm) suspension travel	Arched double A-arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	**Front/Rear Tyres**	XPS Trail King 2 27 x 9/11 x 14 in.	XPS Trail King 2 27 x 9/11 x 14 in.	XPS Trail King 2 29 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminium	14 in. cast-aluminium	14 in. cast-aluminium
BRAKES	**Front**	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 262 mm discs
	Rear	Dual 236 mm disc brakes with hydraulic single piston caliper (28 mm)	Single piston caliper (32 mm) / 236 mm discs	Single piston caliper (32 mm) / 236 mm discs
	Brake Holding Mechanism	Standard	Standard	Standard
DIMENSIONS / CAPACITIES	**Cage**	Profiled cage ROPS approved	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	1,893 lb (858 kg)	1,883 lb (854 kg)	1,883 lb (854 kg)
	L x W x H	122.7 x 65 x 81 in. (312 x 165 x 206 cm)	129.8 x 65 x 81 in. (330 x 165 x 206 cm)	129.8 x 65 x 81 in. (330 x 165 x 206 cm)
	Wheelbase	85 in. (216 cm)	85 in. (216 cm)	85 in. (216 cm)
	Ground Clearance	13 in (33cm)	13 in (33cm)	14 in. (35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	1,000 lb (454 kg)	1,000 lb (454 kg)	1,000 lb (454 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	1,500 lb (680 kg)	1,500 lb (680 kg)	1,500 lb (680 kg)
	Fuel Capacity	11.9 gal (45 L)	11.9 gal (45 L)	11.9 gal (45 L)
	Person Capacity	3	3	3
FEATURES	**Heating and/or Air Conditioning**	N/A	N/A	N/A
	Gauge	5 in. Colour digital display with keypad	5 in. Colour digital display with keypad	5 in. colour display
	Battery	32 Ah (400 CCA)	30 Ah (400 CCA)	30 Ah (400 CCA)
	Magneto	650 W	650 W	650 W
	Instrumentation	USB outlets Lighter DC outlet Cargo 12V outlet	USB outlets Lighter DC outlet Cargo 12V outlet	USB outlets Lighter DC outlet Cargo 12 V outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button
	Lighting	LED headlights LED taillights with back up light	LED headlights LED taillights with back up light LED signature lights	LED headlights LED taillights with back up light LED signature lights
	Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop	4,500 lb (2,041 kg) winch with synthetic cable and autostop	4,500 lb (2,041 kg) winch with synthetic cable and autostop
	Seat	Adjustable driver seat 40/20/40 Reinforced Passenger seats flipping up Underside hooks	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
	Steering Wheel	Premium steering wheel Adjustable steering wheel with full tilt-up feature	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
	Protection	Full heavy-duty HMWPE skid plate · Full hard roof· Door safety net	Full heavy-duty HMWPE skid plate · Full hard roof · Heavy-duty front bumper · Door safety net	Full heavy-duty HMWPE skid plate · Full hard roof · Heavy-duty front bumper · Door safety net
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.





		DEFENDER XT CAB HD11	DEFENDER LIMITED HD11
COLOUR OPTIONS		Dolomite Grey	Hybrid White
ENGINES	Type	HD11 95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	HD11 95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
	Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel	Arched double A-arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	Front/Rear Tyres	XPS Trail King 2 29 x 9/11 x 14 in.	XPS Trac Force 30 x 9/10 x 15 in.
	Wheels	14 in. cast-aluminium	15 in. cast-aluminium
BRAKES	Front	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 262 mm discs
	Rear	Single piston caliper (32 mm) / 236 mm discs	Single piston caliper (32 mm) / 236 mm discs
	Brake Holding Mechanism	Standard	Standard
DIMENSIONS / CAPACITIES	Cage	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	2,187 lb (992 kg)	2,282 lb (1,035 kg)
	L x W x H	129.8 x 65 x 81 in. (330 x 165 x 206 cm)	129.8 x 65 x 81 in. (330 x 165 x 206 cm)
	Wheelbase	85 in. (216 cm)	85 in. (216 cm)
	Ground Clearance	14 in. (35.6 cm)	14 in. (35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	1,000 lb (454 kg)	1,000 lb (454 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin	Weather resistant above gauge glove box including protected cell phone area and USB A plug · Weather resistant passenger glove box with USB-C, USB-A & DC outlet · Cubby storage and lower dash storage · 3.7 gal (14 L) underseat removable bin
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	1,200 lb (545 kg)	1,200 lb (545 kg)
	Fuel Capacity	11.9 gal (45 L)	11.9 gal (45 L)
	Person Capacity	3	3
FEATURES	Heating and/or Air Conditioning	Heating, venting and air conditioning (HVAC) climate system	Heating, venting and air conditioning (HVAC) climate system
	Gauge	5 in. colour display	5 in. colour display with keypad & 10.25 in. Wireless Touch Display
	Battery	30 Ah (400 CCA)	30 Ah (400 CCA)
	Magneto	1700 W	1,700 W
	Instrumentation	USB outlets Lighter DC outlet Cargo 12 V outlet	USB outlets Lighter DC outlet Cargo 12 V outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	LED headlights LED taillights with back up light LED signature lights	LED headlights LED taillights with back up light LED signature lights
	Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop	4,500 lb (2,041 kg) winch with synthetic cable and autostop
	Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
	Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
	Protection	Full glass fixed windshield with wiper kit · Full colour match doors with locks and electric opening windows · Rear clear glass window · Full heavy-duty HMWPE skid plate · Full hard roof with liner and dome light · Heavy-duty front bumper	Full glass tilt up windshield with wiper kit · Full colour match doors with locks and electric opening tinted windows · Rear tinted glass window · Panoramic & side mirrors · Full heavy-duty HMWPE skid plate · Full hard roof with liner and dome light · Large heavy-duty front bumper · Floor mats
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.





		DEFENDER X MR HD11 WITH HALF-DOORS	DEFENDER PRO (PICK-UP) DPS HD10 G1
COLOUR OPTIONS		Loft Green Satin	Yellow
ENGINES	Type	HD11	HD10
		95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	82 hp / 69 lb-ft, Rotax 976 cc, V-twin, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow, strategically positioned CVT air intakes and exhaust. Lower gearing ratio and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Turf Mode and lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential
	Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking; ECO™ / ECO™ Off / Work modes; Speed Limiter
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel	Double A-arm / 11 in. (27.9 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel	TTA with external sway bar / 11 in. (27.9 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	Front/Rear Tyres	XPS Swamp Force 30 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminium	14 in. cast-aluminum
BRAKES	Front	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 220 mm discs
	Rear	Single piston caliper (32 mm) / 236 mm discs	Twin piston caliper (28 mm) / 220 mm discs
	Brake Holding Mechanism	Standard	N/A
DIMENSIONS / CAPACITIES	Cage	Profiled cage ROPS approved	Profiled cage; ROPS approved
	Estimated Dry Weight*	2,048 lb (929 kg)	1,924 lb (872 kg)
	L x W x H	131.7 x 65 x 79.8 in. (335 x 165 x 203 cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
	Wheelbase	85 in. (216 cm)	115.5 in. (294 cm)
	Ground Clearance	15 in. (38.1 cm)	13 in. (33 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)
	Cargo Box Capacity	1,000 lb (454 kg)	1,000 lb (454 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Weather resistant above gauge glove box including protected cell phone area and USB A plug Weather resistant passenger glove box with USB-C USB-A & DC outlet Cubby storage and lower dash storage	Total: 94 gal (356 L)
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	1,500 lb (680 kg)	1,570 lb (712 kg)
	Fuel Capacity	11.9 gal (45 L)	10.6 gal (40 L)
	Person Capacity	3	3
FEATURES	Heating and/or Air Conditioning	N/A	N/A
	Gauge	5 in. colour display with keypad & 10.25 in. Wireless Touch Display	4.5 in. digital display
	Battery	30 Ah (400 CCA)	18 Ah (270 CCA)
	Magneto	650 W	650 watts
	Instrumentation	USB outlets · Lighter DC outlet · Cargo 12 V outlet	DC outlet (10 A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	N/A
	Lighting	LED headlights LED taillights with back up light LED signature	Front lighting output 140 W LED taillights
	Winch	Highmount 4,500 lb (2,041 kg) winch with synthetic cable and autostop	N/A
	Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks	VERSA-PRO bench seat with passengers' seats flipping up Underside hooks
	Steering Wheel	Premium steering wheel Adjustable steering wheel with full tilt-up feature	Tilt steering adjustment
	Protection	Full heavy-duty HMWPE skid plate · Large heavy-duty front bumper · Steel rock sliders · Wide mudguards · Half doors · Front anchor	Integrated front steel bumper · Full heavy-duty HMWPE skid plate · Door safety nets
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

			
		DEFENDER MAX DPS HD9	**DEFENDER MAX DPS CAB HD10 G1**
COLOUR OPTIONS		Compass Green	Dolomite Grey
ENGINES	**Type**	HD9 65 hp / 59 lb-ft, Rotax® 976 cc, V-twin, liquid cooled	HD10 82 hp / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential
	Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS™)
SUSPENSIONS	**Front Suspension**	Double A-arm / 10 in. (25.4 cm) suspension travel	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel	TTA with external sway bar / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	**Front/Rear Tyres**	XPS Trail Force 27 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminium	14 in. cast-aluminium
BRAKES	**Front**	Twin piston caliper (32 mm) / 220 mm discs	Twin piston caliper (32 mm) / 220 mm discs
	Rear	Twin piston caliper (28 mm) / 220 mm discs	Twin piston caliper (28 mm) / 220 mm discs
	Brake Holding Mechanism	N/A	Standard
DIMENSIONS / CAPACITIES	**Cage**	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	1,876 lb (851 kg)	2,485 lb (1,114.5 kg)
	L x W x H	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)	160 x 65 x 81 in. (405.7 x 165.1 x 228.7 cm)
	Wheelbase	115.5 in. (294 cm)	115.5 in. (294 cm)
	Ground Clearance	11 in. (28 cm)	13 in. (30.5 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	1,000 lb (454 kg)	1,000 lb (454 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Total: 11.1 gal (42.1 L)	Total: 10.4 gal (39.5 L)
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	1,700 lb (771 kg)	1,200 lb (544 kg)
	Fuel Capacity	10.6 gal (40 L)	10.6 gal (40 L)
	Person Capacity	6	6
FEATURES	**Heating and/or Air Conditioning**	N/A	Heating, venting and air conditioning (HVAC) climate system
	Gauge	4.5 in. display	4.5 in. display
	Battery	18 Ah (270 CCA)	30 Ah (400 CCA)
	Magneto	650 W	850 watts
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	N/A	N/A
	Lighting	Front lighting output 140 W LED taillights	Front lighting output 140-W LED taillights
	Winch	N/A	N/A
	Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
	Steering Wheel	Premium steering wheel Adjustable steering wheel with full tilt-up feature	Tilt steering adjustment
	Protection	Full heavy-duty HMWPE skid plate · Full hard roof · Door safety net	Integrated front bumper · Full heavy-duty HMWPE skid plate · Full hard roof with liner and interior dome light · Full colour match front doors with locks and electric opening windows · Rear colour match doors with locks and roll down windows · Full clear glass tilt up windshield with wiper/washer kit · Clear rear glass window
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

			
		DEFENDER MAX XT HD11	**DEFENDER MAX LIMITED HD11**
COLOUR OPTIONS		Stealth Black	Sandstone
ENGINES	**Type**	HD11 95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	HD11 95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential
	Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	**Front Suspension**	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched double A-arm / 12 in.(30.5 cm) suspension travel	Arched double A-arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	**Front/Rear Tyres**	XPS Trail King 2 29 x 9/11 x 14 in.	XPS Trac Force 30 x 9/10 x 15 in.
	Wheels	14 in. cast-aluminium	15 in. cast-aluminum
BRAKES	**Front**	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 262 mm discs
	Rear	Twin piston caliper (28 mm) / 236 mm discs	Twin piston caliper (28 mm) / 236 mm discs
	Brake Holding Mechanism	Standard	Standard
DIMENSIONS / CAPACITIES	**Cage**	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	2,209 lb (1,002 kg)	2,741 lb (1,243 kg)
	L x W x H	162.4 x 65 x 81.4 in. (412 x 165 x 207 cm)	162.4 x 65 x 81.4 in. (412 x 165 x 207 cm)
	Wheelbase	117.5 in. (298 cm)	117.5 in. (298 cm)
	Ground Clearance	14 in. (35.6 cm)	14 in. (35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	1,000 lb (454 kg)	700 lb (318 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin	Weather resistant above gauge glove box including protected cell phone area and USB A plug Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	1,425 lb (646 kg)	850 lb (385 kg)
	Fuel Capacity	11.9 gal (45 L)	11.9 gal (45 L)
	Person Capacity	6	6
FEATURES	**Heating and/or Air Conditioning**	N/A	Heating, venting and air conditioning (HVAC) climate system
	Gauge	5 in. Colour digital display	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display
	Battery	30 Ah (400 CCA)	30 Ah (400 CCA)
	Magneto	650 watts	1,700 watts
	Instrumentation	USB outlets · Lighter DC outlet · Cargo 12V outlet	USB outlets · Lighter DC outlet · Cargo 12 V outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	LED headlights LED taillights with back up light	LED headlights LED taillights with back up light LED signature lights
	Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop	4,500 lb (2,041 kg) winch with synthetic cable and autostop
	Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
	Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
	Protection	Full heavy-duty HMWPE skid plate · Full hard roof · Heavy-duty front bumper · Door safety net	Full glass tilt up windshield with wiper kit · Full Colour match front doors with locks and electric opening tinted windows · Lockable rear colour match doors with roll down window · Rear tinted glass window · Panoramic & side mirrors · Full heavy-duty HMWPE skid plate · Full hard roof with liner and dome light · Large heavy-duty front bumper · Floor mats
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver

			
		DEFENDER MAX LONE STAR CAB HD11	**DEFENDER MAX X MR HD11 WITH HALF DOORS**
COLOUR OPTIONS		Stealth Black	Loft Green Satin
ENGINES	**Type**	HD11	HD11
		95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	95 hp / 70 lb-ft Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow, strategically positioned CVT air intakes and exhaust. Lower gearing ratio and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-locking front differential	Turf Mode and lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL
	Driving Assistance	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	**Front Suspension**	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel	Arched double A-arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched double A-arm / 12 in. (30.5 cm) suspension travel	Arched double A-arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TYRES / WHEELS	**Front/Rear Tyres**	XPS Trac Force 30 x 9/10 x 15 in.	XPS Swamp Force 30 x 9/11 x 14 in.
	Wheels	15 in. cast-aluminum	14 in. cast-aluminium
BRAKES	**Front**	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 262 mm discs
	Rear	Twin piston caliper (28 mm) / 236 mm discs	Twin piston caliper (28 mm) / 236 mm discs
	Brake Holding Mechanism	Standard	Standard
DIMENSIONS / CAPACITIES	**Cage**	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	2,765 lb (1,254 kg)	2437 lb (1,105 kg)
	L x W x H	162.4 x 65 x 82.6 in. (412 x 165 x 210 cm)	164.2 x 65 x 79.8 in. (417 x 165 x 203 cm)
	Wheelbase	117.5 in. (298 cm)	117.5 in. (298 cm)
	Ground Clearance	14 in. (35.6 cm)	15 in. (38.1 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	700 lb (318 kg)	1,000 lb (454 kg)
	Tailgate Load Capacity	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Weather resistant above gauge glove box including protected cell phone area and USB A plug Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) underseat removable bin	Weather resistant above gauge glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage
	Towing Capacity	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	850 lb (385 kg)	1,175 lb (532 kg)
	Fuel Capacity	11.9 gal (45 L)	11.9 gal (45 L)
	Person Capacity	6	6
FEATURES	**Heating and/or Air Conditioning**	N/A	N/A
	Gauge	5 in. Colour digital display with keypad & 10.25 in. Wireless Touch display	5 in. colour display with keypad & 10.25 in. Wireless Touch Display
	Battery	30 Ah (400 CCA)	30 Ah (400 CCA)
	Magneto	1,700 watts	650 W
	Instrumentation	USB outlets · Lighter DC outlet · Cargo 12 V outlet	USB outlets · Lighter DC outlet · Cargo 12 V outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	LED headlights LED taillights with back up light LED signature lights	LED headlights LED taillights with back up light LED signature lights
	Winch	4,500 lb (2,041 kg) winch with synthetic cable and autostop	Highmount 4,500 lb (2,041 kg) winch with synthetic cable and autostop
	Seat	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks	Adjustable driver seat 40/20/40 Bolster Passenger seats flipping up Underside hooks
	Steering Wheel	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature	Premium steering wheel with keypad Adjustable steering wheel with full tilt-up feature
	Protection	Full glass tilt up windshield with wiper kit · Full Colour match front doors with locks and electric opening tinted windows · Rear colour match lockable doors with roll down window · Rear tinted glass window · Panoramic & side mirrors · Full heavy-duty HMWPE skid plate · Full hard roof with liner and dome light · Steel rock sliders · Large heavy-duty front bumper · Floor mats	Full heavy-duty HMWPE skid plate · Large heavy-duty front bumper · Steel rock sliders · Wide mudguards · Half doors · Front anchor
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

DEFENDER ACCESSORY COMPATIBILITY GUIDE

Model year	Model	Engine configuration	Platform code
2025 & Prior	All Defender Models	All Engines	G1
2026	Defender	HD7, HD9	G1
	Defender DPS	HD7, HD9, HD10	G1
	Defender DPS CAB	HD9	G1
	Defender XT	HD7, HD9	G1
	Defender MAX	HD7, HD9	G1 MAX
	Defender MAX DPS	HD7, HD9, HD10	G1 MAX
	Defender MAX XT	HD9	G1 MAX
	Defender PRO DPS	HD10	G1*
	Defender PRO XT	HD10	G1*
	Defender PRO Limited	HD10	G1*
	Defender 6x6 DPS	HD10	G1*
	Defender 6x6 XT	HD10	G1*
	Defender 6x6 Limited	HD10	G1*
	Defender X mr with Half Doors	HD11	G2
	Defender XT	HD11	G2
	Defender XT CAB	HD11	G2
	Defender Limited	HD11	G2
	Defender MAX X mr with Half Doors	HD11	G2 MAX
	Defender MAX XT	HD11	G2 MAX
	Defender MAX XT CAB	HD11	G2 MAX
	Defender MAX Lone Star	HD11	G2 MAX
	Defender MAX Lone Star CAB	HD11	G2 MAX
	Defender MAX Limited	HD11	G2 MAX
2027	Defender	HD7, HD9	G1
	Defender DPS	HD7, HD9	G1
	Defender DPS CAB	HD9, HD10	G1
	Defender XT	HD7, HD9	G1
	Defender MAX	HD7, HD9	G1 MAX
	Defender MAX DPS	HD7, HD9	G1 MAX
	Defender MAX XT	HD9	G1 MAX
	Defender XU PRO XT	HD10	G1*
	Defender XU PRO Limited	HD10	G1*
	Defender MAX DPS CAB	HD10	G1 MAX
	Defender XU 6x6 XT	HD10	G1*
	Defender XU 6x6 Limited	HD10	G1*
	Defender X mr with Half Doors	HD11	G2
	Defender XT	HD10, HD11	G2
	Defender XU XT	HD10, HD11	G2
	Defender XT CAB	HD10, HD11	G2
	Defender XU XT CAB	HD10	G2
	Defender Limited	HD11	G2
	Defender XU Limited	HD11	G2
	Defender MAX X mr with Half Doors	HD11	G2 MAX
	Defender MAX XT	HD10, HD11	G2 MAX
	Defender XU MAX XT	HD10, HD11	G2 MAX
	Defender MAX XT CAB	HD10, HD11	G2 MAX
	Defender XU MAX XT CAB	HD10	G2 MAX
	Defender MAX Lone Star CAB	HD11	G2 MAX
	Defender XU MAX Lone Star CAB	HD11	G2 MAX
	Defender MAX Limited	HD11	G2 MAX
	Defender XU MAX Limited	HD11	G2 MAX

*For 6x6 and Pro models, further specifications will be provided in the accessory description.

ROOFS

Sport Roof

G1, G2 (except X mr models)	**715002430**
G1 MAX, G2 MAX (except X mr models)	**715003038**



- Robust injection-moulded polypropylene construction.
- Provides added protection for rider and passenger from the elements.

Deluxe Sport Roof

G1 (except X mr models)	**715002511**
G1 MAX (except X mr models)	**715003039**
G2 (except X mr models)	**715010883**
G2 MAX (except X mr models)	**715010884**



- Complete roof kit provides extra driver and passenger protection and also diminishes noise within the cab.
- Perfect fit and finish thanks to the seal kit and the liners included.

Not compatible with:
- Soft Rear Panel.

Includes
- Sport Roof
- Sport Roof Seal Kit
- Front Roof Liner
- Rear Roof Liner

Sport Roof Seal Kit
(Not illustrated)

G1, G2	**715003126**
G1 MAX, G2 MAX	**715003583**

- Necessary when installing individual cab components with Sport Roof or when installing the Front and Rear Roof Liners.

Front Roof Liner

G2, G2 MAX	**715009196**



- Vehicle enhancement.
- Integrates seamlessly with roof-mounted light switch.
- Required for installation of roof-mounted lights.
- Allows a better integration of Windshield Wiper and Washer Kit.

Required for installation:
- Seal Kit necessary when installing with Sport Roof.

Front Roof Liner

G1, G1 MAX	**715008226**



- Vehicle enhancement.
- Integrates seamlessly with roof-mounted light switch.
- Required for installation of roof-mounted lights and audio systems.
- Allows a better integration of Windshield Wiper and Washer Kit.

Required for installation:
- Seal Kit necessary when installing with Sport Roof.

Rear Roof Liner

G1, G2†	**715006334**
G1 MAX, G2 MAX‡ (Not illustrated)	**715006391**



- Quick and easy vehicle enhancement.
- Allows better integration of other accessories installed on the roof.

Required for installation:
- Seal Kit necessary when installing with Sport Roof.

Not compatible with:
- 715002920, 715006680, 715003249, 715002852, 715002851.

†Needs to be installed with Sport Roof (715002430).

‡Needs to be installed with Sport Roof (715003038).

CABS

HARD CABS

Clear Rigid Cab

G2 (except X mr models)	**715010068**
G2 MAX (except X mr models)	**715010069**



Includes:
- Front Clear Rigid Doors.
- Rear Clear Rigid Doors (MAX models only).
- Sport Roof.
- Sport Roof Max (MAX models only).
- Flip Glass Windshield.
- Rear Polycarbonate Window.

NEW Clear Rigid Cab – No Roof

G1 (except X mr models), G2 (except X mr models)	**715011139**
G1 MAX (except X mr models), G2 MAX (except X mr models)	**715011140**



Includes:
- Front Clear Rigid Doors.
- Rear Clear Rigid Doors (MAX models only).
- Flip Glass Windshield.
- Rear Polycarbonate Window.

Clear Rigid Cab

G1 (except X mr models)	**715007269**
G1 MAX 2022 & up (except X mr models)	**715007270**



Includes:
- Front Clear Rigid Doors.
- Rear Clear Rigid Doors (MAX models only).
- Sport Roof.
- Sport Roof Max (MAX models only)
- Flip Glass Windshield.
- Rear Polycarbonate Window.
- Sport Roof Seal Kit.

Deluxe Cab Enclosure

G2 (except X mr models)	**715010063**
G2 MAX (except X mr models)	**715010064**



- Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.
- Key locking door latches.

Includes:
- Deluxe Sport Roof Kit.
- Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit.
- Front and Rear Deluxe Full Doors with Key Locking Door Latches.
- Rear Glass Window.
- Wiper and Powered Windows Cable.
- Wire Cover Kit and Roof Power Cable.

Required for installation:
- Colour Panels are required (sold separately).

NEW Deluxe Cab Enclosure – No Roof

G2 (except X mr models)	**715010962**
G2 MAX (except X mr models)	**715010963**



- Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.
- Key locking door latches.

Includes:
- Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit.
- Front and Rear Deluxe Full Doors with key-locking door latches.
- Rear Glass Window.
- Wiper and Powered Windows Cable.
- Wire Cover Kit and Roof Power Cable.

Required for installation:
- Colour Panels are required (sold separately).

Deluxe Cab Enclosure

G1 (except X mr models)	**715010938**
G1 MAX (except X mr models)	**715010939**



- Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.

Includes:
- Deluxe Sport Roof Kit.
- Flip Glass Windshield with Wiper and Washer Kit.
- Front Deluxe Full Doors with Key Locking Door Latches.
- Rear Glass Window.
- Wiper and Powered Windows Cable.
- Roof Power Cable.

Required for installation:
- Colour Panels are required (sold separately).

HYBRID CABS

Hybrid Cab Enclosure

G2 (except X mr models)	**715011103**
G2 MAX (except X mr models)	**715011104**



- Offers good protection from the elements for driver and passenger.

Includes:
- Sport Roof.
- Full Windshield – Hardcoated.
- Soft Doors.
- Rear Polycarbonate Window.

Hybrid Cab Enclosure

G1 (all model years) (except X mr models)	**715008063**
G1 MAX 2018 & prior, G1 MAX 2022 & up (models produced after January 18, 2021) (except X mr models)	**715008064**



Included:
- Sport Roof.
- Full Hardcoated Windshield.
- Soft Doors.
- Rear Polycarbonate Window.

G1 CAB KITS – REFERENCE CHART

	Deluxe Cab Enclosure	Deluxe Cab Enclosure MAX	Clear Rigid Cab	Clear Rigid Cab MAX	Clear Rigid Cab – No Roof	Clear Rigid Cab MAX – No Roof	Hybrid Cab Enclosure	Hybrid Cab Enclosure MAX
Kit	**715010938**	**715010939**	**715007269**	**715007270**	**715011139**	**715011140**	**715008063**	**715008064**
Windshield	**715002441**	**715002441**	**715009225**	**715009225**	**715009225**	**715009225**	**715011568**	**715011568**
Rear Window	**715007079**	**715007079**	**715007081**	**715007081**	**715009325**	**715009325**	**715007081**	**715007081**
Roof	**715002430**	**715003038**	**715002430**	**715003038**	—	—	**715002430**	**715003038**
Front Doors	**715010568**	**715010568**	**715006261**	**715006261**	**715010067**	**715010067**	**715008059**	**715008059**
Rear Doors	—	**715010569**	—	**715006262**	—	**715006262**	—	**715006318**
Others	**710004462** **715003094** **715003126** **715008226** **715006334**	**710004462** **715003094** **715003583** **715008226** **715006391**	**715003126**	**715003583**	**715003126**	**715003583**	—	—

G2 CAB KITS – REFERENCE CHART

	Deluxe Cab Enclosure	Deluxe Cab Enclosure MAX	Deluxe Cab Enclosure – No Roof	Deluxe Cab Enclosure MAX – No Roof	Clear Rigid Cab	Clear Rigid Cab MAX	Clear Rigid Cab – No Roof	Clear Rigid Cab MAX – No Roof	Hybrid Cab Enclosure	Hybrid Cab Enclosure MAX
Kit	**715010063**	**715010064**	**715010962**	**715010963**	**715010068**	**715010069**	**715011139**	**715011140**	**715011103**	**715011104**
Windshield	**715009890**	**715009890**	**715009890**	**715009890**	**715009225**	**715009225**	**715009225**	**715009225**	**715011568**	**715011568**
Rear Window	**715007079**	**715007079**	**715007079**	**715007079**	**715009325**	**715009325**	**715009325**	**715009325**	**715009325**	**715009325**
Roof	**715002430**	**715003038**	—	—	**715002430**	**715003038**	—	—	**715002430**	**715003038**
Front Doors	**715010568**	**715010568**	**715010568**	**715010568**	**715010067**	**715010067**	**715010067**	**715010067**	**715009895**	**715009895**
Rear Doors	—	**715010569**	—	**715010569**	–	**715006262**	—	**715006262**	—	**715009896**
Others	**715003126** **715009196** **715006334** **715010489** **715009756**	**715003583** **751009196** **715006391** **715010489** **715009756**	**715009756** **715010489** **715003126** **715009196** **715006334**	**715009756** **715010489** **715003583** **715009196** **715006391**	**715003126**	**715003583**	**715003126**	**715003583**	—	—

WINDSHIELDS & MIRRORS

WINDSHIELDS

Flip Glass Windshield

G1, G1 MAX, G2, G2 MAX

715009225



- Its enhanced handle allows for quick, low-effort opening (715009225 only).
- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.
- Ideal for muddy conditions.
- Can be used with Windshield Wiper & Washer Kit (715001638 Defender G1 or 715009441 Defender G2).

Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit

G2, G2 MAX

715009890



- Its enhanced handle allows for quick, low-effort opening.
- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Ideal for muddy conditions.
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.
- Includes single-speed wiper, washer fluid dispenser and windshields frame mount.
- Intermittent wiper speed feature available when the kit is installed in combination with ACM and automatic speed variation mode that varies with vehicle speed.

Required for installation:
Requires Wiper and Power Cables when ACM is not installed.
- If equipped with the Sport Roof, Power Cables (715010489 & 715009756) are required.
- If equipped with the Audio Roof, Power Cable (715010324) is required.

Flip Glass Windshield with Wiper & Washer Kit

G1, G1 MAX

715002441



- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Ideal for muddy conditions.
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.
- Single-speed wiper with washer fluid dispenser.

Required for installation:
Requires Wiper and Power Cables.
- If equipped with the Sport Roof, Power Cables 710004462 & 715003094 are required.
- If equipped with the Audio Roof, Power Cables 715008781 & 715003094 are required.

Flip Windshield – Hardcoated

G1, G1 MAX, G2, G2 MAX

715010010



- Its enhanced handle allows for quick, low-effort opening (715010010 only).
- High-impact-resistant Makrolon† hardcoated polycarbonate full windshield in metal frame.
- Provides excellent optical clarity and better abrasion resistance.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Gas-shock-assisted operation.
- Ideal for muddy conditions.

Glass Windshield

G1, G1 MAX, G2, G2 MAX

715010876



- Curved and laminated glass full windshield in metal frame.
- Seals firmly against the cage and protects rider and passenger from the elements while providing excellent optical clarity.
- Must be used with Windshield Wiper & Washer Kit (715001638 Defender G1 or 715009441 Defender G2) to maintain clear visibility during severe riding conditions.

NEW Glass Windshield Flip Conversion Kit

G1, G1 MAX, G2, G2 MAX

715010362



- Transform your fixed glass windshield into a convenient flip glass windshield and enjoy enhanced airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Gas-shock-assisted operation and pivots on two hinges located at the top of the windshield.
- Does not include windshield.

Required for installation:
- Glass Windshield (715010876).

Full Windshield – Hardcoated

G1, G1 MAX, G2, G2 MAX | **715011568**



- High-impact-resistant Makrolon† hardcoated polycarbonate full windshield.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Full Windshield

G1, G1 MAX (2025 & prior) | **715002431**



- High-impact-resistant durable polycarbonate full windshield.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Half Windshield – Hardcoated

G1, G1 MAX, G2, G2 MAX | **715010075**



- High-impact-resistant Makrolon† hardcoated polycarbonate half windshield.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

Not compatible with:
- Soft Doors.

ProVent Windshield

G1, G1 MAX, G2, G2 MAX | **715005276**



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Optimal performance with Full Cab Enclosure.
- Controllable vents to manage air flow.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- 2 lower vents and one upper vent (pre-filter installed).
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Not compatible with:
- Wiper kits.

SMART Intermittent Wiper & Washer Kit

G2, G2 MAX | **715009441**



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.
- Automatic speed variation mode and intermittent wiper speed features available when the kit is installed in combination with ACM and that varies with vehicle speed.
- Must be used with the Glass Windshield (715010876) or Flip Glass Windshield (715009225).

Required for installation:
Requires Wiper and Power Cables when ACM is not installed.
- If equipped with the Sport Roof, Power Cables (715010489 & 715009756) are required.
- If equipped with the Audio Roof, Power Cable (715010324) is required.
- Included with Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit (715009890).

Windshield Wiper & Washer Kit

G1, G1 MAX | **715001638**



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.
- Must be used with the Flip Glass Windshield (715009225).

Required for installation:
Requires Wiper and Power Cables.
- If equipped with the Sport Roof, Power Cables (710004462 & 715003094) are required.
- If equipped with the Audio Roof, Power Cables (715008781 & 715003094) are required.

Wiper & Power Windows Cable

G2, G2 MAX | **715009756**



- Required to install Front Deluxe Full Doors (715010568 or 715010570) and/or Intermittent Wiper & Washer Kit (715009441).
- Necessary if you want to build your own cab enclosure from modular components.

Not compatible with:
- Audio Roof.

Wiper & Power Windows Cable

G2, G2 MAX | **715010324**



- Required to install Front Deluxe Full Doors (715010568 or 715010570) and/or Intermittent Wiper & Washer Kit (715009441) with the Audio Roof.
- Necessary if you want to build your own cab enclosure from modular components.

Wiper & Power Windows Cable
(Not illustrated)

G1, G1 MAX — **715008781**

- Required to install the Audio Roof (715005206 or 715006879) with the following accessories: Flip Glass Windshield with Wiper & Washer Kit (715002441), Windshield Wiper & Washer Kit (715001638) and Front Deluxe Full Doors (715009906 or 715009913).

Wiper & Power Windows Cable
(Not illustrated)

G1, G1 MAX — **710004462**

- Required to install Front Deluxe Full Doors (715009906 or 715009913) and/or Windshield Wiper & Washer Kit (715001638).
- Necessary if you want to build your own cab enclosure from modular components.

Manual Wiper Kit

G1, G1 MAX, G2, G2 MAX — **715008755**



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entyre sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

Side Wind Deflectors

G1, G1 MAX, G2, G2 MAX — **715005081**



- Clear polycarbonate air deflectors mount on each side of the cage.
- Not compatible with Full Doors.
- Sold in pairs.
- Compatible with all windshields.
- Can be adjusted at three different positions for cabin air flow control when a full windshield is installed:
  1. Outside deflection to reduce cabin air flow and turbulence.
  2. Inside deflection to increase air flow in the cabin.
  3. Windshield ventilation to reduce fog.

MIRRORS

Side Mirrors

G1, G1 MAX, G2, G2 MAX — ■ **715008100** · Black



- Rugged black nylon 6/6 construction with coated cast-aluminium mount.
- Dual adjustment (horizontal and vertical) will suit any rider.
- Convex optics deliver optimal field of view (FOV).
- Spring-loaded pivots let mirrors fold back completely.
- Fit with and without doors and half doors.
- Sold in pairs.

Not compatible with:
- Soft Doors and Soft Cab Enclosures.

Side Mirror

G1, G1 MAX (2022 & up), G2, G2 MAX — **715008101***

G1, G1 MAX (2021 & prior) — **715002459**



- Moulded heavy-duty aluminium mirror.
- Stays in place on rough trails.
- Ball-joint design for steady multi-angle adjustment and outstanding vision.
- Use with or without any roof, windshield or doors.
- Not for road use.
- Fits either side.
- Sold individually.

**Not compatible with the Half Doors (715006314 & 715006316).*

Panoramic Centre Mirror

G1, G1 MAX, G2, G2 MAX — **715003638**



- Wide-angle convex mirror.
- Offers enhanced visibility.
- Can be used with or without roof or windshield and with cab enclosures.

REAR WIND PROTECTION

Rear Glass Window with Sliding Panel

G1, G1 MAX (except X mr models), G2, G2 MAX (except X mr models)

715007080



- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Sliding panel for enhanced ventilation.
- Quick and easy installation.

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof is required for installation.

Not compatible with:
- Snorkel Kit.

Rear Glass Window

G1, G1 MAX (except X mr models), G2, G2 MAX (except X mr models)

■ **715009915** · Tinted

□ **715007079** · Clear



- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick and easy installation.
- Tinted glass 14% VLT (visual light transmission).

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof is required for installation.
- Rear Wind Protection Installation Seal Kit (715006705) required for installation on 2020 Defender models.

Not compatible with:
- Snorkel Kit.

Rear Polycarbonate Window

G1, G1 MAX (except X mr models) — **715007081**

G2, G2 MAX — **715009325**



- High-impact-resistant polycarbonate window.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick and easy installation.

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof is required for installation.

Rear Wind Screen

G1, G1 MAX, G2, G2 MAX

715002851



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- White Can-Am logo at top, to help maintain clear view.

Soft Rear Window

G1, G1 MAX, G2, G2 MAX

715003249



- Clear, flexible window made of see-through vinyl.
- Resists cold cracking to -4°F (-20°C).
- Blocks windshield backdraft or dust and rain from entering, for added cabin comfort.
- Installs quickly and easily on roll cage.
- White Can-Am logo at top, to help maintain clear view.

DOORS

Front Deluxe Full Doors

G2 (except X mr models), G2 MAX (except X mr models)

☐ **715010568** · Clear
■ **715010570** · Tinted




- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Key locking door latches.
- Tinted glass 14% VLT (visual light transmission).
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Power window delivers added ventilation.
- Compatible with all BRP windshields.

Required for installation:
- Wiper and Doors Wiring Harness (715009756) for Sport Roof or the Wiper and Doors Harness (715010324) for Audio Roof.
- Cable Cover and Roof Power Cable Kit (715010489).
- Front Roof Liner (715009196) and Sport Roof Seal Kit (715003126).
- Colour Door Trims are required (sold separately).
- Hardware to install the Door Trims is included.

Front Deluxe Full Doors

G1 (except X mr models), G1 MAX (except X mr models)

☐ **715009906** · Clear
■ **715009913** · Tinted




- New key locking door latches.
- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Tinted glass 55% VLT (visual light transmission).
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Power window delivers added ventilation.
- Compatible with all BRP windshields.

Required for installation:
- Require Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003126).
- If equipped with the Audio Roof, the Wiper & Power Windows Cable (715008781) is required.
- Colour Door Trims are required (sold separately).
- Hardware to install the Door Trim is included.

Rear Deluxe Full Doors

G2 MAX (except X mr models)

☐ **715010569** · Clear
■ **715010571** · Tinted




- New key locking door latches.
- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Tinted glass 14% VLT (visual light transmission)
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Roll-Down Window delivers added ventilation.

Required for installation:
- Require Front Doors (715010568) or Front Deluxe Full Doors – Tinted Glass (715010570), Wiper and Doors Wiring Harness (715009756) for Sport Roof or the Wiper and Doors Harness (715010324) for Audio Roof.
- Cable Cover and Roof Power Cable Kit (715010489).
- Front Roof Liner (715009196) and Sport Roof Seal Kit (715003126).
- Colour Door Trims are required (sold separately).
- Hardware to install the Door Trim is included.

Rear Deluxe Full Doors

G1 MAX 2022 & up (models produced after January 18, 2021) (except X mr models)

☐ **715009907** · Clear
■ **715009914** · Tinted




- New key locking door latches.
- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Tinted glass 14% VLT (visual light transmission).
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Roll-Down Window delivers added ventilation.

Required for installation:
- Require Front Deluxe Full Doors (715009906 or 715009913), Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003583 for MAX vehicle).
- Colour Door Trims are required (sold separately).
- Hardware to install the Door Trim is included.

Front Deluxe Half Doors

G2, G2 MAX — **715010572**
G1, G1 MAX (2022 & up) — **715007201**



- Premium colour matching doors made from robust polyethylene.
- Premium fit and finish.
- Slim with interior pockets.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior and exterior handles.

Required for installation:
- Colour accent panels are required (sold separately).
- Hardware to install the Door Trim is included.

Rear Deluxe Half Doors

G2 MAX	**715010573**
G1, G1 MAX (2022 & up)	**715007202**



- Premium colour matching doors made from robust polyethylene.
- Premium fit and finish.
- Slim with interior pockets.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior and exterior handles.

Required for installation:
- Colour accent panels are required (sold separately).
- Hardware to install the Door Trims is included.

Front Trims

G2, G2 MAX



Customise your Defender by adding colour-matched door panels.
- Front colour-matched panel for full and half doors.

Required for installation:
- Front Deluxe Full Doors (715010568), Front Deluxe Full Doors – Tinted Glass (715010570) or Front Deluxe Half Doors (715010572) are required.

Front Left Door Trim	Front Right Door Trim
705801224 · Stealth Black	**705801225** · Stealth Black
705801269 · Dark Wildland Camo	**705801270** · Dark Wildland Camo
705801551 · Dusty Navy	**705801552** · Dusty Navy

Rear Trims

G2 MAX



Customise your Defender by adding colour-matched door panels.
- Rear colour-matched panel for full and half doors.

Required for installation:
- Rear Deluxe Full Doors (715010569), Rear Deluxe Full Doors – Tinted Glass (715010571) or Rear Deluxe Half Doors (715010573) are required.

Rear Left Door Trim	Rear Right Door Trim
705801234 · Stealth Black	**705801235** · Stealth Black
705801271 · Dark Wildland Camo	**705801272** · Dark Wildland Camo
705801275 · Dusty Navy	**705801276** · Dusty Navy

Front Trims

G1, G1 MAX



Customise your Defender by adding colour-matched door panels.

Required for installation:
- Front Deluxe Full Doors (715009906), Front Deluxe Full Doors– Tinted Glass (715009913) or Front Deluxe Half Doors (715007201) are required.

Front Left Door Trim	Front Right Door Trim
705801617 · Dark Wildland Camo	**705801618** · Dark Wildland Camo
705801565 · Dusty Navy	**705801566** · Dusty Navy
705801303 · Stealth Black	**705801305** · Stealth Black
705801330 · Compass Green	**705801331** · Compass Green
705801504 · Timeless Black	**705801505** · Timeless Black
705801340 · Fiery Red	**705801341** · Fiery Red
705801408 · Hyper Silver	**705801409** · Hyper Silver

Rear Trims

G1 MAX



Customise your Defender by adding colour-matched door panels.

Required for installation:
- Rear Deluxe Full Doors (715009907), Rear Deluxe Full Doors – Tinted Glass (715009914) or Rear Deluxe Half Doors (715007202) are required.

Rear Left Door Trim	Rear Right Door Trim
705801619 · Dark Wildland Camo	**705801620** · Dark Wildland Camo
705801567 · Dusty Navy	**705801568** · Dusty Navy
705801307 · Stealth Black	**705801309** · Stealth Black
705801332 · Compass Green	**705801333** · Compass Green
705801506 · Timeless Black	**705801507** · Timeless Black
705801342 · Fiery Red	**705801343** · Fiery Red
705801410 · Hyper Silver	**705801411** · Hyper Silver

Front Clear Rigid Doors

G2, G2 MAX (except X mr models) | **715010067**



- Sturdy and compact steel frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximises visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- EC and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Front Clear Rigid Doors

G1 (all model years) (except X mr models), G1 MAX 2022 & up (except X mr models) | **715006261**



- Sturdy and compact steel-frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximises visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- EC- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Rear Clear Rigid Doors

G1 MAX 2022 & up (except X mr models), G2 MAX (except X mr models) | **715006262**



- Sturdy and compact steel-frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximises visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- EC- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Half Doors

G1, G2 | **715010076** • 2 doors

G1 MAX, G2 MAX | **715010077** • 4 doors



- Half doors made of plastic.
- Metal frame for a higher level of fit and finish and rigidity.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior pockets and liners for more comfort.

Soft Doors Can-Am

G1, G1 MAX, G2, G2 MAX (except X mr models) | **715009895** • 2 front doors

G1 MAX 2018 & prior, 2022 & up (models produced after January 18, 2021), G2 MAX (except X mr models) | **715009896** • 2 rear doors



- The design has been improved to enhance functionality.
- Weather-resistant soft doors reinforced with steel frame offer good protection from the elements.
- Made of heavy-duty UV-resistant canvas for excellent resistance to tear and abrasion.
- Rear hinge wide opening for ease of ingress/egress.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- Quick and easy installation, and easily removable on hot sunny days.
- Compatible with BRP roofs and mirrors.

Soft Door Installation Kit (715006238 / 2X for MAX) is required for installation of 2019 and prior doors on 2020 Defender models.

Front Deluxe Door Locks

G1, G1 MAX | **715009951**



- Allow you to upgrade your deluxe doors with integrated door locks.
- Include a pair of locks for front doors.
- Included on Deluxe Doors and Deluxe Cab Kits 2025 and up.
- 2 keys included.

Front & Rear Deluxe Door Locks

G1 MAX | **715009952**



- Allow you to upgrade your deluxe doors with integrated door locks.
- Include 4 locks for front and rear doors.
- Included on Deluxe Doors and Deluxe Cab Kits 2025 and up.
- 2 keys included.

CAB ACCESSORIES

NEW Heavy Duty Seat Covers

G2, G2 MAX | **715009869**



- Made from scratch-resistant 600D polyester fabric with a vinyl centre panel for enhanced, non-slip grip.
- Shields seats from mud, rain and snow to maintain long-term seat quality.
- Straps and elastic hem ensure a tight, stable fit that stays in place during your rides.
- Features a stamped Can-Am logo.
- Compatible with the Defender MAX rear row; two kits required—one for the front row and one for the rear row.

Complete coverage kit includes:

- 1 × driver-side backrest cover
- 1 × passenger-side backrest cover
- 1 × driver-side bottom cover
- 1 × passenger-side bottom cover
- 1 × centre backrest cover
- 1 × centre bottom cover

Central Headrest

G1, G1 MAX, G2, G2 MAX | **715005163**



- Headrest for front-centre-seating position on 3-seated models and for rear-centre-seating position on MAX models.
- Front Headrests are available separately for front passengers on MAX models.

Headrests are required for all passengers on some regulated trails.

Front Headrests

G1 MAX, G2 MAX | **715005164**



- Additional headrest for all three front-seating positions on MAX models.
- Central Headrest is available separately for rear-centre-seating positions on MAX models.

Headrests are required for all passengers on some regulated trails.

Floor Mats

G2 | **715008754**

G2 MAX | **715010588**



- These durable floor mats are custom-made using 6.4 mm-thick, pre-moulded rubber.
- The kit includes all the pieces to cover the entyre vehicle floor.
- They're constructed with a non-slip texture that provides an excellent grip to keep your feet firmly in place.
- They help cut down on noise.
- Easily washable.

ALUMINIUM SKID PLATES



For ultimate durability and strength, all our Aluminium Skid Plates are made with High Strength 5052 H32 Aluminium 3⁄16" (4.5 mm) thick.

- Ultimate durability
- High strength

DEFENDER, DEFENDER MAX

Offer your Defender the full protection kit or get parts individually	G1 2019 & prior		G1 2020 & up			G2 2026 & up	G2 2027
	Front suspension type						
	Double A-arm	Arched double A-arm with swaybar	Double A-arm	Arched double A-arm	Arched double A-arm with swaybar	Arched double A-arm with swaybar (65")	Double A-arm (63")
FULL PROTECTION KIT							
Aluminium Skid Plate Protection Kit	**715003711** (except MAX)	**715006977** (3-up)	**715006694** (except MAX)	**715006696** (3-up & 6x6)	**715006979** (3-up 2020 to 2021 only)	**715009141**	**NEW** **715009138**
	715003712 (MAX only)	**715006978** (MAX)	**715006695** (MAX only)	**715006697** (MAX & PRO)	**715006980** (MAX 2020 to 2021 only)		
INDIVIDUAL ALUMINIUM SKID PLATES							
① **Front A-Arm Protectors** • Extra underside protection for your vehicle's steering mechanism and suspension (A-arm). • Sold in pairs. • Not compatible with Apache Track Systems.	**715008274**	**715006975**	**715008274**	**715004387**	**715004387** (2022 & up) **715006975** (2020 to 2021 only)	**715009404** (compatible with Apache XC LT Track System)	**NEW** **715009136**
② **Front Skid Plate** • Protects the front underside of your vehicle when riding in rough terrain conditions. • Adds style to the front of your vehicle.	**715002447**	**715002447**	**715002447**	**715002447**	**715002447**	**715009137** (not compatible with plow)	**715009137** (not compatible with plow)
③ **Central Skid Plate** Central Skid Plate Kit includes central and lateral skid plates. • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Must be used with Underbelly Skid Plate Kit.	**715003467** (MAX only)	**715003467** (MAX only)	**715003467** (MAX & PRO only)	**715003467** (MAX & PRO only)	**715003467** (MAX & PRO only)	N/A	N/A
④ **Underbelly Skid Plate Kit** • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Kit includes central, lateral and rear skid plates.	**715002446**	**715002446**	**715007982**	**715007982**	**715007982**	N/A	N/A
⑤ **Rear A-Arm Protectors** • Extra underside protection for your vehicle's suspension (A-arm). • Sold in pairs. • Not compatible with Apache Track Systems.	**715002445**	**715006976**	**715002445**	**715004388**	**715004388** (2022 & up) **715006976** (2020 to 2021 only)	**715009405** (compatible with Apache XC LT Track System)	**NEW** **715009139**

BUMPERS & GUARDS

BUMPERS

NEW Front Bumper XT

G2, G2 MAX | **715009435**



- 1.5" (3.8 cm) high-strength steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting point for light.
- Compatible with all Can-Am winches.
- Standard on all XT models.

Large Heavy-Duty Front Bumper

G2, G2 MAX | **715009164**



- 1.5" (3.8 cm) diameter steel-tube construction.
- Provides heavy-duty protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting point for light.
- Standard on all Lone Star and Limited Cab models.

Front Bumper

G1, G1 MAX (2019 & prior) | **715002418**
G1, G1 MAX (2020 & up) | **715005754**



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Provides enhanced protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting points for lights.
- Required to install the Xtreme Front Bumper Plates, Front Rack and the Front Corner Protectors.

Xtreme Front Bumper Plates

G1, G1 MAX (2020 & up)† | **715005777**



- Made of high-strength heavy-gauge steel with rubber pads for increased protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provide additional front-end protection.

†Require Front Bumper (715005754) for installation.

Front Corner Protectors

G1, G1 MAX (2019 & prior)† | **715002833**
G1, G1 MAX (2020 & up)‡ | **715005774**



- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Provide enhanced protection for front corners.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

†Require Front Bumper (715002418) for installation
‡Require Front Bumper (715005754) for installation.

Rancher Front Bumper

G1, G1 MAX (2020 & up) | **715005410**



- The low front-end protection and plates allow you to use your vehicle within cattle herds and guard the safety of both the vehicle and the animals.
- The flat front portion facilitates gently prodding cattle or pushing light objects, e.g., closing a fence.
- The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Improved approach angle.
- Compatible with front rack, snow plows, tyre and track kits, winches.

XT Front Bumper

G1, G1 MAX (2019 & prior) | **715004407**



- 1.5" (3.8 cm) diameter steel-tube construction.
- Provides light-duty protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Light-kit compatible.
- Standard on XT and XT Cab models 2018 and 2019.

Not compatible with:
- Xtreme Front Bumper Plates, Front Corner Protectors or LinQ® Front Rack.

X mr Front Bumper

G1, G1 MAX

■ **715006143** · Black



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable finish.
- Provides additional front body protection.
- Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights.
- Includes a front tow hook.
- Standard on X mr models.
- Winch sold separately.

Cargo Bed Protectors & Tie Rails

G1 (6x6 & PRO models only)

715005415



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Reliable cargo box protection and tie-down attachment point to secure large loads.
- Anti-corrosion coating with durable powder coat finish.
- Designed to stay in place when cargo bed side walls are removed.

Rear Bumper

G2, G2 MAX

715009158



- Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design.
- Integrated lower and upper grip step for easy access to the cargo bed.
- Increased protection of rear cargo box and lower box corner while allowing normal tailgate function.
- Inside and outside anti-corrosion coating with durable powder-coat finish.

Rear Bumper

G1, G1 MAX

715008109



- Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design.
- Increased protection of rear box and lower box corner while allowing normal tailgate function.
- Inside and outside anti-corrosion coating with durable powder-coat finish.
- Required to install Rear Body Side Protector (715003055).

Rear Bumper Adapter

(Not illustrated)

G1 (6x6 & PRO models only)

715006060

- Required to install the Rear Bumper on Defender models with the long box.

Rear Body Side Protectors

G1, G1 MAX

715003055



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Reliable cargo box protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with fender flares.
- Integrated brush and low-lying branch deflector.
- Sold in pairs.

Required for installation:
- Require Rear Bumper for installation.

BODY SIDE PROTECTORS

Front Body Side Protectors

G1, G1 MAX

715003450



- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Front side protection for farm, ranch and forestry applications.
- Offer complete front body protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

Required for installation:
- Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and Rock Slider (715002569 or 715003040 for MAX models) for installation.

Front Rancher Body Side Protectors

G1, G1 MAX

715003617



- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Front side protection for farm, ranch and forestry applications.
- Offer complete front body protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

Required for installation:
- Require Rancher Bumper and Rock Sliders for installation.

FENDER FLARES

Fender Flares

G1 (except 6x6 & PRO), G1 MAX	**715006821**
G1 6x6	**715005409**
G1 PRO	**715006001**
G2, G2 MAX	**715009177**



- Robust injection-moulded polypropylene construction.
- Perfect for keeping mud and debris outside the vehicle.
- Include front and rear extension and all mounting hardware.
- Ideal for track equipped vehicles.

Sport Fender Flares

G1 (except 6x6 & PRO), G1 MAX	**715003898**



- Sleek fender flares just the right size to reduce mud and debris kick-up from your tyres.
- Robust injection-moulded polypropylene construction.
- Include front and rear extension and all mounting hardware.

ROCK SLIDERS

X mr / Lone Star Rock Sliders

G2	**715009421**
G2 MAX	**715010031**



- Rock sliders made of painted 2 mm steel with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Sold in pairs.

Rock Sliders

G1, G1 6x6	■ **715006671** · Black
G1 MAX, G1 PRO	■ **715006721** · Black



- Heavy-duty rock sliders made of painted 3⁄16" (5 mm) aluminium with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Sold in pairs.
- Standard on G1 X mr, G1 MAX X mr and G1 XT-P models.

Not compatible with:
- Other rock sliders.

Rock Sliders

G1, G1 6x6	**715002569**
G1 MAX, G1 PRO	**715003040**



- Protect vehicle's sides and undercarriage against large obstacles.
- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated step for easy cargo box access.
- Sold in pairs.

MUD FLAPS

NEW Front Mudguards

G2, G2 MAX	**715010306**



- Keep mud and debris out of the side of the vehicle.
- Made of EPDM rubber.
- Sold in pairs.

Required for installation:
- Fender Flares (715009177) for X mr model

Not compatible with:
- All Track Systems

Mud Flaps

G1, G1 MAX	**715003041**



- Keep mud and debris out of cargo area and protect trailer or vehicles behind you.
- Add aesthetic appeal to your vehicle.
- Made of EPDM rubber.
- Sold in pairs.

Required for installation:
- Require Rear Bumper for installation.

DEFENDER G1 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (long box bed LinQ) G1 6x6 & PRO	LinQ Cargo Rack **715006140**	Adventure Roof Rack **715003870 / 715004391**	Loadout Rack **715005447**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, centre-to-centre. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.			
LinQ Fuel Caddy 5 Gal (19 L) 715007822	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	No compatibility	No compatibility
LinQ Fuel Caddy 3.7 Gal (14.5 L) 860202246				
NEW LinQ Oil Caddy – 1 Gal (3.78 L) 860202445				
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491 • Black			LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ Cooler 5.3 Gal (20 L) 295101257 • Gray				
LinQ Cooler 11.4 Gal (43 L) 715007825 • Black 715009276 • Gray		No compatibility	No compatibility	No compatibility
LinQ Tool Kit 715006829		LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ Tool Box 715008111				
LinQ SR Bag 5.5 Gal (21 L) 860202449				
LinQ Sport Bag 4.5 Gal (17 L) 860202447				
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)				
LinQ Roll-Top Bag 10.5 Gal (40 L) 715008110				
LinQ Explorer Bag 26 Gal (100 L) 295101016		No compatibility	No further requirements	
LinQ Semi-Rigid Cooler 5.3 Gal (20 L) 295101252		LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.			
LinQ Cargo Box 12 Gal (45 L) 715003879	No compatibility	No further requirements	No further requirements	No further requirements
LinQ Trunk Box 23 Gal (87 L) 715004923				
LinQ Audio Cargo Box 11.5 Gal (43 L) 715003018				
LinQ Cooler Box 8 Gal (30 L) 715004778 • Black		No further requirements	No compatibility	No compatibility
LinQ Premium Storage Bag by OGIO 715002923 • Black		No further requirements	No further requirements	No further requirements
LinQ Heavy Duty Basket 715001215				
LinQ Low Profile Basket 715004282				

DEFENDER G2 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (short box bed LinQ)	Cargo Rack **715009148** / **715009170**	Cargo Bed Plate **715010206** (4 stock mounted sliding LinQ anchors)	LinQ Vertical Support (In-Bed Mount) **715010207**	LinQ Vertical Support (Plate Only) **715010556**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, centre-to-centre. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.				
LinQ Fuel Caddy 5 Gal (19 L) 715007822	LinQ Base Installation Kit **715008125**	No compatibility	No further requirements	No further requirements	No compatibility
LinQ Fuel Caddy 3.7 Gal (14.5 L) 860202246					No further requirements
NEW LinQ Oil Caddy – 1 Gal (3.78 L) 860202445					
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491 • Black		LinQ Base Installation Kit **715008125**		No compatibility	No compatibility
LinQ Cooler 5.3 Gal (20 L) 295101257 • Gray					
LinQ Cooler 11.4 Gal (43 L) 715007825 • Black 715009276 • Gray		No compatibility			
LinQ Tool Kit 715006829		LinQ Base Installation Kit **715008125**		No further requirements	No further requirements
LinQ Tool Box 715008111					
LinQ SR Bag 5.5 Gal (21 L) 860202449				No compatibility	No compatibility
LinQ Sport Bag 4.5 Gal (17 L) 860202447					
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L)				No further requirements	No further requirements
LinQ Modular Box 715006830 • (30 L)				No compatibility	No compatibility
LinQ Roll-Top Bag 10.5 Gal (40 L) 715008110					
LinQ Explorer Bag 26 Gal (100 L) 295101016					
LinQ Semi-Rigid Cooler 5.3 Gal (20 L) 295101252					
LinQ 15.9 US Gal (60 L) Sport Utility Cargo Box 860203020	No compatibility	**2x** LinQ Base Installation Kit **715008125**			
LinQ Bow and Gun Case 715008232	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**			
LinQ 25.4 US Gal (96 L) Trunk Box 715007182					

DEFENDER G2 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (short box bed LinQ)	Cargo Rack **715009148 / 715009170**	Cargo Bed Plate **715010206**
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ Bow and Gun Case 715008232	**2x** LinQ Base Installation Kit **(715008125)**	**2x** LinQ Base Installation Kit **(715008125)**	No further requirements
LinQ Semi-Rigid Bag 715005345	**2x** LinQ Base Installation Kit **(715008125)** + Stopper Kit **(715008895)**	**2x** LinQ Base Installation Kit **(715008125)** + Stopper Kit **(715008895)**	LinQ Base Installation Kit **(715011784)** + Stopper Kit **(715008895)**
LinQ Cargo Box 14 Gal (53 L) 715006997	**2x** LinQ Base Installation Kit **(715008125)**	**2x** LinQ Base Installation Kit **(715008125)**	LinQ Base Installation Kit **(715011784)**
LinQ 16.6 US Gal (63 L) Low Profile Box 715007827			No further requirements
LinQ Cooler Box 9.2 Gal (35 L) 715006998 · Black	**2x** LinQ Base Installation Kit **(715008125)**	No compatibility	LinQ Base Installation Kit **(715011784)**
LinQ Cargo Basket 23 Gal (87 L) 715005274	**2x** LinQ Base Installation Kit **(715008125)**	**2x** LinQ Base Installation Kit **(715008125)**	LinQ Base Installation Kit **(715011784)**

MOUNTING LOCATIONS

LinQ 16" & 36" CARGO BED POSITIONS



- **LinQ 16"** (4x mounting options)
- **LinQ 16" large** (2x mounting options)
- **LinQ 36"** (1x mounting option)
- **LinQ Lite** (4x mounting options)

LinQ 16" & 36" CARGO BED PLATE POSITIONS



LinQ 16"



LinQ 36"

LinQ ACCESSORIES WITH 16" BASE

NEW LinQ Oil Caddy – 1 Gallon

G1, G1 MAX, G2, G2 MAX | **860202445**



- 3.78-liter (1 US gallon) capacity.
- Can be used on top of LinQ Stackable Fuel Caddy (860202246).

LinQ 5 US Gal (19 L) Fuel Caddy

G1, G1 MAX, G2, G2 MAX | **715007822**



- Quick, easy and secure LinQ system installation.
- Spill-free spout for easy use.
- 5 US gal (19 L) capacity.
- Meets new Flame Mitigation Device (FMD) standard.
- Dimensions: 12" L x 19" W x 12" H.

See table for installation location and requirements.

LinQ 3.7 US Gal (14.5 L) Fuel Caddy

G1, G1 MAX, G2, G2 MAX | **860202246**



- Quick, easy and secure installation with the LinQ accessory system.
- No-spill spout designed for easy pouring.
- 3.7 US gal (14.5 L) capacity.
- Dimensions: 13" L x 19" W x 9" H.
- Note: Fuel caddies cannot be stacked.

See table for installation location and requirements.

LinQ Rigid Cooler 4.7 US Gal (18 L)

G1, G1 MAX, G2, G2 MAX | **715010491**



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomoulded rigid construction.
- Moulded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

See table for installation location and requirements.

LinQ Cooler 5.3 US Gal (20 L)

G1, G1 MAX, G2, G2 MAX | **295101257**



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomoulded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

See table for installation location and requirements.

Note: Cannot be mounted on the LinQ Stackable Fuel Caddy.

LinQ Semi-Rigid Cooler 5.3 US Gal (20 L)

G1, G1 MAX, G2, G2 MAX | **295101252**



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single day use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

See table for installation location and requirements.

LinQ 11.4 US Gal (43 L) Cooler

G1 6x6, G1 PRO, G2, G2 MAX | ■ **715007825** • Black ■ **715009276** • Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-moulded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.

See table for installation location and requirements.

NEW Ice Pack For LinQ Coolers

G1, G1 MAX, G2, G2 MAX

295101513



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation.
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257) or LinQ 11.4 US Gal (43 L) Cooler (715007825 or 715009276).

NEW LinQ 15.9 US Gal (60 L) Sport Utility Cargo Box

G2, G2 MAX

860203020



- Premium injection-moulded box.
- Top lid can be removed to provide an open box.
- 4 LinQ anchors (8602011806) can be added on top of the lid to install 16" LinQ accessories or additional storage.
- 4 hook attachment points located at the bottom of the box to help secure cargo.
- Snow and water resistant.
- Dimensions 9.4" L x 8.3" W x 5" H.
- Compatible with SXS 16" LinQ base and can be installed by moving the LinQ base assembly with the pre-drilled holes in the cargo box.
- Maximum cargo load capacity: 55 lb (25 kg), including any load placed on the lid. For the maximum cargo load specification of your vehicle, please refer to the Operator's Guide.

Required for installation:
- Cargo Rack Multi-position (715009148 or 715009170) and two LinQ Bases Installation Kit (715008125) or Cargo Bed Plate for Sliding LinQ (715010206) and LinQ Base Installation Kit (715008125).

LinQ Trunk Box (96 L)

G2, G2 MAX

715007182



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fibre.
- Features a maximum storage capacity of 96 L and 15 kg.
- Easy to install, easy to remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- Ability to install in conjunction with the LinQ Side Cargo Boxes (13.5 L) for a complete cargo solution.

See table for installation location and requirements.

LinQ Modular Box

G1, G1 MAX, G2, G2 MAX

715005494 · (10 L)
715007112 · (20 L)
715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

G1, G1 MAX, G2, G2 MAX

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

G1, G1 MAX, G2, G2 MAX

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

G1, G1 MAX, G2, G2 MAX

715006829



Includes:
- Cutter pliers
- Long-nose pliers
- Locking pliers
- Ratchet wrench ⅜" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm ⅜" drive – 6 pts
- Socket 18 mm ⅜" drive
- Long-socket 17 mm ⅜" drive – 6 pts
- Socket 15 mm ⅜" drive
- Socket 13 mm ⅜" drive
- Socket 10 mm ⅜" drive
- Socket 8 mm ⅜" drive
- Socket Torx T40 ⅜" drive
- Socket Torx T30 ⅜" drive
- Socket Torx T20 ⅜" drive
- Breaker bar ⅜" drive
- Combination wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm

See table for installation location and requirements.

LinQ SR 5.5 Gal (21 L) Bag

G1, G1 MAX, G2, G2 MAX

860202449



- Semi-rigid expandable bag.
- All the benefits of LinQ—simple, fast and secure.
- Easy one-second on/off tool-less system.
- 5.5 gal (21 L) capacity.

See table for installation location and requirements.

LinQ Roll-Top Bag

G1, G1 MAX, G2, G2 MAX

715008110



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ Explorer Bag

G1, G1 MAX, G2, G2 MAX

295101016



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S. key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.

LinQ ACCESSORIES WITH 36" BASE

NEW LinQ Semi-Rigid Bag

G2, G2 MAX

715005345 · Black



- Offers 70 L (18.5 gal) of cargo space for fully loaded adventures.
- Semi-rigid construction.
- Removable lid that converts the bag into a practical storage basket.
- Dedicated seal ensures excellent dust and weather resistance.
- Three-section lid design for quick and convenient access.
- Integrated removable centre compartment to keep your items neatly organized.

Required for installation:
- Stopper Kit (715008895).

NEW LinQ Bow & Gun Case

G2, G2 MAX

715008232



- Made of impact-resistant injected polypropylene and weatherproof.
- LinQ-mounted for efficient and secure storage.
- Practical design allows you to store a bow and arrows or shotguns and rifles up to 40" (1 m).
- Arrow rubber racking system securely fixes shafts in place under lid.
- Fits up to 9 arrows from 6 mm to 9 mm.
- Two convoluted foam pieces and one foam sheet are included, so you can make the necessary adjustments according to your use.
- Mounting tabs attach to the base, and a 6' velcro strap is included to let you firmly position your gear exactly the way you want.
- Easily carried with the rigid handle.
- Anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- Compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- Can be installed in several 16" configurations (SXS), or in a 36" configuration (ATV & SXS).
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.

LinQ Cargo Basket (87 L)

G2, G2 MAX

715005274



- Made of polyethylene.
- Storage capacity of 23 gal (87 L).
- Easy to install and remove with the LinQ system.
- 6 handles on the contour to easily install bungee cords.
- Ability to install Tool Holders (715008896) to the basket.

See table for installation location and requirements.

LinQ 12 Gal (45 L) Cargo Box

G1, G1 MAX

715003879



- Holds cargo safely and securely while riding.
- LinQ mounted for easy-on, easy-off installation.

See table for installation location and requirements.

LinQ 23 Gal (87 L) Trunk Box

G1, G1 MAX

715004923



- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio Cargo Box

G1, G1 MAX

715003018



- An affordable and quick solution for adding music and storage to your next ride.
- The rear installation does not use up any cab space and allows easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.

See table for installation location and requirements.

LinQ Cargo Box (53 L)

G2, G2 MAX

715006997



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- Easy to install and remove with the LinQ system.
- New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (2 keys included).

LinQ Low Profile Box (63 L)

G2, G2 MAX

715007827



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L.
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in several 16" configurations, or in a 36" configuration.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).

See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

G1, G1 MAX

■ **715004778** · Black



- Installs without vehicle modification.
- Rotomoulded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- Weather-resistant.
- Convenient drain plug.

See table for installation location and requirements.

LinQ 9.2 Gal (35 L) Cooler

G2, G2 MAX

715006998



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 9.2 gal (35 L).
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Moulded-in handles for quick installation and removal.
- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).

See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

G1, G1 MAX

■ **715002923** · Black



- Tool-less installation and removal thanks to the LinQ system.
- 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that prevents dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.

See table for installation location and requirements.

LinQ Heavy-Duty Basket | G1, G1 MAX | 715001215



- Made of high-strength, low-alloy steel.

See table for installation location and requirements.

LinQ Low Profile Basket | G1, G1 MAX | 715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.

See table for installation location and requirements.

LinQ CARGO & RACK

NEW LinQ Chainsaw Holder | G2, G2 MAX | 715009142



- This system mounts a chainsaw vertically to save space.
- Securely attaches with the LinQ system to the cargo bed side wall.
- Clamps the blade for a solid and quick hold.
- Can be removed quickly using the LinQ system and carried easily.
- Compatible with most blades up to 18".

NEW LinQ Gun Case Mount | G2, G2 MAX | 715009172



- Allows you to install LinQ Gun Case (715010936) on the Headache Rack (715009171).
- Sold as a pair with hardware included.

NEW Cargo Bed Plate for Sliding LinQ | G2, G2 MAX | 715010206



- Enables Sliding LinQ installation on your Defender, allowing accessories to clip in securely in under two seconds.
- Made from glass-reinforced injected plastic, featuring a flat design that won't interfere with cargo loading.
- Includes two sets of LinQ Sliding Bases (7150011726) and supports the installation of up to three 16" LinQ accessories.
- Features 12 integrated LinQ Sliding Mount Plates, with the option to add more LinQ Sliding Bases (7150011726), allowing the installation of additional LinQ accessories.
- Compatible with 36" LinQ accessories using the LinQ Sliding Base Installation Kit (715011784).
- Quick and easy installation for seamless setup.

See table for installation location and requirements.

Not compatible with:
- LinQ Cargo Bed Box (715009165).

NEW LinQ Vertical Support – In-Bed Mount | G2, G2 MAX | 715010207



- Maximises storage capacity by using the vertical space along the side of the cargo bed.
- Versatile modular design lets you quickly reposition mounting locations to suit your needs.
- Expands secure storage options, increasing cargo capacity and ease of use.
- Tool-less installation for fast and convenient setup.
- See table for installation location and requirements.

NEW LinQ Vertical Support – Plate Only | G2, G2 MAX | 715010556



- Maximises storage space without using up valuable cargo space.
- Pre-existing installation holes for easy mounting.
- Expands storage allowing for secure cargo capacity and added ease of use.

See table for installation location and requirements.

Required for installation:
- Headache Rack (715009171) or Bed Wall Extender (715010833 or 715009590).

LinQ Cargo Bed Box

G1, G1 MAX, G2, G2 MAX | **715009165**



- Large 40 gal (150 L) multifunction weather-resistant tool box designed for cargo beds.
- Rotomoulded construction provides exceptional rigidity and durability.
- LinQ mounted for easy-on, easy-off installation.
- Features built-in cup holders and integrated groove for pipe or 2x4 cutting.
- Sized to give you the option of installing 2 tool boxes in the cargo bed (the tailgate extension is not compatible with two LinQ Cargo Bed Boxes).
- Double side openings with lockable covers and rubber latches.

Required for installation:
- LinQ Base Installation Kit (715008125).
- For Defender G1, the LinQ Cargo Bed Box can be installed using a bolted configuration.

LinQ Tailgate Extension

G1, G1 MAX (except 6x6 and PRO models) | **715002464**



- Adds rear cargo capacity when the tailgate is open.
- Steel-tubing-system-style barrier mounts on top of the bed walls using the easy, tool-less LinQ system.
- Can be mounted to serve as cargo divider at different locations along the bed wall while preventing larger items from falling off the back.
- Stores neatly out of the way and offers additional cab area protection since it can be mounted upside down on the front bed wall as a mini headache rack.
- Anti-corrosion coating with durable powder coat finish.

Not compatible with:
- Hard rear windows on Defender MAX produced before January 2021.

LinQ Tyre Holder

G1, G1 MAX | **715003448**



- Cargo box spare-tyre holder.
- Heavy-duty steel construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Mounts on top of the bed walls using the easy, tool-less LinQ system.
- Compatible with Bed Wall Extender.
- Uses BRP standard wheel bolt pattern to mount tyre (nuts included).
- Accommodates BRP tyres up to 28" (wheel not included).
- Quickly allows installation in multiple positions thanks to the LinQ system.

Not compatible with:
- Cargo bed winch.

LinQ Cargo Rack

G1, G1 MAX | **715006140**



- Strong, durable steel rack.
- Easy and tool-less installation thanks to the LinQ system.
- Allows the installation of LinQ accessories.
- 2 racks can be installed at the same time.
- Allows multi-level storage on cargo bed, accommodates 5 gal (19 L) bucket.
- Helps keep cargo securely in place.
- Multiple bungee cord and tie-down anchor points.
- Kit includes LinQ Base.
- Provides more usable space in the cargo box.

LinQ Front Rack

G1, G1 MAX | **715006064**



- Rugged looking front rack mounts on top of vehicle hood and provides additional storage.
- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Flip-up configuration provides easy access to service area.
- Allows the installation of LinQ accessories (especially for use with LinQ Low Profile Basket (715004282)).
- Kit includes LinQ Base.
- Multiple bungee cord and tie-down anchor points.
- A great place to store tools while working in the field.

Required for installation:
- Requires Rancher Bumper (715005410) or Front Bumper (715002418 or 715005754) for installation.

LinQ Tool & Gun Holder

G1, G1 MAX, G2, G2 MAX | **715005466**



- 2-in-1 holding rack can be used both on the job or on the hunt.
- Includes 5 locations to securely hold tools and guns using rubber grips and retention straps at the top and a rubber mat with gunstock shaped molding at the bottom.
- Easy to remove, install or reposition using our simple and secure LinQ system.
- Can be attached at multiple positions along the cargo bed walls, facing inside or outside the bed.
- Recommended to use with the Exterior Cargo Reinforcement Panel (715006198) when installed outside the bed wall.

Not compatible with:
- Defender G2. Not compatible outside the cargo bed.

NEW LinQ Gun Case

G1, G1 MAX, G2, G2 MAX | **715010936**



- Weatherproof sealed gun case.
- The practical design lets riders store shotguns and rifles up to 50" (127 cm), even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- Includes a soft liner with a bright yellow inner lining for high visibility with a front end reinforced for increased durability and a top handle for easy carrying and transport.
- Liner stays securely in place with a rear loop that attaches inside the case, ideal for angled use.
- The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn.

Required for installation:
- LinQ Gun Case Mounting Kit (715006443) or Gun Case Mount (715009172).

NEW Bag for LinQ Gun Case

G1, G1 MAX, G2, G2 MAX | **715010189**



- Durable, weather-resistant exterior.
- Fits rifles up to 50" (127 cm) in length.
- Top handle for easy carrying and transport.
- Bright yellow inner lining for high visibility.
- Front end reinforced for increased durability.
- Features a rear loop for attaching the bag inside the LinQ Gun Case (715009240).
- Compatible with old LinQ Gun Case (715009240) and required Hardware Kit (715011740).

LinQ Gun Case Mounting Kit

G1, G1 MAX, G2, G2 MAX | **715006443**



- Required to install the LinQ Gun Case on a Defender and Defender MAX.
- Allows you to install up to two LinQ gun cases.
- Includes one pair.

LinQ LITE

LinQ Lite Device Holder

G2, G2 MAX | **715009201**



- Made with strong magnets that you can trust while riding through rough terrain
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminium construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- Holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).

LinQ Lite Action Camera Holder

G2, G2 MAX | **295101139**



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

LinQ Lite Cup

G2, G2 MAX | **715009406**



- Keep your beverage within reach.
- Flexible fins adjust to various beverage container sizes to hold most securely.
- No permanent installation point means you're free to move it almost anywhere.
- Tool-less placement, easy to move from place to place.

LinQ HOLDERS

LinQ Tool Holder

G1, G1 MAX, G2, G2 MAX | **715007358**



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Suitable for installation onto the cargo walls, Deluxe Headache Rack, Bed Wall Extender, Adventure Roof Rack and LinQ Loadout Rack.
- Sold in pairs.

Required for installation:
- If mounted on the Deluxe Headache Rack or the Bed Wall Extender, LinQ Adapter is required for installation.

NEW Tool Holder Bolt-On

G2, G2 MAX | **715008896**



- Tool Holder is made to fit the LinQ Cargo Basket (87 L) (715005274), LinQ Cargo Box (53 L) (715006997).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs.
- Several degrees of adjustment.

LinQ Gear Grips

G1, G1 MAX, G2, G2 MAX

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Adapter

G1, G1 MAX, G2, G2 MAX

715003058



- Allows the installation of the LinQ Tool Holder to the Bed Wall Extender, Adventure Roof Rack or the Deluxe Headache Rack.
- Sold in pack of 4.

LinQ Lock

G1, G1 MAX, G2, G2 MAX

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ Working Light, LinQ 4.2 US gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) and LinQ Gear Grips (715005340).

NEW LinQ Sliding Base Installation Kit

G2, G2 MAX

715011784



- This LinQ Sliding Base Installation Kit comes in 2 parts.
- The first part, the LinQ Sliding Mount Plate, can stay on your vehicle at all times without interfering with loading, thanks to its flat design.
- When you need the second part, the LinQ Sliding Base, you can simply clip it in in less than 2 seconds.
- The LinQ Sliding Base is therefore non-permanent, easy to remove and allows you to play with and swap anchors.
- Sold as a pair.
- Includes LinQ Sliding Mount Plate, LinQ Sliding Base & hardware.

Required for installation:
- Cargo Bed Plate for Sliding LinQ (715010206).

NEW LinQ Sliding Base

G2, G2 MAX

715011726



- LinQ Sliding Base only.
- The LinQ Sliding Base is non-permanent, easy to remove and allows you to play with and swap anchors.
- To be used with the LinQ Sliding Mount Plate.

Required for installation:
- Cargo Bed Plate for Sliding LinQ (715010206).

LinQ Base Installation Kit

G1, G1 MAX, G2, G2 MAX

715008125



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 LinQ Cargo Bases and hardware.

LinQ Replacement Part

G1, G1 MAX, G2, G2 MAX

715010798



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

CARGO & STORAGE

Foldable Tailgate Extension

G2, G2 MAX | **715009179**



- Foldable tailgate extension that stores on the vehicle and is always there when needed.
- Effortless installation using the tailgate striker bolts. Just unfold each side and hook them in.
- Can be quickly and completely removed from the vehicle without any tools.
- Rotomoulded plastic construction for rugged durability.
- Adds rear cargo capacity when the tailgate is open.

Loadout Rack

G1, G1 MAX | **715005447**



- LinQ installed versatile rack that creates a second level of storage.
- Adjustable height that goes from mid cab height to roof line.
- Modular basket adapts to different cargo with folding front and rear panels.
- Multiple hooks and holes to hang items both inside and outside the rack.
- Basket accommodates multiple LinQ positions.
- Combine with cargo net to create a hanging storage net below the basket for additional space.
- 2 racks can be installed on Defender Pro and Defender 6x6.

Hanging Storage Box Kit

G1, G1 MAX | **715005449**



- Versatile rack designed to hold a standard storage box.
- Fully adjustable, the rack can be tailored to hold the crates in multiple positions: headache rack position, inside the box along the side wall and outside the box along the side wall.
- Includes Can-Am branded storage box.
- Exterior Cargo Reinforcement Panel is recommended when used outside of bed wall.

Can-Am Storage Box

(Not illustrated)

G1, G1 MAX | **708303237**

- Conventional 13" x 13" plastic storage box with Can-Am branding.
- Perforated bottom allows water and debris to escape.

Exterior Cargo Reinforcement Panel

(Not illustrated)

G1, G1 MAX | **715006198**

- Plate that attaches to the bed side to further support and protect bed wall when in outward position.
- Recommended use of the hanging storage box and/or gun and tool holder when installed outside of the bed wall (except Defender 6x6 & PRO).

Headache Rack

G2, G2 MAX (except X mr models) | **715009171**



- Protects cab components from cargo load.
- 4 LinQ anchors integrated into the frame.
- Forged steel corner where you can add tie-down to secure your material.
- Complete with wire screen design.
- Compatible with LinQ Gun Case (715010936).
- Increases box capacity when used in tandem with the Bed Wall Extender (715009590 or 715009166).

Required for installation:
- Required to install the Bed Wall Extender – High (715009590).

Not compatible with:
- Snorkel Kit (715009151).
- Can-Am JL Audio Roof – Level 4 (715009223) or Defender G2 MAX already equipped with audio roof.

Deluxe Headache Rack

G1, G1 MAX | **715002423**



- Protects cab components from cargo load.
- Increases box capacity when used in tandem with the Bed Wall Extender (715002421).
- Required to install the Bed Wall Extender (715002421).
- Compatible with gear rail.

Bed Wall Extender – Low

G2, G2 MAX (except X mr models) | **715009166**



- Extend your cargo box by 16" (422 mm) with this Bed Wall Extender.
- Allows the installation of the Cargo Rack Multi-position over the bed to create a second level of storage.
- 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Forged steel corner where you can add tie-downs to secure your material.
- Outer panels in robust glass-filled plastic with LinQ Nano anchors.
- 2 LinQ anchors at the ends of each panel for installing LinQ Tool Holders (715007358).
- Each upper end is equipped with a ruler to facilitate measurement.
- Quick and simple installation.

Not compatible with:
- Snorkel Kit (715009151).

Bed Wall Extender – High

G2, G2 MAX

715010833



- Extend your cargo box by 29" (755 mm) with this Bed Wall Extender.
- Allows the installation of the Cargo Rack Multi-position over the bed to create a second level of storage.
- 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Forged steel corner where you can add tie-downs to secure your material.
- Outer panels in robust glass-filled plastic with LinQ Nano anchors.
- 2 LinQ anchors at the ends of each panel for installing LinQ Tool Holders (715007358).
- Each upper end is equipped with a ruler to facilitate measurement.
- Quick and simple installation.

Not compatible with:
- Snorkel Kit (715009151).

Bed Wall Extender – High (for Headache Rack)

G2, G2 MAX

715009590



- Extend your cargo box by 29" (755 mm) with this Bed Wall Extender.
- Allows the installation of the Cargo Rack Multi-position over the bed to create a second level of storage.
- 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Forged steel corner where you can add tie-downs to secure your material.
- Outer panels in robust glass-filled plastic with LinQ Nano anchors.
- 2 LinQ anchors at the ends of each panel for installing LinQ Tool Holders (715007358).
- Each upper end is equipped with a ruler to facilitate measurement.
- Quick and simple installation.
- The Bed Wall Extender (715010833) can be installed without the Headache Rack.

Required for installation:
- Requires Headache Rack (715009171).

Not compatible with:
- Snorkel Kit (715009151).

Bed Wall Extender

G1, G1 MAX (except G1 6x6 & G1 PRO) — **715002421**

G1 6x6 & PRO models — **715005411**



- Increases box capacity.
- Quick and easy tool-less modularity.
- Easily removable rear door can be latched open.
- Variable full or half height settings.
- Foldable top panels come off in seconds.

Required for installation:
- Requires Deluxe Headache Rack (715002423).

Tonneau Cover

G1 2018 & up (except Mossy Oak Break-Up Country Camo models), G1 MAX (except 6x6 and PRO models)

715008306



- Fitted to cover all of the items in your cargo box thoroughly.
- Prevents splash from entering the cargo box.
- Rolls up to the front.
- Easily removable for quick access.

Not compatible with:
- Accessories that exceed the box height.

Removable Storage Bin

G1, G1 MAX

715004344



- Handy, removable on-dash tool box will make sure you have your critical equipment where you need it.
- Provides 1.7 gal (6.3 L) of storage and clips on and off in a snap.
- Water-resistant to ensure your contents remain safe and dry.
- Standard on all models except Base and DPS.

Removable Storage Bin – Passenger

G1, G1 MAX, G2, G2 MAX

715003314



- Convenient passenger-side underseat storage.
- Polypropylene-injected 3.7 gal (14 L) storage capacity bin.
- Bin installs and removes in a snap and comes with an integrated handle.
- Water-resistant.

Driver Underseat Storage Bin

G1, G1 MAX

715003399



- Polypropylene-injected 4 gal (15 L) capacity bin fits securely under the driver's seat.
- Front opening for quick and easy access.
- Ideal for storing weather-resistant items, such as ropes, tow straps and winch accessories that are needed at a moment's notice.

Centre Underseat Storage Bin (7 L)

G2, G2 MAX | **715009199**



- Polypropylene-injected 1.8 US Gal (7 L) capacity storage bin.
- Watertight design keeps ice and drinks cold.
- Easy to remove and wash thanks to its integrated handle.
- Designed to receive a second battery when used with the Auxiliary Battery Installation Kit (715009473).
- Integrated drain plug allows easy draining.
- Accessible by lifting centre seat section.

Centre Underseat Storage Bin

G1, G1 MAX | **715003446**



- Polypropylene-injected 2 gal (8 L) capacity storage bin.
- Watertight design keeps ice and drinks cold.
- Easy to drain and wash by removing it with integrated handle.
- Accessible by lifting centre seat section.

Cargo Bed Rails

G1 (except 6x6 & PRO), G1 MAX | **715003444**



- Add integrated tie-down area to your cargo box while enhancing the look.
- Added cargo box protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Heavy-duty 1" (2.5 cm) diameter steel-tube construction.
- Add height to the bed side wall and serve as a tie-down anchor for ropes, straps or bungees.
- Sold in pairs.

Not compatible with:
- Bed Wall Extender.

Cargo Bed Net

G1, G1 MAX (except G1 6x6, G1 PRO) | **715003445**



- Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.
- Keeps items tight against the bed floor.

Dash Storage Compartment Net for Heating System

G1, G1 MAX (2019 & prior) | **715003544**



- Perfect for securing items in the dash storage area.
- To be installed when Lower Dashboard for Heating System is installed.

Dash Storage Compartment Nets

G1, G1 MAX (except Limited models) | **715003129**



- Perfect for securing items in the dash storage area.
- Sold in pairs.

Not compatible with:
- Defrost, Heat & Ventilation System.

Backrest Rear Storage

G1 MAX, G2 MAX | **715003019**



- Netting installs easily.
- Made from polyester that won't discolour.
- Sold in pairs.

Storage 2.6 Gal (10 L) Bag

G1, G1 MAX, G2, G2 MAX | **269502121**



- Roll-top dry bag for fully protecting your cargo from the elements.

Passenger Storage Seat Bag

G1, G1 MAX, G2, G2 MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

RACKS & HOLDERS

NEW Cargo Crossbars

G2, G2 MAX

715008758



- Corrosion-resistant extruded aluminium square bars for long-lasting durability.
- Powder-coated black finish for a sleek look.
- Includes 4 mounting feet and 2 load bars for a complete, ready-to-install setup.
- Carries up to 70 lb (32 kg) of gear, maximizing your hauling capability. If you installed 2 sets of Cargo Crossbars (one on the roof and one on the bed wall extenders) you can carry up to 145 lb (65 kg).

Required for installation:
- Sport Roof (715002430 or 715003038) or Deluxe Sport Roof (715010883 or 715010884) or over the cargo bed wall with the Cargo Rack Mounting Kit (715010079) or on the bed wall extenders with the Cargo Rack Mounting Kit (715010078).

Not compatible with:
- Audio Roof if installed on the roof.

Cargo Rack Multi-position

G2, G2 MAX (except X mr on roof position)

715009148



- Built with heavy-duty stamped steel sheet metal with powder-coated finish.
- Loads of up to 70 lb (32 kg).
- 31" (79 cm) x 53" (135 cm) cargo basket area.
- 2 LinQ anchors on each outer side for LinQ Tool Holder (715007358).
- Many LinQ anchors can be installed at the bottom of the cargo tray to mount various LinQ accessories. 7 different positions available for LinQ 16" and 2 for LinQ 36".
- Integrated mounting points in the front for LED Light Bars (715008745, 715008746 or 715008747) and SMART Scene Lights (715010149).
- Multiple tie-down points on the sides so you can tie your gear.
- Features anchor points for a spare tyre attachment.
- Defender G2: Can be installed on Sport Roof (715002430) or on Deluxe Sport Roof (715010883). Defender G2 & G2 MAX: Can be installed over the cargo bed wall with the Cargo Rack Mounting Kit (715010079) or on the bed wall extenders with the Cargo Rack Mounting Kit (715010078) or with the Cargo Rack Mounting Kit for Rear Cage (715009589).

Not compatible with:
- Audio Roof if installed on the roof.

Cargo Rack MAX

G2 MAX (except X mr on roof position)

715009170



- Built with heavy-duty stamped steel sheet metal with powder-coated finish.
- Loads of up to 70 lb (32 kg).
- 61"x 53" cargo basket area.
- 4 LinQ anchors on each outer side for LinQ Tool Holder (715007358).
- Many LinQ anchors can be installed at the bottom of the cargo tray to mount various LinQ accessories. 14 different positions available for LinQ 16" and 4 for LinQ 36".
- Integrated mounting points in the front for LED Light Bars (715008745, 715008746 or 715008747) and SMART Scene Lights (715010149).
- Multiple tie down points on the sides so you can secure your gear.
- Roof mounted only.

Required for installation:
- Installation of the Sport Roof is required.

Not compatible with:
- Audio Roof.

NEW Cargo Rack Mounting Kit for Rear Cage

G2, G2 MAX

715009589



- Allows installation of the Cargo Rack Multi-position (715009148) on the rear cage.

Not compatible with:
- Headache Rack (715009171), Bed Wall Extender (715009166 or 7150010833 or 715009590), Snorkel Kit (715009151), Audio Roof (715005206 or 715006879 or 715010138 or 715010139 or 715010562 or 715010563), LinQ Tool and Gun Holder (715005466).

Cargo Rack Mounting Kit for Bed Wall Extender

G2, G2 MAX

715010078



- Allows installation of the Cargo Rack Multi-position (715009148) on the Low or High Bed Wall (715009590, 715010833 or 715009166).

LinQ Cargo Rack Mounting Kit for Cargo Bed

G2, G2 MAX

715010079



- Allows installation of the Cargo Rack Multi-position (715009148) on the cargo bed.
- Allows a clearance of 15" (40 cm).
- LinQ system for a fast install and removal.

Rear Accessory Bar

G1, G1 MAX

715005450



- Strong accessory bar allowing installation or hanging items off the back.
- Holes for carabiners, duck decoy hangers or other items.
- LinQ anchors allow installation of many LinQ accessories.

Adventure Roof Rack

G1 (except X mr models)
Loads of up to 70 lb (32 kg).

715003870

G1 MAX (except X mr models)
Loads of up to 70 lb (32 kg).

715004391



- Ideal cargo solution for packing everything you need to live your off-road experience fully and completely.
- Built with heavy-duty 1.25" (3.2 cm) diameter steel tubing.
- Modular LinQ support plates allow for installation of most LinQ cargo accessories.
- Integrated mounting points for lights can hold up to 8 pod-type LED lights (6 front and 2 back) or a 39" (99 cm) LED bar (front)—see table for compatibility.
- Features anchor points for spare tyre attachment.
- Spare Tyre Tie-Downs sold separately.
- Add the Cargo Box Net or the Cargo Box Elastic Net to secure and confine your cargo in the rack.

Required for installation:
- Sport Roof or Deluxe Sport Roof.

Not compatible with:
- Bimini Roof or Audio Roof.

Spare Tyre Ratchet Tie-Downs

G1, G1 MAX

280000955



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points.
- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

Dual Gun Holder

G1, G1 MAX

715005265



- Accommodates shotguns, rifles or muzzleloaders.
- Mounts in the cab, on floorboard between driver and passenger.
- Rubber pads provide gun protection.
- Can be removed to allow a centre passenger.
- Anti-corrosion coating with durable powder coat finish.
- Comes with all hardware for easy installation.
- Keeps your weapons within easy reach and protected within the cab area.
- Refer to your local regulations governing the transportation of firearms before purchase.

Gear Rail

G1, G1 MAX (except X mr models)

715003391



- Stationary rail system specially designed for your side-by-side vehicle.
- Universal mounting options for many Kolpin accessories like Gear Grips and Universal Saw Press.
- Rail is made with heavy-duty 7-gauge extruded anodized black aluminium.
- Mounts on roll bar.
- Includes one versatile Gear Rail Mount by Kolpin.

Required for installation:
- Requires Deluxe Headache Rack (715002423).

Universal Saw Press by Kolpin

G1, G1 MAX (except X mr models)

715001423



- Specially crafted for transporting your chainsaw securely and safely aboard your side-by-side vehicle.
- Heavy-duty, black powder-coated metal bracket designed to attach any chainsaw model with up to a 20" (51 cm) bar.
- Rubber pads provide cushion and tight fit.
- Hinged design for quick removal.
- Holds saw in vertical position or 45˚ angle in either direction.
- Protective sheath included.

Required for installation:
- Requires Gear Rail.

Can-Am Gear Grips

G1, G1 MAX, G2, G2 MAX

715001421



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

ACM & SMART ACCESSORIES

Accessory Control Module

G2, G2 MAX

715009121



- Bringing the SMART innovation to accessories using live vehicle ECU information to maximise your accessory experience.
- Connect your accessories to the 10.25" Touch Display (if equipped).
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness and Roof Harness to connect front-mounted SMART accessories to the Accessory Control Module (five auxiliary connectors available).

Required for installation:
- Accessory Control Centre (715010834) required for models without the 10.25" Touch Display.
- Requires Roof Power Cable and Cable Cover Kit (715010489) and any Front Roof Liner for vehicles not already equipped.

SMART Control Centre for ACM

G2, G2 MAX

715010834



- Control the accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons and 10 programmable buttons to customise according to the accessories installed.

NEW SMART 15" (38 cm) LED Light Bar

G1, G1 MAX, G2, G2 MAX

715008746



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69Kt submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by quickly flicking the switch.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements.

SMART 10" (25 cm) LED Light Bar

G1, G1 MAX, G2, G2 MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements.

SMART 40" (102 cm) LED Light Bar

G2, G2 MAX

715008747



- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements.

NEW SMART Integrated Bumper Lights

G2, G2 MAX

715010148



- Illuminate the sides with a wide low-beam pattern that seamlessly complements your vehicle's existing lighting.
- Delivers a 180-degree ground-level beam to improve peripheral visibility, specifically illuminating the sides of trails.
- SMART dynamic left-and-right lighting that responds to your steering input when paired with the Accessory Control Module (ACM).
- Includes powerful white LEDs and selective yellow LEDs that you can easily switch between as needed.
- 2,400 lumens for each light in white.
- 2,200 lumens for each light in selective yellow.
- IP67 and IP69k submersible and pressure washer safe.

Required for installation:
- Large Heavy-Duty Front Bumper (715009164)
- SMART: Accessory Control Module (715009121)
- Not SMART: Wiring Harness (715009931).

NEW SMART Scene Lights

G1, G1 MAX, G2, G2 MAX

715010149



- Designed to provide a wide, diffused beam for illuminating an area around your vehicle.
- White LED light, each 500 lumens.
- Illuminates a 2-meter area around the vehicle.
- SMART Mode: Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- Can be connected to the SMART Cargo Bed Lights (715010232) and the SMART Dome Light (715010252).
- Come as a pair.

Required for installation:
- Defender G1: Sport Roof and Wiring Harness (715010781), Front Roof Liner (715008226) and Roof Power Cable (715003094).
- Defender G2: Sport Roof or Can-Am Rockford Fosgate Audio Roof (715010138, 715010139,715010562, 715010563) or can be installed on the Cargo Rack Multi-position (715009148 or 715009170).
- SMART: Accessory Control Module (715009121) and the Rear ACM (715009416) if installed on the Cargo Rack Multi-position (715009148) on the Cargo Bed or Bed Wall Extender.
- Not SMART: Wiring Harness (715010781) and Front Roof Liner (715009196) and the Wiring Harness Extension Kit (715011770) if installed on the Cargo Rack Multi-position (715009148) on the Cargo Bed or Bed Wall Extender.

Not compatible with:
- Defender G1: Can-Am JL Audio Roof (715005206 or 715006879).
- Defender G2: Can-Am JL Audio Roof (715009223 or 715009224).

NEW SMART Cargo Bed Lights

G1, G1 MAX (except G1 PRO)*, G2, G2 MAX

715010232



- Light up your bed with this set of two LED Cargo Bed Lights.
- Designed to illuminate the cargo area without causing glare while providing increased brightness.
- SMART Mode: Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- Lights operate together, with one featuring an independent on/off switch that works even when the engine is off.
- 500-lumen white LEDs.
- Feature a 6,000K LED colour temperature for bright, crisp illumination.
- Can be connected to the SMART Scene Lights (715010149) and the SMART Dome Light (715010252).
- Come as a pair.

Required for installation:
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009416).

** No SMART fonction on Defender G1*

NEW SMART Dome Light

G2, G2 MAX

715010252



- Offers optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensures clear visibility of the surroundings.
- Unit with doors: Includes a wiring harness and two door switches that enable automatic operation with doors opening and closing. Can be connected to the SMART Scene Lights (715010149) and the SMART Cargo Bed Lights (71501023) to work simultaneously.
- SMART Mode: Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- Can be installed on the vehicle's cage or on the Sport Roof.
- Built in On/Auto/Off button on the light.

Required for installation:
- SMART: Accessory Control Module (715009121) for SMART fonctionality.

Not compatible with:
- Door switches are not compatible with Soft Doors (715009895 or 715009896).

SMART LED Hood Light

G2, G2 MAX

715011539



- Mounted seamlessly on the hood, it doesn't require a bumper or brackets.
- Both ends feature angled LEDs for a wider light spread.
- Integrated signature light enhances your vehicle's look and makes it instantly recognizable.
- Good option for X mr models where the bumper mounting plate is used for the winch or any other models with a relocated winch.
- Mounted higher up so less likely to be blocked by another accessory.
- 10,500 raw lumens for exceptional brightness.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High.
- SMART options: Off, Low, High and SMART Automatic Mode.
- SMART MODE: It's got a unique startup light sequence that adds a touch of style every time you power up your vehicle. Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

Required for installation:
- Accessory Control Module (715009121) is required for SMART functionality.
- Lights Wiring Harness (715009886) is required when ACM is not installed.

SMART Intermittent Wiper & Washer Kit

G2, G2 MAX

715009441



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.
- Automatic speed variation mode and intermittent wiper speed features available when the kit is installed in combination with ACM and that vary with vehicle speed.
- Included with Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit (715009890).

Required for installation:
- Must be used with the Glass Windshield (715010876) or Flip Glass Windshield (715009225).
- Requires Wiper and Power Cables when ACM is not installed:
  - If equipped with the Sport Roof, Power Cables (715010489 & 715009756) are required.
  - If equipped with the Audio Roof, Power Cables (715010324) are required.

NEW Rear ACM Wiring Harness

G2, G2 MAX

715009416



- Required to connect rear-mounted accessories to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.

NEW Scene Lights Wiring Harness

G1, G1 MAX, G2, G2 MAX

715010781



- Allows you to install SMART Scene Lights (715010149) without ACM.

Required for installation:
- SMART Scene Lights (715010149).

NEW SMART Integrated Bumper Lights Wiring Harness

(Not illustrated)

G2, G2 MAX

715009931

- Required for installing the SMART Integrated Bumper Lights (715010148) if the ACM is not installed.

LIGHTS

CAN-AM LIGHTS – DEFENDER G1

① CHOOSE YOUR MOUNT POINT	② FIND YOUR PLATFORM	③ CHOOSE YOUR LIGHTS						
		10" (25 cm) Double Stacked LED Bar **715010065**	15" (38 cm) Double Stacked LED Bar **715010066**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**	39" (99 cm) Double Stacked LED Bar **715004007**	4" (10 cm) Round LED Lights (sold in pairs) **715002935**	3.5" (9 cm) LED Flood Lights (sold in pairs) **715009774** & **715009775**
Front Bumper **Rancher Bumper** **XT Front Bumper** **X mr Front Bumper** (w/o winch) **X-TP Front Bumper**	Defender Defender MAX 2019 & prior	Light Power Cable **715002454**	Light Power Cable **715002454**	Lights Wiring Harness **715009886**		No compatibility	Light Power Cable (1 harness can support 2 lights) **715002454**	
	Defender Defender MAX 2020 & up	Light Power Cable **715006034**	Light Power Cable **715006034**				Light Power Cable (1 harness can support lights) **715006034**	
Light Rack or Light Bars *Roof Power Cable and Front Roof Liner may not be required if already installed with other accessories	Defender & Defender MAX (except XT CAB)	Light Rack **715002456** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	Light Rack **715002456** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	No compatibility		Light Bar Support **715006226** + Power Cable **715005822** + Front Roof Liner **715008226**	Spotlight Support Bar (only for 3.5" lights) **715009301** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	Spotlight Support Bar (only for 3.5" lights) **715009301** + Light Power Cable **715006034** + Roof Power Cable **715003094** + Front Roof Liner **715008226** OR Light Rack **715002456** + Roof Power Cable **715003094** + Front Roof Liner **715008226**
	Defender Defender MAX XT CAB Limited	No requirements	No requirements			Light Bar Support **715006226** + Power Cable **715005822**	No requirements	
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Defender & Defender MAX (except XT CAB Limited)	N/A	Front only: Power Cable **715003417** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	N/A	Roof Power Cable **715003094** + Lights Wiring Harness **715009886**	Front only: Power Cable **715005822** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	Front or Rear: 4" Round **715002935** 3.5" Flood **715009774** or 3.5" Spot **715009775** + Power Cable **715003417** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	
	Defender, Defender MAX XT CAB Limited		Front only: Power Cable **715003417**			Front only: Power Cable **715005822**	Front or Rear: Power Cable **715003417**	
④ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.							

CAN-AM LIGHTS – DEFENDER G2

CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**	SMART LED Hood Light **715011539**	3.5" (9 cm) LED Flood Lights (2 X 14 W) **715010093**	3.5" (9 cm) LED Driving Lights (2 X 14 W) **715010094**	SMART Integrated Bumper Lights **715010148**
Vehicle Integrated	No compatibility	No compatibility		Accessory Control Module **715009121**	No compatibility	No compatibility	N/A
Audio Roof 715009224 / 715009223	Accessory Control Module **715009121** + Cable Cover Kit **715010489**			No compatibility			
LED Light Bar Mounts 715009261	Accessory Control Module **715009121** + Cable Cover Kit **715010489** + Front Roof Liner						
Spotlight Support Bar 715009301	No compatibility				Accessory Control Module **715009121** + Round Lights ACM Wiring Harness **715009855** (1 harness can support 4 lights) + Cable Cover Kit **715010489** + Front Roof Liner		
Cargo Rack Multi-position 715009148 / 715009170	Accessory Control Module **715009121** + Cable Cover Kit **715010489** + Front Roof Liner	Accessory Control Module **715009121** + Cable Cover Kit **715010489** + Front Roof Liner					
Large Heavy-Duty Front Bumper 715009164	No compatibility	Accessory Control Module **715009121**			Accessory Control Module **715009121** + Round Lights ACM Wiring Harness **715009855**		Accessory Control Module **715009121**
Front Bumper XT 715009435							No compatibility

CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**	SMART LED Hood Light **715011539**	3.5" (9 cm) LED Flood Lights (2 X 14 W) **715010093**	3.5" (9 cm) LED Driving Lights (2 X 14 W) **715010094**	SMART Integrated Bumper Lights **715010148**
Vehicle Integrated	No compatibility	No compatibility		Lights Wiring Harness **715009886**	No compatibility		No compatibility
Audio Roof 715009224 / 715009223	SMART 40" (102 cm) LED Light Bar Harness **715009930****			No compatibility			
LED Light Bar Mounts 715009261							
Spotlight Support Bar 715009301	No compatibility				Light Kit Power Cable **715006034** (1 harness can support 2 lights)		
Cargo Rack Multi-position 715009148 / 715009170	SMART 40" (102 cm) LED Light Bar Harness **715009930**	Lights Wiring Harness **715009886** + Cable Cover Kit **715010489** + Front Roof Liner					
Large Heavy-Duty Front Bumper 715009164	No compatibility	Lights Wiring Harness **715009886**					Lights Wiring Harness **715009931**
Front Bumper XT 715009435							No compatibility
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.						

**Requires Front Roof Liner (715009196) for installation.

NEW SMART Rear LED Light

G1, G1 MAX, G2, G2 MAX | **715008236**



- This high performance LED light provides full illumination for your cargo box and the surrounding area.
- Convenient front liner switch with 2 modes, High & Low.
- High beam mode (3,000 lumens) illuminates up to 50 ft. (15 m) at the rear of the vehicle. Perfect for those moments when you're reversing.
- Low beam mode (1,000 lumens) illuminates your cargo area to ensure easy loading without the harsh glare.
- SMART Mode: The light automatically switches to high-beam mode when you shift into reverse. Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- EC compliant.

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof.
- Roof Power Cable and Cable Cover Kit (715010489) & Front Roof Liner (715009196) for vehicles not already equipped.
- Defender G1: Lights Wiring Harness (715009886).
- Defender G2: SMART) Accessory Control Module (715009121) or Wiring Harness (715009886) for on/off fonction when ACM in not installed.

10" (25 cm) Double Stacked LED Light Bar (60 W)

G1, G1 MAX, G2, G2 MAX | **715010065**





- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Can be installed on front bumpers, Sport Roof and Bimini Roof with sun visor.
- Requires light power cable for installation.
- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 compliant.

See table for installation location and requirements.

15" (38 cm) Double Stacked LED Light Bar (90 W)

G1, G1 MAX, G2, G2 MAX | **715010066**





- Equipped with 18 5 W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 compliant.

See table for installation location and requirements.

39" (99 cm) Double Stacked LED Light Bar (270 W)

G1, G1 MAX | **715004007**





- Equipped with 54 5 W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.
- Compatible with the Adventure Roof Rack.
- Compatible with Flip Windshields and Full Windshields.

See table for installation location and requirements.

4" (10 cm) Round LED Lights (2 x 25 W)

G1, G1 MAX | **715002935**





- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.
- Sold in pairs.

See table for installation location and requirements.

3.5" (9 cm) LED Driving Lights (2 x 14 W)

G1, G1 MAX	**715009775**
G2, G2 MAX	**715010094**





- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminium housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- EC compliant.

See table for installation location and requirements.

3.5" (9 cm) LED Flood Lights (2 x 14 W)

G1, G1 MAX	**715009774**
G2, G2 MAX	**715010093**





- 14 W LED lights producing 1,260 lumens each.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminium housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- EC compliant.

See table for installation location and requirements.

LED Light Bar Mounts

G2, G2 MAX — **715009261**



- Black cast-aluminium construction.
- Optimised LED Light Bar positioning to work with Can-Am flip windshields.
- Can be installed with or without roof.
- Required for SMART LED Light Bar 40" (715008747) on Sport Roof, Deluxe Sport Roof, Bimini Roof.

Not compatible with:
- Audio Roof.

Spotlight Support Bar

G1 , G1 MAX, G2, G2 MAX — **715009301**



- Black-casted aluminium construction and aluminium extrusion providing a mounting point for lights.
- Can be installed with or without roof.
- Required to install the 3.5" Round Lights on the roof.

Not compatible with:
- Audio Roof.

Light Bar Support

G1, G1 MAX — **715006226**



- Mounting bracket that allows the installation of the Can-Am 39" Lightbar (715004007).
- Low and forward mounting position for a sleek look.

Not compatible with:
- Can-Am Audio Roof (715005206) or Can-Am Max Audio Roof (715006879).

Light Rack

G1, G1 MAX — **715002456**



- Rugged steel construction serves as both mount and protection for accessory light systems.
- Lights not included.
- Front Roof Liner is required for installation on the roof (except Cab models or with Deluxe Sport Roof).
- Power Cable, Sport Roof or Deluxe Sport Roof required for installation.
- Integrates elegantly and seamlessly into our roof products.

Rear Cargo Light

G1, G1 MAX — **715007077**



- Powerful 55 W H3 illumination for rear cargo area.
- Convenient in-dash switch.
- Wiring included.

Required for installation:
- Sport Roof (715002430 or 715003038) or Deluxe Sport Roof (715002511 or 715003039) is required for installation.

Not compatible with:
- Headache rack on Defender Pro and Defender 6x6.

RAM† LED Spotlight

G1, G1 MAX | **710005423**



- 540 lumen (9 watt) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.

Dome Light

G1, G1 MAX, G2, G2 MAX | **715009228**



- Offers an optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensure clear visibility of the surroundings.
- Built in on/off button on the light.
- Wiring included.
- Can be installed on cage or Sport Roof.

Not compatible with:
- The Defender Audio Roofs.

LED Signature Lights

G1, G1 MAX | **715006896**



- The stylish LED set puts the finishing touch to your Defender, accentuating its aggressive stance.
- Included on Limited and Lone Star models.

Round Lights ACM Wiring Harness

G2, G2 MAX | **715009855**



- Required to connect the 3.5" (9 cm) LED Flood and LED Driving Lights (715010093 & 715010094) to the ACM Harness.

Lights Wiring Harness

G1, G1 MAX, G2, G2 MAX | **715009886**



- Power cable for installation of compatible SMART LED Hood Light (715011539), SMART 10" (25 cm) LED Light Bar (715008745) or SMART Rear LED Light (715008236).

SMART 40" (102 cm) LED Light Bar Harness

G2, G2 MAX | **715009930**



- Required to install the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

Cable Cover and Roof Power Cable Kit

G2, G2 MAX (models without Cab) | **715010489**



- Designed to organize cables and provide a safe environment by covering exposed cables.
- Required for installation of some electrical accessories.
- Brings power from the battery.
- Cable cover is made from injected plastic.
- Roof power cable included.
- Combined with the Front Roof Liner (715009196) for optimum integration.

Roof Power Cable

(Not illustrated)

G1, G1 MAX | **715003094**

- Required for installation of some electrical accessories.
- Brings power from the battery.

Light Kit Power Cable

(Not illustrated)

G1, G1 MAX (2019 & prior) | **715002454**

G1, G1 MAX (2020 & up), G2, G2 MAX | **715006034**

- Power cable for installation of compatible Can-Am light kits at front bumper location.

AUDIO

CAN-AM x ROCKFORD FOSGATE

NEW Can-Am Rockford Fosgate Audio System – Level 2

G2 2027 (with 10.25" Wireless Touch Display), G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715010564**



- Equipped with two 6.5" (165 mm) speakers (125 W each) and Front Liner.
- Can-Am Rockford Fosgate Amplifier 500 W included.
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567) for quick, easy installation.
- Can-Am Rockford Fosgate Audio Rear Speaker Kit (715010828) or Can-Am Rockford Fosgate Audio Roof can be added to deliver superior performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display.
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio roof (715010138/715010139 or 715010562/715010563), wiring harness (710011374) is required.

NEW Can-Am Rockford Fosgate Audio System – Level 2 (with Source Unit)

G2 2027 (without 10.25" Wireless Touch Display), G2 MAX 2027 (without 10.25" Wireless Touch Display)	**715010565**



- Equipped with two 6.5" (165 mm) speakers (125 W each) and Front Liner.
- Comes with a Can-Am Rockford Fosgate audio unit featuring a full-colour LCD screen and a built-in 4-channel amplifier (31 watts per channel at 4 ohms).
- Add the 500 W Amplifier (715011105) for superior sound levels and to allow the installation of the Subwoofer & Amplifier Kit (715010567).
- Can-Am Rockford Fosgate Audio Rear Speaker Kit (715010828) can be added to deliver superior performance.

Required for installation:
- Cable Cover and Roof Power Cable Kit (715010489).

NEW Can-Am Rockford Fosgate Audio Rear Speaker Kit

G2 2027, G2 MAX 2027	**715010828**



- Add these to Can-Am Rockford Fosgate Audio System – Level 2 to enhance performance.
- Includes a pair of powerful 6.5" (16.5 cm) speakers (125 W each) for clear, immersive sound.
- Larger speaker box design delivers improved bass performance, offering deeper and richer sound.
- Comes with black speaker enclosures and complete wiring harnesses for a clean, ready-to-install setup.

Required for installation:
- Can-Am Rockford Fosgate Audio System – Level 2 (715010564 or 715010565).

NEW Can-Am Rockford Fosgate Audio System – Level 3

G2 2027 (with 10.25" Wireless Touch Display), G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715010566**



- Equipped with four 6.5" (165 mm) speakers (125 W each).
- Can-Am Rockford Fosgate Amplifier 500 W included.
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567) for quick, easy installation.
- Add the Can-Am Rockford Fosgate Premium Audio Roof to enhance performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display.
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio roof (715010138/715010139 or 715010562/715010563), wiring harness (710011374) is required.

NEW Can-Am Rockford Fosgate Audio Roof – Level 4

G2 (2027 only) (except X mr models)	**715010138**
G2 MAX (2027 only) (except X mr models)	**715010139**



- Equipped with four 8" speakers (125 W each) paired with a 500-watt amplifier for rich, immersive sound.
- MAX: Six 8" speakers backed by a 500-watt amplifier deliver powerful, immersive sound—with room to upgrade by adding rear speakers (715011024).
- Fully operated through the 10.25" Wireless Touch Display.
- Personalize your lighting experience with the Rockford Fosgate Colour Optix™ System, controlled directly from the RF Connect App.
- Includes a SMART Dome Light for interior visibility.
- Boosts bass performance by adding Can-Am Rockford Fosgate Bass Passive Radiator (715011108). (Two can be added on MAX models.)
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567).
- Reaches peak performance when combined with the Can-Am Rockford Fosgate Audio System – Level 3 (715010566).
- Designed for quick mounting and simple connections.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.
- Roof design supports the SMART 40" LED Light Bar (715008747), SMART Rear LED Light (715008236) and SMART Scene Lights (715010149).

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio system Level 2 or Level 3 (715010565 or 715010566), wiring harness (710011374) is required.

Not compatible with:
- Can-Am Rockford Fosgate Audio System – Level 2 (with source unit) (715010565), Cargo Rack (715009148 or 715009170).

NEW Can-Am Rockford Fosgate Premium Audio Roof – Level 4

G2 2027 (except X mr models)	**715010562**
G2 MAX 2027 (except X mr models)	**715010563**



- Equipped with four 8" speakers (125 W each) (or eight speakers for MAX models) paired with a 500-watt amplifier for rich, immersive sound.
- Deep bass performance with one (or two for MAX models) 15" passive radiators.
- Comes equipped with a SMART 40" (102 cm) LED Light Bar and SMART Rear LED Light for powerful, all-around illumination.
- Fully operated through the 10.25" Wireless Touch Display.
- Personalize your lighting experience with the Rockford Fosgate Colour Optix™ System, controlled directly from the RF Connect App.
- Includes a SMART Dome Light for interior visibility.
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567).
- Reaches peak performance when combined with the Can-Am Rockford Fosgate Audio System – Level 3 (715010566).
- Designed for quick mounting and simple connections.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display.
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio system Level 2 or Level 3 (715010565 or 715010566), wiring harness (710011374) is required.

Not compatible with:
- Can-Am Rockford Fosgate Audio System – Level 2 (with source unit) (715010565), Cargo Rack (715009148 or 715009170).

NEW Add-On Rear Speakers for Can-Am Rockford Fosgate Audio Roof MAX

G2 MAX 2027	**715011024**



- Upgrade your Can-Am Rockford Fosgate Audio Roof – Level 4 MAX by adding these two high-performance 8" speakers (125 W each) for an even more immersive sound experience.
- Plug-and-play installation—no roof modifications required, fully designed and pre-planned to integrate seamlessly.
- Intensifies your audio output, delivering richer, more powerful sound you can truly feel.

NEW Can-Am Rockford Fosgate Bass Passive Radiator

G2 2027, G2 MAX 2027	**715011108**



- Boosts bass performance on your Can-Am Rockford Fosgate Audio Roof – Level 4 (715010138 or 715010139).
- Enhances efficiency and output at low frequencies, delivering richer, fuller bass you can feel.
- Plug-and-play installation—no roof modifications required; engineered for seamless, pre-planned integration.
- MAX models support adding two units.

NEW Can-Am Rockford Fosgate Subwoofer & Amplifier Kit

G2 2027 (with 10.25" Wireless Touch Display), G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715010567**



- Makes installation a breeze by running the vehicle-specific plug-and-play wiring.
- Can-Am Rockford Fosgate mono amplifier 500 W included.
- Designed to withstand the toughest riding conditions with its rugged IP67 rating.
- Delivering powerful, immersive bass, this 10" (2.5 cm) 500-watt under-seat subwoofer enhances the ride for both driver and passenger.
- Specifically engineered to fit under the passenger seat only.
- Add it to the Can-Am Rockford Fosgate Audio Roofs or the Audio System Level 2 or Level 3 to create the most powerful and immersive sound experience.

NEW Can-Am Rockford Fosgate Amplifier 500W

G2 2027, G2 MAX 2027	**715011105**



- Upgrades your Can-Am Rockford Fosgate Audio System – Level 2 (with Source Unit) (715010565) into a powerful 500 W audio system.
- Easy installation with the included mounting support.
- Engineered for a perfect vehicle fit, ensuring seamless integration with your Can-Am for a factory-level finish and optimal sound delivery.

NEW Can-Am Rockford Fosgate Source Unit

G2 2027 (without 10.25" Wireless Touch Display), G2 MAX 2027 (without 10.25" Wireless Touch Display)	**715010329**



- Weatherproof Source Unit with full colour Thin Film Transistor LCD Touchscreen Display.
- Includes a digital AM/FM tuner and Bluetooth connectivity.
- Rockford Fosgate Party Mode lets you and friends with compatible Rockford units sync up to eight devices to play the same music.
- The tough IP67-rated case houses a 3.5-inch full-colour LCD touchscreen display.
- Featuring a glove-friendly touchscreen with reliable wet-finger tracking and a polarized-friendly display, this unit delivers clear, responsive control in any riding or weather conditions.
- Required for most Can-Am Rockford Fosgate audio system levels installed on vehicles without the 10.25" Wireless Touch Display.

NEW Can-Am Audio Roof Flip Kit

G2 2027, G2 MAX 2027 (except X mr models) | **715011614**



- Designed to work with the Can-Am Rockford Fosgate Audio Roof – Level 4 to enable the Flip functionality.
- Provides seamless integration for a clean, factory-fit installation.
- Not compatible with the Roof Rack, ensuring proper clearance and functionality.
- Experience next-level sound projection—the Flip feature lets you direct audio outward when parked, setting the vibe at camp, on the trail, or during group rides.

Required for installation:
- Can-Am Rockford Fosgate Audio Roof – Level 4 (715010138 or 715010139 or 715010562 or 715010563).

NEW Radio Tuner AM/FM

(Not illustrated)

G2 2027 (with 10.25" Wireless Touch Display), G2 MAX 2027 (with 10.25" Wireless Touch Display) | **715011295**

- Adds AM/FM radio capability to your audio system for instant access to local stations.

Required for installation:
- AM/FM Antenna (715010127).

NEW AM/FM Antenna

G2 (2027 only), G2 MAX (2027 only) | **715010127**



- Enables AM/FM functionality for the 10.25" Wireless Touch Display or the Can-Am Rockford Fosgate Source Unit (715010329).

Required for installation:
- Sport Roof and Radio Tuner AM/FM (715011295) for a vehicle with 10.25" Wireless Touch Display.
- Sport Roof and Can-Am Rockford Fosgate Source Unit (715010329) for a vehicle without 10.25" Display.

CAN-AM x JL AUDIO

Can-Am JL Audio System – Level 2

G2, G2 MAX 2026 | **715009192**



- Made using premium JL Audio components, including two 6.5" (165 mm) speakers and Front Liner.
- Control your music with Bluetooth connectivity.
- Can-Am JL Audio Amplifier included (715009229) with 280 watts.
- Compatible with the pre-wired Can-Am JL Audio Subwoofer & Amplifier Kit (715008094) for quick, easy installation.
- Rear Speaker Kit (715009193) and Audio Roof can be added to deliver superior performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Requires the Can-Am JL Audio Source Unit (715010002) for vehicles without 10.25" Touch Display, installed in the centre dashboard for a car-like experience.
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.

Can-Am JL Audio System – Level 2 (with Source Unit)

G2, G2 MAX 2026 | **715009194**



- Made using premium JL Audio components, including two 6.5" (165 mm) speakers.
- Included weatherproof marine source unit with full colour LCD display and integrated 100 watt amplifier.
- Add the 280 W Amplifier (715009229) for superior sound levels and to allow the installation of the Subwoofer & Amplifier Kit (715008094).
- Rear Speaker Kit (715009193) can be added to deliver superior performance.

Required for installation:
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.

Not compatible with:
- Wetsound Stealth XT 6 Can-Am Edition Sound Bar (715008282).

Can-Am JL Audio Rear Speaker Kit

G2, G2 MAX 2026 | **715009193**



- Made using premium JL Audio components, including two 6.5" (165 mm) speakers.
- Including the black speaker boxes and wiring harnesses.
- Add these to Can-Am JL Audio System – Level 2 (715009192 or 715009194) to enhance performance.

Can-Am JL Audio System – Level 3

G2, G2 MAX 2026 | **715009197**



- Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers).
- Control your music with Bluetooth connectivity.
- Can-Am JL Audio Amplifier included (715009229) with 280 watts.
- Compatible with the pre-wired Can-Am JL Audio Subwoofer & Amplifier Kit (715008094) for quick, easy installation.
- Add the Can-Am JL Audio Roof (715009224 or 715009223) to enhance performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Requires the Can-Am JL Audio Source Unit (715010002) for vehicles without 10.25" Touch Display, installed in the centre dashboard for a car-like experience.
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.

Can-Am JL Audio Roof – Level 4

G2 2026 (except X mr models)	**715009224**
G2 MAX 2026 (except X mr models)	**715009223**



- Full roof with premium JL Audio System.
- Weatherproof components include four (or six for MAX) 7.7" coaxial speakers and a 500-watt amplifier (MX500/4).
- Speakers include an adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- Controlled by the 10.25" Touch Display.
- Easy to install and connect.
- Includes a Dome light. If you have an ACM installed, smart mode enables automatic on/off functions of the light.
- Compatible with the pre-wired Can-Am JL Audio Subwoofer & Amplifier Kit (715008094) for quick, easy installation.
- When combined with the Can-Am Audio System – Level 3 (715009197) , it provides the ultimate sound experience.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Requires the Can-Am JL Audio Source Unit (715010002) for vehicles without 10.25" Touch Display, installed in the centre dashboard for a car-like experience.
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.
- Requires the Wiper and Doors Harness (715010324) for models equipped with doors from factory.

Not compatible with:
- Cargo Rack Multi-position (715009148) or Cargo Rack MAX (715009170).

Can-Am JL Audio Subwoofer & Amplifier Kit

G2, G2 MAX 2026 — **715008094**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Makes installation a breeze by running on vehicle-specific plug-and-play wiring.
- Includes the MX300/1 amplifier fixed on the subwoofer to ease the installation.
- Designed to be tough in the most demanding riding conditions with an IP166.
- This 10" (254 mm) 300 watt under-seat subwoofer enhances both the driver's and the passenger's experience.
- Can be installed only under the passenger's seat.
- Combines with JL Audio sound system Level 2 to 4 to create the ultimate sound experience.
- Defender MAX only: A second subwoofer can be added by using the Dual Subwoofer Harness (715010858).

Required for installation:
- 280 W Amplifier (715009229) if installed with the Can-Am JL Audio System – Level 2 (with Source Unit) (715009194).

Can-Am JL Audio Amplifier

G2, G2 MAX 2026 — **715009229**



- This is a premium JL Audio MX280/4 amplifier that is used to upgrade your Can-Am JL Audio System – Level 2 (with Source Unit) (715009194) to a 280 W system.
- Designed to be Can-Am tough in the most demanding riding conditions.
- To add a subwoofer to the Can-Am JL Audio System – Level 2 (with Source Unit) (715009194), this item is required.
- Easy to install, mounting support included.
- We've got the perfect vehicle fit for seamless integration.

Can-Am JL Audio Source Unit

G2, G2 MAX 2026 (without 10.25" Touch Display) — **715010002**



- Weatherproof Source Unit with Full-Colour LCD Display.
- Includes a Digital AM/FM Tuner, Bluetooth® connectivity.
- The tough case (which is rated IP67) houses a 2.8-inch full-colour LCD display.
- Day/Night mode to help visibility, even when it is bright outside.
- The audio output options include a strong amplifier that is built into the device. This amplifier can power your speakers with 100 watts.
- Required for most Can-Am Audio JL levels installed on vehicles without 10.25" Colour Touchscreen Display.

Dual Subwoofer Harness

(Not illustrated)

G2 MAX — **715010858**

- Required when installing a second subwoofer (715008094) for Defender MAX.

Can-Am JL Audio Roof – Level 4

G1 (except X mr models) — **715005206**



- Full roof with sleek built-in audio.
- Fully sealed and waterproof.
- Easy to install: one wire connects the roof to the vehicle's electronics.
- Four 7.7" speakers, one 280 watt amplifier, and one weatherproof source unit supplied by JL Audio†.
- Speakers include LED lighting integrated into the grille, designed to uniformly illuminate with an RGB glow.
- A 3" full-colour LCD display, with separate day/night lighting themes for visibility, even in bright sunshine.
- AM/FM tuner.

Required for installation:
- To install the Audio Roof with the following accessories, the Power Harnesses 715003094 and 715008781 are required. Flip Glass Windshield with Wiper and Washer Kit (715002441), Windshield Wiper and Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907).

Not compatible with:
- Adventure Roof Rack or Headache Rack.
- 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) and Light Bar Support (715006226).

Can-Am JL Audio Roof – Level 4 (MAX)

G1 MAX (except X mr models) | **715006879**



- Full roof with premium JL Audio system for Defender MAX.
- Fully sealed and waterproofed components and construction.
- Simple to install: one connector connects the roof to the vehicle's electrical system.
- Weatherproof components: six 7.7" coaxial speakers, 280 watt amplifier and 70 watt Mediamaster® source unit.
- AM/FM tuner.
- Expertly tuned for exceptional sound on the move in your Defender MAX.
- Speakers include adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- Mediamaster® source unit equipped with 3" full-colour LCD display, with day/night lighting modes.
- Designed to not drain the battery.
- Specific to the type of riding.

Required for installation:
- To install the Audio Roof with the following accessories, the Power Harnesses 715003094 & 715008781 are required: Flip Glass Windshield with Wiper & Washer Kit (715002441), Windshield Wiper & Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907).

Not compatible with:
- Adventure Roof Rack.
- 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) & Light Bar Support (715006226).

Can-Am JL Audio Subwoofer & Amplifier Kit

G1, G1 MAX | **715010050**

715010342 • Sub only



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- Includes the MX 500/1 amplifier with 715010050.
- When combined with the Can-Am Audio Roof (715005206) or with the Can-Am Audio Roof MAX (715006879), this premium JL Audio component creates the ultimate sound experience (only compatible with JL Audio Roofs).

OTHER AUDIO SYSTEMS

Overhead Audio System



- Rugged waterproof Jensen† Bluetooth Stereo Audio System offers multi-source input: AM/FM/WB and USB (iPod® and iPhone® ready).
- Convenient white LED-backlit LCD display and buttons.
- Stream from any Bluetooth-enabled device (smartphone, MP3 player).
- Powerful 4 x 40 W amplifier with remote turn-on.
- Voice-control of AVRCP-active device.
- 30 programmable AM/FM stations with auto-store/pre-set scan.
- Separate RCA audio output and input.
- UV-resistant finish/corrosion-resistant components.

Required for installation:
- Requires Sport Roof (715002430) or Front Roof Liner (715008226) and Power Cable (715003094).

Complete Overhead Audio System

G1, G1 MAX | **715009764**

- Complete with 4 ultra-sturdy outdoor speakers (2 front and 2 rear) and 4 black speaker boxes.

Overhead Front Audio System

G1, G1 MAX | **715009765**

- Complete with 2 ultra-sturdy front outdoor speakers and black speaker box.

Wetsound Stealth XT 6 Can-Am Edition Sound Bar

G1, G1 MAX, G2, G2 MAX | **715008282**



- Built-in Bluetooth connectivity with source control.
- Built-in Broadcast mode.
- Backlit control panel with Integrated LED RGB cabin lights.
- Integrated LED Dome.
- IP67 rated RF wireless remote control.
- 3.5 aux input/output.
- Built-in 300 W Class D amplifier.
- 4 marine-rated 3" full range drivers.
- 2 marine-rated 1" tweeters.
- Operating voltage: 12 V.
- IP rated: IP67.
- Length: 21.31"
- Width: 4.04"
- Height: 3.85"
- Sound Bar Mounting Kit required for installation.

Can-Am Audio Roof Flip Kit

G1, G1 MAX (except X mr models), G2, G2 MAX (except X mr models) | **715007133**



- Combines with Can-Am Audio Roofs (715005206, 715006879, 715009224/715009223, 715010138/715010139 or 715010562/715010563) for Flip option.

Not compatible with:
- Roof Rack.

Sound Bar Mounting Kit

G1, G1 MAX, G2, G2 MAX | **715007840**



- Required to install the Wetsound Stealth XT 6 Can-Am Edition Sound Bar on a Defender and Defender MAX.

NEW **Vol Up/Down Switch**	G2, G2 MAX (with touchscreen display)	**710010952**



- Volume control is now possible using this switch independently of the touchscreen display.

ELECTRONIC ACCESSORIES

NEW **Front View Camera**	G2, G2 MAX (with 10.25" touch display)	**715011691**



- Allows clear visibility of the conditions near the front wheels.
- Helpful for avoiding obstacles before descending steep hills, when plowing or manoeuvring in tight spaces.
- Offers a 170-degree viewing angle.
- Transmits an image to the touchscreen display.

Not compatible with:
- Rear View Camera & Monitor (715009407).

NEW **Front HD Digital Camera**	G2 2027 (with 10.25" Wireless Touch Display), G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715011107**



- High Definition Digital Camera.
- Allows clear visibility of the conditions near the front wheels.
- 1920 x 720 pixel resolution front view camera.
- Helpful for avoiding obstacles before descending steep hills, when plowing or when manoeuvring in tight spaces.
- Offers a 190-degree viewing angle.
- Transmits an image to the 10.25" Wireless Touch Display.

Front View Camera (without Touchscreen Display)	G2 (without 10.25" Display), G2 MAX (without 10.25" Display)	**715009408**



- Allowing clear visibility of the conditions near the front wheels.
- Helpful for avoiding obstacles before descending steep hills, when plowing or manoeuvring in tight spaces.
- Offers a 170-degree viewing angle.

Required for installation:
- Rear View Camera & Monitor (715009407).

Rear View Camera & Monitor	G2 (without 10.25" Display), G2 MAX (without 10.25" Display)	**715009407**



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This kit is designed to replace the original rear-view mirror on vehicles equipped with one (the display is integrated into the replacement mirror).
- The camera uses infrared light for night vision capabilities.
- Provides a 170-degree viewing angle.
- Designed only for models without a Touchscreen Display.
- Possibility of adding the Front View Camera (715009408) for optimal vision around the vehicle.

Rear View Mirror & Camera Monitor	G1, G1 MAX	**715009410**



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated into the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

Power Tilt Bed	G2, G2 MAX	**715009452**



- Powerful cargo box tilter with dash-integrated switch.
- Load capacity of 1,000 lb.
- Electrically actuated hydraulics for a strong and quick tilting system.

Power Tilt Bed

G1 (except 6x6), G1 MAX (2020 & up), G1 PRO	**715007096**
G1 6x6	**715007204**



- Powerful cargo box tilter with dash-integrated switch.
- Electrically actuated hydraulics for a strong and quick tilting system.

Quick Connect Battery Cable

715005408



- Quickly and easily connect and charge different batteries with your charger.
- Included in the Battery Charger/Maintainer.
- Sold individually.

NEW 5" Colour Display Screen Protector

G2 (with 5" Colour Display), G2 MAX (with 5" Colour Display) — **219401334**



- Tempered glass – 0.5 mm thick.
- 9H hardness for tough protection.
- 100% bubble-free adhesive.
- Anti-scratch and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

NEW 10.25 in. Colour Touchscreen Display Protector

G2, G2 MAX — **860202680**



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

Cellphone Holder

G1, G1 MAX, G2, G2 MAX — **715008786**



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Can be installed with the LinQ Lite Device Holder (715009201).
- Does not include cellphone or charging wires.

Required for installation:
- RAM GPS Mount (715003325) bolted directly on the dashboard for the Cellphone Holder to be supported.

RAM GPS Mount

G1, G1 MAX, G2, G2 MAX — **715003325**



- Allows for GPS integration onto vehicle.
- Standard AMPS hole pattern for Garmin Cradle.

Digitally Encoded Security System (D.E.S.S.) Keys

G1, G1 MAX (2023 & prior with HD7/HD8 engine), G1, G1 MAX (with HD9/HD10 engine) — **715002458**



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: Limits vehicle speed to 25 mph (40 kph) but does not limit engine torque. Defender G1 HD7/HD8: Configurable vehicle speed limit between 13 mph (20 kph) and 60 mph (100 kph) that does not limit engine torque.
  - Normal mode: configurable, limits vehicle speed to 44 mph (70 kph) and may have torque reduction.
  - Performance mode: no restrictions.

Digitally Encoded Security System (D.E.S.S.) Keys

G1, G1 MAX (2024 & up with HD7 engine) — **715009300**



- Top-security anti-theft protection for Can-Am vehicles.
- The encrypted chip technology restricts access to the unit's electronic ignition system.
- One code per vehicle.
- Features a vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- Comes with three programmable keys, including:
  - Work key: configurable vehicle speed limit between 13 mph (20 kph) and 60 mph (100 kph) that does not limit engine torque.
  - Normal key: configurable, limits vehicle speed to 44 mph (70 kph) and may have torque reduction.
  - Performance key: no restrictions.

Digitally Encoded Security System (D.E.S.S.) Green Key

G2, G2 MAX | **710005232**



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: configurable vehicle speed limit between 20 km/h (13 mph) and 70 km/h (43 mph) that does not limit engine torque.
  - Normal mode: configurable, limits vehicle speed to 44 mph (70 kph) and may have torque reduction.
  - Performance mode: no restrictions.

Auxiliary Battery Installation Kit

G2, G2 MAX | **715009473**



- Allows you to add a second 32 Ah battery for a dual battery setup that will give you the extra juice you need to power auxiliary electrical components like a sound system or winch.
- Kit includes all necessary wiring and the battery holder.
- Additional battery sold separately (710008836).

Required for installation:
- Requires Centre Underseat Storage Bin (715009199).

Auxiliary Battery Installation Kit

G1, G1 MAX (2020 & up) | **715006035**



- Allows you to add a second 30 Ah battery for a dual battery setup that will give you the extra juice you need to power auxiliary electrical components like a sound system or winch.
- Additional battery sold separately (515176151).
- Equipped with an integrated smart battery isolator that will prevent your auxiliary electrical components from draining your starting battery.
- Kit includes an additional battery junction block, all necessary wiring and the battery holder.

USB Power Outlet Kit

G1, G1 MAX (2020 & up) | **219400510**



- Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors.

**The power outlet is not capable of recharging all device types while riding.*

Defrost, Heat & Ventilation System

G2, G2 MAX | **715009173**



- Ventilation system design and vehicle integration have been rethought to significantly improve installation time.
- Best integrated in-dash system on the market with 3 fan speeds and adjustable temperature.
- Mode dial lets you choose between 5 airflow selections.
- Adjustable/directional vents can be closed to concentrate heat toward specific areas.
- A total of 10 vents specially positioned for windshield, window defrost and occupant heating.
- Easy-to-service air filter.
- Includes the replacement lower dashboard compatible with the heating system.
- For MAX models, you can add the Rear Passenger Heater Vents for rear passengers' comfort.

Required for installation:
- If the vehicle is not already equipped with a cab, Cable Cover and Roof Power Cable Kit (715010489) is required for window defrost.

Rear Passenger Heater Vents

G2 MAX | **715010080**



- Situated on the floor to allow the heated air to circulate effectively to the rear seats.
- Adjustable/directional vents can be closed to concentrate heat toward specific areas.
- Two vents are designed to help keep rear passengers cozy.

Required for installation:
- Defrost, Heat & Ventilation System (715009173).

Defrost, Heat & Ventilation System

G1, G1 MAX 2019 & prior (not compatible with HD5 Motorization) | **715004917**



- Best integrated system on the market with 3 ventilation speeds and in-dash adjustable temperature.
- Adjustable/directional vents.
- 10 vents specially positioned for better windshield and side window defrosting/deicing, foot and hand heat.
- Easy-service air filter.
- Once installed, you might want to add storage space with the Lower Dashboard for Heating System and Dash Storage Compartment Net for Heating System.

G1, G1 MAX 2020 (except G1 PRO & HD5 models) | **715005904**

G1, G1 MAX (2021 & up) | **715008093**

- Best integrated in-dash system on the market with 3 fan speeds and adjustable temperature.
- Adjustable/directional vents can be closed to concentrate heat at specific areas.
- A total of 8 vents specially positioned for windshield and occupant heating.
- Easy-to-service air filter.
- Includes the replacement lower dashboard compartment for the heating system.
- Dash Storage Compartment Net for Heating System is recommended.

Seat Heater

G1, G1 MAX, G2, G2 MAX

715006112



- 25 W seat heater delivers chill-free riding comfort.
- High/low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fibre seat heater, foam sheet and in-dash switch.
- Installs directly in the original seat cushion.

Required for installation:
- Heated Accessories Wiring Harness (710005757 or 710006036) is required for installation on front seat.
- Heated Accessories Wiring Harness (715006004) is required for installation on rear seats on MAX models.
- Heated Accessories Wiring Harness (710010228) is required when it is used in combination with the ACM so you can adjust the heating intensity directly from the touchscreen with three selectable levels: Low, Medium and High.

NEW Seat Heater Wiring Harness for ACM

G2, G2 MAX

710010228



- Required to connect the Seat Heater (715006112) with the ACM.
- Adjust the heating intensity directly from the touchscreen with three selectable levels: Low, Medium and High.

Required for installation:
- Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009416) for rear mounted heated seats only.

Heated Seat Harness for Front Seat

(Not illustrated)

G1, G1 MAX (models with Defrost, Heat & Ventilation System), All G1 PRO models — **715006036**

G1, G1 MAX (models without Defrost, Heat & Ventilation System), G2, G2 MAX — **710005757**

- Electric harness required to hook up and operate heated accessories.
- Powers up to 4 accessories: 2 hand accessories (grab bar/steering wheel) and 2 seat covers.

Heated Seat Harness for Rear Seat

(Not illustrated)

G1 MAX, G2 MAX

715006004

- Electric harness required to hook up and operate rear heated seats.

Heated Visor Outlet

G1, G1 MAX

715001246



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

WINCHES & HITCHES

CAN-AM HD WINCHES

NEW Can-Am HD 5500 Winch

G2, G2 MAX

715010192



- Pulling strength capability of 5,500 lb (2,494 kg).
- Includes 34.4' x 9⁄32" (10.5 m x 7.2 mm) steel cable.
- Heavy-duty 4-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- EC compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

NEW Can-Am HD 5500-S Winch

G2, G2 MAX

715010193



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- Pulling strength capability of 5,500 lb (2,494 kg).
- 9⁄32" x 40' (7 mm x 12.2 m) synthetic rope.
- Corrosion-proof aluminium Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

NEW Can-Am HD 4500 Winch

G1, G1 MAX, G2, G2 MAX | **715011705**



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- EC compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) steel wire cable.
- Heavy-duty 4-way roller fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender Base and DPS™ 2022 and up.

NEW Can-Am HD 4500-S Winch

G1, G1 MAX, G2, G2 MAX | **715011706**



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminium Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender Base, DPS, DPS Cab 2022 and up.

Cargo Bed Winch

G1, G1 MAX, G2, G2 MAX | **715009419**



- Allows you to pull heavy loads into the cargo box easily.
- Perfect for hunting applications when it comes to loading game.
- Includes support base made of heavy-duty 2" (5 cm) steel tubing, winch and weather-sealed corded remote.
- 750 lb (340 kg) maximum pulling capacity.
- Electronic security module to prevent vehicle damage that could occur if loaded vehicle exceeds manufacturer's gross weight rating.

Required for installation:
- Adapter Kit (715004709) is required for installation with Gear Rail Adapter (715003392).
- Defender 6x6 and PRO: Requires Power Tilt Bed (715009338).

WINCH ACCESSORIES

Winch Cable Stopper

All Can-Am HD Winches | **715009921**



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch | **715010042**



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

Not compatible with:
- X mr Front Bumper (715006143).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminium Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

WARN Hawse Fairlead*

With WARN winch | **715007785**



- Double-powder-coated construction.
- Required to use the Synthetic Winch Cable (715007783) on WARN winches.
- To be used with synthetic winch cables only.

Can-Am HD Hawse Fairlead

With Can-Am HD winch — **715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminium Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

Roller Fairlead

With Can-Am HD winch — **710007082**



- Suggested when changing the wire rope.
- Heavy-duty replacement fairlead for winches.

Not compatible with:
- Can-Am HD 5500 Winch (715010192).

NEW Can-Am HD Winch Hook

Can-Am HD Winch — **715011610** • Platinum Silver



- Heavy-duty, forgedv and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminium latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

With Can-Am HD Winch — **715008286**



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

With Can-Am HD winch — **715006504**



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- Works in conjunction with the mini-rocker switch.
- Remote control and connection socket are included with Can-Am HD winch.
- EC compliant.

Winch Electrical Harness

(Not illustrated)

G1, G1 MAX (2019 & prior)	**715003093**
G1, G1 MAX (2020 & 2021)	**715007078**
G1, G1 MAX (2022 & up)	**715008152**

- Required to install a winch on a Defender without a factory-installed winch.

Synthetic Winch Cable*

Can-Am HD Winch	**715006430**
WARN Winch	**715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for WARN winch.
- WARN Hawse Fairlead is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

**Ask your dealer or visit canamoffroad.com for price details.*

Replacement Wire Rope*

Can-Am HD Winch	**705014978**
WARN Winch	**715006699**



- 43' of 15⁄64" (13.1 m of 6.3 mm) wire rope.
- 4,500 lb (2,041 kg) pulling strength.

**Ask your dealer or visit canamoffroad.com for price details.*

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

HITCHES

NEW Rear Hitch Drawbar Kit

G2, G2 MAX | **715011530**



- Works on 2" (5 cm) standard receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Solid steel construction.
- Extended length design for easier rear hitch access.

Trailer Hitch Ball Mount

G1, G1 MAX, G2, G2 MAX | **715010023**



- Designed to fit trailer hitches with a 2" x 2" (5 cm x 5 cm) receiver tube opening.
- It offers 3,500 lb (1,590 kg) of towing capacity.
- Solid forged steel construction.
- Equipped with a hole to accept a ¾" (1.9 cm) ball shank.
- 1" (2.5 cm) raised or 2" (5 cm) lowered for precise trailer leveling.
- Hitch ball not included.

Lower Front Receiver Hitch

G1, G1 MAX | **715002519**



- Heavy-duty 1,500 lb (680 kg) towing capacity, 2" (5 cm) receiver hitch.
- Expand and enhance functionality by pairing it with Higher Front Receiver Hitch and Removable Winch Mounting Kit (need to relocate winch from its standard mounting position).

Higher Front Receiver Hitch

G1, G1 MAX (except Limited models) | **715003109**



- Heavy-duty 1,500 lb (680 kg) towing capacity, 2" (5 cm) receiver hitch.
- No need to relocate winch from its standard mounting position.

Rubber Receiver Plug

705204503



- Rubber cap for 2" (5 cm) Receiver Hitch.

RECOVERY

NEW Can-Am Retractable Rope System

G1, G1 MAX, G2, G2 MAX | **715010190**



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 2,600 lb (1,180 kg) rope working load limit.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Features a built in tow hook.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg)
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

G1, G1 MAX, G2, G2 MAX | **715010814**



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Kinetic Recovery Kit

G1, G1 MAX, G2, G2 MAX | **715010837**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Can-Am Soft Shackle

G1, G1 MAX, G2, G2 MAX | **715010577**



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

G1, G1 MAX, G2, G2 MAX | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminium construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

G1, G1 MAX, G2, G2 MAX | **715010835**



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fibre engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

G1, G1 MAX, G2, G2 MAX | **715010836**



- Change the direction of your pull.
- Machined from premium aluminium alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

NEW Heavy-Duty Springs – Rear

G1 Pro Limited (2025 & prior), G1 Pro Lonestar (2021-2022) | **715010325**

G1 Pro DPS, G1 Pro XT (2025 & prior) | **715010661**



- Heavy-duty springs provide enhanced stiffness.
- Perfect for hauling heavy loads.
- Improves handling.
- Sold in pairs.
- Standard on Can-Am Defender Pro (2026 & up).

Brake Holding Mechanism

G1, G1 MAX | **715004733**



- Maintains constant pressure on the brake pedal to keep the vehicle from moving on sloped terrain, without having to put the transmission in P (park).

Heavy-Duty Spring Kit

G1, G1 MAX 62" with Double A-Arm Front Suspension	**715005084**



- This set of heavy-duty springs will stiffen your suspension.
- Perfect for reducing overall vehicle sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.
- Complete kit of 4 springs.

Magneto Stator Kit (1,700 W)

G2, G2 MAX (2026 & up) (with HD11 engine only)	**715011779** NEW
G2, G2 MAX (2026 models) (with HD11 engine only)	**715009450**



- Increases the magneto output to 1,700 W.
- Includes rotor, stator and regulator.
- Improves charging when several accessories are installed.
- Standard on HVAC models.

Magneto Kit (850 W)

G1, G1 MAX (2020 & up except HD5 & HD7)	**715011725**



- Increases the magneto output to 850 W.
- Includes rotor, stator and regulator.

Emergency Kit

	715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.
- Includes: jumper cables, air compressor, tyre repair kit, first aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip ties, cloth rags.

AIR INTAKES

Snorkel Kit

G2, G2 MAX	**715009151**



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.
- Standard on Defender X mr models.

Not compatible with:
- Not compatible with Rear Glass Window (715007079), Rear Glass Window with Sliding Panel (715007080), Headache Rack (715009171), Bed Wall Extender (715009166, 715009590 & 715010833).
- Not compatible with cab models and track systems.

Snorkel Kit

G1, G1 MAX 2018 & up (except HD5, HD7, Limited and PRO)	**715003727**



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.
- Not compatible with Headache Racks, Gear Rail equipment, DragonFire Cargo Bed Roll Bar and Windshield Wiper & Washer Kit.
- Snorkel Extension Kit is available for roof level air intake and CVT exhaust.
- Standard on Defender X mr models.

Sealed Air Box
(Not illustrated)

G1, G1 MAX (2017 & prior)	**707801033**

- Required when installing the Snorkel Kit (715003727) on Defender and Defender MAX 2017 and prior models.
- Standard on Defender 2018 and up models.

Snorkel Pre-Filter

G1, G1 MAX (except PRO models)	**715005597**



- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed for winter use.
- For Defender HD10 models 2020 & up: Replace CVT intake of snorkel kit with CVT relocation kit 715008651 or 703501211.

Air Intake Pre-Filter

G1, G1 MAX (except X mr models) — **715003483**



- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.

Required for installation:
- Required to install the Apache and Backcountry Track Systems.

Not compatible with:
- Not compatible with Snorkel Kit.

Foam Air Filter by Twin AIR†

G1, G1 MAX — **715003630**



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.
- Washable and reusable.

NEW CVT Air Intake Relocation Kit

G2, G2 MAX (X mr models or models with Snorkel Kit) — **715011440**



- Relocates the CVT air intake to the side of the vehicle.
- MANDATORY to maintain the warranty on Can-Am Defender G2 (with snorkel kit) equipped with tracks and used in snowy conditions.

Required for installation:
- All track systems.

Not compatible with:
- Snorkel Kit (715009151).

NEW Engine & CVT Pre-Filter Kit

G2 (except X mr models), G2 MAX (except X mr models) — **715009150**



- Adds extra protection to your engine and CVT in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Recommended when vehicle is equipped with track kits used in snow conditions.
- Eases cleaning of snow accumulation on engine & CVT air intake.

NEW Snorkel Pre-Filter

(Not illustrated)

G2, G2 MAX (X mr models or models with Snorkel Kit) — **715011772**

- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed for winter use.

CVT Auxiliary Intake & Pre-Filter Kit

G1, G1 MAX (without Snorkel Kit) — **703501210**

G1, G1 MAX (X mr models or models with Snorkel Kit) — **703501211****



- The CVT Auxiliary Intake & Pre-Filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender HD10 models used in snow conditions and highly recommended for other models.
- This kit is sold separately.

**Comes from the factory on some MY23; inspect the vehicle to confirm.*

Mandatory on all MY20 and up Defender HD10 models equipped with a snorkel.

***When installed on X mr models or models with Snorkel Kit, it temporarily relocates CVT air intake to the standard factory location.*

APACHE TRACK SYSTEMS

APACHE XC LT — LIMITED WARRANTY*

Apache XC LT Track System

G1, G1 MAX, G2*, G2* MAX (except 6x6 & X mr models)	**715007719**



- Long Track version.
- Brand-new track design to optimise driving off-road and in deep snow conditions.
- Reduction in steering effort thanks to the 4-wheel tandem.
- Improved steering precision from optimised wheel and track rolling band alignment.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimised track alignment and reduced occurrences of detracking.
- Optimised track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub has oil bath and 3 bearings for consistent lubrication and improved durability.
- Mounting kit sold separately.
- See table for fit, compatibility and requirements.

Required for installation:
- Engine & CVT Pre-filter Seals (715011744 & 715011745) are required for track-equipped Defender G2s produced before May 13, 2026, when used in snow conditions.

Apache XC LT Mounting Kit

See table for fit, compatibility and requirements.	**715006891** **715008612** **715009252**



- Required for installation of the Apache XC LT Track System.
- DPS module and Engine Pre-filter not included.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 and up Defender HD10 models used in snow conditions and highly recommended for other models.*
- This kit is sold separately.
- See table for fit, compatibility and requirements.

**Comes from the factory on some 2023 and up models, inspect the vehicle to confirm.*
Mandatory on all 2020 and up Defender HD10 models equipped with a snorkel.

APACHE BACKCOUNTRY — LIMITED WARRANTY*

Apache Backcountry LT Track Kit

G1, G1 MAX (except 6x6), G2**, G2** MAX (except X mr)	**715005891**



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry LT Mounting Kit, Track DPS Module and Engine Pre-filter are required and sold separately.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender HD10 models and highly recommended for other models. This kit is sold separately.
- For winter use only.
- Track installation will affect vehicle width and length.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*
Mandatory on all MY20 and up Defender HD10 models equipped with a snorkel.
***Engine & CVT Pre-filter Seals (715011744 & 715011745) are required for track-equipped Defender G2s produced before May 13, 2026, when used in snow conditions.*

Apache Backcountry LT Mount Kit
(Not illustrated)

See table for fit, compatibility and requirements.	**715009932** **715005888** **715005493** **715006196**

- Required for installation of the Apache Backcountry Track LT System.
- DPS Module and Engine Pre-filter are required and sold separately.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender HD10 models and highly recommended for other models. This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*
Mandatory on all MY20 and up Defender HD10 models equipped with a snorkel.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE 360 — LIMITED WARRANTY*

Apache 360 LT Track System

G1, G1 MAX (except 6x6) — **715005103**



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.
- Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- EC compliant.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine Pre-filter Kit are required and sold separately.

- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender HD10 models used in snow conditions and highly recommended for other models. This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*

Mandatory on all MY20 and up Defender HD10 models equipped with a snorkel.

Apache 360 LT Mounting Kit
(Not illustrated)

See table for fit, compatibility and requirements. — **715004832**

- Required for installation of the Apache 360 LT Track System.
- DPS module and Engine Pre-Filter not included.
- The CVT Auxiliary Intake & Pre-Filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Defender HD10 models used in snow conditions and highly recommended for other models.

- This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*

Mandatory on all MY20 and up Defender HD10 models equipped with a snorkel.

APACHE ACCESSORIES

NEW Engine Intake Pre-Filter Seal
(Not illustrated)

G2, G2 MAX — **715011744**

- Improves intake sealing against the elements to help prevent debris, snow and dust from entering your engine.

See table for compatibility and requirements.

NEW CVT Intake Pre-Filter Seal
(Not illustrated)

G2, G2 MAX — **715011745**

- Enhances intake protection to keep dust, snow and debris out of your CVT system.

See table for compatibility and requirements.

Track DPS Module
(Not illustrated)

See table for fit, compatibility and requirements. — **715006266**, **715007338**

- An innovative DPS module that ensures speedometer accuracy and optimised steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Rail Ice Scratchers

Apache Backcountry and Backcountry LT Track Systems — **860201728**



- Provide additional lubrication in hard and icy conditions and extend slider life.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

Extra Wheel Kit

Apache Backcountry LT Wheel Kit — **715006293**



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE XC LT

Model Year	Generation	Front Suspension Type	Track	Track Mount	Track DPS Module	CVT Pre-filter or Air Intake Relocation Kit	Engine Pre-filter
2024 & Prior	G1	Double A-Arm	715007719	715006891	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2020 to 2022	G1	Arched Double A-Arm without Swaybar		715008612			
2023 & Up	G1	Arched Double A-Arm with and without Swaybar					
2024 & Up	G1	Double A-Arm		715006891	715006266		
2026 & Up	G2	Arched Double A-Arm with Swaybar		715009252		715011440 (w/ Snorkel Kit) 715011745 (All models)*	715011772 (w/ Snorkel Kit) 715011744 (All models)*

APACHE BACKCOUNTRY LT

Model Year	Generation	Front Suspension Type	Track	Track Mount	Track DPS Module	CVT Pre-filter or Air Intake Relocation Kit	Engine Pre-filter
2024 & Prior	G1	Double A-Arm	715005891	715005888	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2025 & Prior	G1	Arched Double A-Arm with Swaybar		715006196			
2020 & Up	G1	Arched Double A-Arm without Swaybar		715005493			
2024 & Up	G1	Double A-Arm		715005888	715006266		
2026 & Up	G2	Arched Double A-Arm with Swaybar	715004734	715009932		715011440 (w/ Snorkel Kit) 715011745 (All models)*	715011772 (w/ Snorkel Kit) 715011744 (All models)*

APACHE 360 LT

Model Year	Generation	Front Suspension Type	Track	Track Mount	Track DPS Module	CVT Pre-filter	Engine Pre-filter
2018 to 2022	G1	Arched Double A-Arm with Swaybar	715005103	715004832	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)

*Engine & CVT Pre-filter Seals (715011744 & 715011745) are required for track-equipped Defender G2s produced before May 13, 2026 when used in snow conditions.

SCAN HERE TO SEE THE FULL APACHE TRACK SYSTEMS FITTING GUIDE.

CAN-AM FISHER PLOWS

CAN-AM FISHER HD HYDRAULIC PLOW KIT

NEW Can-Am FISHER 72" HD Hydraulic Plow Kit | G2, G2 MAX | **715011556**



This kit includes:

- Can-Am FISHER Quick-Attach HD Hydraulic System (715009460).
- FISHER Heavy Duty 72" Blade (715011525).
- Heavy Duty Spring Kit (715011731) recommended to reduce suspension sag and improve ground clearance when plowing.
- No winch required.

Not compatible with:
- All track systems.

NEW Can-Am FISHER 80" HD Hydraulic Plow Kit

G2, G2 MAX

715011528



This kit includes:
- Can-Am FISHER Quick-Attach HD Hydraulic System (715009460).
- FISHER Heavy Duty 80" Blade (715011529).
- Heavy Duty Spring Kit (715011731) recommended to reduce suspension sag and improve ground clearance when plowing.
- No winch required.

Not compatible with:
- All track systems.

CAN-AM FISHER PLOW ACCESSORIES

NEW Can-Am FISHER Quick-Attach HD Hydraulic System

G2, G2 MAX

715009460



- Quick-attach mount plate, heavy-duty pushframe and full hydraulic plow action.
- Heavy-duty steel designed to withstand the roughest use.
- Advanced hydraulic system delivers fast response, high reliability and long-lasting durability, enabling quick and effortless blade positioning for efficient plowing.
- Features Float Mode and the FISHER® Scrape Lock System.
- The ergonomic Fish-Stick® handheld control features automatic shutoff. Defender G2 platform offers a plow-ready frame with an integrated mount plate enabling a tool-less installation of Can-Am's quick-attach system.
- Covered by a 2-year warranty.*
- Heavy Duty Spring Kit (715011731) recommended to reduce suspension sag and improve ground clearance when plowing.
- No winch required.

Not compatible with:
- All track systems.

NEW FISHER Heavy Duty Blade

Can-Am FISHER Quick-Attach HD Hydraulic System

715011525 • 72"
715011529 • 80"



- 14-gauge powder-coated steel blade with a 5" high-carbon cutting edge.
- With four vertical ribs and high-strength, low-weight, alloy steel construction, the TRAILBLAZER™ SXS straight blade is strong enough for commercial operation.
- Two heavy-duty coil springs protect your plow and SXS by allowing the whole blade to trip when striking obstacles.

Required for installation:
- Can-Am FISHER Quick-Attach HD Hydraulic System (715009460).

Not compatible with:
- All track systems.

NEW FISHER Rubber Deflector

FISHER Heavy Duty Blade

715011557 • 72"
715011561 • 80"



- Built from 2-ply, heavy-duty rubber for durability in demanding conditions.
- Improves visibility by directing snow forward instead of onto your windshield.
- Easy-to-install kit designed for quick, hassle-free mounting.

Required for installation:
- FISHER Heavy Duty 72" Blade (715011525).
- FISHER Heavy Duty 80" Blade (715011529).

Not compatible with:
- All track systems.

NEW Heavy Duty Spring Kit

G2, G2 MAX

715011731



- This set of heavy-duty springs will stiffen your suspension.
- Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.
- Kit of 2 springs.

NEW Can-Am FISHER Replacement Wear Bar

(Not illustrated)

FISHER Heavy Duty Blade

715011656 • 72"
715011657 • 80"

PROMOUNT PLOWS

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 72" (183 cm) Blade Plow Kit	G1, G1 MAX	**715008170**
	G2, G2 MAX	**715009134**



- These kits include:
  - Can-Am ProMount Flex2 Blade.
  - Push Frame with Quick-Attach System.
  - Mounting Plate (G1 models only).

Required for installation:
- Winch.

CAN-AM ProMount FLEX2 BLADES

Can-Am ProMount Flex2 Blade	Fits ProMount Push Frame	**715009883** • 66" (168 cm)
		715009868 • 72" (183 cm)



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- 66" (168 cm): Clears 60" (152 cm) when plow is fully angled.
- 72" (183 cm): Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount STEEL PLOW KIT

Can-Am ProMount Steel 72" (183 cm) Blade Plow Kit	G1, G1 MAX	**715008172**
	G2, G2 MAX	**715009135**



- These kits include:
  - Can-Am ProMount Steel Blade.
  - Push Frame with Quick-Attach System.
  - Mounting Plate (G1 models only).

Required for installation:
- Winch.

CAN-AM ProMount STEEL BLADES

Can-Am ProMount Steel Blade	Fits ProMount Push Frame	**715009881** • 66" (168 cm)
		715009877 • 72" (183 cm)



- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- 66" (168 cm): Clears 60" (152 cm) when plow is fully angled.
- 72" (183 cm): Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

ProMount PLOW KITS – REFERENCE CHARTS

	DEFENDER G1				DEFENDER G2	
	66" Black Steel	66" Flex2	72" Black Steel	72" Flex2	72" Flex2	72" Black Steel
Plow Kit	–	–	715008172	715008170	715009134	715009135
Blade	715009881	715009883	715009877	715009868	715009868	715009877
Push Frame	715008116	715008116	715008116	715008116	715008888	715008888
Mounting Plate	715007745	715007745	715007745	715007745	–	–

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715009879



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Push Frame with Quick-Attach System

G2, G2 MAX

715008888



- New platform offering a plow ready vehicle frame with an integrated lead-in designed to receive the plow push frame hooks—no mounting plate needed!
- Adjustable roller and gas strut to support the front hooks at the appropriate height for your vehicle—no need to lift the plow push frame to hook it.
- Precise location of the rear hooks allows you to clip with confidence each time.
- Attaches directly to the vehicle for quick installation—no mounting plate needed!
- Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- Allows blade to swivel left or right, five positions.
- Compatible with all Can-Am ProMount blades.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Plow Roller Fairlead included.

Required for installation:
- Requires winch.

Can-Am ProMount Push Frame with Quick-Attach System

G1, G1 MAX

715008116



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

Required for installation:
- Can-Am ProMount Mounting Plate and a winch.

Not compatible with:
- S3 High Clearance Front A-Arm (715003784, 715005116).

Can-Am ProMount Edge Markers

Fits ProMount Plow Blades

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Plastic Wear Blade

Fits ProMount Plow Blades

715004482 • 66" (168 cm)

715004483 • 72" (183 cm)



- To help prevent scratches on smooth driveways and markable surfaces.

Can-Am ProMount Drift Cutters

Fits ProMount Plow Blades

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade
(Not illustrated)

Fits ProMount Plows (60" and more) | **715007794**

- ¼ thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the scraper off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Can-Am ProMount Push Frame Extension

G2, G2 MAX | **715009461**



- Improved angle for a better ground contact.
- 13.5" (35 cm) push frame extension required when plow is installed with Apache Track systems.
- Compatible with the Can-Am ProMount Push Frame with Quick-Attach System (715008888).

Can-Am ProMount Push Frame Extension

G1, G1 MAX | **715006257**



- 12" (30 cm) push frame extension required when plow is installed with Apache Track Systems.
- Compatible with the Can-Am ProMount Push Frame with Quick-Attach System (715008116).

Can-Am ProMount Mounting Plate

G1, G1 MAX (2021 & prior) | **715007743**



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.

Not compatible with:
- S3 Front High Clearance A-Arm (715003784).

Can-Am ProMount Mounting Plate

G1, G1 MAX (2022 & up) | **715007745**



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Comes with the Plow Roller Fairlead.

Not compatible with:
- S3 Front High Clearance A-Arm (715003784).

Can-Am ProMount Plow Angling System

G1, G1 MAX, G2, G2 MAX | **715009133**



- Improved operation speed for quicker plow angle adjustments.
- Converts your plow system into an easy-to-control accessory from the driver's seat.
- Allows you to have full up/down and left/right plow control at your fingertips with the supplied joystick.
- Using one hand to control all plow motions allows you to easily concentrate and manage your plowing tasks with ease.
- Compatible with the SSV ProMount Push Frame (715008888 or 715008116) and Blades.
- Winch and plow system sold separately.

Required for installation:
- Can-Am Push Frame Extension (715006257) if installed with Rancher Front Bumper (715005410).

Not compatible with:
- Apache Backcountry LT Track System.

Plow Quick Adjust Blade Shoes

ProMount Steel & Flex2 Blades 60" (all years), 66"& 72" (2025 & prior) | **715009751**



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

ProMount Plow Limit Switch

G1, G1 MAX, G2, G2 MAX | **715009894**



- For controlling the cable tension when over-raising your plow system.
- Prevents winch, plow push frame and vehicle damage.
- Sensor relocated for optimal lift height.

Plow Roller Fairlead

G1, G1 MAX, G2, G2 MAX | **715001223**



- Cylindrical roller fairlead.
- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.

Not compatible with:
- Can-Am HD 5500 Winch (715010192).

SUPER-DUTY PLOW SYSTEM

Super-Duty 72" (183 cm) Blade Plow Kits

G1, G1 MAX | **715003416**



- A comprehensive plow system with manual lift and angling.
- Ultra-durable 72" (183 cm) blade made of 12-gauge steel with integrated reinforcement and heavy-duty push tubes to tackle the most demanding jobs.
- Requires a winch for raising and lowering.
- Convenient disconnect system for quick and easy installation or removal.
- Front mount provides minimum 11" (28 cm) lift distance.

This kit includes:
- 72" (183 cm) Super-Duty Plow.
- Super-Duty Plow Push Frame.
- Super-Duty Plow Mounting Kit.

Not compatible with:
- Apache XC LT Tracks.

Super-Duty Plow Hydraulic Angling Kit

G1, G1 MAX (2019 & prior) | **715002840**
G1, G1 MAX (2020 & up) | **715006038**



- Allows you to have full up/down and left/right plow control at your fingertips.
- Pre-assembled, it comes with everything you need to turn your Super-Duty Plow into a quick, easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions with the supplied joystick will allow you to easily concentrate and manage your plowing tasks.
- With this commercial grade kit, you will reliably send snow exactly where you want all winter long.
- Winch and plow sold separately.

Super-Duty Plow Push Frame Extension

(Not illustrated)

Super-Duty Plow | **715001221**

- Extension to use the Super-Duty Plow with the Apache 360 LT Track System.
- Comes with Plow Magnetic Switch and Plow Pulley.

Required for installation:
- Requires Front Bumper or Front Accessory Bar for installation.

Not compatible with:
- Apache XC LT Tracks.

Plow Blade Extensions

Super-Duty Plow | **715001217**



- Side extensions for widening your plow blade by 6" (15 cm) on each side.
- Include rubber flaps for extension parts.
- Sold in pairs.

Plow Edge Markers

(Not illustrated)

Super-Duty Plow | **715001216**

- For a more accurate view of the width of your plow.
- Allows you to work closely around objects.

Plow Drift Cutter

(Not illustrated)

Super-Duty Plow | **715001218**

- Keeps snow securely in the plow.
- Allows you to cut a cleaner pass.
- Sold individually.

Plow Rubber Flap

(Not illustrated)

Super-Duty Plow | **715001219**

- Keeps snow away from the driver and helps snow to roll in front of the plow.

Plow Pulley

(Not illustrated)

Super-Duty Plow | **715002042**

- For use with the Super-Duty Plow.
- Helps winching efficiency.

Required for installation:
- XT Front Bumper.

Plow Magnetic Switch
(Not illustrated)

Super-Duty Plow | **715001995**

- Magnetic switch that stops the winch to prevent cable, winch and frame damage.
- For use with Super-Duty Plow.

COVERS & TIE-DOWNS

NEW Can-Am Trailering Cover

G2 | **715009484**
G2 MAX | **715009485**



- Get on or off the trailer while remaining fully covered and protected.
- Two-part cover design, including a main vehicle cover and a separate windshield cover.
- Windshield and upper door sections made of clear PVC film for on/off riding.
- You can keep only the windshield cover to protect from the elements when the vehicle is dirty.
- The driver's side door can be opened.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Designed to fit your vehicle with or without Can-Am accessories.

Not compatible with:
- Cargo Rack (715009148 or 715009170) installed on Roof, Cargo Crossbars (715008758).

Trailering Cover

G1 | **715004453**
G1 MAX | **715004454**



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and coloured panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Not compatible with:
- Adventure Roof Rack (715003870).

NEW Tie Downs Anchors

G2, G2 MAX | **715010210**



- Made of high-strength steel.
- Coated with a corrosion-resistant black epoxy finish.
- Add extra points on the cargo bed wall for tying down cargo in the back of your vehicle.
- Sold in pairs.

Bolt-On† Retractable Ratcheting Tie-Downs

G1, G1 MAX | **295101072**



- Perfect for transporting your powersport vehicle or securing loads.
- Mount easily: Bolt on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

715008309 · Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

CAN-AM MAVERICK R



CAN-AM MAVERICK R

MODEL PACKAGES 98

Maverick R X rs with Smart Shox 98

Maverick R X rc with Smart Shox 100

Maverick R MAX X rc with Smart Shox 101

COMPARATIVE CHART 102

ACCESSORIES 103

Roofs 103

Windshields & Wind Protection 103

Mirrors 105

Doors 105

HMWPE Skid Plates 106

Bumpers & Protection 107

Maverick R LinQ Accessories 109

Racks & Storage 114

ACM & SMART Accessories 116

Lights 120

Audio 126

Electrical & Electronic Accessories 127

Winches 128

Recovery 130

Performance 131

Covers 132

2027 CAN-AM MAVERICK R X RS
WITH SMART SHOX



Dolomite Grey/Orange Crush

PACKAGE HIGHLIGHTS

- 77 in. 4 Link Trailing arm with aluminum HD tall knuckle suspension
- Smart-Lok™* front differential
- Launch control
- FOX† 2.5 and 3.0 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments
- 10.25 in. Touch display
- 32 in. XPS Trac Force Tyres
- 16 in. flow formed beadlock wheels
- Front and rear cameras
- Smart-Shox Technology featuring Live Valve Gen 3
- New window nets
- 2 person seating capacity
- Telescopic steering wheel with infotainment controls
- Full hard roof
- Full heavy-duty HMWPE skid plate
- 4-point harness with shoulder pads
- Premium high-performance LED headlights lights
- Can-Am LED signature lights
- Center dashboard storage with cell phone holder
- X-package graphics/seats
- 1,700-W magneto

ENGINE	999T DCT
Type	240 hp, Rotax® 999T engine, 999 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Rotax® DCT, 7 Speed with High & Extra Low range
Drive Train	Lockable front differential with exclusive Smart-Lok™* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
Power Steering	High torque Gen 2 Tri-Mode DPS™

SUSPENSIONS	
Front Suspension	Forged aluminum heavy duty tall knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
Rear Suspension	4 Link Trailing arm with forged aluminum heavy duty tall knuckle 25.5 in. (64.8 cm) suspension travel
Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)

TYRES & WHEELS	
Front / Rear Tyres	XPS Trac Force 32 x 10 x 16 in.
Wheels	16 in. aluminum flow formed beadlock

BRAKES	
Front	Triple piston caliper (32-32-32 mm) / 265 mm discs
Rear	Twin piston caliper (30 mm) / 255 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,396 lb (1,087 kg)
Cage	High strength (dual phase) steel tubing and stampings
L x W x H	142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm)
Wheelbase	110 in. (279.1 cm)
Ground Clearance	17 in. (43.2 cm)
Rack Capacity	200 lb (90 kg)
Storage Capacity	Total: 2.1 gal (8.1 L)
Fuel Capacity	13.2 gal (50 L)
Person Capacity	2

FEATURES	
Gauge	4.5 in. Digital display with keypad & 10.25 in. Touch display
Battery	18 Ah (270 CCA)
Magneto	1,700 watts
Instrumentation	USB A (2 charging ports & 1 communication port) DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights Can-Am LED signature lights
Winch	Winch-ready bumper (4,500 lb / 2,041 kg winch not installed)
Protection	Full hard roof • Premium half doors • Window net • Front lower deflector • Front / rear anchor • Full HMWPE skid plate • Rock guard • 4 point safety Harneses with shoulder pads

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		2027 Can-Am Maverick R X rs with Smart Shox	Polaris RZR Pro R Boost
Engine Size (cc)		999 cc	1997 cc
No of Cylinders		3	4
Horsepower		240 hp	275 hp
Power to weight	+	11.9 hp/100 lb	10.18 hp/100 lb
Turbo	=	Yes	Yes
Transmission	+	Rotax® DCT, 7 speed with high and low range	Automatic PVT
Front Diff. Type	=	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	Pro Performance True 2WD/4WD/4WD Lock
Power Steering	+	Gen 2 Tri-mode DPS™ high torque	High Assist with Quick Turn Rack
Seating Capacity	=	2	2
Front Suspension	+	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar	Boxed and Welded Dual A-Arm with 3 piece Stabiliser Bar
Rear Suspension	+	4-link trailing arm with forged aluminum heavy-duty tall knuckle	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabiliser Bar
Wheel Size	+	16 in.	15 in.
Wheels	+	Aluminium flow formed beadlock	Cast Aluminium
Tyre Height	=	32 in.	32 in.
Ground Clearance	+	43.2 cm	40.6 cm
Overall Length	+	355.6 cm	343 cm
Overall Width	+	198.4 cm	188 cm
Vehicle Dry Weight		1,036 kg	1,148 kg
Fuel Capacity		50 L	55.64 L
Anti Theft Device	=	RF Digitally Encoded Security System (D.E.S.S.™)	Polaris P.A.S.S anti-theft system
Warranty Period	+	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 yr unlimited km
Display	+	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display	10.4" Touch-Screen Display
Front Shocks		FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox** Technology featuring Live Valve gen 3 (dual-valve compression and rebound)	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Rear Shocks	+	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox** Technology featuring Live Valve gen 3 (dual-valve compression and rebound)	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Lighting	=	Premium high-performance LED headlights Can-Am LED signature lights	Signature animated RZR Fang Accent Lighting: white LED low/high and red LED tail/brake lights; animated interior accent lighting
Protection		Full roof, Premium half doors, Front lower deflector, Front/rear anchor, Full HMWPE skid plate, 4 point harnesses	Half Door, 6 point harness, roof, bull bumper

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
†Visco-Lok is a trademark of GKN Viscodrive GmbH.
Can-Am model information is correct at the time of printing. Competitor model details have been sourced from publicly available websites and are correct to the best of our knowledge at the time of printing. As competitor specifications may change without notice, this chart should not be relied upon as a definitive comparison of current models.

2027 CAN-AM MAVERICK R X RC WITH SMART SHOX



Loft Green Satin

PACKAGE HIGHLIGHTS

- 77 in. 4 Link Trailing arm with aluminum HD tall knuckle suspension
- Smart-Lok™* front differential with rock mode
- Launch control
- FOX Steering damper
- 10.25 in. Touch display
- 35 in. XPS Hammer King Tyres
- 16 in. flow formed beadlock wheels
- Front and rear cameras
- Telescopic steering wheel with infotainment controls
- Full hard roof
- Front bumper
- Full heavy-duty HMWPE skid plate
- Smart-Shox Technology featuring Live Valve Gen 3
- New window nets
- 2 person seating capacity
- UHMWPE rock slider and front and rear suspension arm guards
- Panoramic mirror
- 4-point harness with shoulder pads
- Premium high-performance LED headlights
- SMART LED hood light – SMART ready
- Can-Am LED signature lights
- Center dashboard storage with cell phone holder
- X-package graphics/seats
- 1,700-W magneto
- Front signature and rear taillight with start-up animation
- JL Audio level 3, 4 speakers + subwoofer with AMP sound system
- Accessory control module (ACM)

ENGINE	999T DCT
Type	240 hp, Rotax® 999T engine, 999 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Rotax® DCT, 7 Speed with High & Extra Low range
Drive Train	Lockable front differential with exclusive Smart-Lok™* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK
Power Steering	High torque Gen 2 Tri-Mode DPS™

SUSPENSIONS	
Front Suspension	Forged aluminum heavy duty tall knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
Rear Suspension	4 Link Trailing arm with forged aluminum heavy duty tall knuckle / 26 in. (66 cm) suspension travel
Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)

TYRES & WHEELS	
Front / Rear Tyres	XPS Hammer King 35 x 10 x 16 in.
Wheels	16 in. aluminum flow formed beadlock

BRAKES	
Front	Triple piston caliper (32-32-32 mm) / 265 mm discs
Rear	Twin piston caliper (30 mm) / 255 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,485 lb (1,127 kg)
Cage	High strength (dual phase) steel tubing and stampings
L x W x H	147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm)
Wheelbase	110 in. (279.1 cm)
Ground Clearance	18 in. (45.7 cm)
Rack Capacity	200 lb (90 kg)
Storage Capacity	Total: 2.1 gal (8.1 L)
Fuel Capacity	13.2 gal (50 L)
Person Capacity	2

FEATURES	
Gauge	4.5 in. digital display with keypad & 10.25 in. Touch display
Battery	30 Ah (400 CCA)
Magneto	1,700 watts
Instrumentation	USB A (charging port & communication port) DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights Can-Am LED signature lights with start-up animation
Winch	4,500 lb (2,041 kg) winch with synthetic cable and roller fairlead
Protection	Full hard roof • Premium half doors • Window net • Front lower deflector • Front / rear anchor • Full HD HMWPE skid plate • Front bumper • Front intrusion bar • Rock slider (UHMWPE) • Rock guard • 4 point safety harnesses with shoulder pads

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM MAVERICK R MAX X RC WITH SMART SHOX



Loft Green Satin

PACKAGE HIGHLIGHTS

- 77 in. 4 Link Trailing arm with aluminum HD tall knuckle suspension
- Smart-Lok™* front differential with rock mode
- Launch control
- FOX Steering damper
- 10.25 in. Touch display
- 35 in. XPS Hammer King Tyres
- 16 in. flow formed beadlock wheels
- Front and rear cameras
- Telescopic steering wheel with infotainment controls
- Full hard roof
- Front bumper
- Full heavy-duty HMWPE skid plate
- Smart-Shox Technology featuring Live Valve Gen 3
- New window nets
- 4 person seating capacity
- UHMWPE front and rear suspension arm guards
- Panoramic mirror
- 4-point harness with shoulder pads
- Premium high-performance LED headlights
- SMART LED hood light – SMART ready
- Can-Am LED signature lights
- Center dashboard storage with cell phone holder
- X-package graphics/seats
- 1,700-W magneto
- Front signature and rear taillight with start-up animation
- JL Audio level 3, 4 speakers + subwoofer with AMP sound system
- Accessory control module (ACM)

ENGINE	999T DCT
Type	240 hp, Rotax® 999T engine, 999 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Rotax® DCT, 7 Speed with High & Extra Low range
Drive Train	Lockable front differential with exclusive Smart-Lok™* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK
Power Steering	High torque Gen 2 Tri-Mode DPS™

SUSPENSIONS	
Front Suspension	Forged aluminum heavy duty tall knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
Rear Suspension	4 Link Trailing arm with forged aluminum heavy duty tall knuckle 25 in. (63.5 cm) suspension travel
Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)

TYRES & WHEELS	
Front / Rear Tyres	XPS Hammer King 35 x 10 x 16 in.
Wheels	16 in. aluminum flow formed beadlock

BRAKES	
Front	Triple piston caliper (32-32-32 mm) / 265 mm discs
Rear	Twin piston caliper (32 mm) / 255 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,848 lb (1,292 kg)
Cage	High strength (dual phase) steel tubing and stampings
L x W x H	180 x 78.1 x 72.6 in. (457.1 x 198.4 x 184.5 cm)
Wheelbase	142.5 in. (485 cm)
Ground Clearance	18 in. (45.7 cm)
Rack Capacity	200 lb (90 kg)
Storage Capacity	Total: 2.1 gal (8.1 L)
Fuel Capacity	13.2 gal (50 L)
Person Capacity	4

FEATURES	
Gauge	4.5 in. digital display with keypad & 10.25 in. Touch display
Battery	30 Ah (400 CCA)
Magneto	1,700 watts
Instrumentation	USB A (charging port & communication port) DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights Can-Am LED signature lights with start-up animation
Winch	4,500 lb (2,041 kg) winch with synthetic cable and roller fairlead
Protection	Full hard roof • Premium half doors • Window net • Front lower deflector • Front / rear anchor • Full HD HMWPE skid plate • Front bumper • Front intrusion bar • Rock slider (UHMWPE) • Rock guard • 4 point harnesses with shoulder pads

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		MAVERICK R X RS	MAVERICK R X RC	MAVERICK R MAX X RC
COLOUR OPTIONS		Dolomite Grey/Orange Crush	Loft Green Satin	Loft Green Satin
ENGINES	Type	999T DCT	999T DCT	999T DCT
		240 hp, Rotax® 999T engine, 999 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control	240 hp, Rotax® 999T engine, 999 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control	240 hp, Rotax® 999T engine, 999 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	Rotax® DCT, 7 Speed with High & Extra Low range	Rotax® DCT, 7 Speed with High & Extra Low range	Rotax® DCT, 7 Speed with High & Extra Low range
	Drive Train	Lockable front differential with exclusive Smart-Lok™* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok™ True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK	Lockable front differential with exclusive Smart-Lok™* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK
	Power Steering	High torque Gen 2 Tri-Mode DPS™	High torque Gen 2 Tri-Mode DPS™	High torque Gen 2 Tri-Mode DPS™
SUSPENSIONS	Front Suspension	Forged aluminum heavy duty tall knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged aluminum heavy duty tall knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged aluminum heavy duty tall knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
	Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
	Rear Suspension	4 Link Trailing arm with forged aluminum heavy duty tall knuckle 25.5 in. (64.8 cm) suspension travel	4 Link Trailing arm with forged aluminum heavy duty tall knuckle / 26 in. (66 cm) suspension travel	4 Link Trailing arm with forged aluminum heavy duty tall knuckle 25 in. (63.5 cm) suspension travel
	Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
TYRES / WHEELS	Front/Rear Tyres	XPS Trac Force 32 x 10 x 16 in.	XPS Hammer King 35 x 10 x 16 in.	XPS Hammer King 35 x 10 x 16 in.
	Wheels	16 in. aluminum flow formed beadlock	16 in. aluminum flow formed beadlock	16 in. aluminum flow formed beadlock
BRAKES	Front	Triple piston caliper (32-32-32 mm) / 265 mm discs	Triple piston caliper (32-32-32 mm) / 265 mm discs	Triple piston caliper (32-32-32 mm) / 265 mm discs
	Rear	Twin piston caliper (30 mm) / 255 mm discs	Twin piston caliper (30 mm) / 255 mm discs	Twin piston caliper (32 mm) / 255 mm discs
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	2,396 lb (1,087 kg)	2,485 lb (1,127 kg)	2,848 lb (1,292 kg)
	Cage	High strength (dual phase) steel tubing and stampings	High strength (dual phase) steel tubing and stampings	High strength (dual phase) steel tubing and stampings
	L x W x H	142 x 78.1 x 71.5 in.(360.7 x 198.5 x 181.5 cm)	147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm)	180 x 78.1 x 72.6 in. (457.1 x 198.4 x 184.5 cm)
	Wheelbase	110 in. (279.1 cm)	110 in. (279.1 cm)	142.5 in. (485 cm)
	Ground Clearance	17 in. (43.2 cm)	18 in. (45.7 cm)	18 in. (45.7 cm)
	Rack Capacity	200 lb (90 kg)	200 lb (90 kg)	200 lb (90 kg)
	Storage Capacity	Total: 2.1 gal (8.1 L)	Total: 2.1 gal (8.1 L)	Total: 2.1 gal (8.1 L)
	Fuel Capacity	13.2 gal (50 L)	13.2 gal (50 L)	13.2 gal (50 L)
	Person Capacity	2	2	4
FEATURES	Gauge	4.5 in. Digital display with keypad & 10.25 in. Touch display	4.5 in. Digital display with keypad & 10.25 in. Touch display	4.5 in. Digital display with keypad & 10.25 in. Touch display
	Battery	18 Ah (270 CCA)	30 Ah (400 CCA)	30 Ah (400 CCA)
	Magneto	1,700 watts	1,700 watts	1,700 watts
	Instrumentation	USB A (2 charging ports & 1 communication port) DC outlet (10-A)	USB A (2 charging ports & 1 communication port) DC outlet (10-A)	USB A (charging port & communication port) DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	Premium high-performance LED headlights Can-Am LED signature lights	Premium high-performance LED headlights Can-Am LED signature lights with start-up animation	Premium high-performance LED headlights Can-Am LED signature lights with start-up animation
	Winch	Winch-ready bumper (4,500 lb / 2,041 kg winch not installed)	4,500 lb (2,041 kg) winch with synthetic cable and roller fairlead	4,500 lb (2,041 kg) winch with synthetic cable and roller fairlead
	Protection	Full hard roof · Premium half doors · Window net · Front lower deflector · Front / rear anchor · Full HMWPE skid plate · Rock guard · 4 point safety Harneses with shoulder pads	Full hard roof · Premium half doors · Window net · Front lower deflector · Front / rear anchor · Full HD HMWPE skid plate · Front bumper · Front intrusion bar · Rock slider (UHMWPE) · Rock guard · 4 point safety harnesses with shoulder pads	Full hard roof · Premium half doors · Window net · Front lower deflector · Front / rear anchor · Full HD HMWPE skid plate · Front bumper · Front intrusion bar · Rock slider (UHMWPE) · Rock guard · 4 point harnesses with shoulder pads

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

ROOFS

Sport Roof

Maverick R	**715007364**
Maverick R MAX	**715008074**



- Impact-resistant injected polypropylene.
- Provides excellent protection from the elements and downhill visibility.
- Designed to work with the Cold Air Roof Scoop.
- Windshield compatible.

Cold Air Roof Scoop

Maverick R	**715008280**
Maverick R MAX	**715008301**



- Feeds fresh air to the engine compartment.
- Sleek design for a sleek racing look.
- Increases cold air to the intake to prevent power loss.
- Required when using a windshield.

Required for installation:
- Sport Roof or Can-Am JL Audio Roof – Level 4.

Not compatible with:
- The Audio Roof Flip Kit.

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

Powerflip Windshield

Maverick R, Maverick R MAX — **715009900**



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- High-impact-resistant Quantum† hardcoated polycarbonate full windshield with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, or somewhere in between.
- You have an infinite number of opening possibilities depending on your protection, visibility and airflow preferences.

Required for installation:
- Requires a Cold Air Roof Scoop (715008280 or 715008301).
- Needs Accessory Control Module (ACM) (715010097) or Powerflip Windshield Harness (715008854) for installation.

Not compatible with:
- SMART Integrated LED Roof Light (715007322) and Audio Roof Flip Kit (715008164).

Glass Windshield

Maverick R, Maverick R MAX — **715010203**



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects both the rider and the passenger from the elements.
- Provides maximum optical clarity and abrasion resistance.
- Must be used with the Wiper & Washer Kit for clear visibility during severe riding conditions, including mud riding.
- Use with rear wind protection to maximise passenger comfort.
- Compatible with the SMART Integrated Roof LED Light.

Required for installation:
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).

Not compatible with:
- Audio Roof Flip Kit (715008164).

Full Windshield – Hardcoated

Maverick R, Maverick R MAX — **715007321**



- Highly impact-resistant Quantum† hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects the driver and the passenger from the elements.
- Quick and easy tool-less removal.
- Use with rear wind protection to maximise comfort for the passenger.
- Can be used with the Windshield Wiper & Washer Kit (715007173) (light-duty usage only).
- Compatible with SMART Integrated Roof LED Light.

Must be used with:
- Cold Air Roof Scoop (715008280 or 715008301).

Not compatible with:
- Audio Roof Flip Kit (715008164).

SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX — **715008555**



- Washer fluid dispenser is perfectly concealed on the vehicle.
- Must be installed with the PowerFlip Windshield (715009900) (sold separately).
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Electric harness required (715008855) to hook up and operate the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

Powerflip Windshield Harness

Maverick R, Maverick R MAX | **715008854**



- Electric harness required to hook up and operate the Powerflip Windshield (715009900) for on/off function when ACM is not installed.

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX | **715007173**



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Electric harness required (715008855) to hook up and operate the SMART Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

Wiper & Washer Kit Wiring Harness

Maverick R, Maverick R MAX | **715008855**



- Electric harness required to hook up and operate in ON/OFF functionality the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit and the SMART Intermittent Windshield Wiper & Washer Kit.

Manual Wiper Kit

Maverick R, Maverick R MAX | **715009424**



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entyre sweeping surface.
- Compatible with hardcoated windshields that use top mounted wipers.

REAR WIND PROTECTION

Rear Polycarbonate Window

Maverick R, Maverick R MAX | **715007315**



- High impact-resistant polycarbonate window.
- Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort.
- Quick and easy installation.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

Rear Wind Screen for Speakers

Maverick R, Maverick R MAX | **715009175**



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

Rear Wind Screen

Maverick R, Maverick R MAX | **715007317**



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.

Not compatible with:
- Can-Am JL Audio System – Level 3 (715007954) and Level 5 (715007957).

MIRRORS

Rally Side Mirrors

Maverick R, Maverick R MAX

715005262



- Sleek design with unique racing style.
- High-quality black moulded aluminium for extreme durability.
- 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimised rider vision.
- Multi-position adjustable ball-joint-mounted mirrors.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Not compatible with:
- Glass Windshield.

Aluminium Side Mirrors

Maverick R, Maverick R MAX

715007363



- Sleek design.
- High-quality black moulded aluminium for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimised rider vision.
- Possibility to install the Integrated LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields, Soft Upper Door and Upper Wind Nets.
- Sold in pairs.

Side Mirrors

Maverick R, Maverick R MAX

715007188



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit. Can be installed at any height on the cage A-pillar for optimised rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields, Soft Upper Door and Upper Wind Nets.
- Sold in pairs.

Rear View Mirror and Camera Monitor

Maverick R, Maverick R MAX

715009410



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated in the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

DOORS

Soft Upper Door Panels

Maverick R — **715007432** · 2 doors

Maverick R MAX — **715007894** · 4 doors



- Weather-resistant panels reinforced with aluminium frame offer good protection from the elements.
- This extension is an excellent addition to the half-door, providing full coverage.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of clear vinyl for added ventilation with heavy duty zippers.
- Ensures high sealing edge performance.
- Easy to use, it follows the door's movements, facilitating ingress and egress.

Upper Wind Nets

Maverick R — **715007376**

Maverick R MAX — **715007962**



- Complete mesh screen net with a steel frame attaches to the doors of the vehicle for added protection from the wind and mud.
- Easy to use, it follows the door's movements, facilitating ingress and egress.
- Net zips up and down for added ventilation when required.
- The window can be rolled down and attached with a strap to hold it in position.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed ⅜" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminium.
- Superior stress crack resistance.
- High-impact strength.

	MAVERICK R	MAVERICK R MAX
HMWPE SKID PLATE PROTECTION KIT		
	715007373 (2025 & prior)	–
INDIVIDUAL HMWPE SKID PLATES		
(1) HMWPE Front A-Arm and Trailing Arm Protectors	**715007183**	**715007183**
(2) HMWPE Front Skid Plate	**715007313**	**715007313**
(3) HMWPE Underbelly Plate	**715007314** (2025 & prior)	–
(4) HMWPE Front (Nose) Skid Plate	**715010009**	**715010009**

BUMPERS & PROTECTION

BUMPERS

Front Bumper X rc

Maverick R, Maverick R MAX

■ **715010008** · Black



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Requires Front Bumper X rc Light Support (715010532) for the installation of lights.
- Winch compatible.

Trail Front Bumpers

Maverick R, Maverick R MAX

■ **715010071** · Black
■ **715010072** · Yellow
■ **715009925** · Legion Red



- Can-Am's largest front bumper protects the headlights and radiator area of the unit.
- Added heavy-duty protection in extreme driving conditions.
- Made of 1.5" (3.8 cm) diameter steel tubing.
- Anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Desert Front Bumpers

Maverick R, Maverick R MAX

■ **715007311** · Black
■ **715007691** · Yellow
■ **715009926** · Legion Red



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel profiled tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Dune Front Bumpers

Maverick R, Maverick R MAX

■ **715007169** · Black
■ **715007305** · Raw Metal



- Highly integrated bumper that creates a more pronounced attack angle and provides added protection to the vehicle.
- Allows for better ground clearance.
- The sleek design gives the unit a sportier look.
- Made of heavy-duty steel with a ⅛" (3 mm) aluminium plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Features an integrated Tow Hook.
- Not winch compatible.

Desert Rear Bumpers

Maverick R, Maverick R MAX

■ **715007172** · Black
■ **715007694** · Yellow
■ **715009924** · Legion Red



- Rugged design.
- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
- Made of heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Front Bumper for ultimate protection.

ROCK SLIDERS

Rock Sliders

Maverick R	■ **715007170** · Black ■ **715007693** · Yellow ■ **715009923** · Legion Red
Maverick R MAX	■ **715007922** · Black ■ **715007923** · Yellow ■ **715009922** · Legion Red



- Protect the vehicle's sides against obstacles.
- With added grip on top to improve accessibility of the roof cargo.
- Made of unique heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Front and Rear Bumpers for ultimate protection.
- Sold in pairs.

HMW-HDPE Rock Sliders

Maverick R — **715008142**



- The sleek design gives the vehicle a sportier look.
- Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.
- Made of combination of HMWPE and HDPE for extra durability.
- Add the Dune Front Bumper for ultimate integrated protection.
- Sold in pairs.

INTRUSION BAR

Front Intrusion Bar

Maverick R, Maverick R MAX — ■ **715007312** · Black



- The steel intrusion bar matches the vehicle's styling and enhances its visual impact.
- The tube's design doesn't obstruct the rider's line of sight and reduces blind spots for increased visibility.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) and SMART Integrated LED Roof Light (715007322).
- Compatible with all windshields.

MAVERICK R LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ 16" central position orange.
Included mounting position.



LinQ 16" position yellow.
2 extra LinQ Base kits needed.*



LinQ 16" position blue.
3 extra LinQ Base kits needed.*



LinQ 36" position red.
Included mounting position.

*Depending on the size of the accessory.

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Standard Cargo Bed	LinQ® Pivoting Rack **715009465**	Adventure Roof Rack **715007186**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, centre-to-centre. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491	Central position: No further requirements Other positions: LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)
LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray			
LinQ 11.4 US Gal (43 L) Cooler 715007825 • Black, 715009276 • Gray	Central position: No further requirements	No compatibility	No compatibility
LinQ Tool Kit 715006829	Central position: No further requirements (fit on stock mounted LinQ anchors) Other positions: LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L), 715007112 • (20 L), 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ 26 US Gal (100 L) Explorer Bag 295101016			
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252			
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ Semi-Rigid Bag 715005345	Stopper Kit **715008895**	**2x** LinQ Base Installation Kit **715008125** + Stopper Kit **715008895**	**2x** LinQ Base Installation Kit **715008125** + Stopper Kit **715008895**
LinQ Bow and Gun Case 715008232	No further requirements (fit on stock mounted LinQ anchors)	**2x** LinQ Base Installation Kit **715008125**	**2x** LinQ Base Installation Kit **715008125**
LinQ Trunk Box (87 L) – G3L 715009312			
LinQ Cargo Box (53 L) 715006997			
LinQ Low Profile Box (63 L) 715007827			
LinQ Cargo Basket (87 L) 715005274			
LinQ 9.2 Gal (35 L) Cooler 715006998			
LinQ CARGO ACCESSORIES			
LinQ Trunk Box (96 L) 715007182	No further requirements (fit on stock mounted LinQ anchors)	No compatibility	No compatibility
LinQ Side Cargo Boxes (13.5 L) 715007372			
LinQ HOLDERS			
LinQ Gear Grips 715005340	No further requirements	LinQ Base Installation Kit **715008125** (1 set needed)	Side wall installation LinQ Adapters **715003058**
LinQ Tool Holder 715007358			

LinQ ACCESSORIES WITH 16" BASE

LinQ Rigid Cooler 4.7 US Gal (18 L)

Maverick R, Maverick R MAX

■ **715010491** · Black



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomoulded rigid construction.
- Moulded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

See table for installation location and requirements.

LinQ Cooler 5.3 US Gal (20 L)

Maverick R, Maverick R MAX

295101257 · Gray



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomoulded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

See table for installation location and requirements.

LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

Maverick R, Maverick R MAX

295101252



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

See table for installation location and requirements.

LinQ 11.4 US Gal (43 L) Cooler

Maverick R, Maverick R MAX

■ **715007825** · Black
715009276 · Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-moulded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.

See table for installation location and requirements.

NEW Ice Pack for LinQ Coolers

Maverick R, Maverick R MAX

295101513



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation.
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257) or LinQ 11.4 US Gal (43 L) Cooler (715007825 or 715009276).

LinQ Modular Box

Maverick R, Maverick R MAX

715005494 · (10 L)
715007112 · (20 L)
715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Maverick R, Maverick R MAX

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Maverick R, Maverick R MAX | **715008111**



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

Maverick R, Maverick R MAX | **715006829**



- Includes:
  - Cutter pliers
  - Long-nose pliers
  - Locking pliers
  - Ratchet wrench ⅜" drive
  - 6" ratchet extension
  - Integrated CVT belt storage location (belt not included)
  - Long-socket 19 mm ⅜" drive – 6 pts
  - Socket 18 mm ⅜" drive
  - Long-socket 17 mm ⅜" drive – 6 pts
  - Socket 15 mm ⅜" drive
  - Socket 13 mm ⅜" drive
  - Socket 10 mm ⅜" drive
  - Socket 8 mm ⅜" drive
  - Socket Torx T40 ⅜" drive
  - Socket Torx T30 ⅜" drive
  - Socket Torx T20 ⅜" drive
  - Breaker bar ⅜" drive
- Combination Wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm

See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

Maverick R, Maverick R MAX | **860202449**



- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilises LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.

See table for installation location and requirements.

LinQ Roll-Top Bag

Maverick R, Maverick R MAX | **715008110**



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ Explorer Bag

Maverick R, Maverick R MAX | **295101016**



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S.™ key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.

LinQ ACCESSORIES WITH 36" BASE

NEW LinQ Semi-Rigid Bag

Maverick R, Maverick R MAX | **715005345**



- Offers 70 L (18.5 gal) of cargo space for fully loaded adventures.
- Semi-rigid construction.
- Removable lid that converts the bag into a practical storage basket.
- Dedicated seal ensures excellent dust and weather resistance.
- Three-section lid design for quick and convenient access.
- Integrated removable centre compartment to keep your items neatly organized.

See table for installation location and requirements.

Required for installation:
- Stopper Kit (715008895).

NEW LinQ Bow & Gun Case

Maverick R, Maverick R MAX | **715008232**



- Made of impact-resistant injected polypropylene and weatherproof.
- LinQ-mounted for efficient and secure storage.
- Practical design allows you to store a bow and arrows or shotguns and rifles up to 40" (1 m).
- Arrow rubber racking system securely fixes shafts in place under lid.
- Fits up to 9 arrows from 6 mm to 9 mm.
- Two convoluted foam pieces and one foam sheet are included, so you can make the necessary adjustments according to your use.
- Mounting tabs attach to the base, and a 6' velcro strap is included to let you firmly position your gear exactly the way you want.
- Easily carried with the rigid handle.
- Anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- Compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- Can be installed in several 16" configurations (SXS), or in a 36" configuration (ATV & SXS).
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.

See table for installation location and requirements.

LinQ Trunk Box (87 L) – G3L

Maverick R, Maverick R MAX | **715009312**



- Weatherproof polyethylene rear cargo box compatible on the rear rack.
- Storage capacity of 23 gal (87 L).
- Optimised shape of the cargo box base to fit the G3L rear rack perfectly.
- Lockable with a lock on the front of the box (2 keys included).
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Requires the installation of the Stopper Kit 715008895 included with the accessory.

See table for installation location and requirements.

LinQ 9.2 Gal (35 L) Cooler

Maverick R, Maverick R MAX | **715006998**



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 35 L.
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).
- Moulded-in handles for quick installation and removal.

See table for installation location and requirements.

LinQ Cargo Box (53 L)

Maverick R, Maverick R MAX | **715006997**



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- Easy to install and remove with the LinQ system.
- New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (2 keys included).

See table for installation location and requirements.

LinQ Low Profile Box (63 L)

Maverick R, Maverick R MAX | **715007827**



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L.
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in several 16" configurations, or in a 36" configuration.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).

See table for installation location and requirements.

LinQ Cargo Basket (87 L)

Maverick R, Maverick R MAX | **715005274**



- Made of polyethylene.
- Storage capacity of 23 gal (87 L).
- Easy to install and remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- 6 handles on the contour to easily install bungee cords.
- Ability to install Tool Holders (715008896) on the basket.

See table for installation location and requirements.

LinQ CARGO ACCESSORIES

LinQ Trunk Box (96 L)

Maverick R, Maverick R MAX | **715007182**



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fibre.
- Features a maximum storage capacity of 96 L and 15 kg.
- Easy to install, easy to remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- Ability to install in conjunction with the LinQ Side Cargo Boxes (13.5 L) for a complete cargo solution.

See table for installation location and requirements.

LinQ Side Cargo Boxes (13.5 L)

Maverick R, Maverick R MAX | **715007372**



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fibre.
- Features a maximum storage capacity of 13.5 L each and 5 kg.
- Easy to install, easy to remove thanks to the LinQ system.
- Possibility of installing up to two LinQ 16" accessories between the LinQ Side Cargo Boxes (13.5 L).
- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.

See table for installation location and requirements.

LinQ HOLDERS

LinQ Lite Action Camera Holder

Maverick R, Maverick R MAX (2026 & up) | **295101139**



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

LinQ Lite Device Holder

Maverick R, Maverick R MAX (2026 & up) | **715009201**



- Made with strong magnets that you can trust while riding through rough terrain.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminium construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- To keep a good vision while driving, we recommend using this device for smartphones only.

LinQ Tool Holder

Maverick R, Maverick R MAX | **715007358**



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

NEW Tool Holder Bolt-On

Maverick R, Maverick R MAX | **715008896**



- Tool Holder is made to fit the LinQ Cargo Basket (87 L) (715005274), LinQ Cargo Box (53 L) (715006997).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs.
- Several degrees of adjustment.

LinQ Gear Grips

Maverick R, Maverick R MAX | **715005340**



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Adapter

Maverick R, Maverick R MAX | **715003058**



- Sold in pack of 4.
- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.

LinQ Base Installation Kit

Maverick R, Maverick R MAX | **715008125**



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

LinQ Lock

Maverick R, Maverick R MAX | **860201968**



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ 4.2 US Gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) or LinQ Gear Grips (715005340).

Spare Tyre Ratchet Tie-Downs

Maverick R, Maverick R MAX | **280000955**



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points.
- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

RACKS & STORAGE

RACKS

LinQ Pivoting Rack

Maverick R, Maverick R MAX | **715009465**



- Strong and durable, the LinQ Pivoting Rack helps keep cargo securely in place.
- Anti-corrosion coating with durable powder coat finish.
- Gas cylinder pivot action, locks in the open position.
- Possibility of installing up to three LinQ 16" accessories on top of the rack.
- Compatible with LinQ accessories for installation under the rack.
- Features anchor points for the spare-tyre attachment.
- Spare Tyre Tie-Downs sold separately.

Adventure Roof Rack

Maverick R | **715007186**
Maverick R MAX | **715008073**



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.
- Integrated mounting points for lights.
- Features anchor points for a spare tyre attachment.
- Can be completed with LinQ Adapter (715003058) on the side.
- The Spare Tyre Tie-Downs sold separately.

Required for installation:
- Sport Roof (715007364 or 715008074).

STORAGE

Centre Console Bag

Maverick R MAX | **715007895**



- These weather-resistant bags hold your gear safely and securely while you ride.
- Extra storage solution for front and rear passenger.
- Accessible from front and rear seating position.
- Attach the bag between the seats to maximise unused space and increase the vehicle's cargo capacity.
- Volume 23 L.
- Dedicated pocket for goggles.
- Detachable side pouches for additional storage/garbage.
- Clear side pockets for cellphones.

Shoulder Storage Bag

Maverick R, Maverick R MAX | **715007371**



- This weather-resistant bag holds your gear safely and securely while you ride.
- Attach the bag between the seats to maximise unused space and increase the vehicle's cargo capacity.
- This bag has a 1.5 gal (6 L) capacity and is equipped with outer netting compartments and a flexible inner net to hold items in place.
- The thermoformed base creates a semi-rigid structure to ease installation.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.

Not compatible with:
- SMART Helmet Pumper System.

Overhead Storage Bag

Maverick R, Maverick R MAX

715007379



- This weather-resistant bag holds your gear safely and securely while you ride.
- Makes smart use of the overhead space and increases the vehicle's cargo capacity by 2.3 gal (9 L).
- The thermoformed base attaches to the roof for easy bag installation and the soft construction makes the bag flexible enough to fit oddly shaped loads.
- Features a hanging function for easier access to the items in the bag and an integrated net for even more storage space.
- Contains two sections: a fixed bag and a detachable bag that can be carried.
- Easily access your smartphone using the touchscreen-compatible clear front pocket.

Rear Upper Door Storage Bags

Maverick R MAX

715007893



- Weather-resistant bags hold your gear safely and securely while you ride.
- Door bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
- Thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

Upper Door Storage Bags

Maverick R, Maverick R MAX

715008065



- These weather-resistant bags hold your gear safely and securely while you ride.
- The door bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

Lower Door Storage Bags

Maverick R, Maverick R MAX

715007324



- These weather-resistant bags hold your gear safely and securely while you ride.
- The door bags fit in the lower door opening to increase the vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added cushions for extra comfort.
- Sold in pairs.

Not compatible with:
- Door Speakers (Level 5 Audio System).

Passenger Storage Seat Bag

Maverick R, Maverick R MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Back Panel Storage Net

Maverick R, Maverick R MAX

715008312



- Storage net behind the passenger's seat for more storage.

Bed Side Doors

Maverick R, Maverick R MAX

715009154



- Creates a storage solution out of the rear bed cavities of the unit.
- Perfect for housing trail and safety items that remain on the vehicle.
- Includes two Bed Side Doors, one for each side.

ACM & SMART ACCESSORIES

ACCESSORY CONTROL MODULE (ACM)

Accessory Control Module

Maverick R, Maverick R MAX (except X rc models)

715010097



- Bringing the SMART to accessories using live vehicle ECU information to maximise your accessory experience.
- Connect your accessories to the 10.25" Colour Touchscreen Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).

Required for installation:
- Requires ACM Rear Harness (715009268) to connect rear-mounted SMART accessories to the Accessory Control Module.
- Accessory Control Centre (715010834) is required for 2024 and 2025 models without the 10.25" Touch Display.

Rear ACM Harness

(Not illustrated)

Maverick R, Maverick R MAX

715009268

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

X rc Roof Harness

Maverick R, Maverick R MAX (X rc models only)

715010620



- Electric harness required to hook up and operate Roof Lights with ACM.
- Required only for Maverick R X rc.

SMART Control Centre for ACM

Maverick R, Maverick R MAX

715010834



- Control accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customise according to the accessories installed.

Required for installation:
- Accessory Control Module.

SMART ACCESSORIES

NEW SMART 15" (38 cm) LED Light Bar

Maverick R, Maverick R MAX

715008746



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by quickly flicking the switch.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for compatibility, installation location and requirements

SMART 10" (25 cm) LED Light Bar

Maverick R, Maverick R MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation and requirements.

SMART 40" (102 cm) LED Light Bar

Maverick R, Maverick R MAX

715008747



- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements.

NEW SMART 40" (102 cm) LED Light Bar Mounts – Low

Maverick R, Maverick R MAX,

715010843



- Allows you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle cage or on the Sport Roof.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 3.75" (9.5 cm) overall height.

See table for installation location and requirements.

Not compatible with:
- Cold Air Roof Scoop (715008280 or 715008301), Can-Am JL Audio Roof (715007309 or 715007967).

NEW SMART 40" (102 cm) LED Light Bar Mounts – High

Maverick R, Maverick R MAX

715010844



- Allow you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle with or without a Roof Scoop.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 7.48" (19 cm) overall height.

See table for installation location and requirements.

SMART Integrated LED Roof Light

Maverick R, Maverick R MAX

715007322





- Mounted under the roof for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accesssory Control Module (ACM) activated).

Required for installation:
- Accessory Control Module (715010097 or 715010620) is required for SMART functionality.
- Electric Harness (715008209) required to hook up and operate the Integrated LED Roof Light (715007322) for on/off function when ACM is not installed.

Not compatible with:
- Powerflip Windshield (715009900).

SMART Integrated LED Hood Light

Maverick R, Maverick R MAX

715007378





- Mounted flush inside the hood scoop for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 5,250 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accesssory Control Module (ACM) activated).

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.
- Wiring Harness (715008211) required for on/off function when ACM is not installed. Sold separately.

SMART Integrated LED Side Mirror Lights

Maverick R, Maverick R MAX

715007185





- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.

Required for installation:
- Require Aluminium Side Mirrors (715007363).
- Accessory Control Module (715010097) is required for SMART functionality.
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed.

SMART LED Chase Lights

Maverick R, Maverick R MAX

715007727



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Four modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern and serves as a brake light.
  - Work Mode: white light to light up your cargo bed.
  - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation with the Accessory Control Module (ACM).
- The Cold Air Roof Scoop limits the performance of the Chase Lights to only the two outside portions and not the centre.

Required for installation:
- Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality.
- Electric Harness (715008210) required to hook up and operate the LED Chase Lights (715007727) for a non-smart function when ACM is not installed.

NEW SMART Helmet Pumper System

Maverick R — Coming Soon

Maverick R MAX — Coming Soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimised housing paired with two high static-pressure fans delivers superior airflow and volume.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: Washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Accessory Control Module (715009121) and Rear ACM Wiring Harness (715009268)
- Not SMART: Helmet Pumper System Harness (715008905)

Not compatible with:
- Shoulder Storage Bag (715007371) and LinQ Lite Multi Holder (295100977)

SMART Particle Separator

Maverick R, Maverick R MAX

715007187



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- IP68 fan.
- Keeps your air filter clean longer.
- Maintains engine performance.

Required for installation:
- Air Intake Tube (706600403) is currently required for installation.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.

SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX

715008555



- Washer fluid dispenser is perfectly concealed on the vehicle.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Powerflip Windshield (715009900).
- SMART: Accessory Control Module (715010097).
- Not SMART: Electric Harness (715008855).

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX

715007173



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed.

NEW SMART 40" (102 cm) LED Light Bar Harness

(Not illustrated)

Maverick R, Maverick R MAX

715010831

- Required for the installation of the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

NEW SMART Helmet Pumper System Harness

Maverick R, Maverick R MAX

715008905



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

LIGHTS

CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART Integrated LED Roof Light **715007322**	SMART Integrated LED Hood Light **715007378**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Accessory Control Module **715010097** or X rc Roof Harness **715010620** (X rc models only)	Accessory Control Module **715010097**	Aluminium Side Mirrors **715007363** + Accessory Control Module **715010097**	Accessory Control Module **715010097** + Rear ACM Harness **715009268**	No compatibility		
Front Bumper X rc (715010008)	No compatibility				No compatibility	Front Bumper X rc Light Support **715010532** + Accessory Control Module **715010097*** (for non XRC model) *Not compatible with Accessory Control Module **715009796**	
Desert Front Bumper (715007311, 715007691 or 715009926)						Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796**	Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796**
Trail Front Bumper (715010071, 715010072 or 715009925)							No compatibility
Sport Roof with Light Support Bar (715003529)					Accessory Control Module **715010097** or X rc Roof Harness **715010620** (X rc models only) *Not compatible with Accessory Control Module **715009796**		Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796**
Audio Roof (no additional bracket needed)						No compatibility	
Adventure Roof Rack (715007186 or 715008073)							
SMART 40" (102 cm) LED Light Bar Mounts (715010843 or 715010844)							

*All lights are intended for off-road use only.

CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART Integrated LED Roof Light **715007322**	SMART Integrated LED Hood Light **715007378**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Integrated LED Roof Light Wiring Harness **715008209**	Integrated LED Hood Light Wiring Harness **715008211**	Aluminium Side Mirrors **715007363** + Integrated LED Side Mirror Lights Wiring Harness **715008212**	LED Chase Lights Wiring Harness **715008210**	No compatibility	No compatibility	
Front Bumper X rc (715010008)	No compatibility					Lights Wiring Harness **715009886**	Lights Wiring Harness **715009886**
Desert Front Bumper (715007311, 715007691 or 715009926)							
Trail Front Bumper (715010071, 715010072 or 715009925)							No compatibility
Sport Roof with Light Support Bar (715003529)					Lights Wiring Harness **715010831**		
Audio Roof (no additional bracket needed)						No compatibility	
Adventure Roof Rack (715007186, 715008073)							
SMART 40" (102 cm) LED Light Bar Mounts (715010843 or 715010844)	N/A						

*All lights are intended for off-road use only.

BAJA LIGHTS WITH ACM

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS				
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar **710006818**	10" (25 cm) Baja Designs OnX6 LED Light Bar **710006819**	Baja Designs XL Sport LED Lights **710006821**	Baja Designs Squadron Sport LED Lights **710006820**	Baja Designs XL80 LED Lights **710005041**
Front Bumper X rc (715010008)	No compatibility	Front Bumper X rc Light Support **715010532** + LED Light Bars ACM Adaptor **715008213** OR Light Harness for X rc models **715010830**	Front Bumper X rc Light Support **715010532** + LED Lights ACM Adaptor **715007715** OR Light Harness for X rc models **715010830**		
Desert Front Bumper (715007311, 715007691 or 715009926)		LED Light Bars ACM Adaptor **715008213** OR Light Harness for X rc models **715010830**	LED Lights ACM Adaptor **715007715** OR Light Harness for X rc models **715010830**		
Trail Front Bumper (715010071, 715010072 or 715009925)					
Roof with Light Support Bar (715003529)	LED Light Bars ACM Adaptor **715008213** + X rc Roof Harness **715010620** (X rc models only)	No compatibility	LED Lights ACM Adaptor **715007715** + X rc Roof Harness **715010620** (X rc models only)		
Sport Roof with Roof Light Mounting Kit – Low Position (715008585)			No compatibility		
Sport Roof with Roof Light Mounting Kit – High Position (715007930)					
Adventure Roof Rack (715007186, 715008073)			LED Lights ACM Adaptor **715007715** + X rc Roof Harness **715010620** (X rc models only)		

*All Baja lights are not ACM compatible with Maverick R X rc models.

BAJA LIGHTS WITHOUT ACM

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS				
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar **710006818**	10" (25 cm) Baja Designs OnX6 LED Light Bar **710006819**	Baja Designs XL Sport LED Lights **710006821**	Baja Designs Squadron Sport LED Lights **710006820**	Baja Designs XL80 LED Lights **710005041**
Front Bumper X rc (71501008)	No compatibility	Front Bumper X rc Light Support **715010532** + Wiring Harness **715008863**	Front Bumper X rc Light Support **715010532** + Wiring Harness **715008865**		Front Bumper X rc Light Support **715010532** + Wiring Harness **715008863**
Desert Front Bumper (715007311, 715007691 or 715009926)		Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**
Trail Front Bumper (715010071, 715010072 or 715009925)					
Roof with Light Support Bar (715003529)	Wiring Harness **715008864**	No compatibility			
Roof Light Mounting Kit – Low Position (715008585)					
Roof Light Mounting Kit – High Position (715007930)					
Adventure Roof Rack (715007186, 715008073)		Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.				

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick R, Maverick R MAX | **710006818**





- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.

See table for installation location and requirements.

Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick R, Maverick R MAX | **710006819**





- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.

See table for installation location and requirements.

Baja Designs XL80 LED Lights

Maverick R, Maverick R MAX | **710005041**





- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Baja Designs Squadron Sport LED Lights

Maverick R, Maverick R MAX | **710006820**





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

See table for installation location and requirements.

Baja Designs XL Sport LED Lights

Maverick R, Maverick R MAX | **710006821**





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Dome Light

Maverick R, Maverick R MAX | **715009228**



- Offers an optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensures clear visibility of the surroundings.
- Built-in on/off button on the light.
- Wiring included.
- Can be installed on cage or Sport Roof.

Not compatible with:
- Audio Roof.

Light Support Bar

Maverick R, Maverick R MAX

715003529



- Sleekly styled rugged aluminium construction.
- Full vehicle width to allow the installation of any large LED light bar.
- Required for light installation on vehicle's roof.
- Lights sold separately.

Front Bumper X rc Light Support

Maverick R, Maverick R MAX

715010532



- Required for lights on Front Bumper X rc (715010008).

Baja Designs Light Mounting Kit – High Position

Maverick R, Maverick R MAX

715007930



- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- Compatible with the Cold Air Roof Scoop.

Baja Designs Light Mounting Kit – Low Position

Maverick R, Maverick R MAX

715008585



- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.

Not compatible with:
- Cold Air Roof Scoop.

NEW Baja Designs Lights Wiring Harness

(Not illustrated)

Maverick R (X rc models only)

715010830

- To allow the installation of Baja lights on front bumper of X rc models.

Required for installation:
- Front Bumper X rc Light Support (715010532).

Lights Wiring Harness

Maverick R, Maverick R MAX

715009886



- Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).

AUDIO

Can-Am JL Audio System – Level 5

Maverick R, Maverick R MAX | **715007957**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including six 6.5" (165 mm) speakers (two dash, two door and two surround speakers), as well as two 10" (254 mm) under-seat 250 W subwoofers that will enhance both the driver's and the passenger's experience.
- Speakers include an adjustable RGB LED cone illumination.
- Uses one MX500/4 to power up our six speakers, and one MX500/1 to feed the under-seat subwoofers.
- Complements the Can-Am Audio Roof – Level 4 (715007309).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Can Am JL Audio Source Unit (715008230) for vehicle without 10.25" Touch Display.

Can-Am JL Audio Roof – Level 4

Maverick R | **715007309**
Maverick R MAX | **715007967**



- Full roof with premium JL Audio System for Maverick R.
- Features fully sealed and waterproofed components and construction.
- Easy to install and connect.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Its weatherproof components include four 7.7" coaxial speakers (6 speakers for MAX) and a 500-watt amplifier.
- The system is expertly tuned for exceptional sound when you're riding in your Maverick R.
- Speakers include an adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- When combined with the Can-Am Audio System – Level 3 (715007954) or Level 5 (715007957), it provides the ultimate sound experience.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Not compatible with:
- Adventure Roof Rack (715008073 or 715007186).

Required for installation:
- Can Am JL Audio Source Unit (715008230) for vehicle without 10.25" Touch Display.

Can-Am JL Audio System – Level 3

Maverick R, Maverick R MAX | **715007954**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers), and a 10" (254 mm) under-seat 250 W subwoofer that will enhance both the driver's and the passenger's experience.
- Uses one MX280/4 to power up our four speakers, and one MX500/1 to power up the under-seat subwoofer.
- Easy to install, with the option to add a second subwoofer (715007310).
- Complements the Can-Am Audio Roof – Level 4 (715007309).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Can Am JL Audio Source unit (715008230) for vehicle without 10.25" Touch Display.

Can-Am JL Audio Roof Flip Kit

Maverick R, Maverick R MAX | **715008164**



- Combines with the Can-Am JL Audio Roof – Level 4 (715007309 or 715007967) for Flip option.

Not compatible with:
- Cold Air Roof Scoop (715008280, 715008301) and Adventure Roof Rack (715007186, 715008073).

Can-Am JL Audio Subwoofer

Maverick R, Maverick R MAX | **715007310**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- When combined with the Can-Am Audio System – Level 3 (715007954) or with the Can-Am Audio Roof – Level 4 (715007309), this premium JL Audio component creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, a Can-Am JL Audio Amplifier (715007714) is required.

Can-Am JL Audio Amplifier

Maverick R, Maverick R MAX | **715007714**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a seamless integration.
- Designed to be Can-Am tough in the most demanding riding conditions.
- This MX500/1 is a premium JL Audio component and is used to feed one or two 250 W under-seat subwoofers.
- When combined with the Can-Am Audio Roof – Level 4 (715007309 or 715007967), it creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, this item is required.
- Easy to install, mounting support included.

Can-Am JL Audio Source Unit

Maverick R, Maverick R MAX

715008230



- Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Touch Display.
- Designed to fit the vehicle perfectly for a fully integrated look.
- AM/FM/Bluetooth compatible.

NEW Vol Up/Down Switch

Maverick R, Maverick R MAX

710010952



- Volume control is now possible using this switch independently of the touchscreen display.

ELECTRICAL & ELECTRONIC ACCESSORIES

10.25 in. Colour Touchscreen Display Protector

Maverick R (with 10.25" Touch Display), Maverick R Max (with 10.25" Touch Display)

860202680



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

GPS Module with Group Ride

(Not illustrated)

Maverick R, Maverick R MAX

860202990

- Enables live location sharing offline with friends and other vehicles around.
- Works without phone connection or cellular network, for a range of 1+ miles (1.6 km) depending on terrain.
- Embedded topographic maps and GPS function included.
- Module update has to be done in dealership.
- Included on all models with 10.25" Touch Display.
- Retrofit for 2024 to 2025 vehicles with 10.25" Touch Display.
- Requires 2 bolts M6x50 (250000749) for the retrofit on SSV.

Electronic Device Holder

Maverick R, Maverick R MAX

715007176



- Increases the storage capacity of the glovebox by 1 gal (4 L), with secure magnetic adjustable support for your electronic device.
- Robust injected fibre-reinforced-polypropylene construction allows for the right fit and easy installation.
- Magnet 10 times stronger than any electronic device's weight, ride through rough terrain confidently.
- 2 possible positions for your electronic device: Portrait & Landscape. Adjustable support with 2 positions: facing the passenger or towards the driver for an improved driving experience and immersion.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.

Cellphone Holder

Maverick R, Maverick R MAX

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

Required for installation:
- Electronic Device Holder (715007176) or LinQ Lite Device Holder (715009201) for the Cellphone Holder to be supported.

Auxiliary Battery Installation Kit

Maverick R, Maverick R MAX

715007837



- Allows the rider to add a second battery and/or replace the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.
- Automatic rundown protection.
- Installs behind the seat for easy access.
- Equipped with an electronic module that prevents the auxiliary electrical components from draining the original battery.

Required for installation:
- Requires the purchase of a second battery and battery hardware (not included and sold separately).

WINCHES

CAN-AM HD WINCHES

NEW Can-Am HD 5500 Winch

Maverick R, Maverick R Max

715010192



- Pulling strength capability of 5,500 lb (2,494 kg).
- Includes 34.4' x 9⁄32" (10.5 m x 7.2 mm) steel cable.
- Heavy-duty 4-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- EC compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch-compatible front bumper.

NEW Can-Am HD 5500-S Winch

Maverick R, Maverick R Max

715010193



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- Pulling strength capability of 5,500 lb (2,494 kg).
- 9⁄32" x 40' (7 mm x 12.2 m) synthetic rope.
- Corrosion-proof aluminium Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715008850) and winch-compatible front bumper.

Can-Am HD 4500 Winch

Maverick R, Maverick R MAX

715011705



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- EC compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.

Required for installation:
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch compatible front bumper.

Can-Am HD 4500-S Winch

Maverick R, Maverick R MAX

715011706



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminium Hawse fairlead.

Required for installation:
- Winch Electrical Harness (715008850) and winch compatible front bumper.

WINCH ACCESSORIES

Winch Cable Stopper

All Can-Am HD Winches

715009921



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch

715010042



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminium Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminium Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

WARN Hawse Fairlead

WARN Winch | **715007785**



- Double-powder-coated construction.
- To be used with synthetic winch cables only.

Winch Roller Fairlead Spacer

Maverick R, Maverick R MAX | **715008922**



- Required when using a Winch and Roller Fairlead with a wire cable.
- Made of aluminium, with an anti-corrosion finish.

Synthetic Winch Cable

Can-Am HD Winch | **715006430**
WARN Winch | **715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement

Can-Am HD Winch | **705014978**
WARN Winch | **715006699**



- 43' of 15⁄64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

Winch Electrical Harness

(Not illustrated)

Maverick R, Maverick R MAX | **715008850**

- Required for winch installation.

NEW Can-Am HD Winch Hook

Can-Am HD Winch | **715011610** · Platinum Silver



- Heavy-duty, forged, and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminium latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

Can-Am HD Winch | **715008286**



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

Can-Am HD Winch‡ | **715006504**



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.

† *Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.*
‡ *Remote Control (710007050) and connection socket are included.*

RECOVERY

NEW Can-Am Retractable Rope System

Maverick R, Maverick R MAX | **715010190**



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 2,600 lb (1,180 kg) rope working load limit.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Features a built in tow hook.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg).
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

Maverick R, Maverick R MAX | **715010814**



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Kinetic Recovery Kit

Maverick R, Maverick R MAX | **715010837**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Can-Am Soft Shackle

Maverick R, Maverick R MAX | **715010577**



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

Maverick R, Maverick R MAX | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminium construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

Maverick R, Maverick R MAX | **715010835**



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fibre engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

Maverick R, Maverick R MAX

715010836



- Change the direction of your pull.
- Machined from premium aluminium alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

NEW SMART Helmet Pumper System

Maverick R — Coming Soon
Maverick R MAX — Coming Soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimised housing paired with two high static-pressure fans delivers superior airflow and volume.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009268).
- Not SMART: Helmet Pumper System Harness (715008905).

Not compatible with:
- Shoulder Storage Bag (715007371) and LinQ Lite Multi Holder (295100977).

NEW SMART Helmet Pumper System Harness

Maverick R, Maverick R MAX

715008905



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

SMART Particle Separator

Maverick R, Maverick R MAX

715007187



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- IP68 fan.
- Keeps your air filter clean longer.
- Maintains engine performance.

Required for installation:
- Air Intake Tube (706600403) is currently required for installation.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.

Particle Separator Harness

(Not illustrated)

Maverick R, Maverick R MAX

715008890

- Electric harness required to hook up and operate the Engine Air Intake Particle Separator (715007187) for on/off function when ACM is not installed.

Performance Air Filter by Twin AIR†

Maverick R, Maverick R MAX

715002895



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Digitally Encoded Security System (D.E.S.S.) Green Key

Maverick R, Maverick R MAX

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 2 programmable modes:
  - Normal mode: configurable, limits vehicle speed to 70 km/h (44 mph) and may have torque reduction.
  - Performance mode: no restrictions.

COVERS

NEW Can-Am Trailering Cover

Maverick R	**715008761**
Maverick R MAX	**715008762**



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and coloured panels from abrasion.
- All high abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap on passenger side.
- Quick and easy installation.
- Designed to fit your vehicle with or without Can-Am accessories.

CAN-AM MAVERICK X3



CAN-AM MAVERICK X3

MODEL PACKAGES 135

Maverick X3 X rs Turbo RR with Smart Shox 135

Maverick X3 X rc Turbo RR 136

Maverick X3 MAX X rs Turbo RR with Smart Shox 137

COMPARATIVE CHART 138

ACCESSORIES 139

Roofs 139

Windshields & Wind Protection 140

Mirrors 142

Doors 143

Seat Accessories 144

HMWPE Skid Plates 145

Bumpers & Protection 146

Maverick X3 LinQ Accessories 149

Racks & Storage 154

ACM & SMART Accessories 155

Lights 158

Audio 163

Electrical & Electronic Accessories 164

Winches & Hitches 165

Recovery 167

Performance 169

Apache Track Systems 171

ProMount Plows 173

Cover & Trailering 176

2027 CAN-AM MAVERICK X3 X RS TURBO RR WITH SMART SHOX



Dolomite Grey/Orange Crush

PACKAGE HIGHLIGHTS

- Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
- Smart-Lok™* front differential
- FOX† 2.5 and FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox
- Technology featuring DDA Valve (Dynamic Damping Adjustment)
- Belt monitoring system
- 850-W magneto
- New Premium half doors and window nets
- 2 person capacity
- 32 in. XPS Trac Force Tyres
- 15 in. aluminum beadlock wheels
- 4-point harness with shoulder pads
- Full hard roof
- Full heavy-duty HMWPE skid plate
- 10.25 in. Touch display with telescopic steering wheel and front & rear camera
- X-package graphics/seats
- Can-Am LED signature lights

ENGINE	TURBO RR
Type	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
Drive Train	Lockable front differential with exclusive Smart-Lok™* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms
Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm) suspension travel
Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)

TYRES & WHEELS	
Front / Rear Tyres	XPS Trac Force 32 x 10 x 15 in.
Wheels	15 in. cast-aluminum beadlock

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 248 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,735 lb (787 kg)
Cage	Dual-phase 980 steel
L x W x H	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)
Wheelbase	102 in. (259.1 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	200 lb (91 kg) with LinQ™ quick-attach
Storage Capacity	Total: 2.5 gal (9.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	2

FEATURES	
Gauge	4.5 in. Digital display with keypad & 10.25 in. Touch display
Battery	18 Ah (270 CCA)
Magneto	850 watts
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights LED taillights LED signature lights
Winch	N/A
Protection	Integrated front bumper • Full hard roof • Premium half doors • Window net • 4-point harness with shoulder pads • Skid plate and Anti Branch intrusion • Full heavy-duty HMWPE skid plate • Rear tow hook

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM MAVERICK X3 X RC TURBO RR



Loft Green Satin

PACKAGE HIGHLIGHTS

- Smart-Lok™* front differential
- FOX† 2.5 and 3.0 PODIUM RC2† shocks with bypass
- Belt monitoring system
- 850-W magneto
- 32 in. XPS Hammer King Tyres
- 15 in. aluminum beadlock wheels
- 4-point harness with shoulder pads
- Front bumper, half-doors, full hard roof, intrusion bar
- 4,500 lb (2,041 kg) winch with synthetic cable
- New window nets
- 2 person seating capacity
- HMWPE differential and under bumper skid plates
- HMWPE front and rear suspension arm
- UHMWPE rock sliders
- Rear tow hook
- 10.25 in. Touch display with telescopic steering wheel and front & rear camera
- X-package graphics/seats
- Can-Am LED signature lights

ENGINE	TURBO RR
Type	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
Drive Train	Lockable front differential with exclusive Smart-Lok™* technology. True 4-mode traction system: 2WD / 4WD with front diff. lock / 4WD ROCK / 4WD TRAIL
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms
Front Shocks	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual-speed compression and rebound adjustments
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links / 24 in. (61 cm) suspension travel
Rear Shocks	FOX† 3.0 PODIUM RC2† with bypass, dual-speed compression and rebound adjustments

TYRES & WHEELS	
Front / Rear Tyres	XPS Hammer King 32 x 10 x 15 in.
Wheels	15 in. cast-aluminum beadlock

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 248 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,845 lb (837 kg)
Cage	Dual-phase 980 steel
L x W x H	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)
Wheelbase	102 in. (259.1 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	200 lb (91 kg) with LinQ™ quick-attach
Storage Capacity	Total: 2.5 gal (9.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	2

FEATURES	
Gauge	4.5 in. Digital display with keypad & 10.25 in. Touch display
Battery	18 Ah (270 CCA)
Magneto	850 watts
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	Premium high-performance LED headlights LED taillights LED signature lights
Winch	4,500 lb (2,041 kg) winch with synthetic cable
Protection	Front bumper • Full hard roof • Premium half doors • Window net • Intrusion bar • 4-point harness with shoulder pads • UHMWPE rock sliders • HMWPE skid plates: Full heavy duty with differential / under bumper / front and rear suspension arm • Rear tow hook • Trailing Arm protector • Lower A-arm protector

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM MAVERICK X3 MAX X RS TURBO RR WITH SMART SHOX



Triple Black

PACKAGE HIGHLIGHTS

- Smart-Lok™* front differential
- FOX† 2.5 and 3.0 PODIUM RC2† shocks with bypass
- Belt monitoring system
- 850-W magneto
- 32 in. XPS Trac Force tyres
- 15 in. aluminum beadlock wheels
- 4-point harness with shoulder pads
- New premium half doors and window nets
- 4 person seating capacity
- Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
- Full hard roof
- Full heavy-duty HMWPE skid plate
- 10.25 in. Touch display with telescopic steering wheel and front & rear camera
- X-package graphics/seats
- Can-Am LED signature lights

ENGINE	TURBO RR
Type	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
Drive Train	Lockable front differential with exclusive Smart-Lok™* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms
Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 22 in. (55.9 cm) suspension travel
Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)

TYRES & WHEELS	
Front / Rear Tyres	XPS Trac Force 32 x 10 x 15 in.
Wheels	15 in. cast-aluminum beadlock

BRAKES	
Front	Twin piston caliper (32 mm) / 262 mm discs
Rear	Twin piston caliper (28 mm) / 248 mm discs

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	2,024 lb (918 kg)
Cage	Dual-phase 980 steel
L x W x H	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
Wheelbase	135 in. (342.9 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	150 lb (68 kg) with LinQ™ quick-attach
Storage Capacity	Total: 3 gal (11.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	4

FEATURES	
Gauge	4.5 in. Digital display with keypad & 10.25 in. Touch display
Battery	18 Ah (270 CCA)
Magneto	850 watts
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlight LED signature lights LED taillights
Winch	N/A
Protection	Integrated front bumper • Full hard roof • Premium half doors • Window net • 4-point harness with shoulder pads • Full heavy-duty HMWPE skid plate • Rear tow hook

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		MAVERICK X3 X RS TURBO RR	MAVERICK X3 X RC TURBO RR	MAVERICK X3 MAX X RS TURBO RR
COLOUR OPTIONS		Dolomite Grey/Orange Crush	Loft Green Satin	Triple Black
ENGINES	Type	TURBO RR	TURBO RR	TURBO RR
		200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
	Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok™* technology. True 4-mode traction system: 2WD / 4WD with front diff. lock / 4WD ROCK / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok™* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms	Arched double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms	Arched double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms
	Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual-speed compression and rebound adjustments	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links / 24 in. (61 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar / 22 in. (55.9 cm) suspension travel
	Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX† 3.0 PODIUM RC2† with bypass, dual-speed compression and rebound adjustments	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
TYRES / WHEELS	Front/Rear Tyres	XPS Trac Force 32 x 10 x 15 in.	XPS Hammer King 32 x 10 x 15 in.	XPS Trac Force 32 x 10 x 15 in.
	Wheels	15 in. cast-aluminum beadlock	15 in. cast-aluminum beadlock	15 in. cast-aluminum beadlock
BRAKES	Front	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 262 mm discs	Twin piston caliper (32 mm) / 262 mm discs
	Rear	Twin piston caliper (28 mm) / 248 mm discs	Twin piston caliper (28 mm) / 248 mm discs	Twin piston caliper (28 mm) / 248 mm discs
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	1,735 lb (787 kg)	1,845 lb (837 kg)	2,024 lb (918 kg)
	Cage	Dual-phase 980 steel	Dual-phase 980 steel	Dual-phase 980 steel
	L x W x H	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
	Wheelbase	102 in. (259.1 cm)	102 in. (259.1 cm)	135 in. (342.9 cm)
	Ground Clearance	16 in. (40.6 cm)	16 in. (40.6 cm)	16 in. (40.6 cm)
	Rack Capacity	200 lb (91 kg) with LinQ™ quick-attach	200 lb (91 kg) with LinQ™ quick-attach	150 lb (68 kg) with LinQ™ quick-attach
	Storage Capacity	Total: 2.5 gal (9.4 L)	Total: 2.5 gal (9.4 L)	Total: 3 gal (11.4 L)
	Fuel Capacity	10.5 gal (40 L)	10.5 gal (40 L)	10.5 gal (40 L)
	Person Capacity	2	2	4
FEATURES	Gauge	4.5 in. Digital display with keypad & 10.25 in. Touch display	4.5 in. Digital display with keypad & 10.25 in. Touch display	4.5 in. Digital display with keypad & 10.25 in. Touch display
	Battery	18 Ah (270 CCA)	18 Ah (270 CCA)	18 Ah (270 CCA)
	Magneto	850 watts	850 watts	850 watts
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	Premium high-performance LED headlights LED taillights LED signature lights	Premium high-performance LED headlights LED taillights LED signature lights	LED headlight LED signature lights LED taillights
	Winch	N/A	4,500 lb (2,041 kg) winch with synthetic cable	N/A
	Protection	Integrated front bumper · Full hard roof · Premium half doors · Window net · 4-point harness with shoulder pads · Skid plate and Anti Branch intrusion · Full heavy-duty HMWPE skid plate · Rear tow hook	Front bumper · Full hard roof · Premium half doors · Window net · Intrusion bar · 4-point harness with shoulder pads · UHMWPE rock sliders · HMWPE skid plates: Full heavy duty with differential / under bumper / front and rear suspension arm · Rear tow hook · Trailing Arm protector · Lower A-arm protector	Integrated front bumper · Full hard roof · Premium half doors · Window net · 4-point harness with shoulder pads · Full heavy-duty HMWPE skid plate · Rear tow hook

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

ROOFS

Sport Roof

Maverick X3 (except X mr models)	**715005521**
Maverick X3 MAX (except X mr models)	**715003750**



- Impact-resistant injected polypropylene.
- Excellent protection from the elements.
- Provides excellent downhill visibility.
- Windshield compatible.
- Easy, tool-less installation and removal with quick-release ¼ turn fasteners and Velcro straps.

Required for installation:
- Seal and Promoter (715004427) when combined with a full size windshield.

ProVent Roof Module Kit

Maverick X3, Maverick X3 MAX — **715005279**



- Provides fresh air in the cab area.
- Optimal performance with full cab enclosure.
- 4 vents provide infinite adjustment of air flow for driver and passenger.
- Filter and pre-filter to limit dust intrusion.
- Easy cleaning of filter and pre-filter.
- Patent pending water management system to keep water out of cabin while maintaining air flow.
- Outer plug closes air intake completely for winter or heavy weather.
- Sport Roof requires ProVent Module Adapter Kit.

Required for installation:
- Sport Roof (715005521, 715003750) with ProVent Module Adapter Kit (715006199, 715006371) or Aluminium Roof (715004224, 715002900).

Not compatible with:
- Rood mounted LED bars, Adventure Roof Rack (715006225, 715003868), Lone Star Roof or Audio Roof.

ProVent Roof Module Adapter Kit for Sport Roof

(Not illustrated)

Maverick X3	**715006199**
Maverick X3 MAX	**715006371**

- Adapter for fitting ProVent Roof Module Kit onto Maverick X3.
- Includes roof adapter and hardware.

Required for installation:
- ProVent Roof Module Kit (715005279).

Aluminium Roof

Maverick X3 (except X mr models)

■ **715004224** · Black
■ **715002900** · Silver



- Formed aluminium roof 0.09" (2.3 mm) thick.
- Durable and lightweight.
- Sporty look.
- Windshield compatible.
- Easy and tool-less installation.

Tinted Sun Visor

Maverick X3, Maverick X3 MAX (except X mr models) — **715007098**



- Tinted polycarbonate construction.
- Extra protection for driver and passenger from the sun.

Not compatible with: Aluminium Roof, Audio Roof or Full Windshields.

Lonestar Racing Aluminium Roof

Maverick X3 produced after January 1, 2017 (except X mr models)	■ **715005507** · Black
Maverick X3 MAX (except X mr models)	■ **715005515** · Black



- 0.083" (2.1 mm) thick aluminium roof.
- Durable and lightweight.
- Enhances the vehicle's racing appearance thanks to an authentic sporty look combined with unique graphics.
- Offers you protection from the elements with a personalized touch.
- Lower profile than other roofs.
- Compatible with Lonestar Racing Light Bar Racks.
- "Lonestar Racing for Can-Am" branded.
- Includes middle intrusion bars for installation.

Not compatible with:
- LinQ® Pivoting Rack, Light Support Bar and Full Windshields.

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

PowerFlip Windshield

Maverick X3, Maverick X3 MAX | **715007097**



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of opening possibilities depending on protection, visibility and air flow preferences.
- Compatible with Can-Am roofs.

Required for installation:
- Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Windshield Wiper for PowerFlip Windshield

Maverick X3, Maverick X3 MAX | **715006310**



- An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allows windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.

Required for installation:
- PowerFlip Windshield (sold separately).

Provent Windshield

Maverick X3, Maverick X3 MAX | **715005277**



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Controllable vents to manage air flow.
- Optimal performance with full cab enclosure.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- One upper vent and one lower vent with pre-filters.
- Formed polycarbonate construction for enhanced rigidity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Upper vent channels air into the cabin.
- Lower vents defog windshield.
- Provides excellent optical clarity and better abrasion resistance.

Required for installation:
- Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Not compatible with:
- Wiper kits and Wet Sounds Stealth 6 Ultra HD Can-Am Edition Sound Bar.

Glass Windshield

Maverick X3, Maverick X3 MAX | **715008859**



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Provides the best optical clarity and abrasion resistance.
- Recommended to use with rear wind protection to maximise comfort for passenger.

Required for installation:
- Must be used with Windshield Wiper & Washer Kit to maintain clear visibility during severe riding conditions, such as mud riding.
- Requires Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Glass Windshield with SMART Wiper & Washer Kit

Maverick X3, Maverick X3 MAX | **715008858**



- Complete kit that includes a curved and laminated glass windshield with a single-speed wiper and washer fluid dispenser.
- Seals firmly against the cage and protects rider and passenger from the elements.
- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Recommended to use with rear wind protection to maximise comfort for passenger.
- Smart and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- When installed with ACM: Must be used with SMART Mode Wiper Switch (710007998).
- When installed without ACM: Includes harness and switch for On/Off function.
- Required Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Full Windshield

Maverick X3, Maverick X3 MAX (2025 & prior) | **715002907**



- High-impact-resistant durable polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Recommended to use with rear wind protection to maximise comfort for passenger.

Required for installation:
- Requires Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Full Windshield – Hardcoated

Maverick X3, Maverick X3 MAX

715004417



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Recommended to use with rear wind protection to maximise comfort for passenger.
- Can be used with the SMART Windshield Wiper and Washer Kit (715004762).

Required for installation:
- Requires Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Half Windshield

Maverick X3, Maverick X3 MAX (2025 & prior)

☐ **715002909** · Clear

■ **715004291** · Tinted



- High-impact-resistant durable polycarbonate half windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

SMART Windshield Wiper & Washer Kit

Maverick X3, Maverick X3 MAX Fit with Full Windshield Hardcoated (715004417) — **715004762**

Maverick X3, Maverick X3 MAX Fit with Glass Windshield (715008859) — **715003282**



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper and washer fluid dispenser.
- Wiper mechanism and washer fluid dispenser perfectly concealed within the vehicle.
- Smart and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- When installed with ACM: Must be used with SMART Mode Wiper Switch (710007998).
- When installed without ACM: Includes harness and switch for On/Off function.

Manual Wiper Kit

Maverick X3, Maverick X3 MAX

715009424



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entyre sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

NEW SMART Mode Wiper Switch

Maverick X3, Maverick X3 MAX

710007998



- Required to operate the wiper (715004762, 715003282 or 715008858) for quick access to On/SMART/INT/Off functions.
- Short press: allows you to switch between 3 modes (On, SMART, Intermittent) when equipped with the ACM.
- Press and hold to activate the washer fluid function.

WIND PROTECTION

Rear Wind Screen

Maverick X3, Maverick X3 MAX (except X mr models)

715006701



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Large white Can-Am logo on black mesh.

Rear Polycarbonate Window

Maverick X3, Maverick X3 MAX (except X mr models)

715006387



- High-impact-resistant polycarbonate window.
- Blocks windshield backdraft or dust and rain from entering for added cabin comfort.
- Quick and easy tool-less installation.
- Ready for MTX Audio System Rear Speakers.

Soft Rear Window

Maverick X3, Maverick X3 MAX (except X mr models)

715006702



- Clear, flexible window made from transparent vinyl.
- Resists cold-cracking to -4°F (-20°C).
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick tool-less installation.

MIRRORS

Aluminium Side Mirrors

Maverick X3, Maverick X3 MAX

715007363



- Sleek design.
- High-quality black moulded aluminium for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimised rider vision.
- Possibility to install the Integrated SMART LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Sold in pairs.

Not compatible with:
- Glass Windshield and upper soft door panel.

Side Mirrors

Maverick X3, Maverick X3 MAX

715007188



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimised rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Sold in pairs.

Not compatible with:
- Glass Windshield and upper soft door panel.

Side Mirrors

Maverick X3, Maverick X3 MAX

715004236
- For stock quarter doors

715005315
- For aluminium doors



- Rugged cast aluminium mount with black nylon cover.
- Multi-position adjustable ball-joint mounted mirrors.
- Convex optics for a wide viewing angle.
- Spring-loaded pivots let mirrors fold back completely.
- Door mounted.
- Compatible with Upper Soft Door Panels.
- Sold in pairs.

Racing Side Mirrors

Maverick X3, Maverick X3 MAX

715002898



- Race-inspired design features rugged black nylon % construction with coated cast-aluminium mount.
- Dual adjustment provides optimal field of view (FOV).
- Multi-position adjustable ball-joint mounted mirrors.
- Flat optics deliver improved distance perception.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Not compatible with:
- Lonestar Racing Light Racks, Upper Soft Door Panels or Flip Audio Roof Kit (715007131).

Rally Side Mirrors

Maverick X3, Maverick X3 MAX

715005262



- Sleek design with unique racing style.
- High-quality black moulded aluminium for extreme durability.
- 4″ (10 cm) convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimised rider vision.
- Multi-position adjustable ball-joint-mounted mirrors.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Not compatible with:
- Glass Windshield.

Rear Mirror & Camera Monitor

Maverick X3, Maverick X3 MAX

715009410



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated into the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

DOORS

Aluminium Half Doors

Maverick X3, Maverick X3 MAX	**715007971** • Front
Maverick X3 MAX	**715007972** • Rear



- Lightweight half doors made of formed 5⁄64″ (2 mm) thick aluminium.
- Smooth finish.
- Engineered for maximum rigidity and durability.
- Designed for a perfect fit and seamless integration with the vehicle's lines.
- Contoured with a thick seal for better protection from the elements.
- Easy installation using the standard door frame.
- Includes the easy-to-operate Deluxe Door Handles.
- Compatible with the Upper Soft Door Panels, the Window Nets and Upper Door Storage Bags.
- Sold in pairs.

Not compatible with: the Lower Door Panel Storage Bags.

Deluxe Door Handles

Maverick X3, Maverick X3 MAX (2026 and prior)	**715004758** • Front
Maverick X3 MAX (2026 and prior)	**715004860** • Rear



- Convert the standard door straps into easy-to-access door handles.
- Include inside and outside handles for each door.
- Greatly facilitate door opening.
- Standard on accessory Aluminium Half Doors.
- Sold in pairs.

Lower Door Panels

	715002903 • Front
Maverick X3, Maverick X3 MAX	**715003751** • Rear



- Robust injection-moulded polypropylene construction designed to match vehicle.
- Extend stock doors at bottom to protect from the elements.
- A great-looking add-on.
- Easy and quick installation.
- Sold in pairs.

Window Nets

Maverick X3 (except X mr models)	**715006693** • Front
Maverick X3 MAX (except X mr models)	**715004694** • Front
Maverick X3 MAX (except X mr models)	**715006700** • Rear



- Window mesh screen for added protection from wind.
- Can be easily lowered in seconds.
- Sold in pairs.

Not compatible with:
- Can-Am Audio Roof.

Upper Soft Door Panels

Maverick X3 (except X mr models)	
Maverick X3 MAX (except X mr models) 2026 & prior	**715008091** • 2 doors
	715008092 • 4 doors



- Weather-resistant panels reinforced with aluminium frame offer good protection from the elements.
- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tears and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.

Not compatible with:
- Racing Side Mirrors, Side Mirrors, Aluminium Side Mirror and Can-Am Audio Roof.

SEAT ACCESSORIES

4-Point Harness

Maverick X3, Maverick X3 MAX

715008033 · Driver
715008034 · Passenger



- Exclusive controlled decelerator technology (patent pending) absorbs additional energy in case of accident.
- Designed to offer maximum riding comfort.
- Easy one-click latch and release.
- Patent pending.

Retractable 4-Point Harness

Maverick X3, Maverick X3 MAX

715005021 · Driver
715005022 · Passenger



- Convenient harness allows you to move freely in your seat and at the same time fully benefit from the extra support given by the 4-point attachments.
- Makes it easier to buckle up and requires fewer adjustments when switching passenger or driver.
- Compatible with rear passengers' seats on MAX models.
- Standard on select Maverick X3 models.

Required for installation:
- Retractor Protector (707900653) is required for installation on front seats of MAX models.

Retractor Protector

(Not illustrated)

Maverick X3 MAX

707900653

- Protective pad required for the installation of the Retractable 4-Point Harness on front seat of MAX models.
- Protects the passengers from the retractor mechanism.
- Sold individually.

Seat Belt Shoulder Pads

Maverick X3, Maverick X3 MAX

715002894



- Provide additional riding comfort by preventing seat belt from rubbing on neck and shoulder.
- Fit with stock 3-point seat belts and 4 point harness.
- Easy Velcro installation.
- Can-Am branded.
- Sold in pairs for driver and passenger.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed ⅜" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminium.
- Superior stress crack resistance.
- High-impact strength.

MAVERICK X3, MAVERICK X3 MAX

HMWPE Skid Plates are standard on X rs models (2019 to 2021) and X rc models (2022 & up) only.	Maverick X3 64" models	Maverick X3 MAX 64" models	Maverick X3, Maverick X3 MAX 72" models (except Base models)	Maverick X3 Base 72" models	Maverick X3 MAX Base 72" models
HMWPE SKID PLATE PROTECTION KIT					
	715003713 (2025 & prior)	**715003747** (2025 & prior)	**715003718**	**715006767** (2025 & prior)	**715006769** (2025 & prior)
INDIVIDUAL HMWPE SKID PLATES					
① **HMWPE Front A-Arm and Trailing Arm Protectors**	**715002905**	**715002905**	**715003552**	**715003552**	**715003552**
② **HMWPE Front Skid Plate**	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)
③ **HMWPE Central Skid Plate**	—	**715003731** (2025 & prior)	Standard on X rc models only	—	**715003731** (2025 & prior)
④ **HMWPE Underbelly Plate**	**715004904** (2025 & prior)	**715004904** (2025 & prior)	Standard on X rc models only	**715004904** (2025 & prior)	**715004904** (2025 & prior)

BUMPERS & PROTECTION

BUMPERS

Front Pre-Runner Bumper

Maverick X3, Maverick X3 MAX

- **715002878** · Black
- **715003433** · Can-Am Red
- **715011655** · Orange Crush



- Made of 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminium plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch mounting plate and mount points for lights.

Rear Pre-Runner Bumper

Maverick X3, Maverick X3 MAX

- **715002880** · Black
- **715003436** · Can-Am Red



- Extra-durable 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminium plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protects vehicle bodywork and exhaust system.
- Rear Receiver Hitch compatible.
- Required for installation of the Rear Cage Extension.

Dune Front Bumper

Maverick X3, Maverick X3 MAX

- **715002961** · Black
- **715003432** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter aluminium tubing with a ⅛" (3 mm) aluminium plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Features a more pronounced attack angle and integrated mounting points for lights.
- Not winch compatible.

Dune Rear Bumper

Maverick X3, Maverick X3 MAX 2021 & prior

- **715002962** · Black
- **715003437** · Can-Am Red

Maverick X3, Maverick X3 MAX 2022 & up

- **715009242** · Black



- Made of 1.5" (3.8 cm) diameter aluminium tubing with a ⅛" (3 mm) aluminium plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Protects vehicle bodywork and exhaust system.
- Rear hitch compatible.

Not compatible with:
- Rear Cage Extension and Lonestar Racing Spare Tyre Holder.

X rc/X mr Front Bumper

Maverick X3, Maverick X3 MAX

- **715004788** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminium plate.
- Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing.
- Offers all the essential features required for technical driving: low front-end protection, support base for winch installation and integrated tow hook.
- Standard on Maverick X3 X rc and X mr models.

Not compatible with:
- Winches with steel cable.

Lonestar Racing Front Bumper

Maverick X3, Maverick X3 MAX (except X mr, X and X rc models)

- **715005510** · Hyper Silver
- **715005509** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a ⅛" (3 mm) thick aluminium plate for added vehicle-front protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.

Not compatible with:
- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar and SMART 10" (25 cm) LED Light Bar (715008745).
- Not compatible with: stock Smart-Shox.

Lonestar Racing Rear Bumper

Maverick X3, Maverick X3 MAX 2021 & prior

- **715005512** · Hyper Silver
- **715005511** · Black
- **715004162** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Provides additional vehicle-rear bodywork and exhaust system protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Compatible with Lonestar Racing Spare Tyre Holder.

Not compatible with:
- Not hitch compatible.

S3† Front Bumper

Maverick X3, Maverick X3 MAX

- **715004867** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminium plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch support plate and mount points for lights.
- Hook support anchor allows you to keep the winch hook within easy reach when riding in deep mud.
- "S3 for Can-Am" branded.
- Winch not included.

ROCK SLIDERS

Rock Sliders

Maverick X3 (except X rc)

- **715002963** · Black
- **715003438** · Can-Am Red

Maverick X3 MAX

- **715003730** · Black
- **715003888** · Can-Am Red



- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's sides and undercarriage against large obstacles.
- Support plate adds rigidity and style.
- Sold in pairs.

Lonestar Racing Rock Sliders

Maverick X3 (except X rc models)

- **715005514** · Hyper Silver
- **715008845** · Black
- **715008846** · Can-Am Red

Maverick X3 MAX

- **715008847** · Black
- **715008848** · Can-Am Red



- Race-engineered to Lonestar Racing's trademark standards for toughness, these stylishly crafted accessories will also enhance your vehicle with visual impact.
- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Essential protection from large obstacles for your vehicle's sides.
- Sold in pairs.

Not compatible with:
- Maverick X3 MAX is not compatible with the Rear Aluminium Half Doors (715007972).

INTRUSION BARS

Front Intrusion Bar

Maverick X3, Maverick X3 MAX

- **715002889** · Black
- **715003435** · Can-Am Red



- Matches vehicle styling.
- Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.
- Tube design reduces obstructed lines of sight and blind spots for better visibility.

Not compatible with:
- Windshields or Lonestar Racing Aluminium Roof.

Lonestar Racing Front Intrusion Bar

Maverick X3, Maverick X3 MAX

- **715003916** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Enhances the racing look of the vehicle.
- Compatible with Lonestar Racing Aluminium Roof and Aluminium Roofs.

Not compatible with:
- Windshields.

Lonestar Racing Rear Intrusion Bar

Maverick X3 (except X mr models), Maverick X3 MAX

■ **715003918** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Sleek styling enhances the vehicle's race-inspired look.
- Required for the installation of the Lonestar Racing Spare Tyre Holder.

Not compatible with:
- LinQ mounted accessories or Pre-Filter in the cargo bed.

OTHER ACCESSORIES

Fender Flares

Maverick X3, Maverick X3 MAX

715002973



- Extended fender flares made from injection-moulded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.

Lonestar Racing Spare Tyre Holder

Maverick X3, Maverick X3 MAX 2021 & prior (except X mr models)

■ **715003922** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Adjustable height to fit Can-Am tyres up to 30 in.
- Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation.
- Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.
- Wheel not included.

Not compatible with:
- S&B Particle Separator or LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder

Maverick X3, Maverick X3 MAX

715003943



- Includes a pair of sturdy aluminium number plates that mount on either side of the vehicle rear.
- Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- Black background.

Not compatible with:
- LinQ Pivoting Rack.

S3 Rear Pull Plate

Maverick X3, Maverick X3 MAX 2021 & prior

■ **715004870** • Black
■ **715005233** • Can-Am Red



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- "S3 for Can-Am" branded.

MAVERICK X3 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ 16" position



LinQ 36" position

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Standard Cargo Bed	LinQ Pivoting Rack **715010786**	Adventure Roof Rack **715003868/715006225**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, centre-to-centre. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491	LinQ Anchor Adapter Kit **715004960**	LinQ Anchor Adapter Kit **715004960**	LinQ Base Installation Kit **715008125**
LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray			
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252			
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	No further requirements	No further requirements	No compatibility
LinQ 23 Gal (87 L) Trunk Box 715004923	No further requirements *Not compatible if the LinQ Pivoting Rack is installed.		
LinQ 32 Gal (121 L) Trunk Box 715001748			
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	No further requirements		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black			
LinQ Premium Storage Bag by OGIO† 715002923 • Black			
LinQ Heavy Duty Basket 715001215			
LinQ Low Profile Basket 715004282			
LinQ HOLDERS			
LinQ Gear Grips 715005340	No further requirements	No further requirements	Side wall installation LinQ Adapters **715003058**
LinQ Tool Holder 715007358			

LinQ ACCESSORIES WITH 16" BASE

LinQ Rigid Cooler 4.7 US Gal (18 L)

Maverick X3, Maverick X3 MAX | **715010491**



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomoulded rigid construction.
- Moulded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

See table for installation location and requirements.

Not compatible with:
- Not compatible below the LinQ Pivoting Rack (715010786 or 715008296).

LinQ Cooler 5.3 US Gal (20 L)

Maverick X3, Maverick X3 MAX | **295101257**



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomoulded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

See table for installation location and requirements.

Not compatible with:
- Not compatible below the LinQ Pivoting Rack (715010786 or 715008296).

Note: Cannot be mounted on the LinQ Stackable Fuel Caddy.

NEW Ice Pack for LinQ Coolers

Maverick X3, Maverick X3 MAX | **295101513**



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257).

LinQ Modular Box

Maverick X3, Maverick X3 MAX | **715005494** · (10 L) | **715007112** · (20 L) | **715006830** · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Maverick X3, Maverick X3 MAX | **219401110**



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Maverick X3, Maverick X3 MAX | **715008111**



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

Maverick X3, Maverick X3 MAX | **715006829**



Includes:

- Cutter pliers
- Long-nose pliers
- Locking pliers
- Ratchet wrench ⅜" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm ⅜" drive – 6 pts
- Socket 18 mm ⅜" drive
- Long-socket 17 mm ⅜" drive – 6 pts
- Socket 15 mm ⅜" drive
- Socket 13 mm ⅜" drive
- Socket 10 mm ⅜" drive
- Socket 8 mm ⅜" drive
- Socket Torx T40 ⅜" drive
- Socket Torx T30 ⅜" drive
- Socket Torx T20 ⅜" drive
- Breaker bar ⅜" drive
- Combination Wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm

See table for installation location and requirements.

LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

Maverick X3, Maverick X3 MAX | **295101252**



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

Maverick X3, Maverick X3 MAX | **860202449**



- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilises LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.

See table for installation location and requirements.

LinQ Roll-Top Bag

Maverick X3, Maverick X3 MAX | **715008110**



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ ACCESSORIES WITH 36" BASE

LinQ 12 Gal (45 L) Cargo Box

Maverick X3, Maverick X3 MAX | **715003879**



- LinQ mounted for easy-on, easy-off installation.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 23 Gal (87 L) Trunk Box

Maverick X3 (except X mr models), Maverick X3 MAX | **715004923**



- LinQ mounted for easy-on, easy-off installation.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box

Maverick X3 (except X mr models), Maverick X3 MAX | **715001748** • (No rear taillight)



- Equipped with the LinQ system, the rear trunk box plugs in and out in seconds.
- 32 gal (121 L) load capacity with unobstructed space to maximise storage room and access to the trunk's interior.
- Made of injection-moulded polyethylene, double walled in critical areas.
- The fully sealed lid protects your belongings from dust, moisture and the elements.
- No rear taillight.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).

See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box Panels

Fit with LinQ 32 Gal (121 L) Trunk Box
EUROPEAN VERSION (EC compliant)

■ **715001397** · Black
□ **715002483** · White
■ **715006123** · Orange Crush



- Colour panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.
- No rear taillight

LinQ 8 Gal (30 L) Cooler Box

Maverick X3, Maverick X3 MAX

■ **715004778** · Black



- LinQ mounted for easy-on, easy-off installation.
- Rotomoulded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully removable compartment protects food.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio Cargo Box

Maverick X3, Maverick X3 MAX

715003018



- An affordable and quick solution for adding music and storage to your next ride.
- The rear installation does not use up any cab space and allows easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.
- The Bluetooth† enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.

See table for installation location and requirements.

LinQ Heavy-Duty Basket

Maverick X3, Maverick X3 MAX

715001215



- Made of high-strength, low-alloy steel.
- LinQ mount for easy-on, easy-off installation.

See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

Maverick X3, Maverick X3 MAX

■ **715002923** · Black



- Tool-less installation and removal thanks to the LinQ system.
- 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that prevents dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.

See table for installation location and requirements.

LinQ Low Profile Basket

Maverick X3, Maverick X3 MAX

715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.

See table for installation location and requirements.

LinQ HOLDERS

LinQ Lite Action Camera Holder

Maverick X3, Maverick X3 MAX (2026 & up)

295101139



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

LinQ Lite Device Holder

Maverick X3, Maverick X3 MAX (2026 & up)

715009201



- Made with strong magnets that you can trust while riding through rough terrain
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminium construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- To keep a good vision while driving, we recommend using this device for smartphones only.

LinQ Tool Holder

Maverick X3, Maverick X3 MAX | **715007358**



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips

Maverick X3, Maverick X3 MAX | **715005340**



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Anchor Adapter Kit

Maverick X3, Maverick X3 MAX | **715004960**



- Allows the installation of LinQ accessories with 16" base on LinQ racks.
- Tool-less installation and removal.

LinQ Base Installation Kit

Maverick X3, Maverick X3 MAX | **715008125**



- Allows installation of compatible LinQ accessories.
- Included: 2 LinQ Cargo bases and hardware.

LinQ Lock

Maverick X3, Maverick X3 MAX | **860201968**



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ 4.2 US Gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) and LinQ Gear Grips (715005340).

LinQ Replacement Part

Maverick X3, Maverick X3 MAX | **715010798**



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

LinQ Adapter

Maverick X3, Maverick X3 MAX | **715003058**



- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.
- Sold in pack of 4.

Cargo Box Net

Maverick X3, Maverick X3 MAX | **715001371**



- Solid net designed to secure and ensure the compact confinement of your Adventure Roof Rack.

Spare Tyre Ratchet Tie-Downs

Maverick X3, Maverick X3 MAX

280000955



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points.
- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

RACKS & STORAGE

RACKS

LinQ Pivoting Rack

Maverick X3, Maverick X3 MAX (except X mr models and X rc with Smart-Shox)

■ **715010786** · Black



- LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tyre (tyre not included).
- Includes custom tie-down strap for fast spare tyre installation or removal (tyre not included).
- Gas-cylinder pivot action, locks in the raised position.
- Trunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rack is installed.
- Not compatible with Rear Intrusion Bars, Rear Cage Extension and Lonestar Racing Aluminium Roofs.

Not compatible with:
- Snorkel and rad relocator.

Adventure Roof Rack

Maverick X3 (except X mr models)

715006225



- Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.
- Built with lightweight 1.25" (3.2 cm) diameter steel tubing.
- Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tyre attachment.
- LinQ anchor on both sides.
- Spare Tyre Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

Adventure Roof Rack

Maverick X3 (except X mr models)

715007186



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof.
- Integrated mounting points for lights.
- Features anchor points for a spare tyre attachment.
- LinQ anchor on both sides.
- The Spare Tyre Tie-Downs sold separately.

Required for installation:
- Sport Roof or Aluminium Roof is required for installation.

STORAGE

Passenger Storage Seat Bag

Maverick X3, Maverick X3 MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Shoulder Storage Bag

Maverick X3 (except X mr models), Maverick X3 MAX (rear only)

715004277



- Bag attaches in unused space between the seats to increase your vehicle's cargo capacity.
- Installs between the rear seats only on MAX models.

Front Shoulder Storage Bag

Maverick X3 MAX

715004888



- Opens on each side so that both front and rear passengers can access the bag's content.
- Installs between the driver's and passengers' seats on MAX models.

Overhead Storage Bag

Maverick X3, Maverick X3 MAX

715004275



- Weather-resistant bag, holds your gear safely and securely while riding.
- Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 gal (10 L).
- Semi-rigid construction renders it flexible enough to fit odd-shaped loads.
- Touchscreen-compatible clear front pocket allows for easy access to your smartphone.

Not compatible with:
- Bimini Roof.

Upper Door Storage Bags

Maverick X3, Maverick X3 MAX

715004276



- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on stock quarter doors to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Sold in pairs.

Lower Door Panel Storage Bags

Maverick X3, Maverick X3 MAX

715004355



- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on Lower Door Panels to increase your vehicle's cargo space.
- Each bag is designed as a 1.6 gal (6 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Sold in pairs.
- Lower add-on doors required for installation.

Not compatible with:
- Aluminium Half Doors.

Soft Storage Bag

Maverick X3, Maverick X3 MAX

715003759



- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximise potential storage.
- 3 sections.
- Weatherproof.

Storage 2.6 Gal (10 L) Bag

Maverick X3, Maverick X3 MAX

269502121



- Roll-top dry bag for fully protecting your cargo from the elements.

ACM & SMART ACCESSORIES

ACCESSORY CONTROL MODULE (ACM)

Accessory Control Module

Maverick X3, Maverick X3 MAX (with 10.25" Touch Display)

715010097



- Bringing the SMART to accessories using live vehicle ECU information to maximise your accessory experience.
- Connect your accessories to the 10.25" Touch Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).

Rear ACM Harness

(Not illustrated)

Maverick X3, Maverick X3 MAX (with 10.25" Touch Display)

715009268

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

SMART Control Centre for ACM

Maverick X3, Maverick X3 MAX (with 10.25" Touch Display)

715010834



- Control the accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customise according to the accessories installed.

Required for installation:
- Accessory Control Module (715010097).

SMART ACCESSORIES

NEW SMART 15" (38 cm) LED Light Bar

Maverick X3, Maverick X3 MAX

715008746



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by quickly flicking the switch.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements

SMART Integrated LED Roof Light

Maverick X3, Maverick X3 MAX (2020 & up)

715010102



- Mounted under the roof for a signature look.
- Windshield compatible except with the PowerFlip.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.
- Integrated LED Roof Light Wiring Harness (715008209) is required for on/off function when ACM is not installed. Sold separately.

Not compatible with:
- PowerFlip Windshield (715007097), Front Intrusion Bar (715002889 & 715003435) and Lonestar Racing Front Intrusion Bar (715003916).

SMART 10" (25 cm) LED Light Bar

Maverick X3, Maverick X3 MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements.

SMART 40" (102 cm) LED Light Bar

Maverick X3, Maverick X3 MAX

715008747



- The perfect combination of a powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens, and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- SMART options: Off, Low, High, colour change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).

See table for installation location and requirements.

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.

NEW SMART 40" (102 cm) LED Light Bar Mounts – Low

Maverick X3, Maverick X3 MAX

715010843



- Allows you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle cage or on the Sport Roof.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 3.75" (9.5 cm) overall height.

See table for compatibility, installation location and requirements.

Not compatible with:
- Can-Am JL Audio Roof (715006709, 715010099, 715010098 or 715007130).

SMART LED Chase Lights

Maverick X3, Maverick X3 MAX

715007727



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Four modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern and serves as a brake light.
  - Work Mode: White light to light up your cargo bed.
  - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation with the Accessory Control Module (ACM).

Required for installation:
- Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality.
- Wiring harness required for a non-smart function when ACM is not installed. Sold separately.

NEW SMART Helmet Pumper System

Maverick X3 — Coming Soon

Maverick X3 MAX — Coming Soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimised housing paired with two high static-pressure fans delivers superior airflow and volume.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: Washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the ceiling using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Rear ACM Wiring Harness (715009268)
- Not SMART: Helmet Pumper System Harness (715008905).

SMART Integrated LED Side Mirror Lights

Maverick X3, Maverick X3 MAX

715007185



- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.
- Require Aluminium Side Mirrors (715007363).
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

NEW SMART 40" (102 cm) LED Light Bar Harness

(Not illustrated)

Maverick X3, Maverick X3 MAX

715010831

- Required for the installation of the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

NEW SMART Helmet Pumper System Harness

Maverick X3, Maverick X3 MAX

715008905



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

LIGHTS

CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS					
	SMART Integrated LED Roof Light **715010102**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Accessory Control Module **715010097**	Aluminium Side Mirrors **715007363** + Accessory Control Module **715010097**	Accessory Control Module **715010097** + Rear ACM Harness **715009268**	No compatibility	No compatibility	
Front Bumper (except X mr/X rc and Lonestar)	No compatibility				Accessory Control Module **715010097**	Accessory Control Module **715010097** (only on S3 Front Bumper **715004867**)
Sport Roof with Light Support Bar 715003529				Accessory Control Module **715010097**		
Audio Roof (no additional bracket needed)					No compatibility	
Adventure Roof Rack 715006225, 715003868, 715007186						
SMART 40" (102 cm) LED Light Bar Mounts – Low 715010843						

CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS					
	SMART Integrated LED Roof Light **715010102**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Wiring Harness **715008209**	Aluminium Side Mirrors **715007363** + Wiring Harness **715008212**	Wiring Harness **715008210**	No compatibility	No compatibility	
Front Bumper (except X mr/X rc and Lonestar)	No compatibility				Lights Wiring Harness **715009886**	Lights Wiring Harness **715009886** (only on S3 Front Bumper **715004867**)
Sport Roof with Light Support Bar 715003529				Light Bar Harness **715010831**	No compatibility	
SMART 40" (102 cm) LED Light Bar Mounts – Low 715010843						
Audio Roof (no additional bracket needed)						

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS									
	BAJA DESIGNS† LIGHTS					**CAN-AM LIGHTS**				
	10" (25 cm) LED Light Bar **710006819**	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar **710006818**	XL Sport LED Lights (sold in pairs) **710006821**	Squadron Sport LED Lights (sold in pairs) **710006820**	XL80 LED Lights (sold in pairs) **710005041**	10" Double Stacked LED Bar **715010065**	15" Double Stacked LED Bar **715010066**	39" Double Stacked LED Bar **715004007**	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
Front Pre-runner or Dune Bumpers	**715007049** (Power Cable)	No compatibility	**715008865** (Power Cable)		**715007049** (Power Cable)	**715003417** (Power Cable)	(Not compatible with Pre-runner Bumper) + **715003417** (Power Cable)	No compatibility	**715002935** (4" Round), **715009774** (3.5" Flood) or **715009775** (3.5" Spot) + **715003417** (Power Cable)	
Light Support Bar or Adventure Roof Rack	NA	**715008864** (Power Cable)	**715008865** (Power Cable)		**715007049** (Power Cable)	NA	**715003417** (Power Cable)	**715005822** (Light Mounting Kit)		
Lonestar Racing 40" (102 cm) LED Light Bar Rack		**715008864** (Power Cable)	NA	NA	NA		NA	NA	NA	NA
Lonestar Racing Light Rack		NA	**715008865** (Power Cable)		**715007049** (Power Cable)					
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.									

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick X3, Maverick X3 MAX | **710006818**





- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.

See table for installation location and requirements.

Required for installation:
- Light Power Cable and Light Support Bar.

Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick X3, Maverick X3 MAX | **710006819**





- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.

See table for installation location and requirements.

Required for installation:
- Baja Designs Light Power Cable.

Baja Designs XL80 LED Lights

Maverick X3, Maverick X3 MAX | **710005041**





- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Required for installation:
- Baja Designs Light Power Cable.

Baja Designs Squadron Sport LED Lights

Maverick X3, Maverick X3 MAX | **710006820**





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

See table for installation location and requirements.

Required for installation:
- Baja Designs Light Power Cable.

Baja Designs XL Sport LED Lights

Maverick X3, Maverick X3 MAX | **710006821**





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Required for installation:
- Baja Designs Light Power Cable.

Lights Power Cable

(Not illustrated)

Maverick X3, Maverick X3 MAX | **715003417** | **715007049** | **715008865** | **715008864**

- Required for installation of Baja Designs LED lights onto roof or bumper.
- 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).
- Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715008865).
- 40" (102 cm) Arc LED Light Bar ONX6 (715008864).

10" (25 cm) Double Stacked LED Light Bar (60 W)

Maverick X3, Maverick X3 MAX | **715010065**





- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Requires light power cable for installation.
- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 compliant.

See table for installation location and requirements.

15" (38 cm) Double Stacked LED Light Bar (90 W)

Maverick X3, Maverick X3 MAX | **715010066**





- Equipped with 18 5-W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 compliant.

See table for installation location and requirements.

39" (99 cm) Double Stacked LED Light Bar (270 W)

Maverick X3, Maverick X3 MAX | **715004007**





- Equipped with 54 5-W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.
- Compatible with the Adventure Roof Rack.

See table for installation location and requirements.

Required for installation:
- Light power cable.

4" (10 cm) Round LED Lights (2 x 25 W)

Maverick X3, Maverick X3 MAX | **715002935**



1,800 lumens



- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.
- Sold in pairs.

Required for installation:
- Light power cable.

3.5" (9 cm) LED Driving Lights (2 x 14 W)

Maverick X3, Maverick X3 MAX | **715009775**



1,260 lumens



- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminium housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- EC compliant.

See table for installation location and requirements.

Required for installation:
- Light power cable.

3.5" (9 cm) LED Flood Lights (2 x 14 W)

Maverick X3, Maverick X3 MAX | **715009774**



1,260 lumens



- 14 W LED lights producing 1,260 lumens each.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminium housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- EC compliant.

See table for installation location and requirements.

Required for installation:
- Light power cable.

Can-Am LED Signature Lights

Maverick X3, Maverick X3 MAX | **715003673**



- Add style with a more aggressive look.
- Use bright and energy efficient LEDs.
- Do not give additional lighting for driving.

Dome Light

Maverick X3, Maverick X3 MAX | **715009228**



- Offers optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensure clear visibility of the surroundings.
- Built-in on/off button on the light.
- Wiring included.
- Can be installed on cage, Sport Roof or All-Terrain Trunk Cover.

Not compatible with:
- Audio Roof.

Lonestar Racing 40" (102 cm) LED Light Bar Rack

Maverick X3, Maverick X3 MAX | **715003920**



- Designed for use with 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- Enhances the vehicle's race-inspired look.
- Compatible with Aluminium Roof, Lonestar Racing Aluminium Roof and Sport Roof.
- Lights sold separately.

Not compatible with:
- Racing Side Mirrors and PowerFlip Windshield.

Lonestar Racing Light Rack

Maverick X3, Maverick X3 MAX | **715003948**



- Designed for use with Baja Designs XL80 LED Light and Baja Designs XL Sport LED Light.
- Accommodates up to two pairs of XL Lights.
- Compatible with Lonestar Racing Aluminium Roof, Aluminium Roof and Sport Roof.
- Lights sold separately.

Not compatible with:
- Racing Side Mirrors and PowerFlip Windshield.

Chase Lights

Maverick X3, Maverick X3 MAX

715002887



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Feature in-dash switches to activate one of the two modes and to choose among 11 different high-visibility coloured light patterns (blue, red and yellow).
- Trail Mode: Serves as a taillight and as a brake light.
- Chasing Mode: Displays amber and blue light patterns and serves as a brake light (brake light function can be deactivated for racing applications).
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation.
- Verify your local regulations concerning the use of blue lighting.

LED Chase Lights

Maverick X3, Maverick X3 MAX

715009887



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- High-visibility coloured light patterns (red, yellow, white).
- Three modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern.
  - Work Mode: white light to light up your cargo bed.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation.
- Can be installed with roof scoop but only with the lateral light.

Required for installation:
- Wiring Harness (715008210).

Light Support Bar

Maverick X3, Maverick X3 MAX

715003529



- Sleekly styled rugged aluminium construction.
- Accommodates light bars and spotlights with or without any roof and windshield combination.
- Full vehicle width to allow the installation of any large LED light bar.
- Required for light installation on vehicle's roof.
- Lights sold separately.

Not compatible with:
- Lonestar Racing Aluminium Roof.

Mounting Kit for 39" (99 cm) LED Light Bar

(Not illustrated)

Maverick X3, Maverick X3 MAX

715005822

- Required for installation of the 39" (99 cm) double stacked LED Light Bar.
- Includes wiring and support bracket.

Required for installation:
- Light Support Bar.

Lights Wiring Harness

Maverick X3, Maverick X3 MAX

715009886



- Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).

Light Power Cable

(Not illustrated)

Maverick X3, Maverick X3 MAX

715003417

- Required for installation of 10" (25 cm), 15" (38 cm) and Double Stacked LED Light Bars and 4" (10 cm) Round LED Lights.
- For bumper and roof mounting locations.

AUDIO

AUDIO

Can-Am Rockford Fosgate Audio Roof – Level 4

Maverick X3 (with 10.25" Touch Display) (except X mr models)	**715010098**
Maverick X3 (except X mr models)	**715007130**



- Full roof with sleek built-in audio.
- Fully sealed and waterproof.
- Easy to install: one wire connects the roof to the vehicle's electronics.
- Four 8" speakers, one 400 RMS and 800 peak watt amplifier calibrated by Rockford Fosgate Audio.
- Multi-coloured RGB LED accent lighting around each speaker.
- 2.7" colour display with Bluetooth and Pandora connectivity (715007130).
- Controlled by the 10.25" Touch Display (715010098).
- Flip Kit-compatible.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control (for 715010098 only).
- Requires Seal and Promoter (715004427) when combined with a full size windshield.

Not compatible with:
- Upper Soft Door Panels.

Can-Am Rockford Fosgate Audio Roof MAX – Level 4

Maverick X3 MAX (with 10.25" Touch Display) (except X mr models)	**715010099**
Maverick X3 MAX (except X mr models)	**715006709**



- Full roof with built-in audio.
- Fully sealed and waterproof.
- Easy to install, one wire connects the roof to the vehicle's electric system.
- Six 8" speakers, one 400 RMS and 800 peak watt amplifier calibrated by Rockford Fosgate Audio.
- Multi-coloured RGB LED accent lighting around each speaker.
- 2.7" colour Display with Bluetooth and Pandora connectivity (715006709).
- Controlled by the 10.25" Touch Display (715010099).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control (for 715010099 only).
- Requires Seal and Promoter (715004427) when combined with a full size windshield.

Not compatible with:
- Upper Soft Door Panels.

Can-Am Audio Roof Flip Kit

Maverick X3, Maverick X3 MAX (except X mr models) — **715007131**



- Combines with Audio Roof (715010098, 715007130, 715010099, 715006709) for Flip option.

Not compatible with:
- Racing Side Mirrors (715002898).
- Adventure Roof Rack (715006225, 715007186).

MTX Central Speakers

Maverick X3 MAX (without 10.25" Touch Display) — **715004748**



- Top mounted central speaker case holding two 6.5" (16.5 cm)/100 W speakers.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Perfect add-on to the Complete MTX Audio System for a 7-speaker system or as a stand-alone system by plugging the AUX input jack directly into your music device.

Not compatible with: Lonestar roofs.

Complete MTX Audio System

Maverick X3, Maverick X3 MAX (without 10.25" Touch Display) — **715002873**



- Bluetooth 5† equipped 400 W RMS/800 W peak audio system by MTX.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Includes front-dashboard and rear-roll-cage mounted stereo speakers and head unit with an integrated 6.5" (16.5 cm) subwoofer.
- Add the Electronic Device Holder to securely hold your Bluetooth device ready to play your favorite tunes.

Can-Am Subwoofer

Maverick X3, Maverick X3 MAX — **715004956**



- Powerful Rockford Fosgate Underseat 10" Subwoofer speaker box.
- Easy plug-and-play connections to Audio Roof system.
- Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt.
- Requires 1 Amplifer Kit (715007227) for 1 or 2 subwoofers.
- Fits two per vehicle: under driver's or passenger's seat.

Can-Am Amplifier Kit

Maverick X3, Maverick X3 MAX — **715007227**



- A powerful 400 W amplifier to feed up to two Underseat Subwoofers.
- Easy plug-and-play connections to Audio Roof system and subwoofer.
- Installation plate and wiring included.

NEW Vol Up/Down Switch

Maverick X3 (with10.25" Touch Display), Maverick X3 MAX (with10.25" Touch Display) | **710010952**



- Volume control is now possible using this switch independently of the touchscreen display.

ELECTRICAL & ELECTRONIC ACCESSORIES

ELECTRICAL

Seat Heater

Maverick X3, Maverick X3 MAX | **715006112**



- 25 W seat heater delivers chill-free riding comfort.
- High/low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fibre seat heater, foam sheet and in-dash switch.
- Installs directly in the original seat cushion.

Required for installation:
- Heated Accessories Wiring Harness (710005757) is required for front seat installation.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Heated Visor Outlet

Maverick X3, Maverick X3 MAX | **715001246**



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

Heated Accessories Wiring Harness
(Not illustrated)

Maverick X3, Maverick X3 MAX | **710005757**
Maverick X3 MAX | **715006004**

- Electric harness required to hook up and operate front heated seats, heated steering wheel and heated grab bar.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Auxiliary Battery Installation Kit
(Not illustrated)

Maverick X3, Maverick X3 MAX | **715006315**

- Allows you to add a second 18 Ah battery for a dual battery setup necessary to power auxiliary electrical components such as sound systems or winches.
- Equipped with an IP67-rated waterproof electronic module that will prevent your auxiliary electrical components from draining your starting battery.
- Kit includes an additional battery junction block, all necessary wiring and the battery holder.
- Both batteries are perfectly integrated, in stock location, behind the passenger's seat.
- Additional battery (410301203), plus battery hardware (250000282) sold separately.

ELECTRONIC

10.25 in. Colour Touchscreen Display Protector

Maverick X3 (with 10.25" Touch Display), Maverick X3 MAX (with 10.25" Touch Display) | **860202680**



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble-free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

Cellphone Holder

Maverick X3, Maverick X3 MAX | **715008786**



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

Required for installation:
- Electronic Device Holder (715002874) for the Cellphone Holder to be bolted on its door.
- LinQ Lite Device Holder (715009201) or Electronic Device Holder (715002874).

Electronic Device Holder

Maverick X3, Maverick X3 MAX (without 10.25" Touch Display)

715002874



- A great in-ride entertainment system platform.
- Robust injected-polypropylene construction allows for right fit and easy installation.
- Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).
- Combines seamlessly with Complete MTX Audio System and Rugged Radios Intercom System.
- Allows the installation of Garmin Montana 680T GPS.
- Integrated storage (1 gal [3.8 L] capacity) with access to the dash 12 V outlet for device charging.

Lighted Whip Flag

Maverick X3, Maverick X3 MAX

715002886



- A must for riding the dunes.
- 5 W Cree LED.
- 5 coloured lenses to allow personalization.
- Glow-through whip, quickly removable and replaceable pole.
- Increases vehicle's visibility.
- Meets most dune-area requirements.
- Die cast aluminium base, acetal hand nut.
- Includes mounting brackets and wiring.
- 4' (1.2 m) flag mounts on top of the roll cage.
- Can be installed on both sides of a vehicle.

Quick Connect Battery Cable

715005408



- Quickly and easily connect and charge different batteries with your charger.
- Included in the Battery Charger/Maintainer.
- Sold individually.

Digitally Encoded Security System (D.E.S.S.™) Green Key

Maverick X3 (except 900 HO)

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 2 programmable modes:
  - Normal mode: configurable vehicle speed limit between 50 km/h (31 mph) and 136 km/h (85mph) and may have engine torque reduction.
  - Performance mode: no restrictions.

WINCHES & HITCHES

CAN-AM HD WINCHES

Can-Am HD 4500 Winch

Maverick X3, Maverick X3 MAX

715011705



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- EC compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.

Required for installation:
- Winch Electrical Harness (715003585) and winch compatible front bumper are required.

Can-Am HD 4500-S Winch

Maverick X3, Maverick X3 MAX

715011706



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminium Hawse fairlead.

Required for installation:
- Winch Electrical Harness (715003585) and winch compatible front bumper are required.

WINCH ACCESSORIES

Winch Cable Stopper

All Can-Am HD Winches

715009921



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook, and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch | **715010042**



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminium Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminium Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

WARN Hawse Fairlead

WARN Winch | **715007785**



- Double-powder-coated construction.
- To be used with synthetic winch cables only.

Synthetic Winch Cable

Can-Am HD Winch | **715006430**
WARN Winch | **715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement

Can-Am HD Winch | **705014978**
WARN Winch | **715006699**



- 43' of 15⁄64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

Winch Electrical Harness

(Not illustrated)

Maverick X3, Maverick X3 MAX | **715003585**

- Required for winch installation.

NEW Can-Am HD Winch Hook

Can-Am HD Winch | **715011610** · Platinum Silver



- Heavy-duty, forged and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminium latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

With Can-Am HD Winch

715008286



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

Can-Am HD Winch‡

715006504



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.

† Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.

‡ Remote control (710007050) and connection socket are included.

X rc/X mr Rear Tow Hook

Maverick X3, Maverick X3 MAX 2021 & prior

715004450



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- Made of rugged 3⁄16" (5 mm) steel plate and 5⁄8" (16 mm) steel hook tube.
- Standard on Maverick X rc and X mr models.

HITCHES

Rear Hitch

Maverick X3, Maverick X3 MAX 2021 & prior

■ **715002883** • Black

■ **715003938** • Can-Am Red



- Rugged lightweight steel construction.
- E-coated finish.
- Fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Hitch ball not included.

RECOVERY

NEW Can-Am Retractable Rope System

Maverick X3, Maverick X3 MAX

715010190



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 2,600 lb (1,180 kg) rope working load limit.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Features a built in tow hook.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lbs (6.67 kg).
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

Maverick X3, Maverick X3 MAX

715010814



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Soft Shackle

Maverick X3, Maverick X3 MAX

715010577



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lbs (9,525 kg) breaking strength.
- 4,200 lb. (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW Can-Am Kinetic Recovery Kit

Maverick X3, Maverick X3 MAX | **715010837**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW 2" Soft Shackle Hitch Receiver

Maverick X3, Maverick X3 MAX | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lbs (3,636 kg) working load limit.
- Forged aluminium construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

Maverick X3, Maverick X3 MAX | **715010835**



- 15,000 lbs (6,803 kg) breaking strength.
- 3,000 lbs (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fibre engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

Maverick X3, Maverick X3 MAX | **715010836**



- Change the direction of your pull.
- Machined from premium aluminium alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lbs.
- Minimum breaking strength: 33,000 lbs.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

NEW SMART Helmet Pumper System

Maverick X3	Coming Soon
Maverick X3 MAX	Coming Soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimised housing paired with two high static-pressure fans delivers superior airflow and volume.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009268).
- Not SMART: Helmet Pumper System Harness (715008905).

NEW SMART Helmet Pumper System Harness

Maverick X3, Maverick X3 MAX — **715008905**



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

Mud Smart Mode Module

(Not illustrated)

Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) — **715005282**

- This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes.
- When high engine torque and/or slippage is detected, Smart-Lok will fully lock the front end.
- The system will stay locked until throttle release.
- Only one Smart Mode Module can be installed at a time.

Rock Smart Mode Module

(Not illustrated)

Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) — **715005283**

- This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Rock Mode has been specially designed to help cross challenging rocks.
- When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engauged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engaugement allows for easier steering when manoeuvring the vehicle.
- Only one Smart Mode Module can be installed at a time.

Trail Activ Smart Mode Module

(Not illustrated)

Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) — **715005284**

- This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Trail Activ mode has been designed for aggressive riding, delivering the ultimate cornering precision.
- When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressively engauge the front end and maintain it engauged until throttle release or vehicle speed reduction.
- The progressive engaugement allows for smoother and lower steering effort.
- Only one Smart Mode Module can be installed at a time.

Lonestar Racing Mud Flaps with Brackets

Maverick X3, Maverick X3 MAX — **715004865**



- These bolt-on mud flaps make a great addition.
- Durable chromoly brackets.
- Protect trailing arms, rotors and CVs from rocks and debris.
- Sold in pairs.

Not compatible with:
- HMWPE Front A-Arm and Trailing Arm Protector (715002905 and 715003552).

Lonestar Racing Heavy-Duty Shift Plate & Knob

Maverick X3, Maverick X3 MAX | **715004866**



- The shift plate is made from durable stainless steel and bolts into place for a secure fit.
- The kit comes with a billet aluminium Lonestar Racing shift knob.
- Offers improved durability for the performance-oriented driver.

Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead

Maverick X3, Maverick X3 MAX 2021 & prior | **715004868**



- Protects and strengthens the middle radius rod links from rough riding conditions.
- Includes high-grade steel bolts.

Lonestar Racing Quick Release Clutch Cover Pins

Maverick X3, Maverick X3 MAX | **715005045**



- This kit will allow you to take off your clutch cover in seconds to access the belt tool-lessly.
- Includes 4 stainless steel "quick release" pins with clips and tethers.
- Replaces all clutch cover screws.
- This product affects the clutch cover sealing.
  It is highly recommended to use this product under dry riding conditions only.

Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate

Maverick X3, Maverick X3 MAX 2021 & prior | **715005046**



- Double-layered radius rod support plate made of high-grade steel.
- Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.
- Easy to install.

Yoshimura† Slip-on Exhaust

Maverick X3, Maverick X3 MAX | **715002882**



- Developed in collaboration with Yoshimura.
- Made from 304-grade stainless steel with brushed aluminium tip.
- Better sounding, better looking and 19% lighter than stock muffler.
- USDF/USDA approved spark arrester.
- Fuel injection system tuning not required.
- ROHVA and EPA compliant.

Performance Air Filter by Twin AIR†

Maverick X3, Maverick X3 MAX | **715002895**



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Snorkel Kit

Maverick X3, Maverick X3 MAX (2019 and prior) | **715003733**

Maverick X3, Maverick X3 MAX (2020 & up) | **715007110**



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water or mud without the engine taking in water.
- Sealed Air Box 707800780 (sold separately) is required for installation on models manufactured before January 1, 2018.
- Standard on Maverick X3 X mr models.
-
- No fit on all models equipped with remote shock reservoir mounted on C-pillar.

Not compatible with:
- S&B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar or any rear panels or windows.

Radiator Relocator

Maverick X3, Maverick X3 MAX | **715004937**



- Relocates stock radiator to rear of cage.
- Protects it from debris and rocks.
- Prevents cooling performance loss in muddy conditions.
- Reduces hot air in the cabin.
- Easy to clean.
- Includes support hardware and hoses.
- Radiator (709200703) is required for installation on 2017 models.

Not compatible with:
- Not compatible with any bed accessories, Rear Cage mounted accessories, Complete MTX Audio system and Upper Soft Doors (except LinQ 8 gal [30 L] Cooler Box).
- Not compatible with full windshield.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behaviour accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

Magneto Kit (850 W)

Maverick X3, Maverick X3 MAX (2021 & up) | **715011724**



- Increases the magneto output to 850 W.
- Includes rotor, stator and regulator.

Snorkel Pre-Filter

Maverick X3, Maverick X3 MAX (with Snorkel Kit) | **715005599**



- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed.

EMERGENCY ACCESSORIES

Emergency Kit

Maverick X3, Maverick X3 MAX | **715006102**



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.
- Includes: jumper cables, air compressor, tyre repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties, cloth rags.

APACHE TRACK SYSTEMS

APACHE XC LT — LIMITED WARRANTY*

Apache XC LT Track System

Maverick X3, Maverick X3 MAX | **715007719**



- Long Track version.
- Brand-new track design to optimise driving off-road and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimised track alignment and reduced occurrences of detracking.
- Optimised track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

See table for installation location and requirements.

Apache XC LT Mounting Kit

Maverick X3, Maverick X3 MAX (64" models) | **715008873**

Maverick X3, Maverick X3 MAX (72" models) | **715008614**



- Required for the installation of the Apache XC LT Track System.
- DPS module and Engine Pre-filter not included.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behaviour accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

WINTER TRACKS — LIMITED WARRANTY*

Apache Backcountry LT Track System

Maverick X3, Maverick X3 MAX	**715004734**



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.
- For winter use only.
- Track installation will affect vehicle width and length.

See table for installation location and requirements.

Apache Backcountry LT Mounting Kit

(Not illustrated)

Maverick X3, Maverick X3 MAX	**715004397** · 64" models **715004394** · 72" models

- Required for installation of the Apache Backcountry Track LT System.
- DPS™ Module and Pre-filter are required and sold separately.

APACHE ACCESSORIES

Rail Ice Scratchers

Apache Backcountry LT Track System	**860201728**



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.
- Extends slider life.

Apache Backcountry LT Wheel Kit

Apache Backcountry LT Track System	**715006293**



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

Sliders with Vespel† Inserts

Apache Backcountry LT Track Systems	**503194815**



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Track DPS Module

(Not illustrated)

Maverick X3, Maverick X3 MAX (Turbo RR Engine only)	**715006266**
Maverick X3, Maverick X3 MAX (2022 & prior except Turbo RR Engine)	**715007338**

- Innovative DPS module that ensures speedometer accuracy and optimised steering assist, making for perfect track control and riding ease.
- Required to install the Apache Track Systems.

See table for fit, compatibility and requirements.

Engine & CVT Air Intake Pre-Filter

Maverick X3, Maverick X3 MAX (except X mr models)	**715005600**



- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy installation.
- Necessary to maintain vehicle warranty when tracks are installed.

Not compatible with:
- S&B Particle Separator.

Required to install the Apache Backcountry LT and Apache 360 LT Track Systems.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behaviour accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY LT

Model Year / Model		Track	Track Mount	Track DPS Module	Pre-filter without Snorkel	Pre-filter with Snorkel
2017 & Up	Maverick X3, Maverick X3 MAX (64" Models)	715004734	715004397	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR Engine) OR 715006266 Maverick X3, Maverick X3 Max 2023 and up, and 2022 & prior with Turbo RR engines	715005600 (except X mr)	715005599
2017 & Up	Maverick X3, Maverick X3 MAX (72" Models)		715004394			

APACHE XC LT

Model Year / Model		Track	Track Mount	Track DPS Module	Pre-filter without Snorkel	Pre-filter with Snorkel
2017 & Up	Maverick X3, Maverick X3 MAX (64" Models)	715007719	715008873	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR Engine) OR 715006266 All Maverick X3, Maverick X3 Max 2023 and up, and 2022 & prior with Turbo RR engines	715005600 (except X mr)	715005599
2017 & Up	Maverick X3, Maverick X3 MAX (72" Models)		715008614			

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

SCAN HERE TO SEE THE FULL APACHE TRACK SYSTEMS FITTING GUIDE.

PROMOUNT PLOWS

ProMount PLOW KITS – REFERENCE CHARTS

	72" Black Steel	72" Flex2
Plow Kit	715008176	715008175
Blade	715009877	715009868
Push Frame	715008116	715008116
Mounting Plate	715008197	715008197

CAN-AM ProMount STEEL PLOW KITS

Can-Am ProMount Steel 72" (183 cm) Plow Kit | Maverick X3, Maverick X3 MAX | ■ **715008176** · Black



- These kits include:
  - Can-Am ProMount Steel Blade
  - Push Frame with Quick-Attach System
  - Can-Am ProMount Mounting Plate

CAN-AM ProMount STEEL BLADES

Can-Am ProMount Steel 72" (183 cm) Blade | Fits ProMount Push Frame | ■ **715009877** · Black



- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715009879



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 72" (183 cm) Blade

Maverick X3, Maverick X3 MAX

715008175



- These kits include:
  - Can-Am ProMount Flex2 Blade
  - Push Frame with Quick-Attach System
  - Can-Am ProMount Mounting Plate

CAN-AM ProMount FLEX2 BLADES

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715009868



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Edge Markers

Fits ProMount Plow Blades

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount 72" (183 cm) Plastic Wear Blade

Fits ProMount Plow Blades

715004483



- Ideal to prevent marks on your driveway.
- Compatible with Can-Am ProMount 72" (183 cm) Blades.

Can-Am ProMount Drift Cutters

Fits ProMount Plow Blades

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade
(Not illustrated)

Fits ProMount Plows (60" and more)

715007794

- ¼ thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the scraper off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Not compatible with:
- Backcountry Track Kit.

Curved Wear Blade
(Not illustrated)

Maverick X3, Maverick X3 MAX

715007793 · 72" (183 cm)

- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

CAN-AM ProMount CUSTOM SOLUTIONS

Can-Am ProMount Push Frame with Quick-Attach System

Maverick X3, Maverick X3 MAX

715008116



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.
- Plow Roller Fairlead included.

Required for installation:
- Can-Am ProMount Mounting Plate and a winch.

Can-Am ProMount Push Frame Extension

Maverick X3, Maverick X3 MAX

715006257



- 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Can-Am ProMount Mounting Plate

Maverick X3, Maverick X3 MAX

715008197



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision designed to stay on year round without compromising ground clearance.
- Comes with the Plow Roller Fairlead.

Can-Am ProMount Plow Angling System

Maverick X3, Maverick X3 MAX

715009133



- Improved operation speed for quicker plow angle adjustments.
- Converts your plow system into an easy-to-control unit from the driver's seat.
- Allows you to have full up/down and left/right plow control at your fingertips with the supplied joystick.
- Using one hand to control all plow motions allows you to easily concentrate and manage your plowing tasks.
- Winch and plow sold separately.

Required for installation:
- Can-Am ProMount Pushframe (715008116).

Not compatible with:
- Apache Backcountry LT Track System.

Plow Quick Adjust Blade Shoes

ProMount steel & Flex2 Blades 60" (all years), 66"& 72" (2025 & prior)

715009751



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

ProMount Plow Limit Switch

Maverick X3, Maverick X3 MAX

715006259



- For controlling the cable tension when over-raising your plow system.
- Prevents winch, plow push frame and vehicle damage.
- Sensor relocated for optimal lift height.

.

Plow Roller Fairlead

Maverick X3, Maverick X3 MAX

715001223
- Cylindrical Roller Fairlead



- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.

COVER & TRAILERING

Trailering Cover
(Not illustrated)

Maverick X3	**715005813**
Maverick X3 MAX	**715005814**

- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and coloured panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap and cabin access on passenger side.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Bolt-On† Retractable Ratcheting Tie-Downs

Maverick X3, Maverick X3 MAX

295101072



- Perfect for transporting your powersport vehicle or securing loads.
- Mount easily: bolt on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

715008309 · Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5 in. x 6 in. (38 mm x 1.8 mm) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

SSV PARTS AND MAINTENANCE

SSV PARTS AND MAINTENANCE

Keep an Eye on These Parts	179
How to use the EPC	183
Air Filters	184
Oil Filters	184
Spark Plugs	185
Batteries	185
Axles	186
Ball Joint	188
D.E.S.S. Keys	188
Brake Pads	189
Belts	190
pDrive Maintenance Kits	191
QRS Rollers	191
XPS Tyres	193
Tyre & Wheel Specifications Chart	194
Wheel Hardware	195
Tyre & Wheel Assemblies	196
Lubricant & Oil Change Kit	197
Oil Change Kit	198
XPS Coolants	198
Maintenance Products	199
Care Products	200

CAN-AM DEFENDER G1



To make sure your Defender G1 performs as you expect, **keep an eye on these components.***

OIL FILTER		420256188
ENGINE OIL		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
5W-40 Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT		
5W-40 Synthetic Oil	500 cc or more V-twin engine	9779488
5W-40 Synthetic Oil	ACE 650 cc single cylinder	9779480
0W-40 Synthetic Oil	500 cc or more V-twin engine	9779259
0W-40 Synthetic Oil	ACE 650 cc single cylinder	9779481
10W-50 Synthetic Oil	500 cc or more V-twin engine	9779252
5W-40 Synthetic Oil	450 cc or less	9779487
0W-40 Synthetic Oil	450 cc or less	9779257
TRANSMISSION OIL		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non-EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		715900394
CVT AIR FILTER		
HD9, HD10		706600419
DRIVE BELT		
HD10	Premium (Stock)	422280652
HD9	Premium (Stock)	422280656
HD7	Premium (Stock)	422280225
Performance (Upgrade)	See reference chart p. page 190.	
CLUTCH MAINTENANCE KITS		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
QRS XD Roller Kit	Pack of 3	861805583

BRAKE PAD KITS		
Front Brake Pads (4 pads + hardware)	Defender (All models)	703501260
Rear Brake Pads (4 pads + hardware)	Defender HD7-HD9-HD10	703501200
	Defender MAX-PRO-6X6	703501199
CV BOOT KITS		
Front Wheel Side	Except XMR, 2023 & newer Limited & Lone Star	705401345
Front Wheel Side	XMR, 2023 & newer Limited & Lone Star	705401354
Front Diff Side		705401355
Rear Wheel Side and Diff Side		705501864
WHEEL BEARINGS		293350150
FRONT A-ARM BUSHING KIT		703500875
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		
HD10		715900244
HD9		715901051
HD7		715900785
BATTERY		
18 aH Yuasa YTX20L fact. activated		410301203
30 aH Yuasa YIX30L fact. activated		515176151

*Refer to periodic maintenance chart for proper intervals.

CAN-AM DEFENDER G2



To make sure your Defender G2 performs as you expect, **keep an eye on these components.***

OIL FILTER		420956123
ENGINE OIL		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
5W-40 Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT		
5W-40 Synthetic Oil	Rotax 900/999 ACE	9779502
10W-50 Synthetic Oil	Rotax 900/999 ACE	9779503
0W-40 Synthetic Oil	Rotax 900/999 ACE	9779504
TRANSMISSION OIL		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non-EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		715900422
CVT AIR FILTER		706600423

DRIVE BELT		
HD10 & HD11	Premium (Stock)	422280652
CLUTCH MAINTENANCE KITS		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
QRS XD Roller Kit	Pack of 3	861805583
BRAKE PAD KITS		
Front Brake Pads (4 pads + hardware)	Defender (all models)	703501260
Rear Brake Pads (4 pads + hardware)	Defender MAX (all)	703501260
	Defender non-MAX (all)	703501261
CV BOOT KITS		
Front Wheel Side		715901034
Front Differential Side		715901035
Rear Wheel Side		715901064
Rear Differential Side		715901063
WHEEL BEARINGS		293350151
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		
HD10 & HD11		715900785
BATTERY		
30 aH Yuasa YIX30L fact. activated		515176151

*Refer to periodic maintenance chart for proper intervals.

CAN-AM MAVERICK R



To make sure your Maverick R performs as you expect, **keep an eye on these components.***

OIL FILTER		420956747
ENGINE OIL		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4T 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT		
5W-40 Oil Change Kit	Rotax 999T	9779500
10W-50 Oil Change Kit	Rotax 999T	9779501
TRANSMISSION OIL		
Oil Change Kit	Can-Am DCT Transmission	9779725
Differential Oil 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
DCT Gearbox Oil XPS Synthetic	DCT Fluid 32 oz / 0.946 L	9779710
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		
Performance Air Filter by Twin Air†		715002895
Premium Air Filter		715900422
BRAKE PAD KITS		
Front Brake Pads	4 pads + hardware	703501258
Rear Brake Pads	4 pads + hardware	703501259

CV BOOT KITS		
Rear wheel side, NT1 transmission	Base, X and X rs, 2024-2026	715500543
Rear diff side, NT1 transmission	Base, X and X rs, 2024-2026	715500542
Rear (wheel side), NT2 transmission	MAX and X rc, 2025-2027 X and X rs, 2027	715900929
Rear (diff. side), NT2 transmission	MAX and X rc, 2025-2027 X and X rs, 2027	715500551
Front (wheel & diff. side)		715900450
WHEEL HUBS (with integrated bearings)		
Front		705403495
Rear		705503594
BALL JOINTS		
Lower		703501263
Upper		703501262
SPARK PLUG		715900935
BATTERY		
18 aH Yuasa YTX20L fact. activated	X & X rs	410301203
30 aH Yuasa YIX30L fact. activated	X rc	515176151

*Refer to periodic maintenance chart for proper intervals.

CAN-AM MAVERICK X3



To make sure your Maverick X3 performs as you expect, **keep an eye on these components.***

OIL FILTER		420956123
ENGINE OIL		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4T 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT		
5W-40 Synthetic Oil	Rotax 900/999 ACE	9779502
10W-50 Synthetic Oil	Rotax 900/999 ACE	9779503
0W-40 Synthetic Oil	Rotax 900/999 ACE	9779504
TRANSMISSION OIL		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		
Performance Air Filter by Twin Air†		715002895
Premium Air Filter		715900422
CVT AIR FILTER		706600416

DRIVE BELT		422280652
CLUTCH MAINTENANCE KITS		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
QRS XD Roller Kit	Pack of 3	861805583
BRAKE PAD KITS		
Front Brake Pads	4 pads + hardware	703501198
Rear Brake Pads	4 pads + hardware	703501199
CV BOOT KITS		
Rear Wheel & Differential Side		715900450
Front Wheel & Differential Side		705401354
WHEEL BEARINGS		293350151
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		
Maverick X3	Except 900HO	415130363
Maverick X3	900HO	415130795
BATTERY		
18 aH Yuasa YTX20L fact. activated		410301203

*Refer to periodic maintenance chart for proper intervals.

THE ELECTRONIC PARTS CATALOG (EPC)



IT'S THE GO-TO RESOURCE FOR QUICKLY LOCATING, IDENTIFYING AND ORDERING EXACT-FIT CAN-AM GENUINE PARTS. TO HELP YOU SAVE EVEN MORE TIME, ALL FAST-MOVING MAINTENANCE AND WEAR PARTS ARE NOW GROUPED ON THE FIRST PAGE OF EACH MODEL.

3 SIMPLE STEPS TO FIND THE RIGHT PART

1. Select the exact vehicle model.
2. Choose the vehicle system needing a part.
3. Pick the part and add it to the cart.

SCAN THE QR CODE FOR INSTANT ACCESS TO THE EPC ON ECOM.

AIR FILTERS

Premium Air Filter

- Premium quality filter, built to exact specs to prevent contaminants from reaching your engine and protect internal components against premature wear.
- Features high-density pleated media for maximum dirt-holding capacity, a moulded seal for tight fit and durable construction to prevent collapse in extreme conditions.



Models	
Defender & Traxter G1, all packages incl. MAX, 2016–2027 Maverick Sport & Trail except 1000R engine, 2018–2027 Commander 700, incl. MAX, 2022–2027	**715900394**
Maverick X3, all packages incl. MAX, 2017–2027 Maverick R (incl. MAX), 2024–2027 Maverick Sport & Trail (incl. MAX), 1000R engine only, 2019–2027 Commander (incl. MAX), 1000R engine only, 2021–2027 Defender & Traxter G2, all packages, 2026-2027	**715900422**
Maverick G1 except 1000T engine, 2013–2018 Commander G1 2011–2020	**707800327**
Maverick G1, 1000T engine only, 2015–2017	**715900356**

NEW SAFETY AIR FILTER

- Guards against dust if the primary filter fails
- Perfect slide in fit inside the primary filter and factory Can-Am air box
- The filter's small surface area is designed to quickly restrict airflow if dust bypasses the primary air filter, alerting the driver of issues with the primary filter before damage occurs
- It also prevents contaminants from entering the intake system during primary filter changes, protecting the system while open
- Second line of defense for the finest dust particles (<10µm) and if the primary filter is compromised, damaged or improperly installed



Models	
Defender G2	**715012078**

OIL FILTERS

Engine Oil Filter

- The OEM oil filter maintains correct oil flow and pressure, which is critical for engine longevity.
- High-quality construction OEM filter that is designed for your Rotax engine.
- Helps protect critical engine components from contaminants.



Models	
Defender G1, Commander, Maverick Trail, Maverick Sport	**420256188**
Maverick X3, Defender G2	**420956123**
Maverick R • Constructed with durable stainless steel mesh designed to withstand extreme pressures and temperatures. • Resists deformation and tearing, ensuring consistent filtration performance throughout service life.	**420956747**

=

Transmission Oil Filter

(Not illustrated)



Model	
Maverick R • High-quality construction OEM filter that is designed for your Rotax Dual clutch transmission to maintain proper oil flow and pressure.	**420956127**

SPARK PLUGS

Spark Plugs



Models	
Commander 700 2022 and up	**715900785**
Commander 800R 2018–2020	**715901051**
Commander 1000R 2018 and up	**715900244**
Defender HD5 2017–2021	**715900352**
Defender HD7 2022 and up	**715900785**
Defender HD8 2016–2021	**715901051**
Defender HD9 2022 and up	**715901051**
Defender HD10 (G1) 2020 and up	**715900244**
Defender (G2) HD10 2027	**715900785**
Defender HD11 2026 and up	**715900785**
Maverick Trail 700 2022 and up	**715900785**
Maverick Trail 800R/1000 2021 and up	**715901051**
Maverick Sport 1000 2019–2022	**715901051**
Maverick Sport 1000R 2019 and up	**715900244**
Maverick X3 900HO 2018	**415130795**
Maverick X3 2017 and up (except 900HO)	**415130363**
Maverick R 2024 and up	**715900935**

BATTERIES

Yuasa Batteries



Models	Type	Amp-hours	
Commander	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Defender (Base/DPS models)	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Defender (except Base/DPS models)	Yuasa YIX30L fact. activated	30	**515176151**
	Yuasa YIX30-BS	30	**715901082**
Maverick	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick Sport/Trail	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick X3	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick R (X & X rs)	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick R (X rc)	Yuasa YIX30L fact. activated	30	**515176151**
	Yuasa YIX30-BS	30	**715901082**

HOLD THE POWER. TAKE THE HIT.

Axles act as pressure points in the power system, absorbing stress to help protect more complex and costly components. No weak links. Just smart engineering.



1 THE FIXED JOINT

Forged from high-grade, heat-treated steel with polished internal surfaces, the Fixed Joint delivers exceptional strength, durability and long-lasting fatigue resistance.

2 THE CAGE, STAR & BEARING BALLS

Engineered to OEM-level tolerances with polished finishes and smooth radii, the Cage, Star & Bearing Balls minimize stress and friction to deliver superior strength and fatigue life and reduced NVH.

3 THE BAR SHAFT

Made from heat-treated alloy steel and precision-engineered to exact torsional strength specs, the bar shaft delivers the ideal balance of strength and stress absorption to protect critical drivetrain components.

4 THE CV BOOTS

Made from puncture, wear and temperature resistant TPE, a polymer offering far greater durability than a rubber counterpart, and sealed with high quality, low-profile Oetiker clamps. Premium extreme temperature grease reduces friction and protects joints subjected to high mechanical and thermal loads.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
Maverick X3										
Width 72" (incl. MAX models)	X rs & X rs DPS (Visco-Lok)	2017	705402100	705402099	705401354	705401354	705502362		715900450	715900450
	X rs Turbo R (Visco-Lok)	2018	705402100	705402099	705401354	705401354	705502362		715900450	715900450
	X rs Turbo R (Smart-Lok) X mr Turbo R (Smart-Lok) X rc Turbo R (Smart-Lok)	2018–2019	705402048		705401354	705401354	705502362		715900450	715900450
	RS Turbo R (Visco-Lok)	2020–2021	705402100	705402099	705401354	705401354	705502362		715900450	715900450
	X rs Turbo & Turbo RR X rc Turbo & Turbo RR X mr Turbo RR	2020–2027	705402048		705401354	705401354	705502362		715900450	715900450
	RS Turbo RR	2022–2027	705402048		705401354	705401354	705502362		715900450	715900450
	RS Turbo	2024–2027	705402048		705401354	705401354	705502362		715900450	715900450
Width 64" (incl. MAX models)	Base, X ds, X ds DPS (Visco-Lok)	2017	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	X ds Turbo R (Visco-Lok)	2018	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	Base (Visco-Lok) Turbo (Visco-Lok) Turbo R (Visco-Lok)	2018–2020	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	DS Turbo (Visco-Lok) DS Turbo R (Visco-Lok)	2021	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	X rc Turbo (Smart-Lok) X mr Turbo (Smart-Lok)	2018–2021	705401634		705401354	705401354	705502154		715900450	715900450
	X ds Turbo R (Smart-Lok)	2019	705401634		705401354	705401354	705502154		715900450	715900450
	X ds Turbo (Smart-Lok) X ds Turbo RR (Smart-Lok)	2020–2021	705401634		705401354	705401354	705502154		715900450	715900450
	X mr Turbo RR X rc Turbo RR	2022–2026	705401634		705401354	705401354	705502154		715900450	715900450
	DS Turbo & Turbo RR X ds Turbo RR	2022–2027	705401634		705401354	705401354	705502154		715900450	715900450
	X Turbo	2026–2027	705401634		705401354	705401354	705502154		715900450	715900450
Maverick R										
	All models	2024	705402490		715900450	715900450	705503778		715500542	715500543
	Base X X rs	2025–2026	705402490		715900450	715900450	705503778		715500542	715500543
	Base MAX X MAX X rs MAX X rc & X rc MAX	2025–2027	705402490		715900450	715900450	705503943		715500551	715900929
	X X rs	2027	705402490		715900450	715900450	705503943		715500551	715900929

*Includes MAX models unless otherwise specified.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
Defender G1										
Base / DPS (incl. MAX models)	Base HD5 DPS HD5	2017–2021	705401936	705401937	705401355	705401345	705502479	705502478	705501864	705501864
	Base HD7 DPS HD7	2022–2027	705402750	705402749	705401355	705401345	705503100		705501864	705501864
	Base HD8 DPS HD8	2016–2021	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	Base HD9 DPS HD9	2022–2027	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	Base HD10 DPS HD10	2016–2019	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	DPS HD10	2020–2026	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	CAB HD8	2019	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	CAB HD10	2018–2019	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	DPS CAB HD8	2021	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	DPS CAB HD9	2022	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	DPS CAB HD9	2023–2027	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	DPS CAB HD10	2026–2027	705403204	705403205	705401355	705401354	705503051		705501864	705501864
XT / XT-P (incl. MAX models)	XT HD8	2016–2021	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	XT CAB HD8 XT CAB HD10	2016–2017	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	XT CAB HD8	2018	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	XT-P HD10	2018	705401936	705401937	705401355	705401345	705502451		705501864	705501864
		2019	705402353		705401355	705401345	705502451		705501864	705501864
		2020	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	XT CAB HD10 XT CAB HD8	2020	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	XT HD7	2022–2027	705402750	705402749	705401355	705401345	705503100		705501864	705501864
	XT HD9	2022–2027	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	XT HD10	2020–2026	705402407	705402408	705401355	705401345	705502831		705501864	705501864
Limited / Lone Star (incl. MAX models)	Lone Star HD10	2018–2019	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	Limited CAB HD10 Lone Star HD10	2020	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	Mossy Oak Edition HD10	2020	705402575		705401355	705401354	705503051		705501864	705501864
	Limited CAB HD10 Lone Star HD10 Lone Star CAB HD10	2021–2022	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	Limited CAB HD10 Lone Star HD10 Lone Star CAB HD10	2023	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	Lone Star HD10 Lone Star CAB HD10 Limited HD10	2024–2025	705402420		705401355	705401354	705503051		705501864	705501864
X mr (incl. MAX models)	X mr HD10	2018	705402228		705401355	705401354	705503051		705501864	705501864
	X mr HD10	2019–2025	705402420		705401355	705401354	705503051		705501864	705501864
Defender PRO G1										
Pro	Pro HD8 Pro HD10	2018–2019	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	Pro DPS HD10	2020–2026	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	Pro XT HD10	2020–2027	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	Pro LoneStar HD10 Pro Limited CAB HD10	2021–2022	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	Pro Limited CAB HD10	2023	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	Pro Limited CAB HD10	2024–2027	705402420		705401355	705401354	705503051		705501864	705501864
Defender 6x6 G1										
6x6							2nd (middle) axle	3rd (rear) axle		
	6x6 DPS HD10	2020–2022	705402407	705402408	705401355	705401345	705502831	705502850	705501864	705501864
	6x6 XT HD10	2021–2022	705402407	705402408	705401355	705401345	705502831	705502850	705501864	705501864
	6x6 Limited CAB HD10	2022	705402449	705402450	705401355	705401345	705503051	705503271	705501864	705501864
	6x6 DPS HD10	2023–2026	705402407	705402408	705401355	705401345	705502831	705502831	705501864	705501864
	6x6 XT HD10	2023–2027	705402407	705402408	705401355	705401345	705502831	705502831	705501864	705501864
	6x6 Limited HD10	2023	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	6x6 Limited HD10	2024–2027	705402420		705401355	705401354	705503051		705501864	705501864
Defender G2										
Width 65" (incl. MAX models)	LoneStar & LoneStar CAB Limited CAB	2026	705403358		715901035	715901034	705503483		715901063	715901064
	X mr	2026–2027	705403358		715901035	715901034	705503483		715901063	715901064
	XT HD11 XT CAB HD10 XT CAB HD11	2026–2027	705403360	705403361	715901035	715901034	705503483		715901063	715901064
	LoneStar & LoneStar CAB Limited CAB	2027	705403360	705403361	715901035	715901034	705503483		715901063	715901064
Width 63" (incl. MAX models)	XT HD10	2027	705403364	705403365	715901035	715901034	705503485		715901063	715901064
Commander G1										
Incl. MAX models	All models	2011–2015	705401872	705401871	705401346	705401345	705502359		705501864	705501864
	All models	2016–2020	705401872	705401871	705401346	705401345	705502411		705501864	705501864
Commander G2										

*Includes MAX models unless otherwise specified.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
Incl. MAX models	DPS 1000R	2021–2026	705402030	705402031	705401355	705401345	705502552		705501864	705501864
	XT 700 & HD7 DPS 700 & HD7	2022–2027	705402873	705402874	705401355	705401345	705502552		705501864	705501864
	XT 1000R	2021–2027	705402717	705402718	705401355	705401345	705502757		705501864	705501864
	XT-P 1000R	2021–2027	705402282		705401355	705401354	705502757		705501864	705501864
	X mr 1000R	2022–2027	705402282		705401355	705401354	705502757		705501864	705501864
Maverick Trail										
Width 50"	Trail DPS 1000R	2018–2019	705402007	705402008	705401355	705401345	705502541		705501864	705501864
	Trail Base & DPS 800	2018–2021	705402007	705402008	705401355	705401345	705502541		705501864	705501864
	Trail Base, DPS & X 1000	2018–2027	705402007	705402008	705401355	705401345	705502541		705501864	705501864
	Trail Base, DPS & X HD7/700	2022–2027	705402879	705402880	705401355	705401345	705502541		705501864	705501864
Maverick Sport										
Incl. MAX models	Base 1000 DPS 1000	2019–2022	705402030	705402031	705401355	705401345	705502552		705501864	705501864
	DPS & X 1000R	2019–2027	705402030	705402031	705401355	705401345	705502552		705501864	705501864
	X mr 1000R X rc 1000R	2019–2026	705402282		705401355	705401354	705502757		705501864	705501864
	X xc 1000R	2020–2023	705402282		705401355	705401354	705502757		705501864	705501864

BALL JOINT

Suspension Arm Ball Joint with Hardware

- Robust design for off-road usage and sealed for prolonged durability.
- Built to absorb punishing hits and to deliver maximum articulation without binding.



Models

Lower	Upper	
All models & packages except Maverick R, 2015–2027	Maverick R, 2024-2027	**703501262**
Maverick R, all packages, 2024–2027	Defender & Traxter, G1 & G2, all packages 2017–2027 Maverick X3, all packages, 2018–2027 Maverick Sport & Trail, all packages 2018–2027 Commander G2, all packages 2021–2027	**703501263**
—	Commander G1, 2011–2020 Maverick G1, 2014–2018	**703501264**

D.E.S.S. KEYS

RF D.E.S.S.™ Keys

Defender 2024 and up, Maverick X3 2019 and up, Maverick R 2024 and up, Maverick Sport/Trail 2021 and up

710004964 · Grey
710005232 · Green



- Each key communicates wirelessly with the vehicle using a unique encrypted code. The engine is designed to start only when the key and vehicle code match.
- All RF D.E.S.S.™ keys are fully programmable and support multiple speed and torque profiles (based on vehicle options). This allows precise control tailored to the rider or the riding environment.
- Different programming levels help first-time users learn progressively while building confidence and control.
- Available colour options make it easy to distinguish between programmed keys at a glance.
- Keeping a spare key helps prevent unnecessary costs or delays if the original is lost, and adds convenience when multiple people use the vehicle.

*Includes MAX models unless otherwise specified.

These are the same high-performance pads installed at the factory, now available in complete kits for quick, full replacements. Engineered with Can-Am, in collaboration with Brembo, to deliver consistent stopping power, even in the toughest off-road conditions.

BUILT FOR BRUTAL STOPS

These pads are optimised for off-road abuse, built to handle heat, grit and repeat impact. Every kit includes the right components for a full pad swap, with stopping power that never backs down.



BRAKE PADS

Brake Pad Kits

Include left and right pads, spring and pin



Models	Front	Rear
Maverick R	**703501258**	**703501259**
Defender G1 HD7, HD9, HD10	**703501260**	**703501200**
Defender G1 MAX HD7, HD9, HD10		**703501199**
Defender G1 PRO		
Defender G1 6X6		
Defender G2 HD10, HD11		**703501261**
Defender G2 MAX HD10, HD11		**703501260**
Maverick X3	**703501198**	**703501199**
Maverick Sport		
Maverick Trail		
Commander		

BELTS

Drive Belts	Models	CVT Drive Belt	Belt Upgrade	CVT Cover Gasket	
	Commander 700 2022 and up	**422280225**	—	—	—
	Commander 2020 and prior	**422280366**	—	**420430126**	
	Commander 2021 and up (1000 cc)	**422280656**	**422280652**	**420450400**	
	Defender HD5 2017–2021	**422280283**	—	—	—
	Defender HD7 2022 and up	**422280225**	—	—	—
	Defender HD8 2016–2021	**422280656**	**422280652**	—	—
	Defender HD9 2022 and up	**422280656**	**422280652**	**420450400**	
	Defender HD10 2018–2019	**422280656**	**422280652**	—	—
	Defender (G1) HD10 2020 and up	**422280652**	—	**420450400**	
	Defender (G2) HD10 2027	**422280652**	—	**420450404**	
	Defender HD11 2026 and up	**422280652**	—	**420450404**	
	Maverick Trail 700 2022 and up	**422280225**	—	—	—
	Maverick Sport/Trail 1000 2018 and up	**422280656**	**422280652**	**420450400**	
	Maverick X3 2018 and up (except 900HO)	**422280652**	—	**420450405**	
	Maverick X3 900HO 2018	**422280656**	**422280652**	—	—

DESIGNED TO PERFORM. PROVEN TO WIN.

From dyno to desert, BRP drive belts are tested in brutal real-world and race conditions.



1 THE TOP COG

Engineered for durability and precision. Made from a specialized compound distinct from the lower cog to optimise power transfer and reduce distortion under extreme loads.

2 ADHESION LAYERS

Reliable, seamless integration. Advanced adhesion layers ensure strong bonding of **both cogs to the tensile cord**, delivering consistent performance and extended belt life.

3 THE TENSILE CORD

Unmatched strength and flexibility. High-performance aramid cords provide superior tensile strength and precise load distribution, tailored to your machine's power requirements.

4 THE LOWER COG

Optimised for power and control. A proprietary blend of premium rubbers delivers perfect flexibility for smooth clutch engaugement and maximum torque transfer.

5 IMPREGNATED FABRIC

Built to last. Reinforced fabric layer enhances abrasion resistance, protecting both the belt and clutch components for longer service life.

PDRIVE MAINTENANCE KITS

pDrive Maintenance Kits	Models	Torque Rollers Maintenance Kit	Ramp Rollers Maintenance Kit
 861805587  861805586	Commander 700 2022 and up	**861805587**	**861805586**
	Defender HD7 2022 and up		
	Defender (G2) HD10 2027		
	Defender HD11 2026 and up		
	Maverick Trail 700 2022 and up		
	Maverick X3 Turbo 2023 and up		
	Maverick X3 Turbo RR 2022 and up		

QRS ROLLERS

QRS XD Roller Kit (pack of 3)	Models	
	Commander 1000R 2021 and up	**861805583**
	Defender HD9 2022 and up	
	Defender (G1) HD10 2020 and up	
	Defender (G2) HD10 & HD11	
	Defender HD11 2026 and up	
	Maverick Sport 1000R 2019 and up	
	Maverick X3 Turbo/Turbo R 2018 and up	
	Maverick X3 Turbo RR 2020 and up	
	Maverick X3 900HO 2018	
	Maverick X3 2017–2018	

QRS XD Roller Kit (pack of 2)	Models	
	Defender HD8 2016–2021	**861805577**
	Defender HD10 2016–2019	
	Maverick 1000 Turbo XDS 2015–2017	
	Maverick Sport 1000 2019–2022	
	Maverick Trail 800/800R 2018–2021	
	Maverick Trail 1000 2018 and up	

DEFORMATION RESISTANCE UNDER STATIC COMPRESSION TEST



BRP XD roller

The **BRP XD roller** withstands 4 times the load in compression compared to most popular aftermarket thermoplastic-type rollers with a displacement/ deformation of 0.5 mm.

QRS XD rollers are built to take a beating. With more impact resistance and less deformation than standard designs, they hold up under pressure, protect belt performance and keep the pulley system running clean and smooth, ride after ride.

BUILT TOUGH TO KEEP POWER MOVING

Stronger than fibre rollers and more stable than thermoplastic designs, QRS XD rollers resist high-impact shocks and deformation that can seize pulleys or shred belts. A major upgrade for reliability, durability and consistent performance under stress.



CYCLING TEST



BRP XD Roller

Thermoplastic Type Sample 3

Thermoplastic Type Sample 2

Thermoplastic Type Sample 1

Fibre Type Sample 2

Fibre Type Sample 1

The **BRP XD rollers** performed 40% more cycles* than the average for thermoplastic-type rollers and 99% more cycles* than the average for fibre-type rollers. Both thermoplastic and fibre roller tests ended in failure.

*Based on 20,000 cycles of our XD rollers, without any signs of failure.

XPS TYRES

SHOP BY USAGE

GRAVEL & HARD PACK · ROCK · MUD

XPS Hammer King



- 8-ply rated construction.
- Flatter tyre profile for large contact patch.
- Tread pattern is tighter to help float over desert type terrain and keep ride smoother at high speeds.
- Aggressive sidewall for increased traction when in rocky terrain.
- Tread depth: 15 mm (0.6").

705403945 · UT 30X10R14

NEW
705403950 · UT 32X10R14

705403784 · UT 30X10R15

705403785 · UT 32X10R15

705404282 · UT 32X10R15*

705403683 · UT 35X10R16

*Light & narrower contact patch

XPS Hammer Force



- Light truck-inspired tyre.
- 8-ply rated construction.
- Rock-crawling tread pattern with unique contact patch.
- Aggressive sidewall for maximum traction when faced with technical terrains.
- Tread depth: 15 mm (0.6").

705402918 · 30X10R15

XPS Trail King 2



- All-terrain radial tyre.
- 8-ply rated construction.
- Tyre excels in various terrains, from loose to hard packed.
- Non-directional tread pattern with optimised construction providing precision handling and ensuring maximum grip and low rolling resistance.
- Tread depth: 20 mm (0.8").

705403482 · 29X9R14

705403663 · 29X11R14

XPS Trail King



- All-terrain radial tyre.
- 8-ply rated construction.
- Aggressive tread pattern for tougher terrains.
- An almost continuous centre tread offers a smoother trail ride.
- Tread depth: 26 mm (1.02").

705403081 · 27X9R14

705503355 · 27X11R14

705402825 · 28X9R14

705503181 · 28X11R14

XPS Trail Force



- All-terrain radial tyre.
- 8-ply rated construction.
- Versatile and suitable for many types of terrain.
- Aggressive tread pattern for better traction on dirt, mud and rocky terrains.
- Tread depth: 20 mm (0.78").

705402754 · 27X9R14

705503103 · 27X11R14

XPS Trac Force



- All-terrain light truck style radial tyre.
- 8-ply rated construction.
- Central tread for good grip and comfort on compact terrain.
- Tread depth: 18 mm (0.71").

705403080 · 30X9R14

705403369 · 30X9R15

705503354 · 30X10R14

705403586 · UT 30X10R14*

705403370 · 30X10R15

705403416 · UT 32X10R16*

705403587 · UT 32X10R15*

*6 ply rating

XPS Swamp King



- Radial tyres for mud and trail.
- 8-ply rated construction.
- Ultimate performance in mud without sacrificing good trail handling.
- Tread depth: 38 mm (1.5").

705503855 · UT 30X10R15

NEW
705020005 · UT 32X10R15

XPS Swamp Force



- Hybrid radial tyre for mud and trail.
- 8-ply rated construction.
- Unique tread pattern allowing good grip in mud and mud ejection.
- Centre tread provides for comfortable trail riding.
- Tread depth: 36–38 mm (1.41"–1.5").

705403201 · 30X9R14

NEW
705020006 · 30X10R14

705503387 · 30X11R14

TYRE & WHEEL SPECIFICATIONS CHART

Model / Package	Engine	Position	Wheel PN	Wheel Size	Offset (mm)	Wheel Type	Tyre Size	Tyre Name	Tyre PN	Beadlock PN	Assembled Wheel PN
Bolt Pattern: 4 x 136 mm, Studs: M10											
Commander											
DPS	700, 1000R	Front	705403591	14X6.5	10 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705403593	14X8.5	22.6 mm		27X11X14		705503103		
XT	700	Front	705401849	14X6.5	10 mm	Std Black	28X9X14	Trail King	705402825		
		Rear	705502398	14X8.5	22.6 mm		28X11X14		705503181		
XT	1000R	Front	705402675	14X7	41.2 mm	Std Black	28X9X14	Trail King	705402825		
		Rear	705503047	14X8.5	51.2 mm		28X11X14		705503181		
X mr	1000R	Front	705402675	14X7	41.2 mm	Std Black	30X9R14	Swamp Force	705403201		
		Rear	705503047	14X8.5	51.2 mm		30X11R14		705503387		
XT-P	1000R	Front/Rear	705402776	15X7	46.4 mm	Beadlock Black	30X10X15	Trac Force	705403370	705403262	
Maverick Sport											
DPS/X	1000R	Front/Rear	705403383	14X7	41.2 mm	Std Black	30X10X14	Trac Force	705503354		
Maverick Trail											
Base, DPS/X	700, 1000	Front	705401417	12X6	41.2 mm	Std Black	26X8R12	ACT	705402313		
		Rear	705401417	12X6	41.2 mm		26X9R12		705402314		
Defender G1											
Base	HD7, HD9	Front	705403594	14X7	41.2 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705403595	14X8.5	51.2 mm		27X11X14		705503103		
Base MAX	HD7, HD9	Front	705403591	14X6.5	10 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705403593	14X8.5	22.6 mm		27X11X14		705503103		
DPS, XT	HD7, HD9	Front	705403383	14X7	41.2 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705503498	14X8.5	51.2 mm		27X11X14		705503103		
DPS MAX, XT MAX	HD7, HD9	Front	705401849	14X6.5	10 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705502398	14X8.5	22.6 mm		27X11X14		705503103		
Defender PRO, 6X6											
DPS, XT	HD10	Front	705403383	14X7	41.2 mm	Std Black	27X9X14	Trail King	705403081		
		Rear	705503498	14X8.5	51.2 mm		27X11X14		705503355		
Limited	HD10	Front	705403383	14X7	41.2 mm	Std Black	30X9X14	Trac Force	705403080		
		Rear	705403383	14X7	41.2 mm		30X10X14		705503354		
Bolt Pattern: 4 x 136 mm, Studs: M12											
Defender G2											
Limited Cab Lone Star Lone Star CAB	HD11	Front	705403544	15X7	41.2 mm	Std Black	30X9X15	Trac Force	705403369		
		Rear	705403544	15X7	41.2 mm		30X10X15		705403370		
X mr	HD11	Front	705403383	14X7	41.2 mm	Std Black	30X9X14	Swamp Force	705403201		705403966 (R) 705403967 (L)
		Rear	705503498	14X8.5	51.2 mm		30X11X14		705503387		705503979 (R) 705503980 (L)
X mr	HD11	Front	705403856	14X7	41.2 mm	Std Liquid Titan	30X9X14	Swamp Force	705403201		
		Rear	705503905	14X8.5	51.2 mm		30X11X14		705503387		
XT XT CAB XU	HD10	Front	705403383	14X7	41.2 mm	Std Black	27X9X14	Trail King 2	705403717		
		Rear	705503498	14X8.5	51.2 mm		27X11X14		705503787		
XT XT CAB XU	HD11	Front	705403383	14X7	41.2 mm	Std Black	29X9X14	Trail King 2	705403482		
		Rear	705503498	14X8.5	51.2 mm		29X11X14		705403663		
Maverick X3											
DS, RS, X	All	Front/Rear	705403613	14X7	55.2 mm	Std Black	UT30X10X14	Trac Force	705403586		705403625
X ds	All	Front/Rear	705403614	14X7	55.2 mm	Beadlock Black	UT30X10X14		705403586	705403623	
X mr	All	Front/Rear	705403853	15X7	41.2 mm	Std Black	UT30X10X15	Swamp King	705503855		705403847 (L) 705403848 (R)
X mr	All	Front/Rear	705403854	15X7	41.2 mm	Std Liquid Titan	UT30X10X15	Swamp King	705503855		
X rc 72	All	Front/Rear	705403849	15X7	46.4 mm	Beadlock Black	32X10X15	Hammer King	705404282	705403852	705404296
X rs	All	Front/Rear	705403616	15X7	55.2 mm	Beadlock Black	UT32X10X15	Trac Force	705403587	705403621	705403628
Bolt Pattern: 6 x 139.7 mm, Studs: M12											
Maverick R											
X	All	Front/Rear	705403692	16X7	78.9 mm	Std Black	UT32X10X16	Tenacity	705403695		
X rc	All	Front/Rear	705403551	16X7	78.9 mm	Beadlock Black	UT35X10X16	Hammer King	705403683	705403667	705402828
X rs	All	Front/Rear	705403551	16X7	78.9 mm	Beadlock Black	UT32X10X16	Tenacity	705403695	705403667	

WHEEL HARDWARE

Lug Nuts	Description	Length	PN
	M10X1.25/Zinc	0.55" (15 mm)	**250100042**
	M10X1.25/Black	1.06" (28 mm)	**250100184**

Lug Nuts	Description	Length	PN
	M12X1.50/Black	1.38" (35 mm)	**250100196**
	M12X1.50/Black	1.02" (26 mm)	**250100234**

Wheel Caps	PN
	**705400928**
	**705402528**
	**705403020**
	**705403538**
	**705403558**
Not illustrated	**705403835**
	**705404098**

Beadlock Rings	Colour	PN
	Orange Crush	**705402477**
	Deep Black	**705403623**
	Loft Green	**705403852**

Beadlock Screws

Description	PN
M8X30/Black	**207683054**
M8X25/Black	**250000893**

Valve Assemblies

(include valve, core and cap)

Description	PN
TR-413 Valve	**705402595**
TR-418 Valve	**705401806**

Weights

Description	PN
Weight Strip 8 X 0.5 oz	**219704628**

TYRE & WHEEL ASSEMBLIES

SSV TYRE & WHEEL ASSEMBLIES

Package		PN	Tyre & Wheel Assembly	Position
Maverick X3				
DS / RS 64		**705403625**	XPS Tracforce UT 30x10R14 14x7 Deep Black Wheel, no beadlock	Front and Rear
X rs TURBO RR 72		**705403628**	XPS Trac Force UT32X10R15 15X7 Deep Black Beadlock Wheel	Front and Rear
X rc TURBO RR 72		**705404296**	XPS Hammer King 32X10R15 15X7 Loft Green Beadlock Wheel	Front and Rear
		705404537	XPS Hammer King 32X10R15 15X7 Deep Black Beadlock Wheel	Front and Rear
Defender HD11				
X mr		**705403966**	XPS Swamp Force 30X9R14 14X7 Deep Black Wheel, no beadlock	Front/Right
		705403967	XPS Swamp Force 30X9R14 14X7 Deep Black Wheel, no beadlock	Front/Left
		**705503979**	XPS Swamp Force 30X11R14 14X8.5 Deep Black Wheel, no beadlock	Rear/Right
		705503980	XPS Swamp Force 30X11R14 14X8.5 Deep Black Wheel, no beadlock	Rear/Left
Maverick R				
X rc		**705402828**	XPS Hammer King UT35X10R16 16X7 Loft Green Beadlock Wheel	Front and Rear
		**705404538**	XPS Hammer King UT35X10R16 16X7 Deep Black Beadlock Wheel	Front and Rear

LUBRICANT & OIL CHANGE KIT

LUBRICANT

XPS 4T 10W-50 Synthetic Oil



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

9779234 • 1 qt / 946 ml
9779235 • 1 US gal / 3.785 L
9779236 • 5 US gal / 18.92 L
9779237 • 55 US gal / 205 L

XPS 4T 0W-40 Synthetic Oil



- Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

9779139 • 1 qt / 946 ml
9779140 • 1 US gal / 3.785 L
9779141 • 5 US gal / 18.92 L
9779142 • 55 US gal / 205 L
9779143 • 265 US gal / 1,003 L
9779144 • 330 US gal / 1,249 L

XPS 4T 5W-40 Synthetic Oil



- Off-road formula with premium anti-wear and anti-corrosion additives.
- Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

9779492 • 1 qt / 946 ml
9779493 • 1 US gal / 3.785 L
9779494 • 5 US gal / 18.92 L
9779495 • 55 US gal / 205 L
9779496 • 265 US gal / 1,003 L
9779497 • 330 US gal / 1,249 L

OIL CHANGE KIT

Engine Oil Change Kit



- Ultra-convenient “all-in-one” Engine Oil Change Kit saves time and money.

Engine	Product	
Mono Cyl		
450 cc or less	Can-Am Oil Change Kit 5W40	**9779487**
ACE 650 cc Single Cylinder	Can-Am Oil Change Kit 5W40	**9779480**
ACE 650 cc Single Cylinder	Can-Am Oil Change Kit 0W40	**9779481**
V-Twin		
500 cc + V-Twin	Can-Am Oil Change Kit 5W40	**9779488**
500 cc + V-Twin	Can-Am Oil Change Kit 0W40	**9779259**
500 cc + V-Twin	Can-Am Oil Change Kit 10W50	**9779252**
3 Cyl		
Rotax 999T	Can-Am Oil Change Kit 5W40	**9779500**
Rotax 999T	Can-Am Oil Change Kit 10W50	**9779501**
Rotax 900/999 ACE	Can-Am Oil Change Kit 5W40	**9779502**
Rotax 900/999 ACE	Can-Am Oil Change Kit 10W50	**9779503**
Rotax 900/999 ACE	Can-Am Oil Change Kit 0W40	**9779504**

Transmission Oil Change Kit



Transmission	Product	
All Maverick R DCT transmissions • Convenient all in one kit for DCT fluid change. • Includes XPS synthetic DCT fluid and final drive fluid along with OEM filter and sealing hardware.	Dual Clutch Transmission Oil Change Kit	**9779725**

XPS COOLANTS

NEW Cool-X LT Pre-Mixed Lifetime Coolant



- Silicate-free powersports formulation.
- Engineered for high-RPM, high power, high heat BRP powersports engines.
- Controls extreme temperatures from cold start to redline.
- Pre-mixed with high purity water and ready to use.

9779730 • 1 qt / 946 ml
9779732 • 1 gal / 3.78 L
9779731 • 5 gal / 18.92 L

MAINTENANCE PRODUCTS

Synthetic Gear Oil

75W-90	**9779158** • 1 qt / 946 ml
75W-140	**9779160** • 1 qt / 946 ml



- Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials.
- Allows higher loads, superior shear stability and reduced oxidation.
- Exceptional wear protection and superior performance at all operating temperatures.

XPS Synthetic DCT Fluid

9779710 • 1 qt / 946 ml



- Meets or exceeds API GL-4 industry specifications.
- Formulated for dual clutch system.
- Enhanced cooling capabilities for optimal clutch functionality.
- Anti foaming agents for smooth hydraulic function.

DOT 4 Brake Fluid

9779151 • 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600

9779152 • 12 fl oz / 355 ml



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer

9779171 • 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

Anti-Corrosive Lubricant

9779701 • 14 oz / 400 g



- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

Extreme Duty Suspension Grease

9779708 • 14 oz / 400 g



- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease

9779704 • 3 fl oz / 118 ml



- Formulated with molybdenum disulfide and synthetic graphite for maximum durability and long-lasting protection.
- High performance formula that protects against wear, seizure, rust, corrosion and extreme temperatures.
- Ensures smooth assembly and disassembly, with consistent low-friction performance.

CARE PRODUCTS

Cleaner and Degreaser, All Purpose



- Ready-to-use formula.
- Cleans toughest dirt and grime.
- Phosphate free eco-friendly formula.
- Low-foam easy rinse formula.

9779328 • 22 fl oz / 650 ml
9779329 • 2 qt / 1.89 L

Matte Finish Waterless Cleaner



- Easy waterless use.
- Perfect for matte, flat and denim surfaces.
- Contains no wax or silicone.
- Leaves no unwanted streaks or marks.

9779330 • 22 fl oz / 650 ml

Multi-Surface and Glass Cleaner



- Easy waterless spray and wipe use.
- Polymer formula cleans and protects.
- Contains no wax or silicone.
- Leaves no unwanted streaks or marks.

9779331 • 22 fl oz / 650 ml

Mud and Dust Off-Road Wash



- Specially formulated for off-road vehicles, it breaks the bond holding grime and dirt to your vehicle's finish.
- The formula is biodegradable, eco-friendly with no phosphates or corrosive chemicals and is low foam for easy, quick rinsing.
- Effective on oil, grease and other stubborn grime.
- Safe for use on all surfaces.

9779341 • 2 qt / 1.89 L

Black Plastic and Rubber Restorer



- Restores plastic, rubber and vinyl.
- Long-lasting formula.
- Protects against UV rays.

9779335 • 7.6 fl oz / 225 ml

Foaming Wash



- Concentrated formula for off-road vehicles, it produces a thick foam to lift dirt and prevent scratching.
- The pH neutral formula is safe for wax and paint sealants.
- Works in pressure washers or by hand.

9779337 • 16 fl oz / 473 ml
9779338 • 2 qt / 1.89 L

Quick Detailer Gloss Enhancing



- Quick detail spray wax.
- Leaves a high gloss finish at every wipe.
- Nanotechnology polymer formula.
- Repels dirt.
- No water needed.

9779332 • 4 fl oz / 118 ml
9779333 • 16 fl oz / 473 ml

CAN-AM OUTLANDER

CAN-AM OUTLANDER

MODEL PACKAGES 204

Outlander PRO HD5 204
Outlander PRO XU HD5 205
Outlander PRO XU HD7 206
Outlander 500 208
Outlander XT 1000 209
Outlander XT 1000R 210
Outlander MAX DPS 500 211
Outlander MAX DPS 700 212
Outlander MAX XT 1000 213
Outlander MAX Backcountry 1000R 214
Outlander MAX 6x6 Backcountry 1000R 215
Outlander Electric 216

COMPARATIVE CHART 217

ACCESSORIES 222

G2, G2L and G2S LinQ Accessories 224
Racks & Holders 228
Cargo & Storage 229
Windshields 230
Handlebars & Mirrors 231
Seats 232
HMWPE Skid Plates 233
Aluminium Skid Plates 234
Aluminium Skid Plates 235
HMWPE & Aluminium Skid Plates 236
Bumpers & Guards 237
Lights & Electrical 239
Winches 242
Hitches 244
Recovery 245
Performance 246
Covers, Decals & Add-Ons 247
Apache Track Systems 249
ProMount Plows 251
G3 LinQ Accessories 257
G3L LinQ Accessories 258
G3 MAX LinQ Accessories 259
G3L MAX LinQ Accessories 260
6x6 LinQ Accessories 261
Cargo & Storage 270
Windshields 270
Handlebars & Mirrors 272
Skid Plates 274
Skid Plates 275
Bumpers & Guards 276
Lights & Electrical 277
Audio 281
Winches 281
Hitches 284
Recovery 285
Performance 286
Covers & Add-Ons 287
Apache Track Systems 289
ProMount Plows 291

IF WE SELL IT, WE STAND BY IT.

BRP LIMITED WARRANTY*

for new Parts, Accessories and Riding Gear

1-year limited warranty**

- Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

4-year limited warranty**

- Helmets

GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

* Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories.
** Unless otherwise stipulated or required by law.

CANAMOFFROAD.COM

© 2026 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. BRP recommends that all SxS drivers take a training course. See your dealer. SxS can be hazardous to operate. Never exceed the SxS's passenger capacity. All SxS models are meant to be used by drivers aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engauge in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit https://can-am.brp.com/. Printed in Canada.

2027 CAN-AM OUTLANDER PRO HD5



Sandstone

PACKAGE HIGHLIGHTS

- Visco-Lok† auto-locking front differential
- 26 in. 6-ply rating tyres
- Heavy-duty front bumper, rear bumper, full skid plate
- Glove box
- Front drop-down storage
- 1 person seating capacity

ENGINES	HD5
Type	40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential
Driving Assistance	Work / Standard modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	NA

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	6-ply rating 26 x 8/10 x 12 in.
Wheels	12 in. Steel

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	800 lb (362.9 kg)
L x W x H	90.9 x 47.6 x 49 in. (230.9 x 120.9 x 124.5 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	4.5 in. digital display
Magneto	420 watt
Instrumentation	N/A
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Heavy-duty front bumper Rear bumper HMWPE front and rear A-arm protection (5 mm) Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER PRO XU HD5



Sandstone

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Speed limiter
- Intelligent Engine Braking (iEB™)
- Visco-QE 4Lok front differential
- 26 in. XPS Trail King, 6-ply rating tyres with 12 in. cast-aluminum wheels
- Heavy-duty front bumper, rear bumper, full skid plate
- Premium glove box with cellphone holder and USB charger
- Front drop-down storage
- Phone charger with USB-A and USB-C outputs
- New Can-Am HD3500 (1,588 kg) winch with synthetic cable
- 1 person seating capacity

ENGINES	HD5
Type	40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in.
Wheels	12 in. Aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	816 lb (370.1 kg)
L x W x H	90.9 x 48.2 x 48 in. (230.9 x 122.4 x 122 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	4.5 in. digital display
Magneto	500 W
Instrumentation	Phone charger with 1xUSB-A and 1xUSB-C outputs
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Standard
Handlebar	Standard
Protection	Heavy-duty front bumper Rear bumper HMWPE front and rear A-arm protection (5 mm) Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER PRO XU HD7



Sandstone

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Speed limiter
- Intelligent Engine Braking (iEB™)
- Visco-QE 4Lok front differential
- 26 in. XPS Trail King, 6-ply rating tyres with 12 in. cast-aluminum wheels
- Heavy-duty front bumper, rear bumper, full skid plate
- Premium glove box with cellphone holder and USB charger
- Front drop-down storage
- Phone charger with USB-A and USB-C outputs
- New Can-Am HD3500 (1,588 kg) winch with synthetic cable
- 1 person seating capacity

ENGINES	HD7
Type	50 hp / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Work / Standard modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in.
Wheels	12 in. Aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	816 lb (370.1 kg)
L x W x H	90.9 x 48.2 x 48 in. (230.9 x 122.4 x 122 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	4.5 in. digital display
Magneto	500 W
Instrumentation	Phone charger with 1xUSB-A and 1xUSB-C outputs
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Standard
Handlebar	Standard
Protection	Heavy-duty front bumper Rear bumper HMWPE front and rear A-arm protection (5 mm) Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		2026 Can-Am Outlander PRO XU HD7	Honda TRX 520 FM2	Yamaha Kodiak 700 EPS	Suzuki King Quad 750 Power Steer
Engine Size (cc)		650 cc	518 cc	656 cc	722cc
No of Cylinders	=	1	1	1	1
Horsepower	+	50 hp.	30 hp.	48 hp	Not Listed
Transmission	+	pDrive primary CVT with work calibration	Manual 5 speed with reverse	CVT	CVT
Front Diff. Type	+	Selectable 2WD/4WD/Lock 4WD with Visco-4Lok†	Locking front diff.	2WD/Limited Slip Diff/Full Locked 4WD	Torque sensing limited slip Diff
Power Steering	+	Tri-Mode Dynamic Power Steering (DPS™)	Yes	Electric Power steering	Standard
Front Suspension	=	Double A-arm suspension	Independent Double wishbone	Independent Double wishbone	Independent Double wishbone
Rear Suspension	=	Double A-arm suspension	Swing Arm with single shock	Independent Double wishbone	Independent Double wishbone
Wheel Size	=	12"	12"	12"	12"
Wheel Material	+	Cast Aluminium	Steel	Steel	Steel
Tyre Size	+	26"	25"	25"	25"
Tyre Ply rating	+	6 ply	4 ply	4 ply	Not Listed
Towing Capacity	+	830 kg	385 kg	600 kg	600 kg
Front Rack Capacity	+	54.4 kg	40 kg	50 kg	Not Listed
Rear Rack Capacity	+	108.9 kg	80 kg	90 kg	Not Listed
Ground Clearance	+	33 cm	19 cm	27.5 cm	26 cm
Overall Length	+	228.4 cm	210.6 cm	207 cm	219 cm
Overall Width		124 cm	120.5 cm	118 cm	127.5 cm
Vehicle Dry Weight		370.1 kg	297 kg	307 kg (wet)	331 kg
Fuel Capacity	+	19.5 L	14.7 L	18 L	17.5 L
Speed Limiting Device	+	Programmable speed limiting safety key, speed limiter	No	Throttle limiting screw	Throttle limiting screw
Anti Theft Device	+	RF Digitally Encoded Security System (D.E.S.S.™)	No	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	3 years unlimited km	3 yrs	3 yrs
Downhill Descent Control	=	Engine Braking	Engine Braking	Engine Braking	Engine Braking

† Visco-Lok is a trademark of GKN Viscodrive GmbH.

Can-Am model information is correct at the time of printing. Competitor model details have been sourced from publicly available websites and are correct to the best of our knowledge at the time of printing. As competitor specifications may change without notice, this chart should not be relied upon as a definitive comparison of current models.

2027 CAN-AM OUTLANDER 500



Granite Grey

PACKAGE HIGHLIGHTS

- Visco-Lok† auto-locking front differential
- 25 in. tyres with 12 in. steel wheels
- Full skid plate
- Glovebox
- Front dropdown storage
- 1 person seating capacity

ENGINES	500
Type	40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential
Driving Assistance	N/A
Power Steering	N/A

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	25 x 8/10 x 12 in.
Wheels	12 in. Steel

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	740 lb (335.7 kg)
L x W x H	86.7 x 47.6 x 48 in. (220.2 x 120.9 x 122 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38 in. (96.7 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	4.5 in. digital display
Magneto	420 watt
Instrumentation	N/A
Ingnition	Mechanical Key
Lighting	LED headlights and taillights
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER XT 1000



Fiery Red Metallic

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Intelligent Engine Braking (iEB™) and driving modes
- Radiator cooling fan of 80 W and 150 cm^3
- Visco-Lok† QE auto-locking front differential
- 26 in. XPS Trail King 2 dedicated trail tyres
- 14 in. aluminum wheels
- 3,500 lb winch with synthetic rope
- 7.6 in. digital display
- Full skid plate, front bumper, rear bumper
- Phone storage and USB charger
- Front dropdown storage
- Rear removable storage
- 1 person seating capacity

ENGINES	1000
Type	82 hp / 66 lb-ft, Rotax® 1001 cc V-twin, DOHC, liquid-cooled Radiator cooling fan of 80 W and 150 cm3
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with specific calibration L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched Double A-arm 10.8 in. (27.4 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Arched Double A-arm 12 in. (30.5 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 – 26 x 8/10 x 14 in.
Wheels	14 in. Aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	975 lb (442 kg)
L x W x H	90.2 x 49.2 x 47.9 in. (229.1 x 125 x 121.7 cm)
Wheelbase	52.8 in. (134.2 cm)
Ground Clearance	11.5 in. (29.2 cm)
Seat Height	37.8 in. (96 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	10.6 gal (40 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	7.6 in. digital display
Magneto	650 watt
Instrumentation	Phone storage and USB-C charger
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature lights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Standard
Handlebar	Standard
Protection	Full skid plate Heavy-duty front and rear bumpers Handguards
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER XT 1000R



Fiery Red Metallic

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Intelligent Engine Braking (iEB) and driving modes
- High-flow radiator cooling fan of 120 W and 500 cm³
- Visco-Lok† QE auto-locking front differential
- 26 in. XPS Trail King 2 dedicated trail tyres
- 14 in. aluminum wheels
- 3,500 lb winch with synthetic rope
- 7.6 in. digital display
- Full skid plate, front bumper, rear bumper
- Phone storage and USB charger
- Front dropdown storage
- Rear removable storage
- 1 person seating capacity

Performance features:

- Visco-4Lok†
- Specific CVT calibration
- High-flow radiator cooling fan of 120 W and 500 cm³
- 4-disc braking system
- Front sway bar

Aesthetic features:

- LED signature lights lights
- Extra painted panels

ENGINES	1000R
Type	101 hp / 69 lb-ft, Rotax 1001 cc V-twin, DOHC, liquid-cooled High-flow radiator cooling fan of 120 W and 500 cm³
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with specific calibration L / H / N / R / P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched Double A-arm with sway bar 10.8 in. (27.4 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Arched Double A-arm 12 in. (30.5 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 – 26 x 8/10 x 14 in.
Wheels	14 in. Aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	975 lb (442 kg)
L x W x H	90.2 x 49.2 x 47.9 in. (229.1 x 125 x 121.7 cm)
Wheelbase	52.8 in. (134.2 cm)
Ground Clearance	11.5 in. (29.2 cm)
Seat Height	37.8 in. (96 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	10.6 gal (40 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	7.6 in. digital display
Magneto	650 watt
Instrumentation	Phone storage and USB-C charger
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature lights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Standard
Handlebar	Standard
Protection	Full skid plate Heavy-duty front and rear bumpers Handguards
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER MAX DPS 500



Granite Grey

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Visco-Lok† QE auto-locking front differential
- 25 in. tyres with 12 in. steel wheels
- Full skid plate
- Glovebox
- Front dropdown storage
- Removable passenger seat
- 2 person seating capacity

ENGINES	500
Type	40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	N/A
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	25 x 8/10 x 12 in.
Wheels	12 in. Steel

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	785 lb (356.1 kg)
L x W x H	94.7 x 48.2 x 54 in. (240.5 x 122.4 x 137.1 cm)
Wheelbase	60.4 in. (153.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	2

*Braked trailer.

FEATURES	
Gauge	4.5 in. digital display
Magneto	500 wattv
Instrumentation	N/A
Ingnition	Mechanical key
Lighting	LED headlights and taillights
Winch	N/A
Seat	Removable passenger seat
Handlebar	Standard
Protection	Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER MAX DPS 700



Sandstone

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Visco-Lok† QE auto-locking front differential
- 25 in. tyres with 12 in. steel wheels
- Full skid plate
- Glovebox
- Front dropdown storage
- Removable passenger seat
- 2 person seating capacity

ENGINES	700
Type	50 hp / 41 lb-ft, Rotax ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	25 x 8/10 x 12 in.
Wheels	12 in. Steel

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	785 lb (356.1 kg)
L x W x H	94.7 x 48.2 x 54 in. (240.5 x 122.4 x 137.1 cm)
Wheelbase	60.4 in. (153.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	2

*Braked trailer.

FEATURES	
Gauge	4.5 in. digital display
Magneto	500 wattv
Instrumentation	N/A
Ingnition	Mechanical key
Lighting	LED headlights and taillights
Winch	N/A
Seat	Removable passenger seat
Handlebar	Standard
Protection	Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR*
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

2027 CAN-AM OUTLANDER MAX XT 1000



Dark Wildland Camo

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Intelligent Engine Braking (iEB) and driving modes
- Radiator cooling fan of 80 W and 150 cm^3
- Visco-Lok† QE auto-locking front differential
- 26 in. XPS Trail King 2 dedicated trail tyres
- 14 in. aluminum wheels
- 3,500 lb winch with synthetic rope
- 7.6 in. digital display or 10.25 in. touchscreen display
- Full skid plate, front bumper, rear bumper
- Phone storage and USB charger
- Front dropdown storage
- Rear removable storage
- Removable passenger seat
- 2 person seating capacity

ENGINES	1000
Type	82 hp / 66 lb-ft, Rotax® 1001 cc V-twin, DOHC, liquid-cooled Radiator cooling fan of 80 W and 150 cm^3
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with specific calibration L / H / N / R / P
Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched Double A-arm 10.8 in. (27.4 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Arched Double A-arm 12 in. (30.5 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	XPS Trail King 2 - 26 x 8/10 x 14 in.
Wheels	14 in. Aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	998 lb (453 kg)
L x W x H	98.2 x 49.2 x 54.2 in. (249.4 x 125 x 137.7 cm)
Wheelbase	60.8 in. (154.4 cm)
Ground Clearance	11.5 in. (29.2 cm)
Seat Height	37.8 in. (96 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	10.6 gal (40 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	2

*Braked trailer.

FEATURES	
Gauge	7.6 in. digital display
Magneto	650 watt
Instrumentation	Phone storage and USB-C charger
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Removable passenger seat
Handlebar	Standard
Protection	Full skid plate Heavy-duty front and rear bumpers Handguards
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER MAX BACKCOUNTRY 1000R



Multican Dark Camo

PACKAGE HIGHLIGHTS

- High-flow radiator cooling fan of 120 W and 500 cm³
- Tri-Mode Dynamic Power Steering (DPS™)
- Intelligent Engine Braking (iEB™) and driving modes
- Visco-4Lok† front differential
- 30 in. XPS Iron Force tyres
- SHOWA gas shocks
- 14 in. Aluminum beadlock wheels
- Oversized 4-disc braking system
- 3,500 lb winch with synthetic rope
- 7.6 in. digital display
- Full skid plate, front bumper, rear bumper
- Front sway bar
- Aluminum taper-profile handlebar with sport handguards
- Phone storage and USB charger
- Front dropdown storage
- Rear removable storage
- Special edition seat and removable passenger seat
- Extra painted panels
- LED signature lights lights
- 2 person seating capacity

ENGINE	1000R
Type	101 hp / 69 lb-ft, Rotax® 1001 cc V-twin, DOHC, liquid-cooled High-flow radiator cooling fan of 120 W and 500 cm³
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with specific calibration Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched Double A-arm with sway bar 7.5 in. (19 cm) travel
Front Shocks	SHOWA Internal Floating Pistons (IFP) Shocks
Rear Suspension	Arched Double A-arm 10.2 in. (25.9 cm) travel
Rear Shocks	SHOWA Internal Floating Pistons (IFP) Shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Iron Force - 30 x 9 x 14 in.
Wheels	14 in. Aluminum Beadlock

BRAKES	
Front	OVERSIZED Dual 252 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES	
Estimated Dry Weight*	1,080 lb (490 kg)
L x W x H	98.2 x 49.8 x 55.5 in (249.4 x 126.5 x 141 cm)
Wheelbase	60.8 in. (154.4 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	37.8 in. (96 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	10.6 gal (40 L)
Towing Capacity	1,830 lb (830 kg)*
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	2

*Braked trailer.

FEATURES	
Gauge	7.6 in. digital display
Magneto	650 watt
Instrumentation	Phone storage and USB-C charger
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature lights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Removable passenger seat
Handlebar	Aluminum with riser and handguards
Protection	Heavy-duty front and rear bumpers Full skid plate and footwell Front and rear A-arm protection (5 mm) Handguards
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV 3 YEAR+ UNLIMITED KM WARRANTY POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER MAX 6X6 BACKCOUNTRY 1000R



Stealth Black

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS™)
- Selectable 4WD / 6WD with Visco-6Lok front differential
- pDrive primary CVT with work calibration and extra low gear
- Engine modes, Intelligent Engine Braking technology (iEB™) and speed limiter
- 30 in. XPS Iron Force tyres with 14 in. aluminum beadlock wheels
- SHOWA gas shocks
- Oversized 4-disc braking system
- Full skid plate, front bumper, footwell protectors, A-arms protectors, handguards
- 3,500 lb winch with synthetic rope
- RF Digitally Encoded Security System (D.E.S.S.)
- Aluminum handlebar with riser
- 454 kg bed capacity
- 1,125 kg towing capacity
- LED headlights and taillights, LED signature lights
- Special edition seat and removable passenger seat
- 2 person seating capacity

ENGINE	1000R
Type	101 hp / 69 lb-ft, Rotax® 999 cc V-twin, DOHC, liquid-cooled High-flow radiator cooling fan of 120 W and 500 cm^3
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P
Drive Train	Selectable 4WD / 6WD / Lock 6WD with Visco-6Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Arched Double A-arm with sway bar 7.5 in. (19.5 cm) travel
Front Shocks	SHOWA Internal Floating Pistons (IFP) Shocks
Rear Suspension	Arched Double A-arm with sway bar on middle axle 9 in. (22.9 cm) travel
Rear Shocks	SHOWA Internal Floating Pistons (IFP) Shocks

TYRES & WHEELS	
Front / Rear Tyres	XPS Iron Force – 30 x 9 x 14 in.
Wheels	14 in. Aluminum Beadlock

BRAKES	
Front	OVERSIZED Dual 252 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,449 lb (659 kg)
L x W x H	126.9 x 49.7 x 57.3 in. (322.3 x 126.2 x 145.5 cm)
Wheelbase	93.3 in (237 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	37.8 in. (96 cm)
Rack Capacity	Front: 120 lb (54.4 kg)
Storage Capacity	Front cargo: 8 gal (30 L) Rear cargo: 58 gal (220 L) Rear undercargo: 6.6 gal (25 L) Total: 72.6 gal (275 L)
Towing Capacity	2,475 lb (1,125 kg)*
Bed Capacity	1,000 lb (454 kg)
Fuel Capacity	5.1 gal (19.5 L)
Person Capacity	2

*Braked trailer.

FEATURES	
Gauge	7.6 in. digital display
Magneto	650 watt
Instrumentation	Phone storage and USB-C charger
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature lights
Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable
Seat	Removable passenger seat
Handlebar	Aluminum with riser and handguards
Protection	Heavy-duty front bumper Full skid plate Footwell protectors Front and rear A-arms protectors Handguards
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.

2027 CAN-AM OUTLANDER ELECTRIC



White

PACKAGE HIGHLIGHTS

- Liquid-cooled system: Battery, inverter, motor and on-board charger (charging cable not included, sold as accessory)
- Charging from 20% to 80% in as low as 50 min.
- Up to 50 miles (80 km) of range
- High and Low gear allowing full work capacity
- Engine modes and speed limiter
- Dedicated tyres for optimal noise and vibration levels
- 3-level regen braking
- On-the-fly reverse capabilities
- 5 in. coloured display
- Front and rear bumpers
- LED headlights and taillights, specific LED POD light
- 1 person seating capacity

ENGINE	ELECTRIC
Type	47 hp / 53 lb-ft, ROTAX® E-POWER, liquid-cooled
Power	Peak: 47 hp (35 kW) Continuous: 27 hp (20 kW)
Torque motor	Peak: 53 lb-ft (72 Nm) Continuous: 21 lb-ft (28 Nm)
Top speed	High gear: 50 mph (80 km/h) Low gear: 28 mph (45 km/h)

BATTERY	
Battery type	Integrated, Lithium-ion
Battery operating temperature range	From -20 °C to 40 °C (-4 Fahrenheit to 104 Fahrenheit)
Battery capacity	8.9 kWh
Cooling system	Liquid-cooled: Battery, inverter and on-board charger (charging cable not included, sold as accessory) Integrated AC heater for charging at low temperature
Estimated range (when fully charged)	Tested in accordance with WMTC*: 50 miles (80 km) Average utility range*: 31 miles (50 km)
Fonction	Regen braking with 3 levels adjustments
Charger	On-board charger 6.6 kW Level 2 (compatible with level 1 charging) – charging cable not included, sold as accessory
Connector type	Type 1 J1772 with integrated LED light
Charging time Level 2 (240 V)	50 min. (20 – 80 %) 1 hour 30 min. (0 – 100%)
Charging time Level 1 (120 V)	3 hours 10 min. (20 – 80%) 5 hours 15 min. (0 – 100%)

DRIVETRAIN	
Transmission	L / N / H / P Reverse activated via start button
Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential
Driving assistance	Work / Standard / Sport modes Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin Tube

TYRES & WHEELS	
Front / Rear Tyres	XPS Recon Force 26 x 8/10 x 14 in.
Wheels	14 in. Aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	875 lb (398 kg)
L x W x H	89.9 x 48.1 x 49.6 in. (228.3 x 122.2 x 126 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38 in. (96.7 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)*
Person Capacity	1

*Braked trailer.

FEATURES	
Gauge	5 in. Full Colour Display
DC – DC converter	Continuous 500 W (at all speeds including at idle)
Instrumentation	Phone charger with 1 x USB-A and 1 x USB-C outputs
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature lights LED POD light
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Front and rear bumpers Full skid plate
Hitch Type	2 in. hitch receiver

WARRANTY	
Factory Warranty	Battery: 5 years (12,427 miles / 20,000 km limit) 3-year unlimited km powertrain & Rotax® engine warranty

CAN-AM ATV/SSV
3 YEAR+
UNLIMITED KM WARRANTY
POWERTRAIN & ROTAX® ENGINE

+Manufacturer's limited warranty. Does not affect consumer guarantees. Available on MY23 Outlander Pro, MY24/MY25/MY26/MY27 ATV and MY24/MY25/MY26/MY27 SSV models.



		OUTLANDER PRO HD5	OUTLANDER PRO XU HD5	OUTLANDER PRO XU HD7
COLOUR OPTIONS		Sandstone	Sandstone	Fiery Red Metallic
ENGINES	Type	HD5	HD5	HD7
		40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled	40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable 2WD/4WD/Lock 4WD with Visco-4Lok
	Driving Assistance	Work / Standard modes Intelligent Engine Braking (iEB™) Speed limiter	Intelligent Engine Braking (iEB™) Speed limiter	Work / Standard modes Intelligent Engine Braking (iEB™) Speed limiter
	Power Steering	N/A	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
	Front Shocks	Twin tube	Twin tube	Twin tube
	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel
	Rear Shocks	Twin tube	Twin tube	Twin tube
TYRES / WHEELS	Front & Rear Tyres	6-ply rating 26 x 8/10 x 12 in.	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in.	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in.
	Wheels	12 in. steel	12 in. steel	12 in. Aluminum
BRAKES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	800 lb (362.9 kg)	816 lb (370.1 kg)	816 lb (370.1 kg)
	L x W x H	90.9 x 47.6 x 49 in. (230.9 x 120.9 x 124.5 cm)	90.9 x 48.2 x 48 in. (230.9 x 122.4 x 122 cm)	90.9 x 48.2 x 48 in. (230.9 x 122.4 x 122 cm)
	Wheelbase	53 in. (134.5 cm)	53 in. (134.5 cm)	53 in. (134.5 cm)
	Ground Clearance	13 in. (33 cm)	13 in. (33 cm)	13 in. (33 cm)
	Seat Height	38.6 in. (98 cm)	38.6 in. (98 cm)	38.6 in. (98 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
	Storage Capacity	9 gal (34 L)	9 gal (34 L)	9 gal (34 L)
	Towing Capacity	1,830 lb (830 kg)*	1,830 lb (830 kg)*	1,830 lb (830 kg)*
	Bed Capacity	N/A	N/A	N/A
	Fuel Capacity	5.1 gal (19.5 L)	5.1 gal (19.5 L)	5.1 gal (19.5 L)
FEATURES	Gauge	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display
	Magneto	420 watt	500 W	500 W
	Instrumentation	N/A	Phone charger with 1xUSB-A and 1xUSB-C outputs	Phone charger with 1xUSB-A and 1xUSB-C outputs
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
	Lighting	LED headlights and taillights	LED headlights and taillights	LED headlights and taillights
	Winch	N/A	Can-Am HD3500 (1,588 kg) winch with synthetic cable	Can-Am HD3500 (1,588 kg) winch with synthetic cable
	Seat	Standard	Standard	Standard
	Handlebar	Standard	Standard	Standard
	Protection	Heavy-duty front bumper Rear bumper HMWPE front and rear A-arm protection (5 mm)	Heavy-duty front bumper Rear bumper HMWPE front and rear A-arm protection (5 mm) Full skid plate	Heavy-duty front bumper Rear bumper HMWPE front and rear A-arm protection (5 mm) Full skid plate
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Base model dry weight shown.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.



		OUTLANDER 500	OUTLANDER XT 1000	OUTLANDER XT 1000R
COLOUR OPTIONS		Granite Grey	Fiery Red Metallic	Fiery Red Metallic
ENGINES	Type	500	1000	1000
		40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled	82 hp / 66 lb-ft, Rotax® 1001 cc V-twin, DOHC, liquid-cooled Radiator cooling fan of 80 W and 150 cm3	101 hp / 69 lb-ft, Rotax 1001 cc V-twin, DOHC, liquid-cooled High-flow radiator cooling fan of 120 W and 500 cm³
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT L / H / N / R / P	pDrive primary CVT with specific calibration L / H / N / R / P	pDrive primary CVT with specific calibration L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
	Driving Assistance	N/A	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
	Power Steering	N/A	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel	Arched Double A-arm 10.8 in. (27.4 cm) travel	Arched Double A-arm with sway bar 10.8 in. (27.4 cm) travel
	Front Shocks	Twin tube	Twin tube	Twin tube
	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Arched Double A-arm 12 in. (30.5 cm) travel	Arched Double A-arm 12 in. (30.5 cm) travel
	Rear Shocks	Twin tube	Twin tube	Twin tube
TYRES / WHEELS	Front & Rear Tyres	25 x 8/10 x 12 in.	XPS Trail King 2 – 26 x 8/10 x 14 in.	XPS Trail King 2 – 26 x 8/10 x 14 in.
	Wheels	12 in. steel	14 in. Aluminum	14 in. Aluminum
BRAKES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	740 lb (335.7 kg)	975 lb (442 kg)	975 lb (442 kg)
	L x W x H	86.7 x 47.6 x 48 in. (220.2 x 120.9 x 122 cm)	90.2 x 49.2 x 47.9 in. (229.1 x 125 x 121.7 cm)	90.2 x 49.2 x 47.9 in. (229.1 x 125 x 121.7 cm)
	Wheelbase	53 in. (134.5 cm)	52.8 in. (134.2 cm)	52.8 in. (134.2 cm)
	Ground Clearance	12 in. (30.5 cm)	11.5 in. (29.2 cm)	11.5 in. (29.2 cm)
	Seat Height	38 in. (96.7 cm)	37.8 in. (96 cm)	37.8 in. (96 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
	Storage Capacity	9 gal (34 L)	10.6 gal (40 L)	10.6 gal (40 L)
	Towing Capacity	1,830 lb (830 kg)*	1,830 lb (830 kg)*	1,830 lb (830 kg)*
	Bed Capacity	N/A	N/A	N/A
	Fuel Capacity	5.1 gal (19.5 L)	5.1 gal (19.5 L)	5.1 gal (19.5 L)
FEATURES	Gauge	4.5 in. digital display	7.6 in. digital display	7.6 in. digital display
	Magneto	420 watt	650 watt	650 watt
	Instrumentation	N/A	Phone storage and USB-C charger	Phone storage and USB-C charger
	Ignition	Mechanical Key	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
	Lighting	LED headlights and taillights	LED headlights and taillights LED signature lights	LED headlights and taillights LED signature lights
	Winch	N/A	Can-Am HD3500 (1,588 kg) winch with synthetic cable	Can-Am HD3500 (1,588 kg) winch with synthetic cable
	Seat	Standard	Standard	Standard
	Handlebar	Standard	Standard	Standard
	Protection	Full skid plate	Full skid plate Heavy-duty front and rear bumpers Handguards	Full skid plate Heavy-duty front and rear bumpers Handguards
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Base model dry weight shown.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.

				
		OUTLANDER MAX DPS 500	**OUTLANDER MAX DPS 700**	**OUTLANDER MAX XT 1000**
COLOUR OPTIONS		Granite Grey	Sandstone	Dark Wildland Camo
ENGINES	**Type**	500	700	1000
		40 hp / 37 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax® ACE™ (Advanced Combustion Efficiency) 650 cc, single, cylinder, liquid-cooled	82 hp / 66 lb-ft, Rotax® 1001 cc V-twin, DOHC, liquid-cooled Radiator cooling fan of 80 W and 150 cm^3
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT L / H / N / R / P	pDrive primary CVT L / H / N / R / P	pDrive primary CVT with specific calibration L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential
	Driving Assistance	N/A	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
	Power Steering	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	**Front Suspension**	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel	Arched Double A-arm 10.8 in. (27.4 cm) travel
	Front Shocks	Twin tube	Twin tube	Twin tube
	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel	Arched Double A-arm 12 in. (30.5 cm) travel
	Rear Shocks	Twin tube	Twin tube	Twin tube
TYRES / WHEELS	**Front & Rear Tyres**	25 x 8/10 x 12 in.	25 x 8/10 x 12 in.	XPS Trail King 2 - 26 x 8/10 x 14 in.
	Wheels	12 in. steel	12 in. steel	14 in. Aluminum
BRAKES	**Front**	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	**Estimated Dry Weight***	785 lb (356.1 kg)	785 lb (356.1 kg)	998 lb (453 kg)
	L x W x H	94.7 x 48.2 x 54 in. (240.5 x 122.4 x 137.1 cm)	94.7 x 48.2 x 54 in. (240.5 x 122.4 x 137.1 cm)	98.2 x 49.2 x 54.2 in. (249.4 x 125 x 137.7 cm)
	Wheelbase	60.4 in. (153.5 cm)	60.4 in. (153.5 cm)	60.8 in. (154.4 cm)
	Ground Clearance	12 in. (30.5 cm)	12 in. (30.5 cm)	11.5 in. (29.2 cm)
	Seat Height	38.6 in. (98 cm)	38.6 in. (98 cm)	37.8 in. (96 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
	Storage Capacity	9 gal (34 L)	9 gal (34 L)	10.6 gal (40 L)
	Towing Capacity	1,830 lb (830 kg)*	1,830 lb (830 kg)*	1,830 lb (830 kg)*
	Bed Capacity	N/A	N/A	N/A
	Fuel Capacity	5.1 gal (19.5 L)	5.1 gal (19.5 L)	5.1 gal (19.5 L)
FEATURES	**Gauge**	4.5 in. digital display	4.5 in. digital display	7.6 in. digital display
	Magneto	500 wattv	500 wattv	650 watt
	Instrumentation	N/A	N/A	Phone storage and USB-C charger
	Ignition	Mechanical key	Mechanical key	RF Digitally Encoded Security System (D.E.S.S.™)
	Lighting	LED headlights and taillights	LED headlights and taillights	LED headlights and taillights
	Winch	N/A	N/A	Can-Am HD3500 (1,588 kg) winch with synthetic cable
	Seat	Removable passenger seat	Removable passenger seat	Removable passenger seat
	Handlebar	Standard	Standard	Standard
	Protection	Full skid plate	Full skid plate	Full skid plate Heavy-duty front and rear bumpers Handguards
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Base model dry weight shown.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.





		OUTLANDER MAX BACKCOUNTRY 1000R	OUTLANDER 6X6 MAX BACKCOUNTRY 1000R
COLOUR OPTIONS		Multicam Dark Camo	Stealth Black
ENGINES	Type	1000R	1000R
		101 hp / 69 lb-ft, Rotax® 1001 cc V-twin, DOHC, liquid-cooled High-flow radiator cooling fan of 120 W and 500 cm^3	101 hp / 69 lb-ft, Rotax® 999 cc V-twin, DOHC, liquid-cooled High-flow radiator cooling fan of 120 W and 500 cm^3
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with specific calibration Extra low L / H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential	Selectable 4WD / 6WD / Lock 6WD with Visco-6Lok front differential
	Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
	Power Steering	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched Double A-arm with sway bar 7.5 in. (19 cm) travel	Arched Double A-arm with sway bar 7.5 in. (19.5 cm) travel
	Front Shocks	SHOWA Internal Floating Pistons (IFP) Shocks	SHOWA Internal Floating Pistons (IFP) Shocks
	Rear Suspension	Arched Double A-arm 10.2 in. (25.9 cm) travel	Arched Double A-arm with sway bar on middle axle 9 in. (22.9 cm) travel
	Rear Shocks	SHOWA Internal Floating Pistons (IFP) Shocks	SHOWA Internal Floating Pistons (IFP) Shocks
TYRES / WHEELS	Front & Rear Tyres	XPS Iron Force - 30 x 9 x 14 in.	XPS Iron Force – 30 x 9 x 14 in.
	Wheels	14 in. Aluminum Beadlock	14 in. Aluminum Beadlock
BRAKES	Front	OVERSIZED Dual 252 mm disc brakes with hydraulic twin-piston calipers	OVERSIZED Dual 252 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	1,080 lb (490 kg)	1,449 lb (659 kg)
	L x W x H	98.2 x 49.8 x 55.5 in (249.4 x 126.5 x 141 cm)	126.9 x 49.7 x 57.3 in. (322.3 x 126.2 x 145.5 cm)
	Wheelbase	60.8 in. (154.4 cm)	93.3 in (237 cm)
	Ground Clearance	13 in. (33 cm)	13 in. (33 cm)
	Seat Height	37.8 in. (96 cm)	37.8 in. (96 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg)
	Storage Capacity	10.6 gal (40 L)	Front cargo: 8 gal (30 L) Rear cargo: 58 gal (220 L) Rear undercargo: 6.6 gal (25 L) Total: 72.6 gal (275 L)
	Towing Capacity	1,830 lb (830 kg)*	2,475 lb (1,125 kg)*
	Bed Capacity	N/A	1,000 lb (454 kg)
	Fuel Capacity	5.1 gal (19.5 L)	5.1 gal (19.5 L)
FEATURES	Gauge	7.6 in. digital display	7.6 in. digital display
	Magneto	650 watt	650 watt
	Instrumentation	Phone storage and USB-C charger	Phone storage and USB-C charger
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
	Lighting	LED headlights and taillights LED signature lights	LED headlights and taillights LED signature lights
	Winch	Can-Am HD3500 (1,588 kg) winch with synthetic cable	Can-Am HD3500 (1,588 kg) winch with synthetic cable
	Seat	Removable passenger seat	Removable passenger seat
	Handlebar	Aluminum with riser and handguards	Aluminum with riser and handguards
	Protection	Heavy-duty front and rear bumpers Full skid plate and footwell Front and rear A-arm protection (5 mm) Handguards	Heavy-duty front bumper Full skid plate Footwell protectors Front and rear A-arms protectors Handguards
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Base model dry weight shown.
All above vehicles include 3 year unlimited km powertrain & Rotax engine warranty.



		OUTLANDER ELECTRIC
COLOUR OPTIONS		White
MOTORS	Type	Electric
		47 hp / 53 lb-ft, ROTAX® E-POWER, liquid-cooled
	Power	Peak: 47 hp (35 kW) Continuous: 27 hp (20 kW)
	Torque Motor	Peak: 53 lb-ft (72 Nm) Continuous: 21 lb-ft (28Nm)
	Top Speed	High gear: 50 mph (80 km/h) Low gear: 28 mph (45 km/h)
BATTERY	Battery Type	Integrated, lithium-ion
	Battery Operating Temperature Range	From -20°C to 40°C (-4°F to 104°F)
	Battery Capacity	8.9 kWh
	Cooling System	Liquid-cooled : Battery, inverter and on-board charger (charging cable not included, sold as accessory) Integrated AC heater for charging at low temperature
	Estimated Range (when fully charged)	Tested in accordance with WMTC*: 50 miles (80 km) Average utility range*: 31 miles (50 km)
	Regenerative braking	Regen braking with 3 levels adjusment
	Charger	On-board charger 6.6 kW Level 2 (compatible with Level 1 charging) – charging cable not included, sold as accessory
	Connector Type	Type 1 J1772 with integrated LED light
	Charging Time Level 2 (240 V)	50 min (20 – 80%) 1 hour 30 min (0 – 100%)
	Charging Time Level 1 (120 V)	3 hours 10 min (20 – 80%) 5 hours 15 min (0 – 100%)
DRIVETRAIN	Transmission	L / N / H / P Reverse activated via start button
	Drive Train	Selectable 2WD / 4WD with Visco-Lok$_{T}$ QE auto-locking front differential
	Driving Assistance	Work / Standard / Sport modes Speed limiter
	Power Steering	Tri-Mode Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Double A-arm / 9.75 in. (24.8 cm) travel
	Front Shocks	Twin tube
	Rear Suspension	Double A-arm / 10.25 in. (26 cm) travel
	Rear Shocks	Twin tube
TIRES / HEELS	Front & Rear Tyres	XPS Recon Force 26 x 8/10 x 14 in.
	Wheels	14 in. cast aluminium
BRAKES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper
DIMENSIONS / CAPACITIES	Estimated Dry Weight*	875 lb (398 kg)
	L x W x H	89.9 x 48.1 x 49.6 in. (228.3 x 122.2 x 126 cm)
	Wheelbase	53 in. (134.5 cm)
	Ground Clearance	12 in. (30.5 cm)
	Seat Height	38 in. (96.7 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
	Storage Capacity	9 gal (34 L)
	Towing Capacity	1,830 lb (830 kg)*
	Bed Capacity	N/A
	Fuel Capacity	N/A
DIMENSIONS / CAPACITIES	Gauge	5 in. coloured display
	Magneto	Continuous 500 W (at all speeds including at idle)
	Instrumentation	Phone charger with 1xUSB-A and 1xUSB-C outputs
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
	Lighting	LED headlights and taillights LED signature LED POD light
	Winch	N/A
	Seat	Standard
	Handlebar	Standard
	Protection	Front and rear bumpers Full skid plate
	Hitch Type	2 in. hitch receiver

We've made things super simple.

· Check your model year
· Choose engine and model
· Learn your **PLATFORM CODE**

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.


G3L 6x6


G3 6x6


G3L


G3


G2L


G2S

ATV ACCESSORY COMPATIBILITY GUIDE

Model year	Model	Engine configuration	Platform code
2017 2018	Outlander	450, 570	G2L
	Outlander	650, 850, 1000	G2
	Outlander Max	450, 570	G2L MAX
	Outlander Max	650, 850, 1000	G2 MAX
	6x6	650, 1000	G2 MAX
	Renegade	570, 800, 1000	G2S
2019 2020 2021 2022	Outlander	450, 570	G2L
	Outlander	650, 850, 1000R	G2
	Outlander Max	450, 570	G2L MAX
	Outlander Max	650, 850, 1000R	G2 MAX
	6x6	450	G2L MAX
	6x6	650, 1000	G2 MAX
	Renegade	570, 650, 850, 1000R	G2S
2023	Outlander	450, 570	G2L
	Outlander	650, 850, 1000R	G2
	Outlander Max	450, 570	G2L MAX
	Outlander Max	650, 850, 1000R	G2 MAX
	6x6	450	G2L MAX
	6x6	650, 1000	G2 MAX
	Renegade	650, 1000R	G2S
	Outlander	500, 700	G3L
	Outlander PRO	HD5, HD7	G3L
	Outlander Max	500, 700	G3L MAX
2024	Outlander	500, 700	G3L
	Outlander	850, 1000R	G2
	Outlander PRO	HD5, HD7	G3L
	Outlander Max	500, 700	G3L MAX
	Outlander Max	850, 1000R	G2 MAX
	6x6	450	G2L MAX
	6x6	650, 1000	G2 MAX
	Renegade	650, 1000R	G2S
2025	Outlander	500, 700	G3L
	Outlander	850, 1000R	G3
	Outlander PRO	HD5, HD7	G3L
	Outlander MAX PRO	HD7	G3L MAX
	Outlander Max	500, 700	G3L MAX
	Outlander Max	850, 1000R	G3 MAX
	6x6	450	G2L MAX
	6x6	650, 1000	G2 MAX
	Renegade	650, 1000R	G2S
2026 2027	Outlander	500, 700	G3L
	Outlander (2026)	850, 1000R	G3
	Outlander (2027)	1000, 1000R	G3
	Outlander PRO	HD5, HD7	G3L
	Outlander MAX PRO	HD5, HD7	G3L
	Outlander MAX	500, 700	G3L MAX
	Outlander MAX (2026)	850, 1000R	G3 MAX
	Outlander MAX (2027)	1000, 1000R	G3 MAX
	Outlander Electric		G3L
	Outlander MAX Electric		G3L MAX
	Outlander MAX 6x6	700	G3L MAX
	Outlander MAX 6x6 (2026)	850, 1000R	G3 MAX
	Outlander MAX 6x6 (2027)	1000, 1000R	G3 MAX
	Renegade (2026)	650, 1000R	G2S

G2, G2L, G2S ACCESSORIES

G2, G2L AND G2S LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	OUTLANDER 450/570	OUTLANDER	RENEGADE
LinQ ACCESSORIES WITH 16" BASE	· LinQ® anchors mounted 16 inches apart, centre-to-centre. · Lower loading capacity than the LinQ with 36" base accessories. · Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ Rigid Cooler (18 L) 715010491	LinQ Adapter Plate **715007273** & LinQ Base Installation Kit **715008125**	LinQ Anchor Adapter Kit **715004960** & LinQ Base Installation Kit **715008125**	LinQ Luggauge Rack **715001734** & LinQ Anchor Adapter Kit **715004960** OR LinQ Adapter Plate **715007274** & LinQ Base Installation Kit **715008125**
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
NEW LinQ Expandable Bag 4.5 US Gal (17 L) 860202895			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Tool Kit 715006829			
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110			
LinQ ACCESSORIES WITH 36" BASE	· Mount on LinQ racks often used by Can-Am ORV vehicles. · Higher loading capacity than the LinQ with 16" base accessories. · Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base **715002350**	No further requirements	LinQ Luggauge Rack **715001734**
LinQ 23 Gal (86 L) Trunk Box 715004923			
LinQ 32 Gal (121 L) Trunk Box 715001747 (1-up) 715001749 (MAX)	No compatibility		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base **715002350**		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black	No compatibility		
LinQ Premium Storage Bag by OGIO 715002923 • Black	LinQ Base **715002350**		
LinQ Heavy Duty Basket 715001215			
LinQ Low Profile Basket 715004282			
LinQ HOLDERS			
LinQ 4" (10 cm) Rack Extension 715001711 • Silver / 715001665 • Black	Not compatible **Alternative 5" Rack Extensions (**715001913**) are available for G2L*	No further requirements	LinQ Luggauge Rack **715001734**
LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black			
LinQ Mounted Gear Grips 715005340	LinQ Base **715002350**		
LinQ Tool Holder 715007358			
LinQ Gun Boot Rack 715002112 715002113	Not compatible **Alternative Gun Boot Rack (**715001919**) is available for G2L*		No compatibility

LinQ ACCESSORIES WITH 16" BASE

LinQ Rigid Cooler (18 L)

G2, G2L, G2S

715010491



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomoulded rigid construction.
- Moulded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

LinQ Modular Box

G2, G2L, G2S

715005494 • (10 L)
715007112 • (20 L)
715006830 • (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

G2, G2L, G2S

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Kit

G2, G2L, G2S

715006829



- Includes:
  - Cutter pliers
  - Long-nose pliers
  - Locking pliers
  - Ratchet wrench ⅜" drive
  - 6" ratchet extension
  - Integrated CVT belt storage location (belt not included)
  - Long-socket 19 mm ⅜" drive - 6 pts
  - Socket 18 mm ⅜" drive
  - Long-socket 17 mm ⅜" drive - 6 pts
  - Socket 15 mm ⅜" drive
  - Socket 13 mm ⅜" drive
  - Socket 10 mm ⅜" drive
  - Socket 8 mm ⅜" drive
  - Socket Torx T40 ⅜" drive
  - Socket Torx T30 ⅜" drive
  - Socket Torx T20 ⅜" drive
  - Breaker bar ⅜" drive
  - Combination wrench set:
    - Wrench 19 mm
    - Wrench 18 mm
    - Wrench 15 mm
    - Wrench 13 mm
    - Wrench 10 mm
    - Wrench 8 mm
- See table for installation location and requirements.

LinQ Tool Box

G2, G2L, G2S

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system. All the benefits of LinQ – simple, fast and secure.
- See table for installation location and requirements.

LinQ 10.6 Gal (40 L) Roll-Top Bag

G2, G2L, G2S

715008110



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Marinized for salt water purposes.
- Dimensions: 14" L x 19" W x adjustable H.
- See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

G2, G2L, G2S

860202449



- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

NEW LinQ Expandable Bag 4.5 US Gal (17 L)

G2, G2L, G2S | **860202895**



- Semi-rigid expandable 8.5 L to 17 L (2.2 to 4.5 US gallon) LinQ bag.
- Compression style bag allows secure storage of belongings.
- Premium look pairs well with the vehicle.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Featuring inside mesh pocket to separate smaller items.

LinQ ACCESSORIES WITH 36" BASE

LinQ 12 Gal (45 L) Cargo Box

G2 (front only for 6x6 & MAX models 2013–2014), G2L, G2S | **715003879**



- LinQ mounted for easy on, easy off installation.
- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box

G2 (except 6x6 models), G2L, G2S | **715004923**



- LinQ mounted for easy on, easy off installation.
- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.
- Comfort pads for passenger.
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box

G2 (except MAX models & 6x6), G2S | **715001747**

European Version (EC compliant) | **715001748** · No rear taillight.



- LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box for Outlander MAX

G2 (MAX models only except 6x6 models) | **715001749**

European Version (EC compliant) | **715001750** · No rear taillight.



- Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed passenger padding, which is comfort-fitted with a portion made of closed cell foam that won't absorb water.
- Very easy to embark even when driver is seated.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).

LinQ 32 Gal (121 L) Trunk Box Panels

G2 (except 6x6 models), G2S | ■ **715001391** · Black



- Colour panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.

LinQ 11.5 Gal (43 L) Audio Cargo Box

G2 (front only for 6x6 & MAX models 2013–2014), G2L, G2S | **715003018**



- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.
- Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier.
- See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

G2 (except 6x6 models), G2S

■ **715004778** · Black



- LinQ mounted for easy on, easy off installation.
- Rotomoulded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully-removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- Weather-resistant.
- Convenient drain plug.
- See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

G2 (except 6x6 models), G2L, G2S

■ **715002923** · Black



- LinQ mounted for easy on, easy off installation.
- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ Low Profile Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.
- See table for installation location and requirements.

LinQ Heavy-Duty Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715001215



- Made of high-strength, low-alloy steel.
- LinQ mount for easy on, easy off installation.
- Can be placed on both front and back racks of vehicle.
- See table for installation location and requirements.

Large Cargo Box

G2 , G2L (except 6x6)

715007001



- Rear bed to carry large items.
- Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks to make it easy to install and remove.

LinQ HOLDERS

LinQ Tool Holder

G2, G2L, G2S

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

Required for installation:
- G2S models: LinQ Luggauge Rack (715001734).

LinQ Gear Grips

G2, G2L, G2S

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Anchor Adapter Kit

G2, G2S

715004960



- Allows the installation of accessories with 16" LinQ Base on LinQ racks.
- Tool-less installation and removal.

Required for installation:
- G2S models: LinQ Luggauge Rack (715001734).

LinQ Base

G2L

715002350



- Made of glass fibre reinforced polypropylene.
- Allows you to install LinQ accessories.
- Sold in pack of 4.

LinQ Lock

G2, G2L, G2S

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder, LinQ Gear Grips, LinQ Gun Case (715010936) or LinQ Cargo Bed Rack (715009336).

LinQ Replacement Parts

715010798



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

RACKS & HOLDERS

LinQ Rack Extension – 4" (10 cm)

G2, G2S

715001711 · Silver
715001665 · Black



- Fits front or rear.
- Strong and durable.
- Helps keep cargo securely in place.
- Easy and tool-less installation thanks to the LinQ system.
- Anti-corrosion coating with durable powder coat finish.

Required for installation:
- G2S models: LinQ Luggauge Rack (715001734).

LinQ Rack Extension – 6" (15 cm)

G2, G2S

715001712 · Silver
715001671 · Black



- Fits front or rear.
- Strong and durable.
- Helps keep cargo securely in place.
- Easy and tool-less installation thanks to the LinQ system.
- Anti-corrosion coating with durable powder coat finish.

Required for installation:
- G2S models: LinQ Luggauge Rack (715001734).

Rack Extension – 5" (13 cm)

G2L

715001913



- Fits front or rear.
- Made of carbon steel.
- Provides tie-down points to secure cargo on racks.
- Easy installation on tubular rack.
- Anti-corrosion coating with durable powder coat finish.

LinQ Luggauge Rack

G2S (except X mr models) | **715001734**



- Bolt-on rack.
- Enables use of LinQ mounted accessories on the G2S.

LinQ Base Plate

G2L | **715007273**



- Enables use of 16" wide LinQ Base accessories on G2L to extend cargo options and journey opportunities.

Required for installation:
- LinQ Base Kit (715008125).

LinQ Base Plate

G2S | **715007274**



- Enables use of 16" wide LinQ Base accessories on G2S to extend cargo options and journey opportunities.

Required for installation:
- LinQ Base Kit (715008125).

Gun Boot Rack

G2L (MAX models only) | **715001919**



- Made of steel.
- Designed for the tubular rack.
- For use with Gun Boot 6.0 Impact by Kolpin.
- Can be mounted to either side of the vehicle.

Gun Boot 6.0 Impact† by Kolpin†

G2, G2L | **715001419**



- Extra room for pistol-grip-type weapons and small bipods.
- Easily fits firearms up to 51" (130 cm) in total length.
- Provides ample room for 2⅜" (60 mm) scopes.
- Hatchback design allows easy access.
- Ergonomically designed handle and moulded attachment points for sling.
- Snap-close cover with locking capability.
- Designed to accommodate left and right hand bolt-action rifles and shotguns.
- Includes removable, shock absorbing foam and nylon impact liner for superior interior protection.
- Requires appropriate mounting kit for installation.

LinQ Gun Boot Rack
(Not illustrated)

G2 (except MAX, 6x6 & X mr 1000) | **715002112**
G2 (MAX & X mr 1000 models only) | **715002113**

- This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ system.
- For use with Gun Boot 6.0 Impact by Kolpin.

Multi-Fit Holder

G2, G2L | **715002354** • Single | **715001945** • Double



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- Easy installation on tubular rack, extension racks, basket or bumpers.
- Sold in pairs.

Required for installation:
- G2 models: LinQ Rack Extension (715001711).

Gear Grips

G2L | **715001421**



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

CARGO & STORAGE

Hard Top

G2 (6x6 models only) | **715002394**



- The hard top provides a 116 gal (440 L) cargo box.
- Locking secures your belongings.
- The cover raises assisted by gas cylinders.

Cargo Box Pool

G2L (6x6 models only)

715005256



- Transforms the flatbed into a large capacity cargo box for increased loading possibilities.
- Made of durable formed HDPE and shaped to maximise cargo space.
- Allows access to vehicle's water-resistant rear compartment.
- Designed for perfect fit and easy installation.

Tarpaulin

G2 (6x6 models only)

715002416



- Fitted to cover all of the items in your cargo box completely.
- Prevents splash from entering cargo box.
- Easily removable for quick access.

18 Gal (70 L) Utility Box

G2 (6x6 models only)

715001999



- Wherever you go and whatever you do, this handy 18 gal (70 L) utility box is your mobile storage.
- The lid keeps your equipment safe from the elements in all conditions.
- Slides under the flatbed with handles for easy access.

Cargo Box Net

G2 (6x6 models only)

715001371



- Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.

Soft Storage Bag

G2, G2L, G2S

715003759



- 3 -section bag.
- Transport gear in a weatherproof bag.
- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rack in mind to maximise potential storage.

Required for installation:
- G2S models: LinQ Luggauge Rack (715001734).

Storage 2.6 Gal (10 L) Bag

269502121



- Roll-top dry bag for fully protecting your cargo from the elements.
- Fits in rear compartment of your vehicle.

WINDSHIELDS

Deluxe Fairing

G2 (except X mr & 6x6), G2L

■ **715001232** · Black
■ **715007073** · Tundra Green



- Innovative, richly featured wind protection.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Two cup holders.
- Ready for GPS mounting kit.
- Optional mirrors and auxiliary lighting.
- Tapered Handlebar Adapter Kit is required for vehicles with 1⅛" (28 mm) tapered aluminium handlebars.

Required for installation:
- Low, High or Extra High windshield.

Tapered Handlebar Adapter Kit
(Not illustrated)

Deluxe Fairing

715002470

- Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with 1⅛" (28 mm) tapered aluminium handlebars.

Extra High Windshield

Deluxe Fairing

715000936



- 16" (41 cm) windshield provides the ultimate protection against the elements while touring.
- For wind protection and winter applications.
- Tool-less installation and replacement.

High Windshield

Deluxe Fairing | **715001211**



- 11" (28 cm) high, for wind protection and winter applications.
- Tool-less installation and replacement.

Low Windshield

Deluxe Fairing | **715001227**



- 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection from the elements and the possibility of enjoying directional lighting.
- Tool-less installation and replacement.

ACCESSORIES

Auxiliary Windshield Lighting

Deluxe Fairing | **715003115**



- 2 premium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1,800 lumens.
- 2 x 10 W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.

Deluxe Mirror Kit

Deluxe Fairing | **715002353**



- Improved mounting system.
- Wide rear view.
- Perfect fit with your Deluxe Fairing.

WINDSHIELD KITS

Extra High Windshield Kit

G2, G2L, G2S (except X mr models) | **715003023**



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- 16" (41 cm) windshield.
- For ultimate wind protection and winter applications

Required for installation:
- XT and Mossy Oak models: Steering Cover (709400939).

High Windshield Kit

G2, G2L, G2S (except X mr models) | **715006382**



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- 11" (28 cm) windshield.
- For wind protection and winter applications.

Required for installation:
- XT and Mossy Oak models: Steering Cover (709400939).

Low Windshield Kit

G2, G2L, G2S (except X mr models) | **715003021**



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- Improved design for enhanced rigidity.
- 6" (15 cm) windshield.
- Allows you to keep your vehicle looking sporty while giving you some protection from the elements.

Required for installation:
- XT and Mossy Oak models: Steering Cover (709400939).

HANDLEBARS & MIRRORS

Handlebar Wind Deflectors

G2, G2L, G2S



- Rugged injected plastic construction with Can-Am logo.
- Include removable cap for air flow adjustment.
- Mounting kit sold separately.

- **715000525** • Black / Yellow
- **715001706** • Black / Black
- **715003811** • Can-Am Red / Black
- **715003812** • Manta Green / Black
- **715003814** • Octane Blue / Black
- **715006118** • Viper Red / Black

Passenger Wind Deflectors

G2 and G2L (MAX models only) | **715001669**



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- Easy to install and remove.

Full Wrap Aluminium Mounting Kit

G2, G2L, G2S | **715001378**



- Lightweight black die cast aluminium construction.
- Includes complete hardware.
- Handlebar wind deflectors sold separately.

Aluminium Tapered Handlebar

G2, G2L, G2S | **715000550**



- ⅞" – 1⅛" (22 mm – 28 mm) tapered handlebar made of 6061-T6 aluminium.
- Includes all hardware, centre steering foam and cover.

Mirrors Left – ⅜" (10 mm)

G2, G2L, G2S | **708200963**



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Matte finish.
- Stem includes ⅜" (10 mm) thread.

Required for installation:
- DS 450 models: Bracket (715000190).
- Bracket not required for installation on Outlander and Renegade.

Mirrors Right – ⅜" (10 mm)

(Not illustrated)

G2, G2L, G2S | **709400523**

- True vision surface 5" x 3" (13 cm x 8 cm).
- Matte finish.
- Stem includes ⅜" (10 mm) thread.

Required for installation:
- Bracket (715000190) required except for vehicles with right hand brake.

Handlebar Mirrors

G2, G2L, G2S | **715005366**



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Doesn't require a windshield or fairing to be mounted.
- Works with all windshield options.

SEATS

Outlander MAX Passenger Seat Kit

G2 2015 & up, G2L (MAX models only) | **715002373**



- Perfect to replace used or damaged passenger's seat.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed high molecular weight polyethylene (HMWPE).

· Lighter than aluminium.
· Superior stress crack resistance.
· High impact strength.

OUTLANDER, RENEGADE

	G2						G2L		G2S	
	2016 & Prior		2017–2018		2019 & Up				2017–2018	2019–2022
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HMWPE SKID PLATE PROTECTION KIT										
	715004214	**715004215**	**715004209**	**715004210**	**715004806**	**715004807**	**715004211**	**715004212**	**715004213**	**715004809**
INDIVIDUAL HMWPE SKID PLATES										
① **A-Arm Protectors**	**715002924**	**715002924**	**715002924**	**715002924**	**715004822**	**715004822**	**715002924**	**715002924**	**715002924**	**715004822**
② **Underbelly Plates** Footwell portion not compatible with Renegade X mr	**715002926**	**715002927**	**715002926**	**715002927**	**715002926**	**715002927**	**715002928**	**715002929**	**715002974**	**715002974**
③ **Trailing Arm Protectors**	—	—	**715003466**	**715003466**	**715004823**	**715004823**	**715003466** (2015 to 2020 models only)	**715003466** (2015 to 2020 models only)	**715003466**	**715004823**

ALUMINIUM SKID PLATES



For ultimate durability and strength, all our Aluminium Skid Plates are made with 3⁄16" (4.5 mm) thick high strength 5052 H32 aluminium.

· Ultimate durability.

· High strength.

OUTLANDER

	G2						G2L	
	2016 & prior		2017–2018		2019 & Up		Any Year	
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
ALUMINIUM SKID PLATE PROTECTION KIT								
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
INDIVIDUAL ALUMINIUM SKID PLATES								
(1) A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
(2) Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
(3) Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
(4) Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922 (except X mr 850 models)	715000922	715000922	715000922
(5) Trailing Arm Protectors	—	—	715008595	715008595	715004821	715004821	715008595	715008595
(6) Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
(7) Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINIUM SKID PLATES



For ultimate durability and strength, all our Aluminium Skid Plates are made with 3⁄16" (4.5 mm) thick high strength 5052 H32 aluminium.

· Ultimate durability.
· High strength.

RENEGADE

G2S

	2016 & Prior	2017–2018	2019–2022	2023 & Up
ALUMINIUM SKID PLATE PROTECTION KIT				
Not compatible on X mr models	715002139	715004201	715004808	715009730
INDIVIDUAL ALUMINIUM SKID PLATES				
(1) **A-Arm Protectors**	715001667	715001667	715004820	715004820
(2) **Front Skid Plate**	715000925	715000925	715000925	715001906
(3) **Central Skid Plate**	715002078	715002078	715002078	715002078
(4) **Footwell Protector Plates** Not compatible on X mr models	715001359	715001359	715001359	715001359
(5) **Trailing Arm Protectors**	—	715008595	715004821	715004821
(6) **Rear Differential Protectors**	715000920	715000920	715000920	715000920
(7) **Rear Skid Plate**	715002028	715002028	715002028	715002028

HMWPE & ALUMINIUM SKID PLATES



Our Plastic and Aluminium Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE
Made of ¼" (6 mm) thick abrasion resistant thermoformed high molecular weight polyethylene (HMWPE).

· Lighter than aluminium.
· Superior stress crack resistance.
· High impact strength.

ALUMINUM
Made with high strength 3⁄16" (4.5 mm) thick 5052 H32 aluminium.

· Ultimate durability.
· High strength.

OUTLANDER 6X6

	G2 6X6			G2L 6X6
	2016 & Prior	2017–2018	2019 & Up	Any Year
INDIVIDUAL HMWPE SKID PLATES				
① HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924
② HDPE Full Underbelly Skid Plate	715005290 (except MAX)	715005290	715005290 (except MAX)	715005259 (MAX only)
	715005320 (MAX only)	715005320	715005320 (MAX only)	
③ HMWPE Trailing Arm Protectors	—	715003466	715004823	715003466 (2020 models & prior only)
INDIVIDUAL ALUMINIUM SKID PLATES				
① Aluminium A-Arm Protectors	715001667	715001667	715004820	715001667
② Aluminium Full Underbelly Skid Plate	—	—	—	—
③ Aluminium Trailing Arm Protectors	—	715008595	715004821	715008595

BUMPERS & GUARDS

BUMPERS

Expedition Front Bumper

G2, G2L (except X mr models & X xc models 2022 & up)	**715007233**



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's front.
- Protects and doesn't obstruct the vehicle's headlights.
- Integrated mounting spots for lights.
- Inside and outside anticorrosion coating with a durable powder coat finish.

Expedition Rear Bumper

G2, G2L	**715007234**



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's rear.
- Protects and doesn't obstruct the vehicle's taillights.
- Inside and outside anticorrosion coating with a durable powder coat finish.

Required for installation:
- G2 base and DPS models: LH Rear Bracket (705008164) and RH Rear Bracket (705008165).

X mr Front Bumper

G2S 2023 & up	**715008198**



- Enhanced vehicle front protection. Required as a mounting point for Radiator Relocator (715008898).

XT Front Bumper

G2	**715004837**



- Provides additional protection against obstacles.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- Large tube construction with textured black finish and metal corners.

XT Rear Bumper

G2	**715004920**



- Provides additional protection against obstacles.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- Large tube construction with textured black finish and metal corners.

XT Front Bumper

G2L	**715001910**



- Winch compatible.
- Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

XT Rear Bumper

G2L	**715001911**



- Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

Extreme Front Bumper

G2	**715001286***
G2L	**715004279**



- Ultra-sturdy build.
- Enhances front-vehicle protection.
- Compatible with XT Front Bumper.
- Fits the Apache™ 360 Track System (when side panels are removed).

*Not compatible with:
- Front Hitch.

Rancher Rear Bumper

G2, G2L (except 6x6 models) — **715003462**



- Ideal for using your ATV within cattle herds and guarding the safety of both the vehicle and the animals.
- Coverage extends to provide an extra layer of defense to your taillights.
- Inside and outside anti-corrosion coating with durable powder coat finish.

Not compatible with:
- Track systems.

GUARDS

Body Side Protector

G2 2019 & up with XT Bumpers (except X mr, 6x6 and MAX models) — **715004940***



- Heavy-duty fender guard designed to pull double duty, protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.
- Durable and bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.

Required for installation:
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers.

Not compatible with:
- Self Clearing Footwell.
- Front and Rear Rancher Bumpers.

Mud Flaps

G2 (with stock fender flares) — **715007089**



- Keep mud, snow and debris out of cargo area and protect trailer and vehicles behind you.
- Add aesthetic appearance to your vehicle.
- Sold in pairs.

Required for installation:
- Stock fender flares.

Fender Flares

G2 2012–2018 (except with 30" tyres) (except 6x6 models)	**715001764***
G2 2019 & up (with 30" tyres) (except 6x6 models)	**715004250****
G2L	**715001909*****
G2L European vehicles only 2015 & up	**715004487**



- Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Give vehicle added flair for that rugged cool look.
- Include front and rear extensions and all mounting hardware.

Comes stock on G2 models 2019 & up (except X mr models).
**Standard on G2 X mr 1000R.*
***Not compatible with European vehicles.*

Fender Flare Extensions

G2 (except 6x6 models) — **715005111***



- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.
- Made of high molecular weight polyethylene (HMWPE) for advanced abrasion resistance.
- Include front and rear extensions.

Must be used with Fender Flares for G2 (715001764).

Fender Flares

G2S (except X mr models) — **705012695**



- Integrated extended Fender Flares for sporty look and full body protection from dirt and water.
- Include front and rear extensions and all mounting hardware.

Flatbed Protection Tubes

G2 (6x6 models only) — **715002030**



- Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

Flatbed Protection Tubes

G2L (6x6 models only) — **715005266**



- Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

LIGHTS & ELECTRICAL

Integrated Heated Grips & Thumb Throttle Combo

G2, G2L, G2S (2024 & up) — **715009284**



- Heat levels for grips and thumb displayed on vehicle screen.
- Ergonomic button integrated on LH grip.
- Single button for both grips and thumb heat selection.*
- Five temperature settings for the thumb and grips.
- Adjustable heat ratio between grip and thumb warmer.*
- Hold button to reach maximum heat quickly.
- Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- ECE compliant.
- Plug-and-play installation.
- Clamp-on grips, no glue required.

** Models with touchscreen or colour display provide enhanced user interface with independent grips and thumb heat level selection.*

Heated Grips & Thumb Throttle Combo

G2, G2L, G2S	**715003250** Not compatible with Intelligent Throttle Control (iTC™)
G2, G2L, G2S (2022 & up)	**715010553** Compatible with Intelligent Throttle Control (iTC™)



- LED dimmer facilitates reading temperature settings.
- 4 temperature settings with individual controls for thumb and grips.
- Returns to previous heat setting.
- One-touch shutdown.

Required for installation:
- G2L models: Wiring Cable.

Wiring Cable
(Not illustrated)

G2L — **710004567**

- Required for installation of Heated Hand Grips and Throttle Combo.

Heated Visor Outlet

G2, G2L — **715001246**



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

Heated Passenger Grips & Visor Outlet

G2, G2L (MAX models only) — **715008794**



- Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- Heated visor outlet integrated into seat arm.

USB Power Outlet Kit

G2, G2L, G2S

219400510



- Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors.
- Plug-and-play kit.

** The power outlet is not capable of recharging all device types while riding.*

Seat Heater

G2, G2L

715007211



- 25 W seat heater delivers chill-free riding comfort.
- One temperature only.
- Heated pad and electrical harness only.

Required for installation:
- Heavy Duty Seat Cover (715007212).

Bluetooth Handlebar Soundbar by MTX

G2, G2L, G2S

219400840



- Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- EC compliant.

Not compatible with:
- XT Handlebar Protector Kit.

Note: We recommend you use 320 kbps MP3, 192–256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

Electronic Device Holder

G2, G2L (except 6x6 & X mr models)

715004919



- Robust injected-polypropylene construction allows for the right fit and easy installation.
- Adjustable unit safely holds smartphones or small tablets with a length or width mesuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case.
- Integrated storage (0.6 gal / 2.1 L).
- Guiding wire grooves to pass charging cable through the lid.
- Possibility of relocating 12 V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately).

Not compatible with:
- Windshields or Snorkel Kit.

3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights

G2, G2L (except X mr models)

715009775



- 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminium housing.
- Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- EC compliant.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.

Required for installation:
- Expedition Front Bumper (715007233) and Light Power Cable (715007275).

3.5" (9 cm) LED Flood Lights (2 X 14 W)

G2, G2L (except X mr models)

715009774



- 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminium housing.
- Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- EC compliant.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or for winding, dusty or foggy riding conditions.

Required for installation:
- Expedition Front Bumper (715007233) and Light Power Cable (715007275).

4" (10 cm) Round LED Lights (2 x 25 W)

G2, G2L (except X mr models)

715002935



- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.
- Sold in pairs.
- Not EC compliant.

Required for installation:
- Expedition Front Bumper (715007233) and Light Power Cable (715007275).

10" (25 cm) Double Stacked LED Light Bar (60 W)

G2, G2L (except X mr models)

715010065



- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Can be installed on front bumpers, sport roof and Bimini roof with sun visor.
- Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- ECE R10 compliant.

Required for installation:
- Expedition Front Bumper (715007233) and Light Power Cable (715007275).

Light Power Cable
(Not illustrated)

G2, G2L

715007275

- Required for installation of the 10" (25 cm) LED Light Bar and the 3.5" (9 cm) and 4" (10 cm) LED Lights.

Baja Designs High Beam Kit

G2 (2022 and prior)

715004284



- Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play.
- Each spot is equipped with 4 Cree LEDs producing 4,900 lumens at 40 watts.
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance.

2" (5 cm) Square LED Lights (2 X 10 W)

G2, G2L, G2S

715004293



- 2 x 900 lumens 10 W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.
- Multi-Position Light Mount Kit is required for installation.
- Not EC compliant.

Multi Position Light Mount Kit

G2, G2L, G2S

715004274



- Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm).
- Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10 W).
- Kit includes tube clamp mounts and power cables.

RAM† LED Spotlight

G2, G2L, G2S

710005423



- 540-lumen (9 W) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.

Quick Connect Cable with Battery Indicator

715006055



- Quickly and easily connect and charge different batteries with your charger.
- 3-colour LED indicator provides constant battery health indication.
- Sold individually.

RAM Mount for Cellphone Holder

G2, G2L, G2S

715001985



- Convenient bracket for installing the Cellphone Holder (715008786) (not included) onto your unit's handlebar.

Digitally Encoded Security System (D.E.S.S.™) Green Key

G2, G2S (2018 & up)

710005232



- Anti-theft technology, Digitally Encoded Security System (D.E.S.S.™) key snaps easily on the vehicle and provides riders with easy and quick starts every time.
- The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.
- The Programmable D.E.S.S.™ Key can also be programmed in 3 modes:
  - Work mode: limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
  - Normal mode: limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
  - Performance mode: no restrictions.

WINCHES

CAN-AM HD WINCHES

Can-Am HD 2500 Winch

G2, G2L

715006414



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Plug-and-play wiring and attachment brackets.
- Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3⁄16" (15.2 m of 4.8 mm) wire steel cable.
- EC-compliant.

Can-Am HD 3500 Winch

G2, G2L

715006415



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Plug-and-play wiring and attachment brackets.
- Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 7⁄32" (15.2 m of 5.4 mm) wire steel cable.
- EC-compliant.

Can-Am HD 2500 Winch

G2S 2023 & up

715008140



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Weather-sealed handlebar-mounted switch.
- EC-compliant.

Can-Am HD 3500 Winch

G2S 2023 & up

715008141



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- Weather-sealed handlebar-mounted switch.
- EC-compliant.

WINCH ACCESSORIES

Wireless Winch Remote

Can-Am HD Winches

715008286



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

WARN Winches	**715006378**
Can-Am HD Winches (715006414 & 715006415)	**715006555**
Can-Am HD Winches (715008140 & 715008141)	**715008121**



- This kit allows owners to add a handheld remote to their winch or stock winch.
- Works with the handlebar-mounted switch.
- Wired Remote and Remote Socket included.
- 10 ft. wire.

Winch Accessories Kit

715002409



- Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- Includes tree straps, snatch block, shackle and winching gloves.

NEW Can-Am HD Winch Hook

Can-Am HD Winch

715011610



- Heavy-duty, forged and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminium latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

WARN Hawse Fairlead

WARN Winches

715007698



- Double powder-coated construction.
- Required to use the Synthetic Winch Cable (715004254) on WARN winches.
- To be used with synthetic winch cables only.

Roller Fairlead

WARN Winches — **715007699**

Can-Am HD Winch — **710007459**



- Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching.

Hook with Safety Latch & Strap Kit

(Not illustrated)

Can-Am HD Winches

705014949

- Heavy-duty winch-rope hook with stainless steel snap.
- Includes a nylon safety strap.

NEW Replacement Synthetic Winch Cable

(Not illustrated)

Can-Am HD Synthetic Winch

715011668

- 38' x ¼" (11.58 m x 6.35 mm) UHMWPE construction.
- Heavy-duty stainless steel eye guard.
- Very low stretch for consistent performance.
- Replace your old cable in 15 minutes or less.
- No kinks, curls, rust or splinters.
- Safe and easy to handle.
- Floats on water for easier recovery.

NEW Replacement Synthetic Winch Cable

(Not illustrated)

Can-Am HD Winch (with synthetic cable)

715011151

- 50' x 3⁄16" (15.24 m x 4.76 mm) UHMWPE construction.
- Heavy-duty stainless steel eye guard.
- Very low stretch for consistent performance.
- Replace your old cable in 15 minutes or less.
- No kinks, curls, rust or splinters.
- Safe and easy to handle.
- Floats on water for easier recovery.

Replacement Wire Rope – Can-Am HD

705014983

705014984



- Play it safe, always carry a replacement wire rope.
- 2,500 lb (1,134 kg) pulling strength with 50 ft of 3⁄16" (15.2 m of 4.8 mm) wire rope for 705014983.
- 3,500 lb (1,588 kg) pulling strength with 50 ft of 7⁄32" (15.2 m of 5.5 mm) wire rope for 705014984.

Replacement Wire Rope – ATV WARN Winches

715006256



- Play it safe, always carry a replacement wire rope.
- 3,500 lb (1,588 kg) pulling strength.
- 50 ft. of 7⁄32" (15.2 m of 5.5 mm) aircraft grade steel wire.

Synthetic Winch Cable

ATV WARN Winches

715004254



- Easier to manipulate than steel cable.
- Replaces the original cable on any factory installed WARN winch or sold as an accessory by BRP.
- Kit includes synthetic rope and rock guard sleeve.
- Always use with the new Hawse Fairlead (715007698).
- 50 ft. (15.2 m) of 3⁄16" (15.2 m of 4.8 mm) synthetic rope.
- 3,500 lb (1,588 kg) pulling strength.

Winch Mounting Plate

G2S 2022 & prior

715000927



- Adds functionality to your Renegade.
- Fits Can-Am winches by WARN.

Winch Wire Harness
(Not illustrated)

G2 2021 & up, G2S 2021 & up and G2L

715002453

- Required plug-and-go wiring to install WARN winch only.
- Not required for Can-Am HD winches.

HITCHES

HITCHES

Rear Hitch

G2, G2L (except 6x6 models), G2S

715001925



- E-coat finish.
- Fixed hitch ball mounting bracket.
- Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Hitch ball not included.

Front and Rear Hitch Drawbar

G2, G2L, G2S

715008350



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

HITCH ACCESSORIES

Rear Receiver Hitch

G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2

715005186



- E-coat finish.
- Does not affect ground clearance.
- Trailer ball not included.
- On 4x4 use, this hitch offers 1,500 lb (680 kg) of towing capacity.
- On 6x6 use, this hitch offers 1,654 lb (750 kg) of towing capacity.
- Compliant with European T regulations.

Not compatible with:
- G2L models with Rear Skid Plates.

Front Receiver Hitch

G2

715000921



- Front receiver hitch for Outlander with or without a winch.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately.

Not compatible with:
- Extreme Front Bumper, Rancher Bumper or ProMount Plows.

Rubber Receiver Plug

705204503



- Rubber cap for 2" (5 cm) hitch receiver.

RECOVERY

NEW Can-Am Retractable Rope System

G2, G2L, G2S | **715010190**



- Tow a disabled vehicle easily.
- 11 ft self-retracting tow rope for quick and convenient operation.
- 13,000 lb (5,910 kg) rope breaking strength.
- 2,600 lb (1,180 kg) rope working load limit.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg)
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.
- Features a built-in tow hook.

Not compatible with:
- Can-Am Rear Winch (715010195 or 715009334).

Never exceed vehicle max towing capacity.

NEW Can-Am Winch Accessory Kit

G2, G2L, G2S | **715010814**



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Kinetic Recovery Kit

G2, G2L, G2S | **715010837**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Can-Am Soft Shackle

G2, G2L, G2S | **715010577**



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

G2, G2L, G2S | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminium construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

G2, G2L, G2S | **715010835**



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fibre engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

G2, G2L, G2S | **715010836**



- Change the direction of your pull.
- Machined from premium aluminium alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

PERFORMANCE

Renegade Snorkel Kit

G2S (2021 & up) | **715007083**



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Ideal for muddy conditions.

Renegade Radiator Relocator Kit

G2S | **715008898**



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.

Required for installation:
- G2S models (2022 and prior): Renegade Extreme Front Bumper (715002469).
- G2S (2023 and up): X mr Front Bumper (715008198) (except X mr).

Mud Strap

G2, G2L, G2S | **715003053**



- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions.

Radiator Protector

G2, G2S (except G2S with 500 engine) | **715001744**



- Metal shield that mounts over radiator face, providing protection from stones and branches.

Outlander Snorkel Kit

G2 2015 & up, G2L (except X mr & 6x6 models) | **715005999**



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- Ideal for muddy conditions.

Not compatible with:
- Windshields.

Outlander Snorkel Kit

G2 (X mr models only), G2L (X mr models only) | **715002518**



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- Ideal for muddy conditions.
- Raised horn only.
- Provides higher intake.
- For best fit and finish, appropriate gauge support is required.

Not compatible with:
- Windshields.

Outlander Radiator Relocator Kit

G2, G2L (except X xc 2022 & up and 6x6 models) | **715001930**



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.

X mr Traction Plates

G2 (MAX models only), G2L | **715001752**



- Provide extra foot grip for driver when riding in extreme mud conditions.
- Help driver maintain ideal riding position to maximise vehicle traction.
- Made of aluminium.
- Not meant for a passenger.

Self-Clearing Footwells

G2 2015 & up, G2L — **715004759**



- Made from aluminium.
- Replace original footwells.
- Feature large evacuation ports to avoid mud and snow accumulation in footwells.
- Aggressive design for improved traction.
- Sold in pairs.

Not compatible with:
- Body Side Protectors.

Footpeg Kit

G2, G2L — **715001131**



- Provides maximum integrated grip and more stability during vigorous riding.
- Kick-up end generates added grip during hard cornering.
- Made of aluminium.
- Sold in pairs.

Foam Air Filter by Twin Air†

G2, G2S, G2L — **715001333**



- Maximises performance by increasing air flow throughout RPM range.
- Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.

Heavy-Duty Springs

G2 2012–2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only)	**715003199** • Front
G2 2012–2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only)	**715003200** • Rear
G2 2019 & up (Base, DPS & XT models, except 6x6)	**715005159** • Front & Rear



- Heavy-duty springs provide enhanced stiffness.
- Perfect for snow clearing and hauling heavy loads.
- Improve handling.
- Standard on Outlander PRO and Mossy Oak models.

Front Shock Covers

G2, G2L, G2S — **715500301**



- Feature ventilation holes.
- Offer added protection in rough terrain and weather conditions.
- Sold in pairs.

EMERGENCY ACCESSORIES

Emergency Kit

715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip ties and cloth rags.

COVERS, DECALS & ADD-ONS

Trailering Cover

G2 (except MAX models)	**715001737**
G2 (MAX and X mr 1000R models only)	**715001736**
G2L (except MAX models)	**715002026**
G2L (MAX models only)	**715002025**



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Protect windshield and coloured panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap access.
- Weather-resistant trailering cover protects your vehicle during transportation.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Heavy-Duty Seat Cover

G2, G2L — **715007212**



- Heavy-duty materials to cover and protect the seat.
- Abrasion- and tear-resistant.
- Simply installs by stretching around the original seat; the elastic holds the cover securely in place.

Storage Cover

G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr	**715001720**
G2, G2L (MAX and X mr 1000R models only)	**715001668**



- Weather-resistant storage covers.
- For vehicle storage only.
- UV-resistant solution-dyed polyester construction.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Flag

715000277 · Yellow



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 5' 6" (1.7 m) length.
- Includes Flag Mount (715000127).

Bolt-On† Retractable Ratcheting Tie-Downs

G2, G2L, G2S — **295101072**



- Perfect for transporting your powersport vehicle or securing loads.
- Mount easily: bolt on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

715008309 · Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

Shifter Lock

G2, G2L — **715007337**



- Secure the vehicle's shifter by locking it in position.
- Prevents the vehicle from going into neutral without the lock key.

Lockable Gas Tank Cap

G2, G2L, G2S — **860200387**



- Protects your fuel.
- Meets EPA requirements.

License Plate Bracket

G2S — **715001401**



- Provides specific area to install license plate.
- Mounts to rear of vehicle.

APACHE TRACK SYSTEMS

APACHE TRACK SYSTEMS

Apache Backcountry Track System

G2 (except 6x6 models), G2L, G2S — **715005247**



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- For winter use only.

Required for installation:
- Apache Backcountry Mounting Kit and engine and air intake pre-filters.

Apache Backcountry Mounting Kit
(Not illustrated)

G2 2018 & prior, G2S 2018 & prior, G2L	**715004830**
G2 2019 & up, G2S 2019 & up	**715004796**

- Required for installation of the Apache Backcountry Track System.

Required for installation:
- DPS module and engine and CVT pre-filter.

APACHE XC AND XC LT

Apache XC LT Track System

G2 2019 & up, G2S 2019 & up — **715007719**



- Long Track version.
- Brand-new track design to optimise driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision with this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimised track alignment and reduced occurrences of detracking.
- Optimised track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

Required for installation:
- DPS module and engine and CVT pre-filter.

Apache XC Track System

G2 2019 & up, G2S 2019 & up — **715008664**



- Brand-new track design to optimise driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision with this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3.25" of ground clearance vs. 25" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimised track alignment and reduced occurrences of detracking.
- Optimised track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

Required for installation:
- DPS module and engine and CVT pre-filter.

Apache XC & XC LT Mounting Kit
(Not illustrated)

G2 2019 & up, G2S 2019 & up — **715008200**

- Required for installation of the Apache XC and XC LT Track System.
- Track DPS Module and Pre-Filter not included.

APACHE 360 LT 6X6

Apache 360 LT (6x6) Track System

G2, G2L (6x6 only) — **715005104**



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Reliable heavy-duty build.
- EC compliant.
- Exclusively for the Outlander 6x6.
- Recommended for use on snow only.

Required for installation:
- Apache 360 LT Mounting Kit, Track DPS Module and Engine and Pre-Filter Kit.

Apache 360 & 360 LT Mounting Kit
(Not illustrated)

G2 2018 & prior (except 6x6 models), G2S 2018 & prior, G2L	**715007207**
G2 2019 & up (except 6x6 models), G2S 2019 & up	**715007206**
G2 2018 & prior, G2L (6x6 models)	**715004991**
G2 2019 & up (6x6 models)	**715005105**

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.

APACHE TRACK SYSTEM ACCESSORIES

Track DPS Module
(Not illustrated)

G2, G2L, G2S — **715007338**

- An innovative DPS module that ensures speedometer accuracy and optimised steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Air Intake Pre-Filter

715003483



- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.
- Required to install the Apache and Backcountry Track Systems.
- Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO.

Not compatible with:
- Snorkel Kits.

Engine Air Intake Pre-Filter

G2, G2L, G2S — **715004729**



- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed.

Idler Wheel Kit

Apache Backcountry Track System (rear tracks only) — **860201230** · 141 mm



- Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Slider with Vespel† Insert

Apache Backcountry Track System — **503194815**



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Rail Ice Scratchers

Apache Backcountry Track System — **860201728**



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up	G2L	715005247	715004830	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)
2018 & Prior	G2, G2S					
2019 & Up	G2, G2S					
2019 & Up	G2 1000R	715005247 and 715005891	715004796			

APACHE XC AND XC LT

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Up	G2, G2S	715007719 and 715008664	715008200	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)

APACHE 360 LT 6X6

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up	G2L	715005104	715004991	715007338	715004729 & 715003483 (standard on G2 models and G2L PRO model)	715004729
2018 & Prior	G2, G2L					
2019 & Up	G2		715005105			

SCAN HERE TO SEE FULL APACHE TRACK SYSTEMS FITTING GUIDE.

PROMOUNT PLOWS

PROMOUNT PLOW KITS

REFERENCE CHART

	54" Black Steel	60" Black Steel	66" Black Steel	60" Flex2	66" Flex2
Plow Kit	715011333	715011334	715011335	715011336	715011337
Blade	715004472	715004202	715009881	715004203	715009883
Push Frame	715010845	715010845	715010845	715010845	715010845
Mounting Plate	715007751	715007751	715007751	715007751	715007751

STEEL PLOWS

Can-Am ProMount Steel Plow Kit 54" (137 cm) Blade

G2, G2L, G2S

■ **715011333** · Black



- These kits include:
  - Can-Am ProMount Steel Blade
  - Push Frame with Quick-Attach System
  - Mounting Plate

Can-Am ProMount Steel Plow Kit 60" (152 cm) Blade

G2, G2L, G2S

■ **715011334** · Black



- These kits include:
  - Can-Am ProMount Steel Blade
  - Push Frame with Quick-Attach System
  - Mounting Plate

Can-Am ProMount Steel Plow Kit 66" (168 cm) Blade

G2, G2L, G2S

■ **715011335** · Black



- These kits include:
  - Can-Am ProMount Steel Blade
  - Push Frame with Quick-Attach System
  - Mounting Plate

Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ **715004472** · Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Not compatible with:
- ProMount Drift Cutters, Blade Extensions and Edge Markers.

Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ **715004202** · Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ **715009881** · Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ **715009877** · Black



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 – 60" (152 cm) Plow Kit

G2, G2L, G2S

■ **715011336**



- These kits include:
  - Can-Am ProMount Flex2 Blade
  - Push Frame with Quick-Attach System
  - Mounting Plate

Can-Am ProMount Flex2 – 66" (168 cm) Plow Kit

G2, G2L, G2S

■ **715011337** • Black



- This kit includes:
  - Can-Am ProMount Flex2 Blade
  - Push Frame with Quick-Attach System
  - Mounting Plate

ANGLE PLOWS

Can-Am ProMount Angle Blade 60" (152 cm) Steel Oneway State

G2, G2L, G2S

715007261



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blade 72" (183 cm) Steel Oneway State

G2, G2L, G2S

715009879



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

ProMount One-Way State Blade Rubber Flap

(Not illustrated)

715007299

- Allows for more efficient snow projections in various snow conditions.

CAN-AM ProMount FLEX2 PLOWS

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damage to your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

715009883



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damage to your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715009868



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Push Frame with Quick-Attach System

G2, G2L, G2S

715010845



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Plate required for installation.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

Can-Am ProMount Mounting Plate

G2, G2L, G2S

715007751



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Fits on ATVs with or without Can-Am Skid Plates.
- Plow Roller Fairlead included.

Can-Am ProMount Push Frame Extension

G2, G2L, G2S

715006257



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

Can-Am ProMount Plow Angling System

G2, G2L, G2S

715010904



- Improved operation speed for quicker plow angle adjustments.
- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Compatible with ProMount Blade.
- Winch and plow sold separately.

Required for installation:
- Push Frame (715010845).
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.

Not compatible with:
- Apache Backcountry LT Track System.

Plow Quick Adjust Blade Shoes

ProMount steel & Flex2 Blades 54" & 60" (all years), 66"& 72" (2025 & prior)

715009751



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

Can-Am ProMount Edge Markers

G2, G2L, G2S

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters

G2, G2L, G2S

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Curved Wear Blade

G2, G2L, G2S

715007791 • 60" (152 cm)
715007792 • 66" (168 cm)



- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

Can-Am ProMount Plastic Wear Blade

G2, G2L, G2S

715004480 • 54" (137 cm)
715004481 • 60" (152 cm)
715004482 • 66" (168 cm)
715004483 • 72" (183 cm)



- To help prevent scratches on smooth driveways and markable surfaces.

Back Drag Blade

ProMount Plows (60" and more)

715007794



- ¼" thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as to not affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Plow Roller Fairlead

G2, G2L, G2S

705009222



- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.
- Included in Plow Mounting Plate Kit (715007751).

Pulley Kit for Alpine Super-Duty Plow

G2, G2L

715000279



- Pulley kit to be used in conjunction with the winch when using a snow plow.
- Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Synthetic Winch Cable for Plowing

715000540



- Specially designed for plowing applications.
- 8' (2.4 m) section of durable, extra-strong synthetic rope.
- Stands up to repeated, sharp angle pulls used to lift heavy plow blades.
- Temporarily replace your winch rope for plow season to save wear and tear on wire rope.

Plow Limit Switch
(Not illustrated)

G2, G2L, G2S

715006259

- For controlling the cable tension when over-raising your plow system.
- Prevents winch, plow push frame and vehicle damage.

G3, G3L ACCESSORIES

G3 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ ACCESSORIES WITH 16" BASE	1 Front Cargo Drop Down	2 Front Cargo Lid	3 Rear Cargo Drop Down	4 Rear Cargo Lid	LinQ Can Stack on Top
LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit **860203055**	NO	YES, with LinQ Base Installation Kit **860203055**	NO	NO
LinQ Tool Box 715008111		YES, with LinQ Base Installation Kit **860203055**		YES, with LinQ Base Installation Kit **860203055**	
NEW LinQ Expandable Bag 4.5 US Gal (17 L) 860202895					
LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252					
LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494					YES
LinQ 5 Gal (20 L) Modular Cargo Box 715007112					
LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830			NO	NO	NO
LinQ Tool Kit 715006829			YES, with LinQ Base Installation Kit **860203055**		YES
LinQ SR 5.5 Gal (21 L) Bag 860202449	NO		NO		NO
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110					
LinQ Gun Case 715010936				NO	
LinQ Fuel Caddy – 4 Gallons 860202246	YES, with LinQ Base Installation Kit **860203055**	NO			
LinQ Oil Caddy – 1 Gallon 860202445					

LinQ ACCESSORIES WITH 36" BASE	5 Front Cargo Rack	6 Rear Cargo Rack	LinQ Can Stack on Top
NEW LinQ Bow and Gun Case 715008232	YES	YES	YES
NEW LinQ Semi-Rigid Bag 715005345			NO
LinQ Cargo Basket (90 L) 715010173			
Front LinQ Cargo Box (90 L) 715005272	YES, remove the Front Cargo Lid for installation using the dropdown	NO	
LinQ Cargo Box (53 L) 715010172	YES	YES	YES
LinQ Low Profile Box (63 L) 715007827			
LinQ Trunk Box (145 L) 715009471	NO	YES, remove the rear rack for installation	
LinQ Trunk Box (87 L) – G3 715009499		YES	NO
LinQ 9.2 Gal (35 L) Cooler 715006998			
LinQ Gun Case 715010936	YES	NO	

G3L LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ ACCESSORIES WITH 16" BASE	1 Front Cargo Drop Down	2 Front Cargo Lid	3 Rear Cargo	LinQ Can Stack on Top
LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit **860203055**	NO	YES, with LinQ Base Installation Kit **860203055**	NO
LinQ Tool Box 715008111		YES, with LinQ Base Installation Kit **860203055**		
NEW LinQ Expandable Bag 4.5 US Gal (17 L) 860202895				
LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252				
LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494				YES
LinQ 5 Gal (20 L) Modular Cargo Box 715007112				
LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830				NO
LinQ Tool Kit 715006829				YES
LinQ SR 5.5 Gal (21 L) Bag 860202449	NO			NO
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110				
LinQ Gun Case 715010936			NO	
LinQ Fuel Caddy – 4 Gallons 860202246	YES, with LinQ Base Installation Kit **860203055**	NO		
LinQ Oil Caddy – 1 Gallon 860202445				

LinQ ACCESSORIES WITH 36" BASE	4 Front Cargo Rack	5 Rear Rack	LinQ Can Stack on Top
NEW LinQ Bow and Gun Case 715008232	YES	YES	YES
NEW LinQ Semi-Rigid Bag 715005345			NO
LinQ Large Cargo Box 715007001	NO		
LinQ Cargo Basket (90 L) 715005274	YES		
LinQ Cargo Box (53 L) 715006997			YES
LinQ Low Profile Box (63 L) 715007827			
LinQ Cargo Box (90 L) 715005272	YES, remove the Front Cargo Lid for installation using the dropdown	NO	NO
LinQ Trunk Box (87 L) – G3L 715009312	NO	YES	
LinQ Trunk Box (145 L) 715009471		YES, remove the rear rack for installation	YES
LinQ 9.2 Gal (35 L) Cooler 715006998		YES	NO
LinQ Gun Case 715010936	YES	NO	

G3 MAX LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS





3 NOT AVAILABLE

4 NOT AVAILABLE





LinQ ACCESSORIES WITH 16" BASE	1 Front Cargo Drop Down	2 Front Cargo Lid	3 Rear Cargo Drop Down	4 Rear Cargo Lid	LinQ Can Stack on Top
LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit **860203055**	**NO**	NO	NO	NO
LinQ Tool Box 715008111		YES, with LinQ Base Installation Kit **860203055**			
NEW LinQ Expandable Bag 4.5 US Gal (17 L) 860202895					
LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252					
LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494					YES
LinQ 5 Gal (20 L) Modular Cargo Box 715007112					
LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830					NO
LinQ Tool Kit 715006829					YES
LinQ SR 5.5 Gal (21 L) Bag 860202449	NO				NO
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110					
LinQ Gun Case 715010936					
LinQ Fuel Caddy – 4 Gallons 860202246	YES, with LinQ Base Installation Kit **860203055**	NO			
LinQ Oil Caddy – 1 Gallon 860202445					

LinQ ACCESSORIES WITH 36" BASE	5 Front Cargo Rack	6 Rear Rack	LinQ Can Stack on Top
NEW LinQ Bow and Gun Case 715008232	YES	YES	YES
NEW LinQ Semi-Rigid Bag 715005345			NO
LinQ Cargo Basket (90 L) 715010173			
Front LinQ Cargo Box (90 L) 715005272	YES, remove the Front Cargo Lid for installation using the dropdown	NO	
LinQ Cargo Box (53 L) 715010172	YES	YES	YES
LinQ Low Profile Box (63 L) 715007827			
LinQ Trunk Box (139 L) 715009472	NO	YES, remove the rear rack for installation.	NO
LinQ Trunk Box (87 L) – G3 715009499		YES	
LinQ 9.2 Gal (35 L) Cooler 715006998			
LinQ Gun Case 715010936	YES	NO	

G3L MAX LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS











LinQ ACCESSORIES WITH 16" BASE	① Front Cargo Drop Down	② Front Cargo Lid	③ Rear Cargo	LinQ Can Stack on Top
LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit **860203055**	NO	NO	NO
LinQ Tool Box 715008111		YES, with LinQ Base Installation Kit **860203055**		
LinQ SR 5.5 Gal (21 L) Bag 860202449	NO			
NEW LinQ Expandable Bag 4.5 US Gal (17 L) 860202895	YES, with LinQ Base Installation Kit **860203055**			
LinQ 5.3 Gal (20 L) Semi-Rigid Cooler 295101252				
LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494				YES
LinQ 5 Gal (20 L) Modular Cargo Box 715007112				
LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830				NO
LinQ Tool Kit 715006829				YES
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110	NO			NO
LinQ Gun Case 715010936				
LinQ Fuel Caddy – 4 Gallons 860202246	YES, with LinQ Base Installation Kit **860203055**	NO		
LinQ Oil Caddy – 1 Gallon 860202445				

LinQ ACCESSORIES WITH 36" BASE	④ Front Cargo Rack	⑤ Rear Rack	LinQ Can Stack on Top
NEW LinQ Bow and Gun Case 715008232	YES	YES	YES
NEW LinQ Semi-Rigid Bag 715005345			NO
LinQ Large Cargo Box 715007001	NO		
LinQ Cargo Basket (90 L) 715005274	YES		
LinQ Cargo Box (90 L) 715005272	YES, remove the Front Cargo Lid for installation	NO	
LinQ Trunk Box (87 L) – G3L 715009312	NO	YES	
LinQ Cargo Box (53 L) 715006997	YES		YES
LinQ Low Profile Box (63 L) 715007827			
LinQ Trunk Box (139 L) 715009472	NO	YES, remove the rear rack for installation.	NO
LinQ 9.2 Gal (35 L) Cooler 715006998		YES	
LinQ Gun Case 715010936	YES	NO	

6X6 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ ACCESSORIES WITH 16" BASE	1 Front Cargo Drop Down*	2 Front Cargo Lid	3 Rear Cargo Bed	LinQ Can Stack on Top
LinQ Rigid Cooler (18 L) 715010491	YES, with LinQ Base Installation Kit **860203055**	NO	YES, with LinQ Sliding Base Installation Kit (**715011784**)	NO
LinQ Tool Box 715008111	NO	YES, with LinQ Base Installation Kit **860203055**		
LinQ SR 5.5 Gal (21 L) Bag 860202449				
NEW LinQ Expandable Bag 4.5 US Gal (17 L) 860202895	YES, with LinQ Base Installation Kit **860203055**			
LinQ 2.6 Gal (10 L) Modular Cargo Box 715005494				YES
LinQ 5 Gal (20 L) Modular Cargo Box 715007112				
LinQ 7.8 Gal (30 L) Modular Cargo Box 715006830				NO
LinQ Tool Kit 715006829				YES
LinQ 10.6 Gal (40 L) Roll-Top Bag 715008110	NO			NO
LinQ Fuel Caddy 5 Gallons 715007822		NO	Yes, with LinQ Sliding Base Installation Kit (**715011784**). Must be installed under the LinQ Cargo Bed Rack (**715009336**).	
LinQ Fuel Caddy – 4 Gallons 860202246	YES, with LinQ Base Installation Kit **860203055**		Yes, with LinQ Sliding Base Installation Kit (**715011784**). (The walls of the bed need to be present.)	
LinQ Oil Caddy – 1 Gallon 860202445				
LinQ Gun Case 715010936	NO	YES, with LinQ Base Installation Kit **860203055**	NO	

LinQ ACCESSORIES WITH 36" BASE	4 Front Cargo Rack	5 Rear Cargo Bed	LinQ Can Stack on Top
NEW LinQ Bow and Gun Case 715008232	YES	Yes, with 2x LinQ Sliding Base Installation Kit (**715011784**). (The walls of the bed need to be removed)	YES
NEW LinQ Semi-Rigid Bag 715005345			NO
LinQ Cargo Basket (90 L) 715005274 or 715010173			
Front LinQ Cargo Box (90 L) 715005272	YES, remove the Front Cargo Lid for installation	NO	
LinQ Cargo Box (53 L) 715006997 or 715010172	YES	Yes, with 2x LinQ Sliding Base Installation Kit (**715011784**). (The walls of the bed need to be removed)	YES
LinQ Low Profile Box (63 L)** 715007827			
LinQ Trunk Box (87 L) 715009499 or 715009312	NO		NO
LinQ 30 US Gal (139 L) Trunk Box 715009472			
LinQ 9.2 Gal (35 L) Cooler 715006998			
LinQ Gun Case 715010936	YES	NO	

**LinQ Low Profile (63 L) (715007827) can be installed in a 16" configuration only at the rear end of the cargo bed or with the LinQ Cargo Bed Rack (715009336).

LinQ ACCESSORIES WITH 16" BASE

LinQ Rigid Cooler (18 L)

G3, G3L

715010491



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomoulded rigid construction.
- Moulded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

LinQ 5 US Gal (20 L) Fuel Caddy

G3 (6X6 models only),
G3L (6X6 models only)

715007822



- Quick, easy and secure LinQ system installation.
- Spill-free spout for easy use.
- 5 US gal (20 L) capacity.
- Meets new Flame Mitigation Device (FMD) standard.
- Dimensions: 12" L x 19" W x 12" H.
- Compatible only if installed below the LinQ Cargo Bed Rack (715009336).

LinQ Fuel Caddy – 4 Gallons

G3 (except X mr models),
G3L (except X mr models)

860202246



- Quick, easy and secure installation with LinQ system.
- No-spill spout for easy use.
- 3.7 US gallon (14 L) capacity.
- Meets the new latest Flame Mitigation Device (FMD) standard.
- No LinQ 16" accessories can be stacked on the LinQ 4-Gallon Fuel Caddy.
- Can't be installed on the rear lid due to weight limitation.
- See table for installation location and requirements.

LinQ Oil Caddy – 1 Gallon

G3 (except X mr models),
G3L (except X mr models)

860202445



- 1 US gallon (3.78 L) capacity.
- No LinQ 16" accessories can be stacked on the LinQ 1-Gallon Oil Caddy.
- Can't be installed on the rear lid due to weight limitation.
- See table for installation location and requirements.

LinQ Chainsaw Holder

G3 (except X mr models),
G3L (except X mr models)

715010187



- This system installs a chainsaw vertically to save space on the rack and serves as a scabbard for storage.
- Clamp the blade for a quick and solid hold.
- Compatible with the majority of chainsaws available on the market as most blades go up to 18".
- Compatible with all 16" LinQ accessories that fit in the front cargo compartment.
- The front compartment features a pre-marked cutout area for easy trimming and installation of the insert, allowing the chainsaw holder to be removed and reinstalled without leaving any visible opening.
- Allows installation of the LinQ Tool Holder.

Not compatible with:
- LinQ Rack Extension when installed on the front rack of the vehicle.

LinQ Modular Box

G3, G3L

715005494 • (10 L)
715007112 • (20 L)
715006830 • (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- Vehicle limitations must be verified prior to installation.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

G3, G3L

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Kit

G3, G3L

715006829



- Includes:
  - Cutter pliers
  - Long-nose pliers
  - Locking pliers
  - Ratchet wrench ⅜" drive
  - 6" ratchet extension
  - Integrated CVT belt storage location (belt not included)
  - Long-socket 19 mm ⅜" drive - 6 pts
  - Socket 18 mm ⅜" drive
  - Long-socket 17 mm ⅜" drive - 6 pts
  - Socket 15 mm ⅜" drive
  - Socket 13 mm ⅜" drive
  - Socket 10 mm ⅜" drive
  - Socket 8 mm ⅜" drive
  - Socket Torx T40 ⅜" drive
  - Socket Torx T30 ⅜" drive
  - Socket Torx T20 ⅜" drive
  - Breaker bar ⅜" drive
- Combination Wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm
- See table for installation location and requirements.

LinQ Tool Box

G3, G3L

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system. All the benefits of LinQ – simple, fast and secure.
- See table for installation location and requirements.

LinQ 10.6 Gal (40 L) Roll-Top Bag

G3, G3L

715008110



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Marinized for salt water purposes.
- Dimensions: 14" L x 19" W x adjustable H.
- See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

G3, G3L

860202449



- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

NEW LinQ Expandable Bag 4.5 US Gal (17 L)

G3, G3L

860202895



- Semi-rigid expandable 8.5 L to 17 L (2.2 to 4.5 US gallon) LinQ bag.
- Compression style bag allows secure storage of belongings.
- Premium look pairs well with the vehicle.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Featuring inside mesh pocket to separate smaller items.

LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

G3, G3L

295101252



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ Fasteners.
- Single day use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.
- See table for installation location and requirements.

LinQ ACCESSORIES WITH 36" BASE

NEW LinQ Semi-Rigid Bag

G3, G3L

715005345 · Black



- Offers 70 L (18.5 gal) of cargo space for fully loaded adventures.
- Semi-rigid construction.
- Removable lid that converts the bag into a practical storage basket.
- Dedicated seal ensures excellent dust and weather resistance.
- Three-section lid design for quick and convenient access.
- Integrated removable centre compartment to keep your items neatly organized.

Required for installation:
- Stopper Kit (715008895) for 6x6 models only.

Not compatible with:
- LinQ Chainsaw Holder (715004975).

NEW LinQ Bow & Gun Case

G3, G3L

715008232



- Made of impact-resistant injected polypropylene and weatherproof.
- LinQ-mounted for efficient and secure storage.
- Practical design allows you to store a bow and arrows or shotguns and rifles up to 40" (1 m).
- Arrow rubber racking system securely fixes shafts in place under lid.
- Fits up to 9 arrows from 6 mm to 9 mm.
- Two convoluted foam pieces and one foam sheet are included, so you can make the necessary adjustments according to your use.
- Mounting tabs attach to the base, and a 6' Velcro strap is included to let you firmly position your gear exactly the way you want.
- Easily carried with the rigid handle.
- Anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- Compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- Can be installed in several 16" configurations (SXS), or in a 36" configuration (ATV & SXS).
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- See table for installation location and requirements.

LinQ Trunk Box (145 L)

G3 (except MAX & 6X6 models),
G3L (except MAX & 6X6 models)

715009471



- Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- Storage capacity of 31 gal (145 L).
- Easy to install and remove with the LinQ system.
- LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- Possibility to install LinQ 16" accessories on the cover to increase the cargo capacity.
- New ergonomic and resistant latch system offers excellent sealing.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).
- See table for installation location and requirements.

Rear Cargo Box Divider (145 L)

G3 (except MAX & 6X6 models)
G3L (except MAX & 6X6 models)

715010103



- Easy installation thanks to hook-and-loop fasteners.
- Includes left and right divider.
- Mesures 7" (176 mm).
- It is installed at a specific point in the cargo box to divide it neatly into 3 similar sections.

Required for installation:
- LinQ 31 US Gal (145 L) Trunk Box (715009471).

LinQ Trunk Box (139 L)

G3 (MAX models only),
G3L (MAX models only)

715009472



- Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- Storage capacity of 30 gal (139 L).
- Easy to install and remove with the LinQ system.
- LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- Compatible with the passenger seat.
- New ergonomic and resistant latch system offers excellent sealing.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).
- See table for installation location and requirements.

Rear Cargo Box Divider (139 L)

G3 (MAX models only),
G3L (MAX models only)

715010111



- Easy installation thanks to hook-and-loop fasteners.
- Includes left and right divider.
- Mesures 9.5" (248 mm).
- It is installed at a specific point in the cargo box to divide it neatly into 3 similar sections.

Required for installation:
- LinQ 30 US Gal (139 L) Trunk Box (715009472).

LinQ Trunk Box (87 L) – G3L

G3L

715009312



- Weatherproof polyethylene rear cargo box.
- Can be installed on the rear rack only.
- Storage capacity of 23 gal (87 L).
- Optimised shape of the cargo box base fits the G3L rear rack perfectly.
- Lockable with a lock on the front of the box (2 keys included).
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Compatible with the passenger seat.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Up to 3 LinQ Lite Multi Holders (715008087) can be installed to add LinQ Lite accessories to your cargo box.
- See table for installation location and requirements.

LinQ Trunk Box (87 L) – G3

G3 | **715009499**



- Weatherproof polyethylene rear cargo box.
- Can be installed on the rear rack only.
- Storage capacity of 23 gal (87 L).
- Optimised shape of the cargo box base to fit the G3L rear rack perfectly.
- Lockable with a lock on the front of the box (2 keys included).
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Compatible with the passenger seat.
- Ability to install Tool Holders (715008896) on the box.
- Up to 3 LinQ Lite Multi Holders (715008087) can be installed to add LinQ Lite accessories to your cargo box.
- See table for installation location and requirements.

LinQ Cargo Box (90 L)

G3 (except X mr models), G3L (except X mr models) | **715005272**



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Can be installed on the front rack only.
- Easy to install, easy to remove using the LinQ system.
- Need to remove the front DropDown cover for optimal capacity.
- Lockable with a lock on the front of the box (2 keys included).
- See table for installation location and requirements.

LinQ Cargo Box (53 L)

G3 | **715010172**

G3L | **715006997**



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- Easy to install and remove with the LinQ system.
- Can be installed on the front or rear racks.
- New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).
- See table for installation location and requirements.

LinQ Low Profile Box (63 L)

G3, G3L | **715007827**



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 16.6 gal (63 L).
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in a 36" configuration only.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- See table for installation location and requirements.

LinQ Cargo Basket (90 L)

G3 | **715010173**

G3L | **715005274**



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- Can be installed on the front or rear racks.
- Six handles on the contour to easily install bungee cords.
- Ability to install LinQ Tool Holders (715008896) on the basket.
- See table for installation location and requirements.

Large Cargo Box

G3L | **715007001**



- Rear bed to carry large items.
- Anchor points (D-ring), LinQ fixtures for tool holder and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks for easy installation and removal.

LinQ 9.2 Gal (35 L) Cooler

G3, G3L | **715006998**



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 9.2 gal (35 L).
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Moulded-in handles for quick installation and removal.
- Option to add LinQ Lite Multi Holder (5 LinQ Lite) (715008087) on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).
- Cannot be installed on the front rack.
- See table for installation location and requirements.

LinQ Rack Extension

G3L

715010186



- Easy to install and remove with the LinQ system.
- Die-cast toe-in with a rugged rubber cover secures the extension to the front or rear vehicle rack.
- Fits front or rear of the vehicle.
- Provides tie-down points to secure cargo on racks.
- Made of steel with anti-corrosion coating and durable powder-coat finish.
- Height of 7".

LinQ LITE ACCESSORIES

LinQ Lite Multi Holder (Front Fenders)

G3, G3L

715009474



- Allows for installation of select LinQ Lite accessories on the front fenders.
- Three LinQ Lite mounting points allow for versatile storage/hanging options.
- Holds up to two LinQ Lite Cupholders (715009406) or a single LinQ Lite Fender Bag (715009280).
- Finished, robust style.
- Includes necessary installation hardware.
- Sold as a pair.

LinQ Lite Multi Holder

G3 (6x6 models only, except MAX models)
G3L (6x6 models only, except MAX models)

295100977



- Allows for installation of select LinQ Lite accessories.
- Capable of mounting on any flat surface such as garage walls for easy accessory storage.
- Five LinQ Lite mounting points allow for versatile storage/hanging options.
- Finished, robust style.
- Includes necessary installation hardware.
- Required to install LinQ Lite Bag (10 L) (715009132).

LinQ Lite Fender Bag

G3, G3L

715009280



- Provides 1.1 gal (5 L) of extra storage space for tools, accessories or personal items.
- Constructed using high-durability materials designed for enhanced resistance to variable weather conditions.
- Designed to fit on the Outlander fender, it attaches securely with the LinQ Lite Rail.
- Features a zippered pocket and magnetic lid for secure closure.
- Includes an interior mesh pocket, perfect for organizing your essentials.
- Front mesh pocket provides convenient access to frequently used items.

Required for installation:
- LinQ Lite Multi Holder (715009474).

LinQ Lite Bag (10 L)

G3, G3L

715009132



- Provides 2.2 gal (10 L) of extra storage space for tools, accessories or personal items.
- Constructed using high-durability materials for enhanced resistance to variable weather conditions.
- Shoulder strap included for easy transport.
- Features a zippered pocket and magnetic lid for secure closure.
- The yellow interior helps you find what you're looking for in seconds.
- Includes an interior mesh pocket, perfect for organizing your essentials.
- Side mesh pocket on each side provides convenient access to frequently used items.
- You can install it on several of our LinQ Cargo Boxes with the LinQ Lite Multi Holder (715008087).
- It can fit on the LinQ Trunk Box (87 L) (715009312 or 715009499) or on the LinQ 9.2 Gal (35 L) Cooler (715006998) or the Large Cargo Box (715007001).

Required for installation:
- LinQ Lite Multi Holder (715008087) or the LinQ Lite Multi Holder (295100977) if installed on the 6X6 bed wall (except G3L 6X6 MAX).

LinQ Lite Cup Holder

G3, G3L

715009406



- Keep your beverage within reach.
- Flexible fins adjust to various beverage container sizes to hold most securely.
- No permanent installation point means you're free to move it almost anywhere.
- Tool-less placement, easy to move from place to place.

Required for installation:
- LinQ Lite Multi Holder (715008087) for installation on cargo box or (715009474) for installation on fender.

LinQ Lite Multi Holder (5 LinQ Lite)

G3, G3L

715008087



- Allows for installation of select LinQ Lite accessories.
- Five LinQ Lite mounting points allow for versatile storage/hanging options.
- Finished, robust style.
- Includes necessary installation hardware.
- You can install it on several of our LinQ Cargo Boxes and have as many as three on one box.
- It can fit on the LinQ Trunk Box (87 L) (715009312 or 715009499) or on the LinQ 9.2 Gal (35 L) Cooler (715006998) or the Large Cargo Box (715007001).
- Holds up to three LinQ Lite Cup Holders (715009406).

LinQ Lite Multipurpose Bag

G3, G3L

295101154



- Perfect add-on to store and organize your equipment or store other items like sunscreen, cellphone, sunglasses and more.
- Tool-less installation in seconds with LinQ Lite clip-in system.
- Five external pockets for fast access to small necessities.
- Features one zippered opening.
- Dimensions: 16" L x 3.5" W x 10.5" H.

Required for installation:
- LinQ Lite Multi Holder (715008087).

LinQ Lite Action Camera Holder

G3, G3L

295101139



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offer 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

Required for installation:
- Outlander: Requires LinQ Lite Multi Holder (715008087) or LinQ Lite Multi Holder (Front Fenders) (715009474) for installation. The Mutli Holder (715008087) can be installed on the following accessories: LinQ 23 US Gal (87 L) Trunk Box – G3L (715009312), LinQ 23 US Gal (87 L) Trunk Box – G3 (715009499), LinQ 9.2 US Gal (35 L) Cooler (715006998), LinQ Large Cargo Box (715007001).
- Outlander 6x6: Requires LinQ Lite Multi Holder (295100977 or 715008087).

LinQ RACKS & HOLDERS

LinQ Cargo Bed Rack

G3 (6x6 models only), G3L (6x6 models only)

715009336



- Strong, durable steel rack.
- Easy and tool-less installation thanks to the LinQ System.
- Allows the installation of 16" LinQ accessories with LinQ Sliding Base Kit included.
- 36" LinQ anchors integrated into the rack.
- Can be positioned in the front, middle or rear of the cargo bed.
- Up to 2 racks can be installed at the same time (front and rear position).
- Allows multi-level storage on cargo bed.
- Provides more usable space in the cargo box.
- The clearance under the rack is 11.5" (294 mm).
- 4 Tool Holder Bolt-On (715008896) can be installed on each side for a total of 8.
- Required to install the LinQ Fuel Caddy 5 US Gal (20 L) (715007822). The Fuel Caddy must be installed below the LinQ Cargo Bed Rack.

X mr Rear Rack

G3 (except MAX & 6x6 models)

715010217



- Black polypropylene glass-filled rear rack replacing the actual rack.
- LinQ 36" anchors integrated.
- Possibility to install LinQ 16" accessories into the dropdown to increase the cargo capacity (requires LinQ Base Installation Kit).
- The rack features six handles crafted with precision.

LinQ Front Rack Extension

G3 (except X mr models)

715009281



- Easy to install and remove with the LinQ system.
- Fits front of the vehicle only.
- Provides tie-down points to secure cargo on racks.
- Made of aluminium with durable powder-coat finish.
- Height of 5".

LinQ Rear Rack Extension

G3 (except X mr & 6X6 models)

715009475



- Easy to install and remove with the LinQ system.
- Fits rear of the vehicle only.
- Provides tie-down points to secure cargo on racks.
- Made of aluminium with durable powder-coat finish.
- Height of 7".

LinQ Tool Holder

G3, G3L

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips

G3, G3L

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

Gear Grips

G3L

715001421



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

LinQ Gun Case

G3, G3L

715010936



- Weatherproof sealed Gun Case.
- The practical design lets riders store shotguns and rifles up to 50" (127 cm), even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- Includes a soft liner with a bright yellow inner lining for high visibility with a front end reinforced for increased durability and a top handle for easy carrying and transport.
- Liner stays securely in place with a rear loop that attaches inside the case, ideal for angled use.
- Adjustable strap matches the rifle length to optimise liner fit and maintain proper positioning.
- The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn.

Required for installation:
- Can't be installed on the rear lid due to weight limitation.
- G3L: Must be installed on the front compartment lid using the LinQ Base Installation Kit (860201806) or on fender position using the LinQ Gun Case Mounting Kit (715006074).

NEW Bag for LinQ Gun Case

G3, G3L

715010189



- Durable, weather-resistant exterior.
- Fits rifles up to 50" (127 cm) in length.
- Top handle for easy carrying and transport.
- Bright yellow inner lining for high visibility.
- Front end reinforced for increased durability.
- Features a rear loop for attaching the bag inside the LinQ Gun Case (715009240).
- Adjustable strap matches the rifle length to optimise liner fit and maintain proper positioning.
- Compatible with previous LinQ Gun Case (715009240) with required Hardware Kit (715011740).

LinQ Gun Case Mounting Kit – Fender Position

G3, G3L

715006074



- This kit is required to install the LinQ Gun Case on the fender position.
- Installs on the right side of the vehicle, and the safety system allows the driver or passenger to quickly exit the vehicle.
- The low-profile mounting system can be left on the vehicle year-round and doesn't get in the way when the Gun Case is not installed.

LinQ MOUNTING

NEW LinQ Sliding Base

G3 (6x6 models only), G3L (6x6 models only)

715011726



- LinQ Sliding Base only.
- The LinQ Sliding Base is non-permanent, easy to remove and allows you to play with and swap anchors.
- To be used with the LinQ Sliding Mount Plate.
- Sold as a pair.

LinQ Sliding Base Installation Kit

G3 (6x6 models only)
G3L (6x6 models only)

715011784



- This LinQ Sliding Base Installation Kit comes in 2 parts.
- The first part, the LinQ Sliding Mount Plate, can stay on your vehicle at all times without interfering with loading, thanks to its flat design.
- When you need the second part, the LinQ Sliding Base, you can simply clip it in in less than 2 seconds.
- The LinQ Sliding Base is therefore non-permanent, easy to remove and you can easily play with and swap anchors.
- Includes LinQ Sliding Mount Plate, LinQ Sliding Base, and hardware.

LinQ Base Installation Kit

G3, G3L

860203055



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

LinQ Base

G3L

715002350



- Made of polypropylene glass fibre.
- Allows you to install LinQ accessories.
- Sold in pack of 4.

LinQ Replacement Parts

715010798



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

LinQ Lock

G3, G3L

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder, LinQ Gear Grips, LinQ Gun Case (715010936) or LinQ Cargo Bed Rack (715009336).

CARGO & STORAGE

NEW Utility Box 6.6 gal (25 L) | G3 (6x6 models only), G3L (6x6 models only) | **715009772**



- Wherever you go and whatever you do, this handy 6.6 Gal (25 L) utility box is your mobile storage.
- Located under the flatbed, the lid keeps your equipment safe from the elements in all conditions.

Soft Storage Bag (70 L) | G3L | **715007002**



- Carry your gear in a weatherproof bag.
- Soft bag with a storage capacity of 18.5 gal (70 L) designed to maximise space in the front or rear of the vehicle.
- 3-compartment bag with removable dividers.
- Easy to install with strap system.
- X mr models: Fits on rear rack only.

HOLDERS

Tie-Down Anchors | G3 (6x6 models only), G3L (6x6 models only) | **715010487**



- Made of high-strength cast aluminium.
- Coated with corrosion resistant black coating.
- Add extra points on the wall of the cargo bed for tying down cargo in the back of your vehicle.
- Includes 4 pieces.

Tool Holder Bolt-On | G3, G3L | **715008896**



- Tool Holder is made to fit the LinQ Cargo Basket (90 L) (715005274 & 715010173), LinQ Cargo Box (53 L) (715006997 & 715010172), LinQ Trunk Box (139 L) (715006097 & 715009472), LinQ Cargo Bed Rack (715009336), and LinQ Trunk Box (145 L) (715005273 & 715009471).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs.
- Several degrees of adjustment.

Multi-Fit Holder | G3L | **715002354** · Single; **715001945** · Double



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- Easy installation on tubular rack, extension racks, basket or bumpers.
- Sold in pairs.

WINDSHIELDS

Adventure Side Wind Deflectors | G3L (except X mr and Electric models) | **715005862**



- Side Wind Deflectors for additional wind protection.
- Easy installation.
- Works with Adventure Windshields (715005860, 715005377, 715007268).

Required for installation:
- Console Extension (715005368).

Not compatible with:
- Integrated Audio System (715005354).

Adventure High Windshield – Hardcoated | G3L (except X mr and Electric models) | **715007268**



- Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and winter weather.
- Made of injected polycarbonate with a thickness of 5⁄32" (4 mm) with ultra-resistant Quantum[1] coating.
- Provides excellent optical clarity and better abrasion resistance.
- Side Wind Deflectors (715005862) available for added protection.

Required for installation:
- Console Extension (715005368).

Adventure High Windshield

G3L (except X mr and Electric models) | **715005377**



- Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and weather.
- Made of injected polycarbonate with a thickness of 5⁄32" (4 mm).
- Side Wind Deflectors (715005862) available for added protection.

Required for installation:
- Console Extension (715005368).

Adventure Low Windshield

G3L (except X mr and Electric models) | **715005860**



- Adventure windshield with three-position adjustable height.
- 10 in. (25 cm) high for wind protection.
- Made of injected polycarbonate with a thickness of 5⁄32" (4 mm).
- Side Wind Deflectors (715005862) available for added protection.

Required for installation:
- Console Extension (715005368).

Console Extension

G3 (except X mr models) | **715009218**



- Integrated storage compartment (0.44 gal / 2 L) with magnetic mount safe for your electronic device.
- Robust injected fibre-reinforced-polypropylene construction makes it easy to fit and install.
- 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: one pre-assembled Can-Am plate with 3M multi-surface adhesive.
- Includes guide clips moulded into the door to feed the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- Required for the installation of the Adventure Windshield and Side Wind Deflectors.
- Includes tether cord for additional peace of mind.

Not compatible with:
- Snorkel Kit.

Adventure Side Wind Deflectors

G3 (except X mr models) | **715009462**



- Side Wind Deflectors for additional wind protection.
- Easy installation.
- Controllable vents to manage airflow.
- Works with Adventure Windshields (715009219, 715009453, 715009458).

Required for installation:
- Console Extension (715009218).

Not compatible with:
- Integrated Audio System (715005354).

Adventure High Windshield – Hardcoated

G3 (except X mr models) | **715009458**



- Quickly change your wind protection with the flip of both levers.
- 14" (36 cm) high to protect against wind and winter weather with a 2" (5 cm) adjustment.
- Made of injected polycarbonate with a thickness of 5⁄32" (4 mm) with ultra-resistant Quantum† coating.
- Provides excellent optical clarity and better abrasion resistance.
- Side Wind Deflectors (715009462) available for added protection.

Required for installation:
- Console Extension (715009218).

Adventure High Windshield

G3 (except X mr models) | **715009453**



- Quickly change your wind protection with the flip of both levers.
- 14" (36 cm) high to protect against wind and weather with a 2" (5 cm) adjustment.
- Made of injected polycarbonate with a thickness of 5⁄32" (4 mm).
- Side Wind Deflectors (715009462) available for added protection.

Required for installation:
- Console Extension (715009218).

Adjustable Adventure Low Windshield

G3 (except X mr models) | **715009219**



- Quickly change your wind protection with the flip of both levers.
- 10" (25 cm) high for wind protection with a 2" adjustment.
- Made of injected polycarbonate with a thickness of 5⁄32" (4 mm).
- Side Wind Deflectors (715009462) available for added protection.

Required for installation:
- Console Extension (715009218).

High Windshield Kit

G3 (except X mr, Backcountry and XT-P), G3L (except X mr models)	**715006480**
G3 (Backcountry & XT-P models only)	**715010902**



- 11" (28 cm) high, for wind protection and winter applications.
- The windshield is made of polycarbonate, ⅛" thick (3 mm).
- Integrated plastic injected handguard with Can-Am logo.

Required for installation:
- Handguards Frame Kit (715010295) for installation on units with no factory handguards.

Not compatible with:
- Integrated Audio System (715005354) or Console Extension (715009218 or 715005368).

Extra High Windshield Kit

G3 (except X mr, Backcountry and XT-P), G3L (except X mr models)	**715006481**
G3 (Backcountry & XT-P models only)	**715010947**



- 16" (41 cm) high, for wind protection and winter applications.
- The windshield is made of polycarbonate, ⅛" thick (3 mm).
- Integrated plastic injected handguard with Can-Am logo.

Required for installation:
- Handguards Frame Kit (715010295) for installation on units with no factory handguards.

Not compatible with:
- Integrated Audio System (715005354) or Console Extension (715009218 or 715005368).

Console Extension

G3L (except X mr and Electric models) — **715005368**



- Integrated storage compartment (1 gal/4 L) with magnetic mount safe for your electronic device.
- Robust injected fibre-reinforced-polypropylene construction makes it easy to fit and install.
- Magnetic mount is 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: two pre-assembled Can-Am plates with 3M multi-surface adhesive.
- Includes guide clips moulded into the door to feed the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- Required for the installation of the Adventure Windshield and Side Wind Deflectors.
- Includes tether cord for additional peace of mind.

Not compatible with:
- Snorkel Kit.

Console Extension USB Power Outlet

G3 (except X mr & Electric models), G3L (except X mr & Electric models) — **715008750**



- Useful for the Console Extension (715005368 & 715009218) to plug your electronic device charger into the compartment.
- USB-A and USB-C ports.
- Rubber cap protects ports when not in use.
- Backlit to highlight the USB ports.

Required for installation:
- Console Extension (715005368 or 715009218).

HANDLEBARS & MIRRORS

Handguards Frame Kit

G3 (except X mr 1000R models), G3L — **715010295**



- Lightweight black die-cast aluminium full wrap frame.
- Mounting system leaves the handlebar free.
- Includes complete hardware.
- Required to install High & Extra High Windshield Kit (715006480, 715006481, 715010902 & 715010947) for units with no factory handguards.

Required for installation:
- Touring Handguards (715010293/715010294) or XT Handguards (715010296) or Sport Handguards (715010297/715011154).

Touring Handguards

G3 (except X mr 1000R models), G3L

- **715010293** · Black
- **715010294** · Neo Yellow



- Protect against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- New ergonomic design offers better comfort for the hand and increases protection.
- Include complete hardware.

Required for installation:
- Handguards Frame Kit (715010295).

XT Handguards

G3 (except X mr 1000R models), G3L — **715010296**



- Protect against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- New ergonomic design offers better comfort for the hand and increases protection.
- Include complete hardware.

Required for installation:
- Handguards Frame Kit (715010295).

Sport Handguards

G3 (except X mr 1000R models), G3L

715011154 · Black NEW
715010297 · Orange Crush



- Give your ATV a sporty look with the low-profile design.
- Rugged injected plastic deflectors with Can-Am logo.
- Include complete hardware.

Required for installation:
- Handguards Frame Kit (715010295).

Handlebar Muffs

G3 (except X mr 1000R models), G3L

715009288



- Ultra warm muffs for extreme cold conditions.
- Thermoformed construction allows muffs to keep their shape and provides more space for hand movement.
- Easy to install and remove without any tools.
- Large transparent section allows visibility of control switches.
- Installing the muffs without the handguard's large plastic parts can cause interference with controls.

Required for installation:
- Full Wrap Handguards Frame Kit (715010295) with Touring Handguards (715010293 or 715010294) or XT Handguards (715010296).

Not compatible with:
- Sport handguards (715010297/715011154).
- Windshield Kits (715006481, 715006480, 715010902 & 715010947).

Note: Always install complete Can-Am Touring or XT Handguards with these Handlebar Muffs.

Driver Full Wrap Handguards

G3 (base & DPS models only),
G3L (base & DPS models only)

715005361 · Black
715005362 · Neo Yellow



- Protect against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- Lightweight black die cast aluminium full wrap frame.
- New ergonomic design offers better comfort for the hand and increases protection.
- Mounting system leaves the handlebar free.
- Include complete hardware.

Passenger Wind Deflectors

G3 (MAX models only)
G3L (MAX models only)

715001669



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- Easy to install and remove.

Handlebar Mirrors

G3, G3L

715005366



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Don't require a windshield or fairing to be mounted.
- Work with all windshield options.

SKID PLATES



Our Skid Plates deliver the durability, strength and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: With aluminium A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation. No need to remove factory skid plates. No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

OUTLANDER

	G3		G3L		ELECTRIC	
	Except MAX models	MAX models only	Except MAX models	MAX models only	Except MAX models	MAX models only
SKID PLATE PROTECTION KIT						
	715009216 (except X mr & Backcountry models)	**715009217** (except X mr & Backcountry models)	**715010280**	**715010281**		
INDIVIDUAL SKID PLATES						
(1) **Front Aluminium A-Arm Protectors**	**715009214** (except X mr & Backcountry models)	**715009214** (except X mr & Backcountry models)	**715005305**	**715005305**	**715005305**	**715005305**
New Front Plastic A-Arm Protectors *(Not illustrated)*	**715010046**	**715010046**	**715010046**	**715010046**	**715010046**	**715010046**
(2) **Rear Aluminium A-Arm Protectors** *(Sold in pairs)*	**715009215** (except X mr & Backcountry models)	**715009215** (except X mr & Backcountry models)	**715005308**	**715005308**	**715005308**	**715005308**
New Rear Plastic A-Arm Protectors *(Not illustrated)*	**715010155**	**715010155**	**715010292**	**715010292**	**715010292**	**715010292**
(3) **HMWPE Underbelly and Footboard Plates**	**715009864**	**715009865**	**715009864**	**715009865**		
(4) **New Footwell Plastic Protector Plates**	**715010285**	**715010286**	**715010285**	**715010286**	**715010285**	**715010286**

SKID PLATES



Our Skid Plates deliver the durability, strength and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: With aluminium A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation. No need to remove factory skid plates. No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

OUTLANDER 6X6

	G3 6X6		G3L 6X6	
	Except MAX models	MAX models only	Except MAX models	MAX models only
SKID PLATE PROTECTION KIT				
	715009343 (except Backcountry models)	**715009344** (except Backcountry models)	**715009341**	**715009342**
INDIVIDUAL SKID PLATES				
(1) **Front Aluminium A-Arm Protectors**	**715009214** (except Backcountry models)		**715005305**	
New Front Plastic A-Arm Protectors *(Not illustrated)*	**715010046**	**715010046**	**715010046**	**715010046**
(2) **Rear Aluminium A-Arm Protectors** *(Sold in pairs)*	**715009215** (except Backcountry models)		**715005308**	
New Rear Plastic A-Arm Protectors *(Not illustrated)*	**715010155**	**715010155**	**715010292**	**715010292**
(3) **HMWPE Underbelly and Footboard Plates**	**715009339**	**715009340**	**715009339**	**715009340**
(4) **New Footwell Plastic Protector Plates**	**715010285**	**715010286**	**715010285**	**715010286**

BUMPERS & GUARDS

XT Front Bumper

G3 (except X mr) | **715009289**



- Heavy-duty construction with profiled steel tubes provides the most complete protection for your vehicle.
- Wide and sturdy construction with black powder-coat finish and metal corners.
- Integrated tow hooks and light mounting points.
- Protects vehicle lights and corners.
- Winch compatible.

XU Front Bumper

G3L | **715006614**



- Heavy-duty tubular construction provides the most complete protection for your vehicle.
- Protects vehicle lights and corners.
- Winch compatible.
- Integrated tow hook.
- Similar to the XU model's bumper.

XT Front Bumper

G3L | **715004952**



- Provides additional protection for your vehicle against the elements.
- Tough and durable.
- Large tube construction with black powder coat finish.
- Similar to stock bumper on XT models.
- Mounting plate included for tow hook.

Extreme Front Bumper Plates

G3 (except X mr models) | **715009293**



- Ultra-robust steel construction provides additional protection to the front of the vehicle in rough terrain.
- Compatible with all front bumpers.
- Durable powder coat finish.

Not compatible with:
- Track systems.

Extreme Front Bumper Plate

G3L (except X mr models) | **715005439**



- Ultra-robust construction provides additional protection to the front of the vehicle in rough terrain.
- Compatible with all front bumpers.

Not compatible with:
- Track systems.

Front Tow Hook

G3L | **715008842**



- Provides a solid anchor when towing is needed or when transporting the vehicle.
- Allows you to attach most hooks or straps.
- This tow hook offers 3,500 lb (1,587 kg) of towing capacity.
- Made of forged steel.

Required for installation:
- XT Front Bumper (715004952).

Not compatible with:
- Outlander XT stock bumper.

XT Rear Bumper

G3 (except 6x6 models) | **715009292**



- Made of profiled steel tubes for complete protection of the vehicle's rear.
- Provides additional protection for your vehicle against obstacles.
- Protects the rear lights of the vehicle without obstructing them.
- Wide and sturdy construction with black powder-coat finish and metal corners.

NEW Can-Am Rear Bumper

G3 (6x6 2027 models only), G3L (6x6 2027 models only) | **715011796**



- High-resistance steel tubular construction.
- Anti-corrosion coating with a durable powder-coat finish.
- Provides added protection to the rear.
- Requires installing the Cargo Bed Side Protectors (715009345).

Rear Bumper

G3 (6x6 2026 models only), G3L (6x6 2026 models only) | **715009770**



- High-resistance steel tubular construction.
- Anti-corrosion coating with durable powder coat finish.
- Provides added protection to the rear.
- Requires installing the Cargo Bed Side Protectors (715009345).

Cargo Bed Side Protectors

G3 (6x6 models only), G3L (6x6 models only) | **715009345**



- 1.5" (3.8 cm) diameter steel-tube construction.
- Anti-corrosion coating with durable powder coat finish.
- 3 integrated hook points on each side to secure cargo.

Required for installation:
- Rear Bumper (715009770 or 715011796).

Not compatible with:
- LinQ Cargo Basket (90 L) (715010173 & 715005274), LinQ Trunk Box 23 US Gal (87 L) (715009499) or LinQ Cargo Box 14 US Gal (53 L) (715010172 & 715006997).

Full Rear Bumper

G3L (except 6X6 models) | **715008738**



- Provides additional protection for your vehicle against obstacles.
- Protects the rear lights of the vehicle without obstructing them.
- Strong and durable, it must be added to the XT rear bumper (stock or accessory) for full protection.
- Wide and sturdy tubular construction with black powder-coat finish and metal corners.

XT Rear Bumper

G3L (STD, DPS & X mr models only) | **715004953**



- Sturdy tubular construction.
- Protects the vehicle against obstacles.
- Standard on Outlander XT and Outlander PRO.
- Fits base models with grab bar only.
- Required to install the Full Rear Bumper.

Fender Flares

G3L (except Electric models) | **715005349**



- Kit is designed to deliver extra protection to your vehicle from dirt and debris. If you enjoy riding in the mud, it's a must.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Give vehicle added flair for a rugged, cool look.
- Include front and rear extensions and all mounting hardware.

Not compatible with:
- European vehicles.

LIGHTS & ELECTRICAL

LIGHTS

NEW SMART 15" (38 cm) LED Light Bar

G3, G3L | **715008746**



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by quickly flicking the switch..
- See table for compatibility, installation location and requirements

Required for installation:
- Front bumper is required for all vehicles.
- Wiring Harness (715010044) or LinQ 16" Brackets for 15" LED Light Bar (715010259) with LinQ Base Installation Kit (860203055).

NEW LinQ 16" Brackets for 15" LED Light bar

G3 (except X mr models), G3L (except X mr models) | **715010259**



- Allows the light to be moved easily—plug-and-play.
- Higher and farther lighting point.
- Does not sacrifice the cargo rack.
- Mounted higher up, so it's less likely to be blocked by another accessory or by vegetation, brushes or tall grass.
- Brackets can only be installed at the front of the vehicle.
- Can be positioned on the drop-down cover or on a cargo box with LinQ Base Installation Kit (860203055).
- Switch is included and integrates into the console.
- Switch options: Off, Low, High and flick for yellow.

Required for installation:
- SMART 15" (38 cm) LED Light Bar (715008746) with LinQ Base Installation Kit (860203055).

SMART 10" (25 cm) LED Light Bar

G3 (except X mr models), G3L

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- Selective yellow is ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Colour change by flicking the switch quickly.
- Compatible with multiple bumper options.

Required for installation:
- Wiring Harness (715010044).

10" (25 cm) Double Stacked LED Light Bar (60 W)

G3 (except X mr models), G3L

715010065



- Equipped with 12 5-W Cree LEDs.
- 5,400 lumens.
- Rugged and waterproof.
- Packs a big punch for its size.
- ECE R10 compliant.
- Can also be installed on the stock front bumpers (XT and XU).

Required for installation:
- XT or XU Front Bumpers (715004952, 715009289 or 715006614) and Light Power Cable (715005353).

15" (38 cm) Double Stacked LED Light Bar (90 W)

G3 (except X mr models), G3L

715010066



- Equipped with 18 5-W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- ECE R10 compliant.
- Can also be installed on the stock front bumpers (XT only).

Required for installation:
- XT Front Bumper (715004952 or 715009289) and Light Power Cable (715005353).

3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights

G3 (except X mr models), G3L (except Electric models)

715009775



- 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminium housing.
- Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- EC compliant.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Can also be installed on the stock front bumpers (XT and XU).

Required for installation:
- XT or XU Front Bumpers (715004952, 715009289 & 715006614) and Light Power Cable (715005353).

3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights

G3 (except X mr models), G3L (except Electric models)

715009774



- 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminium housing.
- Features 2 attachment points — if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- EC compliant.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, or for dusty or foggy riding conditions.
- Can also be installed on the stock front bumpers (XT and XU).

Required for installation:
- XT or XU Front Bumpers (715004952, 715009289 & 715006614) and Light Power Cable (715005353).

LED Light Bar Harness

G3 (except X mr models), G3L

715010044



- Required to install SMART 10" (25 cm) LED Light Bar (715008745) and SMART 15" (38 cm) LED Light Bar (715008746).
- Plug & play installation.
- Includes harness and hardware.

Light Power Cable

(Not illustrated)

G3, G3L

715005353

- Required for installation of the 10" (25 cm) and 15" (38 cm) LED Light Bars, as well as the 3.5" (9 cm) LED Lights.

RAM† LED Spotlight

G3, G3L

710005423



- 540-lumen (9 W) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.

ELECTRICAL

Power Tilt Bed

G3 (6x6 models only), G3L (6x6 models only)

715009338



- Powerful cargo box tilter with dash-integrated switch.
- Supports loads of up to 1,000 lb (453 kg).
- Features a strong and fast tilting electric actuator.

Integrated Heated Grips & Thumb Throttle Combo

G3 (except X mr 1000R), G3L

715009284



- Heat levels for grips and thumb displayed on vehicle screen.
- Ergonomic button integrated on LH grip.
- Single button for both grips and thumb heat selection.*
- Five temperature settings for the thumb and grips.
- Adjustable heat ratio between grip and thumb warmer.*
- Hold button to reach maximum heat quickly.
- Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- ECE compliant.
- Plug-and-play installation.
- Clamp-on grips, no glue required.

**Models with touchscreen or colour display provide enhanced user interface with independent grips and thumb heat level selection.*

Heated Passenger Grips & Visor Outlet

G3 (MAX models only), G3L (MAX models only)

715005358



- Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- Heated visor outlet integrated into seat arm.

Seat Heater

G3L (except G3L MAX (Electric and Pro models) 2026 & G3L MAX (all models) 2027)

715007211



- 25 W seat heater delivers chill-free riding comfort.
- One temperature only.
- Heated pad and electrical harness only.

Required for installation:
- Heavy-Duty Seat Cover (715008311) is required for installation on 1-up models.
- Heavy-Duty Seat Cover (715008313) is required for installation on 2-up models.

Heated Visor Outlet

G3, G3L

715001246



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

USB Power Outlet Kit

G3, G3L

219400510



- Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors.
- Plug-and-play kit.
- Replaces the vehicle's 12 V socket.

**The power outlet is not capable of recharging all device types while riding.*

USB Intelligent Power Outlet Kit

G3, G3L

715009117



- Power all your electronics with this easy-to-mount USB plug.
- Provides one USB-A 3.0 and one USB-C (PD) plug.
- Power rate: 36 watts.
- Intelligent USB charger for a fast charge when battery is low.
- Replaces the vehicle's 12 V socket.

10.25 in. Colour Touchscreen Display Protector

Vehicle equipped with 10.25 in. Colour Touchscreen Display

860202680



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble-free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

NEW 5" Colour Display Screen Protector

G3L (Electric models only with 5" Colour Display)

219401334



- Tempered glass – 0.5 mm thick.
- 9H hardness for tough protection.
- 100% bubble-free adhesive.
- Anti-scratch and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

NEW Peak Design Phone Holder

G3, G3L

219401317



- The Peak Design Phone Holder is the perfect way to keep your phone safe and secure on your motorcycle.
- It offers a mounting arm that can be rotated and locked into 24 different positions. This versatility ensures that your phone is always positioned exactly where you want it.
- Includes Bar Mount V2 and Universal Adapter, for all phones.
- Bar Mount:
  - Machined/anodized aluminium mounting head & arm.
  - Grippy silicone mounting pad.
  - Silicone vibration dampers.
  - High-temperature resistance mounting magnets. Engineered to maintain their magnetic strength and integrity even when exposed to elevated temperatures.
- Universal Adapter:
  - Adheres to smooth, non-textured, non-porous case materials like hard plastic and metal. Not recommended for soft or rubbery surfaces like silicone or leather.
  - 100% recycled weatherproof nylon canvas exterior shell.
  - Ultralight polycarbonate body.
  - High-temperature resistance mounting magnets.
  - High-strength ceramic locking ring.
  - Ultra-strong weatherproof 3M VHB.
  - Compatible with all Peak Design holders.

NEW Heated Cellphone Holder

G3, G3L

860202896



- Heating element preserves cellphone battery longer.
- Water-resistant door allows for optimal phone positioning.
- Features capacitive and resistive touchscreen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (18,5 cm) x 3.3" (8.5 cm) x 0.6" (1.5 cm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.
- Required for installation:
  - GPS RAM Mount For Handlebar (715001985) or Console Extension (715005368) and Adaptation Harness for Heated Cellphone Holder (715010220). If installed on the Console Extension, the Console Extension USB Power Outlet (715008750) is required to charge cellphone.
  - USB Intelligent Power Outlet Kit (860202433) required to charge cellphone.

Not compatible with:
- If installed on the Console Extension, Driver Full Wrap Handguards (715005361 or 715005362), Touring Handguards (715010293 or 715010294), XT Handguards (715010296) Sport Handguards (715010297 or 715011154) are incompatible.

NEW Adaptation Harness for Heated Cellphone Holder

G3, G3L

715010220



- Requires installing the Heated Cellphone Holder (860202896).

Cellphone Holder

G3, G3L

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touchscreen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

Required for installation:
- RAM Mount for Cellphone Holder (715001985) or the Console Extension (715005368).
- If installed on the Console Extension, the Console Extension USB Power Outlet (715008750) is required to charge cellphone.
- If installed on the Console Extension, Driver Full Wrap Handguards are incompatible.

RAM† Mount for Cellphone Holder

G3, G3L

715001985



- Convenient bracket for installing the Cellphone Holder (715008786) (not included) onto your unit's handlebar.

Quick Connect Cable with Battery Indicator

715006055



- Quickly and easily connect and charge different batteries with your charger.
- 3-colour LED indicator provides constant battery health indication.
- Sold individually.

RFID Key Green D.E.S.S.™

G3 (with ITC), G3L (with ITC)

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: Limits vehicle speed to 25 mph (40 kph) but does not limit engine torque.
  - Normal mode: Limits vehicle speed to 44 mph (70 kph) and 50% torque reduction.
  - Performance mode: No restrictions.

Mobile EVSE Level 1 Charging Cable

G3L (Electric models only)

219401227



- Feature compact size, overheating protection mechanismv and an IP67 ingress protection rating.
- Bright and smooth panel design with built-in LED indicators.
- Allows you to charge your vehicle at ambient temperatures down to 14°F (–10°C).
- Included:
  - 1 mobile connector – 9.5' (3 M) cable
  - 1 storage bag
  - AC type plug: NEMA 5-15
  - Voltage: 120 V
  - Charging Power: 12 A

AUDIO

Integrated Audio System

G3, G3L

715005354



- Fully integrated and weatherproof audio system.
- Includes two 6.5" front fender Bluetooth speakers giving you fingertip control of the tracks you're playing.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Expertly tuned for exceptional sound, even when you're on the move on your Outlander.
- Comes with two speakers, each with 50 W dynamic power, for a total of 100 W dynamic power.
- Seamless integration and operation from any Bluetooth-enabled devices, or via an auxiliary port.
- Plug-and-play audio system specifically designed not to drain the battery.
- Compatible with the Console Extension (715005368 or 715009218) and Adventure Windshields.
- EC compliant.

Not compatible with:
- Adventure Side Wind Deflectors (715005862 or 715009462).
- Windshield Kits (715006481, 715006480, 715010902 & 715010947).

Note: We recommend you use 20 kbps MP3, 192–256 kbps AAC or AIFF, or WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

Bluetooth Handlebar Soundbar by MTX

G3 (except X mr), G3L (except Electric models)

219400840



- Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- EC compliant.

Note: We recommend you use 320 kbps MP3, 192-256 kbps AAC or AIFF, or WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

WINCHES

CAN-AM HD WINCHES

NEW Can-Am HD 2500 Winch

G3 (except X mr models), G3L

715011435



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3⁄16" (15.2 m of 4.8 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Sealed solenoid for all-weather protection.
- EC & UKCA compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715011150).
- Outlander Electric: Winch Electrical Harness (715011150) and Winch Harness (715009917).

NEW Can-Am HD 3500 Winch

G3 (except X mr models), G3L

715011436



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 7⁄32" (15.2 m of 5.2 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- Sealed solenoid for all-weather protection.
- EC & UKCA compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715011150).
- Outlander Electric: Winch Electrical Harness (715011150) and Winch Harness (715009917).

NEW Can-Am HD 3500-S Winch

G3 (except X mr models), G3L

715011323



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3⁄16" (15.2 m of 4.8 mm) synthetic rope.
- Heavy-duty Hawse fairlead.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- EC and UKCA compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715011150).
- Outlander Electric: Winch Electrical Harness (715011150) and Winch Harness (715009917).

NEW Rear Winch Kit

G3 (6x6 models only), G3L (6x6 models only)

715009334



- Includes the Can-Am HD Winch 3500-S and Rear Mounting Kit.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Corded 10 ft (3 m) weather-sealed, wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft of 3⁄16" (15.2 m of 4.8 mm) synthetic rope.
- Heavy-duty Hawse fairlead.
- Sealed solenoid for all-weather protection.
- Plug-and-play.
- EC and UKCA compliant.

Required for installation:
- Can-Am HD Wired Remote Control (715008121) or the Wireless Remote (715008286) is required if there is no front winch.

NEW Can-Am Rear Winch

G3 (except 6x6 models), G3L (except 6x6 models)

715010195



- Includes the Can-Am HD Winch 3500-S, Rear Mounting Kit and a rear bumper reinforcement.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 39.3 ft of 3⁄16" (11.9 m of 4.8 mm) synthetic rope.
- Heavy-duty Hawse fairlead.
- Sealed solenoid for all-weather protection.
- Features a heat deflector that protects the winch.
- Winch control selector switch for front or rear operation.
- Plug-and-play.
- EC and UKCA compliant.
- G3L: Compatible with XT Rear Bumper (715004953).

Required for installation:
- Outlander: Can-Am HD Wired Remote Control (715008121) or the Wireless Remote (715008286) is required if there is no front winch.
- Outlander with Colour Display: Can-Am HD Wired Remote Control (715008121) or the Wireless Remote (715008286).
- Outlander Electric: Winch Harness (715009917) and Can-Am HD Wired Remote Control (715008121) or the Wireless Remote (715008286).

Not compatible with:
- Can-Am Retractable Rope System (715010190).

WINCH ACCESSORIES

NEW Can-Am HD Winch Auto-Stop

G3, G3L

715010305



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

Not compatible with:
- Can-Am Rear Winch (715010195 and 715009334).

NEW Can-Am HD Winch Hook

Can-Am HD Winch

715011610 · Platinum Silver



- Heavy-duty, forged and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminium latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

NEW Winch Electrical Harness

(Not illustrated)

Can-Am HD Winch

715011150

- Required for the installation of the Can-Am HD Winches.

Required for installation:
- Outlander Electric: need to add Winch Harness (715009917).

X mr Winch Strap Extension for Plow

G3 X mr

715010174



- Heavy-duty black polyester webbing strap with PVC abrasion protection.
- UV, mildew and stretch resistant.
- Provides a physical height limiter to enhanced frame protection, avoiding contact between plow pushframe and the vehicle.
- Instantly adds significant length to your winch hook.

Wireless Winch Remote

All Can-Am HD Winches

715008286



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Winch Cable Stopper

All Can-Am HD Winches

715009921



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook and fairlead.
- In addition, the split design makes it easy to install.

NEW Replacement Synthetic Winch Cable

(Not illustrated)

Can-Am HD Synthetic Winch

715011151

- 50' x 3⁄16" (15.24 m x 4.76 mm) UHMWPE construction.
- Heavy-duty stainless steel eye guard.
- Very low stretch for consistent performance.
- Replace your old cable in 15 minutes or less.
- No kinks, curls, rust or splinters.
- Safe and easy to handle.
- Floats on water for easier recovery.

NEW Replacement Synthetic Winch Cable

(Not illustrated)

Can-Am HD Synthetic Winch

715011668

- 38' x ¼" (11.58 m x 6.35 mm) UHMWPE construction.
- Heavy-duty stainless steel eye guard.
- Very low stretch for consistent performance.
- Replace your old cable in 15 minutes or less.
- No kinks, curls, rust or splinters.
- Safe and easy to handle.
- Floats on water for easier recovery.

Winch Harness

G3L (Electric models only)

715009917



- Required to install a winch on a Outlander Electric without a factory installed winch.

Can-Am HD Wired Remote Control

Can-Am HD Winches

715008121



- This kit allows owners to add a handheld remote to their winch or a stock winch.
- Works with the handlebar-mounted switch.
- Wired Remote and Remote Socket included.
- 10 ft. wire.

Winch Accessories Kit

715002409



- Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- Includes tree straps, snatch block, shackle and winching gloves.

HITCHES

HITCHES

NEW Rear Hitch Drawbar Kit | G3, G3L | **715011530**



- Works on 2" (5 cm) standard receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Solid steel construction.
- Extended length design for easier rear hitch access.

Front Receiver Hitch | G3, G3L | **715004977**



- Installs easily. No drilling required.
- This hitch offers a 1,500 lb (680 kg) towing capacity.
- Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately.

HITCH ACCESSORIES

Rubber Receiver Plug | **705204503**



- Rubber cap for 2" (5 cm) hitch receiver.

RECOVERY

NEW Can-Am Retractable Rope System

G3, G3L | **715010190**



- Tow a disabled vehicle easily.
- 11 ft self-retracting tow rope for quick and convenient operation.
- 13,000 lb (5,910 kg) rope breaking strength.
- 2,600 lb (1,180 kg) rope working load limit.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg).
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.
- Features a built-in tow hook.

Not compatible with:
- Can-Am Rear Winch (715010195 or 715009334).

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

G3, G3L | **715010814**



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Kinetic Recovery Kit

G3, G3L | **715010837**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Front Tow Hook

G3, G3L | **715010191** • Viper Red



- Provides a solid anchor when towing is needed or when transporting the vehicle.
- Bolts straight on to the Outlander front end below the bumper with or without a winch.
- Made of heavy-duty steel specifically designed for recovery.
- Allows you to attach most hooks or straps.
- This Tow Hook offers 3,500 lb (1,587 kg) of towing capacity.

NEW Can-Am Soft Shackle

G3, G3L | **715010577**



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

G3, G3L | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminium construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

G3, G3L | **715010835**



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fibre engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

G3, G3L

715010836



- Change the direction of your pull.
- Machined from premium aluminium alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

PERFORMANCE

Fixed Riser – 1.5 in. (38 mm)

G3 (except X mr 1000R, XT-P & Backcountry models), G3L

715009919



- 1.5" (38 mm) height.
- Made of lightweight machined aluminium.
- Black powder coat paint.

Performance Sway Bar Kit

G3 2025 & up

715010580



- Made of high-strength steel for durability and precision.
- Double bonded rubber bushings on sway bars reduce noise and maintenance and increase durability.
- Includes complete hardware.

Foam Air Filter by TwinAir†

G3L (except Electric models) — **715004944**

G3 — **715009125**



- Oiled filtering foam for superior dust retaining capacity with high air flow.
- Washable and reusable.

NEW Snorkel Kit

G3, G3 MAX (except all X mr models)

715009975



- Raises point of engine and CVT air intakes.
- Allow to semi-submerse the vehicle in water/mud without taking in water to the engine, differential and transmission.

Required for installation:
- Radiator Relocator Kit (715009127)

Not compatible with:
- Front Cargo Boxes
- Console Extension (715009218).
- Adjustable Adventure Windshield (715009453).
- Adventure High Windshield - Hardcoated (715009458).
- Ajustable Adventure Low Windshield (715009219).
- Adventure Side Wind Deflectors (715009462).
- Handlebar Muffs (715009288).
- High Windshield Kit (715006480 or 715010902).
- Extra High Windshield (715006481 or 715010947).
- Radiator Protector (715005333)

Snorkel Kit

G3L (except Electric models)

715005073



- Comprehensive snorkel kit for extended air intakes and CVT exhaust.
- The CVT outlet integrates into the pod cover.
- Ideal when riding in muddy conditions.
- Can be installed with the Integrated Audio System (715005354).

Not compatible with:
- Windshields.

NEW Radiator Relocator Kit

G3 (except X mr models)

715009127



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Allows riders to open the relocator hood for easy radiator cleaning.
- Engineered for easy cooling system bleeding and maintenance.
- Includes support, hardware and hoses.
- Uses existing radiator: radiator not included.

Not compatible with:
- Front Cargo Boxes.
- Console Extension (715009218).
- Adjustable Adventure Windshield (715009453).
- Adventure High Windshield – Hardcoated (715009458).
- Ajustable Adventure Low Windshield (715009219).
- Adventure Side Wind Deflectors (715009462).

Radiator Relocator Kit

G3L (except Electric models)

715004943



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Allows riders to open the relocator hood for easy radiator cleaning.
- Engineered for easy cooling system bleeding and maintenance.
- Includes support, hardware and hoses. Uses existing radiator: radiator not included.

Mud Strap

G3, G3L

715003053



- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions.

Radiator Protector

G3 (except X mr models)
G3L (except X mr models)

715005333



- Metal shield mounts over radiator face and protects vehicle from stones and branches.
- Easily slides out of its holder for easy cleaning.

Heavy Duty Spring Kits

G3L (except MAX, X mr and Electric models)

715008202 • Front
715004942 • Rear



- Allows riders to replicate the standard HD5/HD7 suspension setup on the Outlander 500/700 (1-up).
- The heavy-duty springs improve handling and provide enhanced stiffness, which is perfect for snow clearing and hauling heavy loads.
- Two springs included in the kit.

Aluminium Footpeg Kit

G3, G3L

715008199



- Provides maximum integrated grip and stability during vigorous riding.
- The kick-up end gives riders added grip during hard cornering.
- Made of aluminium, sold in pairs.

EMERGENCY ACCESSORIES

Emergency Kit

715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

COVERS & ADD-ONS

Heavy-Duty Seat Cover

G3 (except MAX models)
G3L (except MAX models)

715008311



- Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

Heavy-Duty Seat Cover

G3L (except G3L MAX (Electric and Pro models) 2026 & G3L MAX (all models) 2027)

715008313



- Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

Trailering Cover

G3, G3L (except MAX & 6x6 models)	**715010578**
G3, G3L (MAX models only & except 6x6 models)	**715010579**



- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Fuel tank can be accessed via a zip fastener.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and coloured panels from abrasion.
- Quick and easy clip-on installation.
- Designed with the vehicle to fit its lines perfectly for less wind resistance and less water accumulation.
- Can be installed with or without Can-Am accessories.

Flag

715000277 · Yellow



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 5'6" (1.7 m) length.
- Includes Flag Mount (715000127).

Ratchet Tie-Downs

715008309 · Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

NEW Lockable Fuel Cap

G3L, G3

715011132



- Protect your fuel
- 2 keys included

APACHE TRACK SYSTEMS

APACHE XC AND XC LT

Apache XC LT Track System

G3 (except 6x6 models)
G3L (except 6x6 models)

715007719



- Long Track version.
- Brand-new track design to optimise driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision with this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimised track alignment and reduced occurrences of detracking.
- Optimised track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

Required for installation:
- DPS module and engine and CVT pre-filter.

Apache XC Track System

G3 (except 6x6 models)
G3L (except 6x6 models)

715008664



- Brand-new track design to optimise driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision with this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3.25" of ground clearance vs. 25" tyres.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimised track alignment and reduced occurrences of detracking.
- Optimised track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

Required for installation:
- DPS module and engine and CVT pre-filter.

Apache XC & XC LT Mounting Kit

(Not illustrated)

G3 (except 6x6 models)
G3L (except 6x6 models)

715008264

- Required for installation of the Apache XC and XC LT Track System.
- Track DPS Module and Pre-Filter not included.

APACHE BACKCOUNTRY

Apache Backcountry Track System

G3 (except 6x6 models)
G3L (except 6x6 & Electric models)

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- For winter use only.

Required for installation:
- Apache Backcountry Mounting Kit and engine and air intake pre-filters.

Apache Backcountry Mounting Kit

(Not illustrated)

G3 (except 6x6 models)
G3L (except 6x6 & Electric models)

715010045

- Required to install Apache Backcountry Track System.
- DPS module and pre-filter not included.
- Improved installation time and switch seasons faster than ever.

APACHE TRACK SYSTEM ACCESSORIES

Track DPS Module
(Not illustrated)

G3L (without iTC)	**715007338**
G3 G3L (with iTC)	**715006266**

- An innovative DPS module that ensures speedometer accuracy and optimised steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Air Intake Engine Pre-filter



G3 G3L (except Electric models)	**715008314**

- Adds extra protection for your engine in harsh riding conditions.
- The filter blocks particles larger than 0.005".
- Necessary when tracks are installed.

Idler Wheel Kit



Apache Backcountry Track System (rear tracks only)	**860201230** • 141 mm

- Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Slider with Vespel† Insert



Apache Backcountry Track System	**503194815**

- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Rail Ice Scratchers



Apache Backcountry Track System	**860201728**

- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023 & Up	G3L G3	**715005247**	**715010045**	**715007338** (without iTC) OR **715006266** (with iTC)	**715008314** (except Electric models)	Not required

APACHE XC AND XC LT

Model Year / Model		Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023 & Up	G3L G3	**715007719** (Apache XC LT) and **715008664** (Apache XC)	**715008264**	**715006266** (with iTC) OR **715007338** (without iTC)	**715008314** (except Electric models)	Not required

SCAN HERE TO SEE FULL APACHE TRACK SYSTEMS FITTING GUIDE.

PROMOUNT PLOWS

PROMOUNT PLOW KITS

STEEL – REFERENCE CHART

	54" Black Steel	60" Black Steel	66" Black Steel	72" Black Steel
Plow Kit	715011002	715011003	715011004	—
Blade	715004472	715004202	715009881	715009877
Push Frame	715010845	715010845	715010845	715010845
Mounting Kit	715009483	715009483	715009483	715009483

FLEX2 – REFERENCE CHART

	60" Flex2	66" Flex2	72" Flex2
Plow Kit	715011005	715011006	—
Blade	715004203	715009883	715009868
Push Frame	715010845	715010845	715010845
Mounting Plate	715009483	715009483	715009483

STEEL PLOWS

Can-Am ProMount 54" (137 cm) Steel Plow Kit

G3, G3L

■ **715011002** · Black



This kit includes:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 60" (152 cm) Steel Plow Kit

G3, G3L

■ **715011003** · Black



This kit includes:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Steel Plow Kit

G3, G3L

■ **715011004** · Black



This kit includes:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount Steel Blade 54" (137 cm)

Fits ProMount Push Frame

■ **715004472** · Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Not compatible with:
- ProMount Drift Cutters, Blade Extensions and Edge Markers.

Can-Am ProMount Steel Blade 60" (152 cm)

Fits ProMount Push Frame

■ **715004202** · Black



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blade 66" (168 cm)

Fits ProMount Push Frame

■ **715009881** Black



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Steel Blade 72" (183 cm)

Fits ProMount Push Frame

■ **715009877** · Black



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount 60" (152 cm) Flex2 Plow Kit

G3, G3L

■ **715011005** · Black



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Flex2 Plow Kit

G3, G3L

■ **715011006** · Black



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

CAN-AM ProMount FLEX2 PLOWS

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203



- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

715009883



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point. Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715009868



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damage to your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

ANGLE PLOWS

Can-Am ProMount Angle Blade 60" (152 cm) Steel Oneway State

G3, G3L

715007261



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blade 72" (183 cm) Steel Oneway State

G3, G3L

715009879



- Now with an improved shoe design for better flotation with an easy and quick tool-free adjustment.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

ProMount One-Way State Blade Rubber Flap

(Not illustrated)

715007299

- Allows for more efficient snow projections in various snow conditions.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Push Frame with Quick-Attach System

G3, G3L

715010845



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides the ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- Allows blade to swivel left or right in five positions.
- Compatible with all Can-Am ProMount blades.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.

Required for installation:
- Can-Am ProMount Mounting Kit.
- G3 X mr models: X mr Winch Strap Extension for Plow (715010174).

Can-Am ProMount Plow Angling System

G3, G3L

715010904



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Compatible with ProMount Blade.
- Winch and plow sold separately.

Required for installation:
- Push Frame (715010845) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.

Not compatible with:
- Apache Backcountry LT Track System.

Can-Am ProMount Push Frame Extension

G3, G3L

715006257



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

Can-Am ProMount Mounting Kit

G3, G3L

715009483



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- No drilling required.
- Quick installation directly to the chassis.
- Plow Roller Fairlead included.

Plow Quick Adjust Blade Shoes

ProMount Steel & Flex2 Blades 54" & 60" (all years), 66"& 72" (2025 & prior)

715009751



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

X mr Winch Strap Extension for Plow

G3 X mr

715010174



- Heavy-duty black polyester webbing strap with PVC abrasion protection.
- UV, mildew and stretch resistant.
- Provides a physical height limiter for enhanced frame protection, avoiding contact between plow pushframe and the vehicle.
- Instantly adds significant length to your winch hook.

Can-Am ProMount Edge Markers

G3, G3L

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters

G3, G3L

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Plastic Wear Blade

G3, G3L

715004480 • 54" (137 cm)
715004481 • 60" (152 cm)
715004482 • 66" (168 cm)



- To help prevent scratches on smooth driveways and markable surfaces.

Can-Am ProMount Curved Wear Blade

G3, G3L

715007791 • 60" (152 cm)
715007792 • 66" (168 cm)
715007793 • 72" (183 cm)



- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

Back Drag Blade

ProMount Plows (60" and more)

715007794



- ¼" thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Plow Roller Fairlead

G3, G3L

705009222



- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.
- Included in the Can-Am ProMount Mounting Kit (715009483).

Pulley Kit for Alpine Super-Duty Plow

G3, G3L

715000279



- Pulley kit to be used in conjunction with the winch when using a snow plow.
- Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Plow Limit Switch
(Not illustrated)

G3, G3L

715006319

- To control the cable tension when raising your plow system.
- Prevents winch, plow push frame and vehicle damage.

Synthetic Winch Cable for Plowing

715000540



- Specially designed for plowing applications.
- 8' (2.4 m) section of durable, extra-strong synthetic rope.
- Stands up to repeated, sharp angle pulls used to lift heavy plow blades.
- Temporarily replace your winch rope for plow season to save wear and tear on wire rope.

ATV PARTS AND MAINTENANCE

Keep an Eye on These Parts	297
How to use the EPC	299
Air Filters	300
Oil Filters	300
Spark Plugs	300
Batteries	300
D.E.S.S. Keys	301
Removable Passenger Seat Conversion and LinQ Seat Anchorage	301
Axles	302
Ball Joints	304
Brake Pads	304
pDrive Maintenance Kits	304
Drive Belts	305
XPS Tyres	306
Tyre & Wheel Specifications Chart	307
Lubricant & Oil Change Kit	308
Coolants	309
Maintenance Products	309

CAN-AM ATVs – G2, G2L, G2S



To make sure your ATV performs as you expect, keep an eye on these components.*

OIL FILTER		420256188
ENGINE OIL		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4t 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT		
5W-40 Synthetic Oil	500 cc or more V-twin engine	9779488
0W-40 Synthetic Oil	500 cc or more V-twin engine	9779259
10W-50 Synthetic Oil	500 cc or more V-twin engine	9779252
5W-40 Synthetic Oil	450 cc or less	9779487
0W-40 Synthetic Oil	450 cc or less	9779257
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709001109
AIR FILTER		
Performance Air Filter by Twin Air†		715001333
Premium Air Filter		707800371
CVT AIR FILTER		
G2S		707001786
G2, G2L		715003483
DRIVE BELT		
450 cc		422280283
500 cc & more		422280366

BRAKE PADS**		
Front Left	Metallic G2, G2L, G2S (X mr models)	715900248
Front Right		715900249
Rear Left	Metallic G2, G2L, G2S (X mr models)	715900248
Rear Right		715900249
Front Left	Organic G2, G2L, G2S (except X mr)	705601015
Front Right		705601014
Rear Left	Organic G2, G2L, G2S (except X mr)	—
Rear Right		705601014

**Each kit includes 2 pads.

CV BOOT KITS		
Front Wheel Side	G2 (except X mr), G2S, G2L X mr	705401345
Front Diff Side	G2 (except X mr), G2S, G2L X mr	705401346
Front Wheel Side	G2 X mr & G2S X mr	705401354
Front Diff Side	G2 X mr & G2S X mr	705401355
Front Wheel Side	G2L (except X mr), 2016–2018 G2 Base, DPS & XT 570	715900298
Front Diff Side	G2L (except X mr), 2016–2018 G2 Base, DPS & XT 570	715900299
Rear Wheel & Diff Side	G2, G2S, G2L X mr & 6x6	705501864
Rear Wheel Side	G2L (except X mr)	705401345
Rear Diff Side	G2L (except X mr)	705401346
WHEEL BEARINGS		293350150
FRONT A-ARM BUSHING KIT		703500875
BALL JOINTS		
Lower		703501262
Upper		703501264
SPARK PLUG		
450, 850, 1000R engines		715900352
570, 650, 1000 engines		715900642
BATTERY		
18 Ah Yuasa YTX20L, fact. activated		410301203

*Refer to periodic maintenance chart for proper intervals.

CAN-AM ATVS – G3, G3L



To make sure your ATV performs as you expect, keep an eye on these components.*

OIL FILTER		420256188
OIL FILTER COVER O-RING		420230922
DRAIN PLUG SEALING RING		420552280
ENGINE OIL		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4T 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT		
0W-40 Synthetic Oil	ACE 650 cc Single cylinder	9779481
5W-40 Synthetic Oil	ACE 650 cc Single cylinder	9779480
10W-50 Synthetic Oil	500 cc or more V-twin engine	9779252
0W-40 Synthetic Oil	500 cc or more V-twin engine	9779259
5W-40 Synthetic Oil	500 cc or more V-twin engine	9779488
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709001109
AIR FILTER		
G3		703501249
G3L		703501247
DRIVE BELT		
G3L 500 cc		422280226
G3, G3L 700 cc and more		422280225
PDRIVE MAINTENANCE KITS		
Torque Rollers Maintenance Kit		861805587
Ramp Rollers Maintenance Kit		861805586

BRAKE PADS		
Front Left & Right	Semi-Metallic G3 1000R, G3 850 X mr	705602167**
Rear Left & Right		705602167**
Front Left & Right	Semi-Metallic G3 850 (except X mr), G3L	705602167**
Rear Right		705602168***

**Kit includes 4 pads, pin set and retaining springs
***Kit includes 2 pads, pin set and retaining spring

CV BOOT KITS		
Front Wheel Side	G3 850 except X mr G3L - all packages	715500559
Front Diff Side	G3 850 except X mr G3L - all packages	715500560
Rear Wheel Side	G3 850 except X mr G3L - all packages	715500561
Rear Diff Side	G3 850 except X mr G3L - all packages	715500562
Front Wheel Side	G3 1000R except X mr & Backcountry	715500561
Front Diff Side	G3 1000R except X mr & Backcountry	715500563
Rear Wheel Side	G3 1000R, all packages	715500564
Rear Diff Side	G3 1000R, all packages	715500565
Front Wheel Side	X mr 850 & 1000R Backcountry 1000R	715500566
Front Diff Side	X mr 850 & 1000R Backcountry 1000R	715500567
WHEEL BEARINGS		293350150
BALL JOINTS		
Lower		703501262
Upper		703501264
SPARK PLUG		715900785
BATTERY		
20 Ah, fact. activated	G3	715900973
18 Ah Yuasa YTX20L Fact. activated	G3L	410301203

*Refer to periodic maintenance chart for proper intervals.

ELECTRONIC PARTS CATALOG (EPC)



IT'S THE GO-TO RESOURCE FOR QUICKLY LOCATING, IDENTIFYING AND ORDERING EXACT-FIT CAN-AM GENUINE PARTS. TO HELP YOU SAVE EVEN MORE TIME, ALL FAST-MOVING MAINTENANCE AND WEAR PARTS ARE NOW GROUPED ON THE FIRST PAGE OF EACH MODEL.

3 SIMPLE STEPS TO FIND THE RIGHT PART

1. Select the exact vehicle model.
2. Choose the vehicle system needing a part.
3. Pick the part and add it to the cart.

SCAN THE QR CODE FOR INSTANT ACCESS TO THE EPC ON ECOM.

AIR FILTERS

Premium Air Filter

- Premium quality filter, built to exact specs to prevent contaminants from reaching your engine and protects internal components against premature wear.
- Features high-density pleated media for maximum dirt-holding capacity, a moulded seal for tight fit and durable construction to prevent collapse in extreme conditions.



Models	
G3, all packages, 2025–2027	**703501249**
G3L 2023–2027	**703501247**
G2, G2L, G2S 2011–2027	**707800371**

OIL FILTERS

Oil Filters

- High-quality construction OEM filter that is designed for your Rotax engine.
- Helps protect critical engine components from contaminants.
- Maintains correct oil flow and pressure.



Models	
G2, G2L, G2S, G3 & G3L	**420256188**

SPARK PLUGS

Spark Plugs



Models	
G3, G3L (all engines)	**715900785**
G2, G2L, G2S (450, 850, 1000R)	**715900352**
G2, G2L, G2S (570, 650, 1000)	**715900642**
DS 70/90	**219703175**
DS 250	**219703176**
DS 450	**278002297**
DS 650/Traxter	**707000008**
Renegade 70/110	**A9807639A00A**

BATTERIES

Batteries



Models	Type	Amp-Hours	
G3	Factory activated	20	**715900973**
G3L	Yuasa YTX20L, fact. activated Yuasa YTX20L-BS	18	**410301203** **715901086**
G2, G2L, G2S	Yuasa YTX20L, fact. activated Yuasa YTX20L-BS	18	**410301203** **715901086**
DS 70/90	Factory activated	6	**V31500MAA020**
DS 250	Yuasa YTX12, fact. activated Yuasa YTX12-BS	10	**715900710** **715901083**
DS 450	Yuasa YT7B-BS Yuasa YTX7B-BS	6.5	**715500305** **715901083**
Renegade 70/110	Factory activated	6	**V31500MAA020**

D.E.S.S. KEYS

RF D.E.S.S.™ Keys	G2, G2L (2017–2026), G3, G3L (2024 and up), Outlander EV (2026 and up)	**710004964** • Grey **710005232** • Green	



- Each key communicates wirelessly with the vehicle using a unique encrypted code. The engine is designed to start only when the key and vehicle code match.
- All RF D.E.S.S.™ keys are fully programmable and support multiple speed and torque profiles (based on vehicle options). This allows precise control tailored to the rider or the riding environment.
- Different programming levels help first-time users learn progressively while building confidence and control.
- Available colour options make it easy to distinguish between programmed keys at a glance.
- Keeping a spare key helps prevent unnecessary costs or delays if the original is lost, and adds convenience when multiple people use the vehicle.

REMOVABLE PASSENGER SEAT CONVERSION AND LinQ SEAT ANCHORAGE

NEW Seat Conversion Kit	G3L, all 2024–2026 MAX packages with fixed 1+1 seat	**703501301**	#N/A



- Converts G3L 1+1 Max Seat to the G3 / G3L Pro 2 piece removable design.
- Includes driver seat, removable passenger seat, LinQ seat anchorage and hardware.

NEW LinQ Seat Anchorage	G3, all 2025–2026 MAX packages	**703501302**	#N/A



- Converts seat anchorage to allow for LinQ attached accessories.
- Includes LinQ seat anchorage with hardware.

HOLD THE POWER. TAKE THE HIT.

Axles act as pressure points in the power system, absorbing stress to help protect more complex and costly components. No weak links. Just smart engineering.



1 THE FIXED JOINT

Forged from high-grade, heat-treated steel with polished internal surfaces, the Fixed Joint delivers exceptional strength, durability and long-lasting fatigue resistance.

2 THE CAGE, STAR & BEARING BALLS

Engineered to OEM-level tolerances with polished finishes and smooth radii, the Cage, Star & Bearing Balls minimize stress and friction to deliver superior strength and fatigue life and reduced NVH.

3 THE BAR SHAFT

Made from heat-treated alloy steel and precision-engineered to exact torsional strength specs, the bar shaft delivers the ideal balance of strength and stress absorption to protect critical drivetrain components.

4 THE CV BOOTS

Made from puncture, wear and temperature resistant TPE, a polymer offering far greater durability than a rubber counterpart, and sealed with high quality, low-profile Oetiker clamps. Premium extreme temperature grease reduces friction and protects joints subjected to high mechanical and thermal loads.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
G3L										
Base / DPS / XT / Pro (incl. MAX models)	Base & DPS 500 Pro & Pro XU HD5 Base, DPS & XT 700 Pro & Pro XU HD7	2023–2024	705404311	705404312	715500560	715500559	705502928		715500562	715500561
	Base & DPS 500 Pro & Pro XU HD5 Base, DPS & XT 700 Pro & Pro XU HD7	2025–2027	705404311	705404312	715500560	715500559	705504142		715500562	715500561
XMR	XMR 700	2023–2024	705404311	705404312	715500560	715500559	705502928		715500562	715500561
	XMR 700	2025–2027	705404311	705404312	715500560	715500559	705504142		715500562	715500561
EV	Electric	2026–2027	705404311	705404312	715500560	715500559	705504142		715500562	715500561
6X6							2nd (middle)	3rd (rear)		
	6x6 DPS 700	2026–2027	705404311	705404312	715500560	715500559	705504142		715500562	715500561
G3										
DPS / XT / XTP / LTD (incl. MAX models)	DPS 1000 DPS 1000R	2025–2027	705404301	705404302	715500563	715500561	705504144		715500565	715500564
	XT 1000 XT 1000R	2025–2027	705404301	705404302	715500563	715500561	705504144		715500565	715500564
	XTP 1000 XTP 1000R	2025–2027	705404301	705404302	715500563	715500561	705504144		715500565	715500564
	LTD 1000 LTD 1000R	2025–2027	705404301	705404302	715500563	715500561	705504144		715500565	715500564
XMR	XMR 850 XMR 1000 & 1000R Backcountry 1000R	2025–2027	705404305	705404306	715500567	715500566	705504146		715500565	715500564
Base / DPS / XT (incl. MAX)	Base, DPS & XT 850	2025–2027	705404307	705404308	715500560	715500559	705504142		715500562	715500561
6x6 (incl. MAX)							2nd (middle)	3rd (rear)		
	6x6 Backcountry 1000R	2026–2027	705404305	705404306	715500567	715500566	705504146	705504146	715500565	715500564
	6x6 DPS 850	2026–2027	705404307	705404308	715500560	715500559	705504142	705504142	715500562	715500561

*Includes MAX models unless otherwise specified.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
G2L										
Base / DPS / XT / STD+ / Mossy Oak (incl. MAX models)	Base 450 DPS 450	2015–2023	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	Mossy Oak 450	2021–2023	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	STD+ 450	2022	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	Base 500 DPS 500	2015	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	Base 570 DPS 570	2016–2023	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	Mossy Oak 570	2016–2023	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	XT 570	2017–2023	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
	STD+ 570	2022	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
XMR/MR	XMR 570	2016–2023	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	MR 570	2022–2023	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
6x6 (incl. MAX models)							Right 2nd		Left 2nd	
	6x6 DPS 450	2019–2024	705401428	705401429	715900299	715900298	705501897	705501898	705401346	705401345
							Right 3rd		Left 3rd	
							705501898		705501897	
G2 / G2S										
Base / DPS / XT / XXC / XTP / LTD / Mossy Oak / Winter (incl. MAX models)	Base, DPS, XT 650	2015–2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Base, DPS, XT, XXC & XTP 800R	2015	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Base, DPS, XT, XXC, XTP & LTD 1000	2015–2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Base, DPS, XT, XXC & XTP 850	2016–2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Mossy Oak 850	2017	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Mossy Oak 1000R	2017–2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Winter Edition 650	2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	Winter Edition 850	2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
Base / DPS / XT (incl. MAX models)	Base, DPS & XT 500	2015	705401428	705401429	715900299	715900298	705501486	705501485	705501864	705501864
	DPS & XT 570	2016	705401428	705401429	715900299	715900298	705501486	705501485	705501864	705501864
	Base 570	2016–2018	705401428	705401429	715900299	715900298	705501486	705501485	705501864	705501864
	DPS & XT 570	2018	705401428	705401429	715900299	715900298	705501486	705501485	705501864	705501864
XMR	XMR 650	2015–2018	705401703	705401704	705401355	705401354	705501848	705501847	705501864	705501864
	XMR 800R	2015	705401703	705401704	705401355	705401354	705501848	705501847	705501864	705501864
	XMR 1000	2015	705401703	705401704	705401355	705401354	705501848	705501847	705501864	705501864
	XMR 1000R	2016–2018	705401703	705401704	705401355	705401354	705501848	705501847	705501864	705501864
	XMR 650	2019–2026	705402238	705403009	705401355	705401354	705503024	705503025	705501864	705501864
	XMR 850	2019–2024	705402238	705403009	705401355	705401354	705503024	705503025	705501864	705501864
	XMR 1000R	2019–2026	705402238	705403009	705401355	705401354	705503024	705503025	705501864	705501864
Base / DPS / XT / XTP / XXC / XMR / Winter, North, Mossy Oak & Hunting Editions (incl. MAX)	Renegade 570	2019–2022	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Renegade XMR 570	2019–2021	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	DPS & XT 650	2019–2022	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Base 650	2019–2025	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Winter Edition 650	2019	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Mossy Oak 650	2020–2022	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Winter Edition 850	2019	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	XXC 850	2019–2022	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Base, DPS, XT, XTP 850	2019–2024	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	North Edition 850	2020–2021	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Hunting Edition 850	2023–2024	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Base & DPS 1000R	2019	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	Mossy Oak 1000R	2019	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	XT, XTP & LTD 1000R	2019–2024	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	XXC 1000R	2019–2026	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
6x6 (incl. MAX models)							Right 2nd		Left 2nd	
	6x6 XT 650	2015–2016	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	6x6 DPS 650	2017–2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	6x6 XT 1000	2015–2018	705401116	705401115	705401346	705401345	705501486	705501485	705501864	705501864
	6x6 DPS 650	2019–2025	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
	6x6 XT 1000	2019–2025	705402236	705402235	705401346	705401345	705502711	705502710	705501864	705501864
							Right 3rd		Left 3rd	
	6x6 XT 650						705501485		705501486	
	6x6 DPS 650						705501485		705501486	
	6x6 XT 1000						705501485		705501486	
	6x6 DPS 650						705502710		705502711	
	6x6 XT 1000						705502710		705502711	

*Includes MAX models unless otherwise specified.

BALL JOINTS

Suspension Arm Ball Joint with Hardware	**Upper** All models & packages 2015–2027	**703501264**
	Lower All models & packages 2015–2027	**703501262**



- Robust design for off-road usage and sealed for prolonged durability.
- Built to absorb punishing hits and to deliver maximum articulation without binding.

BRAKES

Brake Pad Kits
(Not illustrated)

- Organic brake pads offered standard on our G2 platforms (excl. X mr) provide smooth, quiet and exceptional braking performance in light duty conditions. Kits include pads only.
- Metallic brake pads offered standard on our G2 X mr provide increased robustness and longer life span when vehicle is used in severe conditions. Kits include pads only.
- Semi-metallic brake pads offered standard on our G3 platforms provide the best balance between smoothness and performance. Kits include pads, pins and springs.

		Front		Rear	
Models	**Compound**	**Left**	**Right**	**Left**	**Right**
G2, G2L, G2S (except X mr)	Organic	**705601015**	**705601014**	—	**705601014**
G2, G2L, G2S (X mr models)	Metallic	**715900248**	**715900249**	**715900248**	**715900249**
G3 1000R, G3 850 X mr	Semi-metallic	**705602167**		**705602167**	
G3 850 (except X mr), G3L	Semi-metallic	**705602167**		—	**705602168**

PDRIVE MAINTENANCE KITS

pDrive Maintenance Kits	**Models**	**Torque Rollers Maintenance Kit**	**Ramp Rollers Maintenance Kit**
 861805587  861805586	All G3 Outlanders	**861805587**	**861805586**

DESIGNED TO PERFORM. PROVEN TO WIN.

From dyno to desert, BRP drive belts are tested in brutal real-world and race conditions.



1

THE TOP COG

Engineered for durability and precision. Made from a specialized compound distinct from the lower cog to optimise power transfer and reduce distortion under extreme loads.

2

ADHESION LAYERS

Reliable, seamless integration. Advanced adhesion layers ensure strong bonding of **both cogs to the tensile cord**, delivering consistent performance and extended belt life.

3

THE TENSILE CORD

Unmatched strength and flexibility. High-performance aramid cords provide superior tensile strength and precise load distribution, tailored to your machine's power requirements.

4

THE LOWER COG

Optimised for power and control. A proprietary blend of premium rubbers delivers perfect flexibility for smooth clutch engagement and maximum torque transfer.

5

IMPREGNATED FABRIC

Built to last. Reinforced fabric layer enhances abrasion resistance, protecting both the belt and clutch components for longer service life.

DRIVE BELTS

Drive Belt

- High-performance design ideal for off-road use.
- BRP-specific calibration adjusted to best suit your Can-Am vehicle.



Models	CVT Drive Belt
G3L (500 cc)	**422280226**
G3, G3L (700 cc and more)	**422280225**
G2, G2L, G2S (450 cc)	**422280283**
G2, G2L, G2S (500 cc and more)	**422280366**
DS70/90	V23100CJF020
DS250	S23100RB1000
Renegade 70/110	A**2310018**S000

XPS TYRES

SHOP BY USAGE

GRAVEL & HARD PACK | ROCK | MUD

XPS Recon Force



- Utility inspired tyre.
- Shallow depth tread designed to handle hard pack terrain, increasing tread life.
- Tight tread pattern to offer a smooth ride and minimal ground disturbance without compromising performance.
- Designed for efficiency.
- Tread depth: 15 mm (0.6").

705403520 · 26X8R14
705503616 · 26X10R14

XPS Iron Force



- 6-ply rated construction.
- Multiple crown radius setup made to look square, reduce steering feedback and enhance grip and tyre cornering.
- Tread depth: 16 mm (0.6").

705403823 · 30X9R14

XPS Trail Force



- All-terrain radial tyre.
- 6-ply rated construction.
- Versatile and suitable for many types of terrain.
- Aggressive tread pattern for better traction on dirt, mud and rocky terrains.
- Tread depth: 20 mm (0.78").

705403026 · 26X8R14
705503851 · 26X10R14

XPS Trail King



- All-terrain radial tyre.
- 6-ply rated construction.
- Aggressive tread pattern for tougher terrains.
- An almost continuous centre tread offers a smoother trail ride.
- Tread depth: 22 mm (0.90").

705402713 · 26X8R12
705503073 · 26X10R12
705403464 · 27X8R14
705503579 · 27X10R14
705403730 · 28X8R14
705503813 · 28X10R14

XPS Trail King 2



- All-terrain radial tyre.
- 6-ply rated construction.
- Tyre excels in various terrains from loose to hard packed.
- Non-directional tread pattern with optimised construction providing precision handling and ensuring maximum grip and low rolling resistance.
- Tread depth: 20 mm (0.8").

705403398 · 26X8R14
705503518 · 26X10R14
705403397 · 27X8R14
705503517 · 27X10R14

XPS Swamp King



- Bias tyres for mud and trail.
- 6-ply rated construction.
- Ultimate performance in mud without sacrificing good trail handling.
- Tread depth: 38 mm (1.49").

705403674 · 28X8X14
705503762 · 28X10X14

XPS Swamp King XL



- Bias ply for mud and trail.
- 6-ply rated construction.
- Our best performing mud tyre that does not compromise your trail riding.
- Deep V grooved lugs with extended shoulder tread for max traction in deep ruts that also help eject mud faster.
- Tread depth: 38 mm (1.49") centre, max depth 52 mm (2.05").

705403381 · 30X9X14
705503687 · 30X10X14

TYRES & WHEEL SPECIFICATIONS CHART

Model / Package	Engine	Position	Wheel PN	Wheel Size	Offset (mm)	Wheel Type	Tyre Size	Tyre Name	Tyre PN	Beadlock PN	Assembled wheel PN
Bolt Pattern: 4 x 136 mm, Studs: M10											
Outlander 850/1000R											
Backcountry	1000R	Front	705404020	14X6.5	41.2	Beadlock Black	30X9R14	Iron Force	705403823	705404006	705403824
		Rear	705404024	14X6.5	31.2		30X9R14	Iron Force	705403823		705503885
DPS	850 1000R	Front	705403136	12X6	41.2	Std Black	26X8X12	Pinacle	705403788		
		Rear	705503375	12X7.5	51.2		26X10X12	Pinacle	705503835		
Limited MAX	1000R	Front	705404022	14X6.5	41.2	Std Liquid Titan	27X8X14	Trail King 2	705403397		
		Rear	705504026	14X8.5	51.2		27X10X14	Trail King 2	705503517		
XMR	850 1000R	Front	705404022	14X6.5	41.2	Std Liquid Titan	30X9X14	Swamp King XL	705404012		
		Rear	705504026	14X8.5	51.2		30X10X14	Swamp King XL	705504018		
XT	850 1000R	Front	705404021	14X6.5	41.2	Std Machined	26X8X14	Trail King 2	705403398		
		Rear	705504025	14X8.5	51.2		26X10X14	Trail King 2	705503518		
XT	850 1000R	Front	705404023	14X6.5	41.2	Std Black	26X8X14	Trail King 2	705403398		
		Rear	705504024	14X8.5	51.2		26X10X14	Trail King 2	705503518		
XTP	1000R	Front	705404020	14X6.5	41.2	Beadlock Black	27X8X14	Trail King 2	705403397	705404006	
		Rear	705504027	14X8	51.2		27X10X14	Trail King 2	705503517		
Outlander 500/700											
2WD Base, DPS	500 700	Front	705403534	12X6	41.2	Std Black	25X8X12	Pinacle	705403787		
		Rear	705503634	12X7.5	51.2		25X10X12	Pinacle	705503834		
XMR	700	Front	705404163	14X6.5	41.2	Std Black	28X8X14	Swamp King	705403674		
		Rear	705504083	14X6.5	51.2		28X10X14	Swamp King	705503762		
XT	700	Front	705404163	14X6.5	41.2	Std Black	26X8X14	Trail Force	705403800		
		Rear	705504083	14X6.5	51.2		26X10X14	Trail Force	705503851		
Outlander 6X6											
Backcountry	1000R	Front	705404020	14X6.5	41.2	Beadlock Black	30X9X14	Iron Force	705403823	705404006	705403824
		Rear	705404024	14X6.5	31.2		30X9X14	Iron Force	705403823		705503885
DPS	700	Front	705403534	12X6	41.2	Std Black	26X8X12	Trail King	705402713		
		Rear	705503634	12X7.5	51.2		26X10X12	Trail King	705503073		
DPS	850	Front	705404023	14X6.5	41.2	Std Black	28X8X14	Trail King	705403730		
		Rear	705504024	14X8.5	51.2		28X10X14	Trail King	705503813		
Outlander PRO											
Base	HD5 HD7	Front	705403534	12X6	41.2	Std Black	26X8X12	Pinacle	705403788		
		Rear	705503634	12X7.5	51.2		26X10X12	Pinacle	705503835		
Hunting, XU	HD5 HD7	Front	705403136	12X6	41.2	Std Black	26X8X12	Trail King	705402713		
		Rear	705503375	12X7.5	51.2		26X10X12	Trail King	705503073		
Outlander Electric											
All	All	Front	705403507	14X6.5	41.2	Std Black	26X8X14	Recon Force	705403520		
		Rear	705503614	14X8.5	51.2		26X10X14	Recon Force	705503616		
Renegade											
XC	850	Front	705403136	12X6	41.2	Std Black	25X8X12	Conquer XC	705403983		
		Rear	705503375	12X7.5	51.2		25X10X12	Conquer XC	705503991		
XMR	1000R	Front	705404022	14X6.5	41.2	Std Liquid Titan	30X9X14	Swamp King XL	705404012		
		Rear	705504026	14X8.5	51.2		30X10X14	Swamp King XL	705504018		
XXC	1000R	Front	705404020	14X6.5	41.2	Beadlock Black	26X8X14	Conquer XC	705403984	705404006	
		Rear	705504027	14X8	51.2		26X10X14	Conquer XC	705503992		

WHEEL HARDWARE

Lug Nuts



Description	Length	PN
M10X1.25/Zinc	0.55" (15 mm)	**250100042**
M10X1.25/Black	1.06" (28 mm)	**250100184**

Wheel caps



PN
705400928
705403497

Weights

Description	PN
Weight Strip 8 X 0.5 oz	**219704628**

Beadlock rings



Colour	PN
Orange Crush	**705404004**
Deep Black	**705404006**

Beadlock screws

Description	PN
M6X25/Black	**250000787**

Valve assemblies

(includes valve, core and cap)

Description	PN
TR-413 Valve	**705402595**

LUBRICANT & OIL CHANGE KIT

LUBRICANT

XPS 4T 10W-50 Synthetic Oil

+50°C
+122°F
-25°C
-13°F



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability and combat fuel dilution to ensure maximum performance from your engine.

9779234 • 1 qt / 946 ml
9779235 • 3.785 L
9779236 • 5 gal /18.92 L
9779237 • 55 gal / 205 L

XPS 4T 0W-40 Synthetic Oil

+40°C
+104°F
-45°C
-49°F



- Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

9779139 • 1 qt / 946 ml
9779140 • 3.785 L
9779141 • 5 gal / 18.92 L
9779142 • 55 gal / 205 L
9779143 • 265 gal / 1,003 L
9779144 • 330 gal / 1,249 L

XPS 4T 5W-40 Synthetic Oil

+40°C
+104°F
-35°C
-31°F



- Off-road formula with premium anti-wear and anti-corrosion additives.
- Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

9779492 • 1 qt / 946 ml
9779493 • 3.785 L
9779494 • 5 gal / 18.92 L
9779495 • 55 gal / 205 L
9779496 • 265 gal / 1,003 L
9779497 • 330 gal / 1,249 L

OIL CHANGE KIT

Engine Oil Change Kit



- Ultra-convenient “all-in-one” Engine Oil Change Kit saves time and money.
- Includes XPS Synthetic Oil, Oil Filter, O-Rings and Washer.

Models	Product	
Rotax® 450 cc or Less Engine	4T 5W-40 Synthetic Oil Change Kit	**9779487**
Rotax® 450 cc or Less Engine	4T 0W40 Synthetic Oil Change Kit	**9779257**
ACE 650 cc Single Cylinder Engine	4T 5W-40 Synthetic Oil Change Kit	**9779480**
ACE 650 cc Single Cylinder Engine	4T 0W-40 Synthetic Oil Change Kit	**9779481**
Rotax® 500 cc or More V-Twin Engine	4T 5W-40 Synthetic Oil Change Kit	**9779488**
Rotax® 500 cc or More V-Twin Engine	4T 0W-40 Synthetic Oil Change Kit	**9779259**
Rotax® 500 cc or More V-Twin Engine	4T 10W-50 Synthetic Oil Change Kit	**9779252**

COOLANTS

NEW Cool-X LT Pre-Mixed Lifetime Coolant



- Silicate-Free Powersports Formulation.
- Engineered for high-RPM, high power, high heat BRP powersports engines.
- Controls extreme temperatures from cold start to redline.
- Pre-mixed with high purity water and ready to use.

9779730 • 1 qt / 946ml
9779732 • 1 gal / 3.78L
9779731 • 5 gal / 18.92 L

MAINTENANCE PRODUCTS

Synthetic Gear Oil

75W-90	**9779158** • 1 qt / 946 ml
75W-140	**9779160** • 1 qt / 946 ml



- Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials.
- Allows higher loads, superior shear stability and reduced oxidation.
- Exceptional wear protection and superior performance at all operating temperatures.

Anti-Corrosive Lubricant

9779701 • 14 oz / 400 g



- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

Extreme Duty Suspension Grease

9779708 • 14 oz / 400 g



- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease

9779704 • 3 fl oz / 118 ml



- Formulated with molybdenum disulfide and synthetic graphite for maximum durability and long-lasting protection.
- High performance formula that protects against wear, seizure, rust, corrosion and extreme temperatures.
- Ensures smooth assembly and disassembly, with consistent low-friction performance.

DOT 4 Brake Fluid

9779151 • 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600

9779152 • 12 fl oz / 355 ml



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer

9779171 • 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

CAN-AM APPAREL

How to Measure	311
Communication Systems	313
Rayvik Goggles and Helmet Accessories	315
Goggles	319
Mud Gear	319
Rainwear	320
Rally Collection	321
Gloves	322
Bags	323
Can-Am x Fasthouse	324
24.7 X Can-Am Collection	329
Everyday Wear	330
Signature Collection	335
Play and Licensing	339
Replacement Parts	341



HOW TO MEASURE



- **For best results, have someone else take measurements.**
- **Measure body in underwear.**
- **Tape must be snug but not tight.**
- **If measurements fall between two sizes, order the larger size.**

(1) **HEAD**	Around your head, from the centre of the forehead, above the ears and over the natural bump at the back of the head.
(2) **ARM LENGTH**	Let the hands hang down on the side in a slightly bent position. Measure from the centre of the back of your neck, along the length of your arm, to the wrist.
(3) **CHEST/BUST**	Measure under your arms, around the fullest part of your chest.
(4) **WAIST**	Measure around your natural waistline, keeping one finger between the tape and body.
(5) **HIPS**	Across the widest part of the seat.
(6) **INSEAM**	Without shoes, from your crotch to the floor.

DID YOU KNOW?

We redefined our fit for all of our new collections. You now have three categories for our riding gear and sportswear items. You can find the fit of each style in their description so you know what you are getting.

FIT GUIDE

Sportswear

SLIM	REGULAR	RELAXED

Riding Gear

FITTED	REGULAR	RELAXED

What code represents your style?

1 Find your size and colour.

2 The corresponding code is THE CODE you use to complete the part number on your order.

Example:
440975 (style number for the Men's Sythe Mesh Jacket CE/UKCA)
06 (sizing code M)
90 (colour code Black)

Full SKU: Style 440975 | Size 06 | Colour 90

SIZING CODE

Adult		Adult		Adult		Adult		Adult		Adult			
Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code
One Size	00	XLT	13	X	26	5	24	13	33	36	40	3–4	79
XS	02	2XL	14	1X	86	6	25	14	34	38	41	5–6	52
S	04	2XLT	15	2X	87	7	27	16	35	40	42	6–8	48
M	06	3XL	16	3X	95	8	28	18	78	42	43	7–8	54
MT	07	3XLT	17	1	20	9	29	28	36			10–12	49
L	09	4XL	18	2	21	10	30	30	37	S / M	72	14–16	50
LT	10	4XLT	19	3	22	11	31	32	38	M / L	91		
XL	12	5XL	88	4	23	12	32	34	39	L / XL	73		

COLOUR CODE

Name	Code	Name	Code	Name	Code	Name	Code
Clear	00	Orange	12	Red	30	Denim Blue	79
White	01	Warm Grey	15	Wine	32	Blue	80
Beige	02	Dark Navy	16	Burgundy	35	Navy	89
Sand	03	Lava Red	17	Pink	36	Black	90
Brown	04	Mixed Colour	18	Camo	37	Bronze	92
Khaki	05	Smoke 60%	21	Purple	40	Matte Black	93
Charcoal Grey	07	Mirror Silver	22	Deep Purple	42	Black with Graphics	94
Silver	08	Hi-Vis Yellow	26	Smoke	57	Amber	95
Grey	09	Heather Grey	27	Green	70	Ivory	97
Yellow	10	Whiskey	28	Turquoise (Aqua)	76	Chrome	99
Gold	11	Heather Charcoal	29	Army Green	77		

APPAREL AND SPORTSWEAR

MEN'S – 5'7"–6'0"

	XS	S	M	L	XL	2XL	3XL	4XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**	**16**	**18**
Chest	31–33	34–36	38–40	42–44	46–48	50–52	54–56	58–60
Waist	27½–28½	29½–30½	32½–34½	36½–39	41½–43½	46–48	50½–52½	54–57
Hips (seat)	31½–32½	33½–35½	37½–39½	41½–43¼	45–46¾	48½–50½	52½–54½	56½–58½
Arm length	30½	32½	33	33½	34½	35	36	36½
Inseam	30½	32	32	32	32	32	32	32

WOMEN'S – 5'4"–5'8"

	XS	S	M	L	XL	2XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**
Chest	33½–34½	35½–36½	37½–39	41–43	45–47	49–51
Waist	27–28	29-30	31–32½	34½–36½	39–41½	43½–45½
Hips (seat)	36½–37½	38½–39½	40½–42	43-45½	47–49½	51½–53½
Arm length	30½	30½	31	31½	32½	32½
Inseam	30	30	30	30	30	30

Glove sizing information is available on page <?>.

HELMETS

MEN'S & WOMEN'S

	XS	S	M	L	XL	2XL	3XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**	**16**
Head (inches)	20⅞–21¼	21⅝–22	22⅜–22¾	23⅛–23⅝	24–24⅜	24¾–25⅛	25½–25⅞
Head (cm)	53–54	55–56	57–58	59–60	61–62	63–64	65–66

VIBE ON ANY HELMET

The Vibe Communication System delivers unparalleled connectivity and versatility when you ride. Fully compatible with most BRP helmets, this comm system might as well be an extension of the vehicle's ecosystem. This standout lets you chat, listen and ride all day long in comfort no matter how cold it is!



DID YOU KNOW ABOUT VIBE AND THE BRP GO! APP? Ready, set, go! Set up and manage the Vibe Communication System in no time directly in the free BRP GO! mobile app. You can check the battery level, modify the audio settings and much more!

- ONE CLICK TO CONNECT WITH OTHER MESH RIDERS
- UNPARALLELED TALK TIME UP TO 12 HOURS (8 HOURS AT 0°F)
- SOUND BY HARMAN KARDON®
- OPEN MESH INTERCOM
- UNIVERSAL FIT AND EASY TOOLLESS ASSEMBLY
- FULL COMPATIBILITY WITH MOST HELMETS

- OPEN MESH INTERCOM: LIMITLESS
- MULTI-LANGUAGE VOICE COMMAND
- GROUP MESH INTERCOM: UP TO 24 RIDERS
- INTERCOM UP TO 2 KM / 1.2 MILES IN OPEN TERRAIN

COMMUNICATION SYSTEMS

MISC

Vibe Universal Comm System by BRP

929105 · One size | Matte Black (93)





- VIBE UNIVERSAL Comm System with superior audio quality for every BRP helmets.
- Sound by Harman Kardon®.
- Mesh-only system: Robust reliability compatible with all Sena® Mesh devices.
- Battery capacity: up to 12 hours of talk time (8 hours at -18°C).
- One-click-to-connect simplicity with other mesh riders.
- Mesh Intercom™ features superior audio quality.
- Up to 2 km/1.2 miles in open terrain. Range can be extended with multiple riders.
- Multi-channel protocol in open mesh allows users to switch between nine comm channels.
- Convenience of voice-activated digital assistant access ("OK Google"/"Hey Siri").
- Rapid charging.
- Glove-friendly interface.
- Compatible with all BRP helmets.
- When paired with the BRP GO! app, you can manage many settings such as sound, mesh channel options, software updates, battery level, handlebar control and more.
- Wired and boom microphones included.

For safety reasons, the battery cannot be charged while riding. Considering the increased risks inherent in charging a battery, BRP has chosen NOT to make this action possible to guarantee maximum user safety.

RAYVIK X5 HELMET

Elevate Your Ride

Designed for those who demand both performance and style, the Rayvik helmet is a game-changer in safety, comfort and innovation. Equipped with Mips® technology, offering you enhanced impact protection when you need it most.

- THE Lightest helmet in our product range.
- Equipped with Mips® safety system.
- Multi-density CONTEGO™ copolymer foam for enhanced impact performance.
- Cheek Pads equipped with emergency pull strap.
- Multiple airflow channels to keep you comfortable in all conditions.
- Prescription eyeglasses friendly.
- Micrometric quick-attach chin strap closure.
- Camera mount ready.
- 4-years limited warranty.
- Vibe universal communication system ready.
- Fiberglass composite shell.



LIGHTWEIGHT

ADDED SAFETY FEATURES

DOT/ECE

Mips® Should you have an accident and hit your head, the Mips® system in your helmet is designed to help reduce the rotational motion of certain impacts that may otherwise be transferred to your head.



Can-Am Rayvik X5 Mips® Helmet

DOT ECE22.06

929201 · XS, S, M, L, XL, 2XL, 3XL, 4XL

Grey (09)

Weight from 1,250 g



Rayvik X5 Carbon Mips® Helmet

DOT ECE22.06

929164 · XS, S, M, L, XL, 2XL, 3XL, 4XL

Black (90)

Weight from 1,150 g



Rayvik X5 Mips® Helmet

DOT ECE22.06

929165 · XS, S, M, L, XL, 2XL, 3XL, 4XL

Black (90), Orange (12), Purple (40)

Weight from 1,250 g

RAYVIK GOGGLES AND HELMET ACCESSORIES

UNISEX

Can-Am Rayvik Off-Road Goggles

940012 · One size | Red (30), Yellow (10), Sand (03)



Can-Am Rayvik goggles come with a full mirror-coated lens with superior anti-fog performance.

- 2-part frame composed of rigid and flexible parts provides a better fit for optimal sealing.
- Eyewear-compatible frame cutouts.
- Quick lens change system with locking mechanism.
- 3D formed, 3-layer face foam offers best fit and comfort.
- No-slip silicone strap keeps goggles in place.
- Removable nose guard.
- Compatible with the Rayvik Winter Magnetic Face Guard System (sold separately).

Lens

- Features injection-moulded PC cylindrical lens with excellent field of view.
- Anti-scratch, high-performance anti-fog function which provides distortion-free vision and enhanced impact resistance.
- Cat. 2 Amber with full mirror coating is ideal in sunny to scattered cloud conditions.

RAYVIK HELMET ACCESSORIES

UNISEX

Flint Winter Magnetic Face Mask System

940008 · One size | Black (90)



- Compatible with Rayvik X5 Helmet and Flint goggles, includes the breath box and Flint goggles magnetic nose piece.

Rayvik Winter Magnetic Face Mask System

940009 · One size | Black (90)



- Compatible with Rayvik X5 Helmet and Rayvik goggles, includes the breath box and Rayvik goggles magnetic nose piece.

Tec Layer Anti-Fog MX Balaclava

288324 · S/M, L/XL | Black (90)



Anti-fog management balaclava.

- Designed to be used with the Rayvik helmet or any other MX helmets.
- 47.5% polyester, 40% recycled polyester, 10% spandex, 2.5% neoprene.
- Mouth guard in neoprene with metal nose holder for fitting.
- Stretch, quick-dry fabric with brushed inner surface at head and neck.
- Water-resistant, wind-resistant and breathable fabric at neck.
- Flatlocked seams prevent skin chafing.
- Perfect to use with open-face helmets.
- Tec Layer logo.

Helmet Camera Mount

929176 · One size | Black (90)



- Helmet chin mount compatible with most cameras.
- Fits Rayvik X5 Helmet.

PYRA X1 HELMET



The next generation of the Pyra helmet is here. Engineered with Energy Reduction Technology (ERT™) and fully DOT & ECE certified, the new Pyra helmet delivers advanced protection. Featuring an adjustable peak, a micrometric quick-attach buckle, and camera-mount compatibility, this new-generation helmet combines performance, comfort, and versatility in a bold new shell design.

- ECE 22.06 and DOT certifications.
- Lightweight thermoplastic shell.
- Equipped with ERT™.
- Multi-density CONTEGO™ copolymer foam formulation provides enhanced impact test performance over standard EPS foams.
- Cheek Pads equipped with emergency pull strap.
- Removable and washable interior liners.
- Prescription eyeglasses friendly.
- Vibe universal communication system ready (sold separately).
- Camera mount ready (929176 sold separately).
- Micrometric quick-attach chin strap closure.
- Multiple airflow channels to keep you comfortable in all conditions.
- 4-year limited warranty.
- Compatible with the Winter Magnetic Face Guard System (sold separately).

LIGHTWEIGHT

HIGH AIRFLOW

UNIVERSAL COMMUNICATION SYSTEM COMPATIBLE

BRP CAMERA MOUNT COMPATIBLE



Pyra X1 Helmet

DOT ECE22.06

929211 · XS, S, M, L, XL, 2XL, 3XL

Black (90), Pink (36), Sand (03)

Weight from 1,280 g ± 50 g



Can-Am Pyra X1 Helmet

DOT ECE22.06

929212 · XS, S, M, L, XL, 2XL, 3XL

Green (70), Orange (12), Grey (09)

Weight from 1,280 g ± 50 g



Can-Am Pyra X1 Solid Helmet

DOT ECE22.06

929153 · XS, S, M, L, XL, 2XL, 3XL

Black (90)

Weight from 1,280 g ± 50 g

EXOME F5 HELMET



Designed with intent, the Exome F5 helmet features a true forced-air configuration, engineered from the ground up to deliver comfortable, balanced airflow—not simply adapted from a standard helmet. Combined with a fibreglass composite shell, ECE 22.06 & DOT certification, and more, the F5 delivers uncompromising comfort and protection for demanding riders

LIGHTWEIGHT
VERSATILE
FORCED AIR VERSION
COMMUNICATION SYSTEM COMPATIBLE
PINLOCK 70 READY

UNISEX

NEW Exome F5 Forced Air Helmet

DOT ECE 22.06

929204 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



Full face forced air helmet (DOT/ECE) with advanced fibreglass composite shell.

- 4-year limited warranty.
- Full face helmet.
- Anti-scratch lens.
- Pinlock® ready (sold separately).
- Large neck curtain.
- 2 shell sizes.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.
- Weight from 1,375 g ± 50g.

NEW Can-Am Exome F5 Helmet

DOT ECE 22.06

929210 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



Full face helmet (DOT/ECE) with advanced fibreglass composite shell.

- 4-year limited warranty.
- Replace the face shield by the included Peak.
- Anti-scratch lens.
- Pinlock® ready (sold separately).
- 2 shell sizes.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.
- Weight from 1,285 g ± 50g.

NEW Can-Am Exome M1 Circuit Helmet

DOT ECE 22.06

929198 · XS, S, M, L, XL, 2XL, 3XL | Black (90), Grey (09), Sand (03)



Modular helmet (DOT/ECE) with thermoplastic shell.

- 4-year limited warranty.
- Advanced plastic composite shell.
- Modular helmet.
- Anti-scratch lens.
- Pinlock® ready (sold separately).
- Smoke sun visor.
- Ventilation comes from 1 chin and 2 top intakes. The air is channeled to the rear extractor to maximise airflow.
- 2 shell sizes for better fit and comfort.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.

NEW Can-Am Exome M5 Carbon Helmet

DOT ECE 22.06

929199 · XS, S, M, L, XL, 2XL | Black (90)



Modular helmet (DOT/ECE) with advanced carbon composite shell.

- 4-year limited warranty.
- Modular helmet.
- Anti-scratch lens.
- Pinlock® 70 anti-fog included.
- Smoke sun visor.
- Ventilation comes from 1 chin and 2 top intakes. The air is channeled to the rear extractor to maximise airflow.
- 2 shell sizes for better fit and comfort.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.

FULL-FACE ACCESSIBILITY

Open-Face Helmets

Designed for freedom and visibility. Offering a wide field of vision, allowing you to better enjoy the scenery and stay aware of your surroundings. You'll be sure to be comfortable with these stylish and ultra-light helmets.

LIGHTWEIGHT
Advanced light-plastic composite shell. Enjoyable for short or longer rides.

OPEN-FACE HELMET
Perfect for full-face accessibility.

COMFORT
Ultra-comfortable and washable linings.

LIGHTWEIGHT

DOT



Black with Graphics
929150_94

Matte Black
929140_93

UNISEX

Can-Am Retro Open-Face Helmet

DOT

929150 · S, M, L, XL, 2XL

Black with Graphics (94), Matte Black (93)



- Advanced thermoplastic shell.
- Multi-density EPS.
- 2 shell sizes and 3 EPS sizes for better fit and comfort.
- Removable peak.
- Ultra-comfortable, removable and hand-washable linings.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- Fit: Medium Oval.
- DOT-certified.

Weight:
- XS–L: 1,140 g ± 50 g.
- XL–XXL: 1,200 g ± 50 g.

Can-Am Exome Open-Face Helmet

DOT ECE22.06

929140 · XS, S, M, L, XL, 2XL, 3XL

Grey (09), Matte Black (93)



Open-Face Helmet (DOT/ECE) with plastic composite shell.
- 4-year limited warranty.
- Advanced plastic composite shell.
- Interchangeable retractable sun visor.
- Fixed aerodynamic peak.
- Ultra-comfortable and washable linings.
- Adjustable air vents and exhausts.
- Eyewear compatible.
- Anti-scratch Smoke visor.
- DOT-certified.

GOGGLES

UNISEX

NEW Can-Am Pyra Off-Road Goggles

448819 · One size | Black (90), Grey (09), Red (30)



The Can-Am Pyra goggles features injection PC lens which is anti-scratch, anti-fog and distortion-free optics.

- Thermo-formed 3-layer face foam offers optimal fit.
- No-slip silicone strap keeps goggles in place.
- Injection-moulded PC cylindrical lens provides distortion-free vision and enhanced impact resistance.
- Single lens with anti-scratch and anti-fog performance.
- Removable nose guard for extra deflection against debris.
- OTG Capacity, fits over most of the prescription glasses on the market with lenses height below 2 in. (51 mm) and with branches width on 5¾ in. (146 mm).

Can-Am Flint Photochromic Goggles

448779 · One size | Charcoal Grey (07)



The Can-Am Flint Photochromatic goggles features an injected PC lens which is anti-scratch, anti-fog and distortion-free optics.

- Thermo-formed 3-layer face foam offers optimal fit.
- No-slip silicone strap keeps goggles in place.
- Injection-moulded PC cylindrical lens provides distortion-free vision and enhanced impact resistance.
- Lens VLT from 80% to 28% with anti-scratch and anti-fog performance and with mirrored coating.
- Removable nose guard for extra deflection against debris.

MUD GEAR

UNISEX

Can-Am Waterproof Mud Jacket

456046 · S, M, L, XL, 2XL | Black (90), Camo (37)



Mud jacket made of waterproof PVC.

- 98.5% polyvinyl chloride (PVC), 1.5% mesh polyester.
- Electronically welded seams.
- Back panel ventilation (with mesh).
- Elastic cuffs, hem and hood.
- Can-Am logo.

Can-Am Waterproof Mud Pants

456067 · S, M, L, XL, 2XL | Black (90), Camo (37)



Oversized pants made of 100% waterproof PVC.

- 100% polyvinyl chloride (PVC).
- Electronically welded seams.
- Elastic waistband and ankle cuff.
- Can-Am logo.

RAINWEAR

UNISEX

NEW Can-Am Oh Sh*t Kit 2.0

456080 · S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Unisex Emergency Rain Kit, lightweight, compact and easy to pack. The kit includes a jacket and pants.

Unisex sizing designed to fit comfortably over riding gear (women are recommended to size down).

- 100% nylon, PU coating.
- Fit: Relaxed.
- Fully seam-sealed, waterproof and windproof.
- Breathable 10K/5K and PU coated with C0 durable water repellent.
- Adjustment at back neck collar.
- Elastic waistband for added comfort.
- Adjustable elasticized cuffs with Velcro tab.
- Pants connector loop to secure the jacket.
- Elastic, gusset and Velcro tab at the pant hem for optimal fit and adjustment.
- Storage bag for jacket and pants (attached to the jacket).
- Reflective details and logos for enhanced visibility.

Can-Am Seil Lite WP Jacket

456072 · S, M, L, XL, 2XL, 3XL | Hi-Vis Yellow (26), Black (90)



Simple yet carefully designed and beautifully made lightweight, weather protection, unisex jacket. 100% waterproof. Intelligent sizing—to fit over your normal riding gear, sized accordingly.

- Main material: 100% laminated polyester.
- Fit: Relaxed.
- Waterproof/breathable: 10K/3K, 2.5-layer membrane.
- Hi-vis material at sleeves on the Hi-is colourway.
- Fully seam-sealed.
- Double storm placket front closure with one-way zipper.
- Stowable adjustable hood (inside collar).
- Reflective details and logo.
- Elasticized cuff with silicone grip inside.
- Back panel ventilation.
- Adjustable hem.
- Lightweight.
- Unisex sizing to fit over clothes.
- One size down for women.

Can-Am Seil Lite WP Overpants

442457 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



Simple yet carefully designed and beautifully made lightweight, weather protection, unisex overpants. 100% waterproof. Intelligent sizing—to fit over your normal riding gear, sized accordingly.

- Main material: 100% laminated polyester.
- Fit: Relaxed.
- Waterproof: 10K/3K, 2.5-layer membrane.
- Elastic waistband with silicone grip all around.
- Silicone grip at bottom hem.
- Fully seam-sealed.
- Reflective logo.
- Hem opening with zipper.
- Stretch boot straps.
- Lightweight.
- Unisex sizing to fit over clothes.
- One size down for women.

RALLY COLLECTION

Introducing the Rally Collection, a bold new chapter in performance and style.
It carries the DNA of our iconic Phantom series and reimagines its signature graphics with a sharper, more dynamic, and unmistakably modern edge. Featuring premium jerseys and gloves, the Rally Collection is designed to pair seamlessly with our latest Pyra helmets and goggles, delivering a cohesive head-to-toe look for riders who demand both performance and attitude.

MEN'S

Can-Am Polo Shirt

286841 • S, M, L, XL, 2XL, 3XL | Black (90), Red (30)



Our Can-Am Polo with short-sleeves is stretchy, durable, and anti-wrinkle.

- 100% polyester.
- Moisture-wicking.
- Quick-dry.
- Sublimation print.
- Button placket.

Can-Am Rally Gloves

286836 • S, M, L, XL, 2XL, 3XL | Black (90), Red (30), Army Green (77)



Our Can-Am Rally gloves are highly breathable for hot riding conditions. Mesh on the upper and light perforated microsuede on the inside of the palm for a perfect grip and air flow.

- 92% polyester, 8% spandex.
- Ventilated air mesh upper construction.
- Reinforced thumb panel for extra durability.
- Single-layer microsuede palm with minimal padding.
- Stretch finger gussets.
- Embossed and expandable neoprene slip-on cuff.
- Touchscreen function.

UNISEX

NEW Can-Am Rally Jersey

288333 • XS, S, M, L, XL, 2XL, 3XL | Army Green (77), Pink (36), Red (30), Black with Graphics (94)



Rally jersey designed for performance and comfort, featuring lightweight technical materials and a bold new Rally print for an athletic Can-Am look.

- 100% polyester.
- Fit: Relaxed.
- Quick-dry, moisture-wicking fabric for maximum comfort.
- Antibacterial treatment to help reduce odors.
- Mesh underarm panels for increased ventilation.
- New Rally print.
- Sublimated logos.

NEW Can-Am Rally Flat Cap

288540 • One size | Black (90)



Can-Am Rally cap offering everyday comfort and a stylish look.

- 100% cotton twill.
- 5-panel construction.
- All-over Rally print.
- Soft plastisol print at front.
- Embroideries on side panels.
- Flat brim.
- Adjustable snapback closure.
- Branded inner tape.

Can-Am Rally Shadow D3O® Gloves

286871 • S, M, L, XL, 2XL, 3XL | Black (90), Black with Graphics (94)



Engineered for rugged trails and high-performance riding, the Rally Shadow gloves with D3O® deliver superior impact protection and all-day comfort.

- 92% polyester, 8% spandex.
- 4-way stretch top hand material that is highly abrasion resistant.
- D3O® knuckle protection.
- Sublimation print on top hand.
- Neoprene cuff with adjustable tab.
- D3O® 2 mm Aeromax foam palm to reduce vibration for a smoother ride.
- Silicone print at finger to improve grip and control.
- Perforated palm for airflow and comfort.
- TPR pull tab with Can-Am branding for easy on/off.
- Conductive microsuede palm.

GLOVES

MEN'S

NEW Can-Am Journey Mesh Gloves

446377 • S, M, L, XL, 2XL, 3XL | Black (90)



Highly breathable and lightweight gloves designed for warm summer riding days.

The perfect complement to the Journey Mesh Jacket.

UKCA certified (UK Conformity Assessed marking).

- Content: 40% polyester, 40% nylon, 10% polyurethane, 5% rubber, 5% cotton
- CE/UKCA certified EN 13594:2015, Level 1.
- Micro-perforation at palm for increased airflow.
- TPU slider for extra protection and comfort while riding.
- Reinforced material at palm.
- Silicone print for better grip.
- Conductive micro suede at the palm, so you don't have to remove your gloves.
- Custom TPR strap for adjustability.
- Custom Pull tab.

Odyssey WP Gloves

288072 • S, M, L, XL, 2XL, 3XL | Black (90)







Introducing our Men's Can-Am Odyssey WP Gloves, engineered for both elegance and performance. Constructed with premium fabric to offer unparalleled comfort and protection.

- Premium Shoeller Fabric.
- Sympatex waterproof membrane.
- PrimaLoft Gold Insulation; 100 g top hand, 60 g palm side.
- TPR Moulded Knuckle Protection; CE Level 1+ Knuckle.
- Touch screen thumb and index finger.
- Scotchlite™ Reflective Hidden Panels.

WOMEN'S

NEW Can-Am Journey Mesh Gloves

446386 • XS, S, M, L, XL | Black (90)







Highly breathable and lightweight gloves designed for warm summer riding days.

The perfect complement to the Journey Mesh Jacket.

CE certified (EU safety, health, and environmental protection requirements).

UKCA certified (UK Conformity Assessed marking).

- Content: 40% polyester, 40% nylon, 10% polyurethane, 5% rubber, 5% cotton.
- CE/UKCA certified EN 13594:2015, Level 1.
- Micro-perforation at palm for increased airflow.
- TPU slider for extra protection and comfort while riding.
- Reinforced material at palm.
- Silicone print for better grip.
- Conductive micro suede at the palm, so you don't have to remove your gloves.
- Custom TPR strap for adjustability.
- Custom Pull tab.

NEW Odyssey WP Gloves

288045 • XS, S, M, L, XL | Black (90)



Introducing our Women's Can-Am Odyssey WP Gloves, engineered for both elegance and performance. Constructed with premium fabric to offer unparalleled comfort and protection.

- CE certified (EU safety, health and environmental protection requirements).
- Premium Shoeller Fabric.
- Sympatex waterproof membrane.
- PrimaLoft gold insulation; 100 g top hand, 60 g palm side.
- TPR Moulded Knuckle Protection; CE level 1 + Knuckle.
- Touch screen thumb and index finger.
- Scotchlite™ Reflective Hidden Panels.

UNISEX

Can-Am Phantom D3O® WP Gloves

286872 • S, M, L, XL, 2XL, 3XL | Black (90)



Built for the toughest terrain and the most unpredictable weather, the Phantom D3O® WP gloves combine advanced D3O® impact protection with the waterproof, windproof, and breathable performance of Sympatex® technology.

- 4-way stretch top hand material that is highly abrasion resistant.
- DWR PFAS free.
- D3O® knuckle protection.
- TPR 3D Can-Am logo on top hand.
- Neoprene cuff with adjustable strap.
- Sympatex® waterproof and windproof membrane.
- Exclusive Can-Am digital camo print.
- D3O® 2 mm Aeromax foam palm to reduce vibration for a smoother ride.
- Conductive silicone hexa print at palm to improve grip, control and shield wipe.
- TPR pull tab with Can-Am branding for easy on/off.

GLOVES (measure palm width)

UNISEX

	XS	S	M	L	XL	2XL	3XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**	**16**
Palm (inches)	3	3¼	3½	4	4½	5	5½
Palm (cm)	7.5	8	9.5	10	11.5	13	14

BAGS

UNISEX

BRP 20 L Laptop Backpack

950003 • One size | Black (90)



- 20 L capacity.
- High resistance 900D polyester material.
- Full rigid 3D shell construction standing backpack.
- Laptop pocket holds up to a 15" laptop, separated from the main compartment.
- Adjustable chest straps.
- Main compartment organization pocket wth key clip.
- Foam padding on straps and back for comfort.
- Carry-on luggauge handle slider.
- Water bottle side pouch.
- Hidden small pocket on one side bottle compartment.
- Exchangeable branded logo patch (Ski-Doo, Lynx, Sea-Doo, Can-Am).
- Dimensions:
  L 11.4" x W 8.2" x H 18.9"
  L 29 cm x W 21 cm x H 48 cm.

BRP 90 L Duffle Bag

950001 • One size | Black (90)



- 90 L capacity.
- 600D polyester main construction with a 420D TPU coated bottom.
- Ready to handle all your gear with one main large compartment and 2 separated side compartments for boots and helmets.
- Rigid 3D shaped moulded side compartments ideal to protect your helmet.
- Durable strap attachment system by Duraflex™.
- Robust pull handles on each side.
- Changing mat in a separated zippered compartment.
- YKK™ heavy-duty zippers.
- Exchangeable branded logo patch (Ski-Doo, Lynx, Sea-Doo, Can-Am).
- Dimensions:
  L 33" x W 12.2" x H 17.3"
  L 84 cm x W 31 cm x H 44 cm.

CAN-AM x FASTHOUSE

MEN'S

Unisex Can-Am x FH Dust Gloves

446389 · XS, S, M, L, XL, 2XL | Army Green (77), Black (90)



The Dust Gloves utilise quality materials with a traditional moto fit.

- 77% polyamide, 15% polyurethane, 7% elastane, 1% polychloroprene.
- Durable form-fitting 2-way stretch material.
- Perforated Clarino® palm and thumb guards.
- Touchscreen fingertips on index and thumb.
- Gusseted knuckles for increased dexterity.
- Moulded neoprene low-pro cuff.
- Mesh finger gussets and silicone grippers.
- TPR and printed embellishments throughout.

Can-Am x FH Dust Pants

288018 · 28, 30, 32, 34, 36, 38, 40, 42 | Black (90)



The Dust Pants are designed for those who venture off the beaten path. They feature a classic fit with cargo-style pockets, full-grain leather inner knee panels, and 600D poly main panel construction.

- 69% polyester, 27% nylon, 4% spandex.
- Fit: Fitted.
- Zippered cargo pockets.
- Zippered mesh ventilation pockets on both thighs.
- Zippered fly for easy pit stops.
- 600-denier poly and 4-way stretch main body fabric.
- High-strength nylon thread, double- and triple-stitched seams.
- Silky soft tricot, ¾-length knee brace, optimised lining.
- Patterned and fit for every style of rider.

Please refer to the sizing chart below:

Size	Code	Size	Code	Size	Code	Size	Code
28	36	32	38	36	40	40	42
30	37	34	39	38	41	42	43

NEW Can-Am x FH Motorall® Flex 2.0

286842 · 28, 30, 32, 34, 36, 38, 40, 42 | Black (90)



Designed with a classic straight-leg fit, the Motorall Flex 2.0 delivers unrestricted movement thanks to its durable 4-way stretch construction. Functional details like strategically placed ventilation/storage pockets and easy-access closures make it as practical as it is comfortable. Wide elastic shoulder straps ensure a fast, secure step-in fit, so you can gear up and go without slowing down.

- 84% polyester, 14% nylon, 2% Spandex.
- Classic fit with a straight-leg cut.
- Front chest and thigh cargo pockets with hook-and-loop closure.
- Zippered fly for quick, easy pit stops.
- Adjustable wide elastic comfort straps with a jacquard artwork for effortless step-in entry with adjuster.
- 4-way stretch main body fabric for full mobility.
- High-strength nylon thread with double and triple-stitched seams for durability.

Please refer to the sizing chart below:

Size	Code	Size	Code	Size	Code	Size	Code
28	36	32	38	36	40	40	42
30	37	34	39	38	41	42	43

Can-Am x FH Motorall®

441716 · 28, 30, 32, 34, 36, 38, 40, 42 | Black (90)



The Motorall® is our tried and true Grindhouse moto pant in an overalls cut.

- 69% polyester, 27% nylon, 4% spandex.
- Fit: Fitted.
- Zippered cargo pockets on front chest and both thighs.
- Zippered mesh ventilation pockets on both thighs.
- Zippered fly for easy pit stops.
- Adjustable elastic comfort straps for step-in entry.
- 600-denier poly and 4-way stretch main body fabric.
- Upper chest MOLLE straps for radios, tools and accessories.
- High-strength nylon thread double- and triple-stitched seams.
- Silky soft tricot, ¾-length knee brace, optimised lining.
- Patterned and fit for every style of rider.

Please refer to the sizing chart below:

Size	Code	Size	Code	Size	Code	Size	Code
28	36	32	38	36	40	40	42
30	37	34	39	38	41	42	43

NEW Can-Am x FH Club Jersey

288376 · S, M, L, XL, 2XL, 3XL | Black (90), White (01)



Can-Am x Fasthouse collaboration jersey, designed for performance, durability.

- 100% polyester.
- High-quality silk-screened graphics.
- Moisture-wicking materials to help keep you dry.
- Mesh vent paneling on sides and under sleeves for enhanced airflow.
- Drop tail back panel to keep the jersey tucked in and secure.
- Athletic fit, moderately slim through the body and sleeves.
- Overlocked stitching for superior durability and longevity.

Can-Am x FH Dust Jersey

288234 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90)



High-performance jersey utilizing breathable materials with a traditional cut.

- 100% polyester.
- Fit: Regular.
- High-quality silk-screened graphics.
- Moisture-wicking materials help keep you dry.
- Mesh vent paneling on sides and under sleeves for airflow.
- Drop tail on back panel to keep jersey tucked in and secure.
- Athletic fit, moderately slim throughout body and sleeves.
- Overlocked stitching for superior durability and longevity.

Can-Am x FH Scorch Pullover Hoodie

288387 · S, M, L, XL, 2XL, 3XL | Black (90)



Midweight hooded pullover for men from the Can-Am x Fasthouse collaboration.

- 70% cotton, 30% recycled polyester.
- Soft midweight material (280 gsm).
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Pullover fit with lined hood.
- Screen-printed graphics.
- Ribbed sleeve cuffs and waistband hem.

Can-Am x FH Mav Pullover Hoodie

288227 · S, M, L, XL, 2XL, 3XL | Gold (11)



Midweight hooded pullover for men.

- 70% cotton, 30% recycled polyester.
- Soft midweight material (280 gsm).
- Fit: Regular.
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Screen-printed graphics.
- Ribbed sleeve cuffs and waistband hem.

NEW Can-Am x FH Desert T-shirt LS

288341 · S, M, L, XL, 2XL, 3XL | Charcoal Grey (09), Silver (08)



Desert T-shirt long sleeves designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Large soft plastisol graphic at back.
- Soft plastisol print on arm.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am x Fasthouse label wearers bottom right.

NEW Can-Am x FH Heritage T-shirt

288342 · S, M, L, XL, 2XL, 3XL | Army Green (77), Sand (03)



Heritage T-shirt designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Large soft plastisol graphic at back.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am x Fasthouse label wearers right sleeves.

NEW Can-Am x FH Off-Road Club T-shirt

288344 · S, M, L, XL, 2XL, 3XL | Black (90), White (01)



Off-Road Club T-shirt designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Large soft plastisol graphic at back.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am x Fasthouse label wearers right sleeves.

Can-Am x FH High Country T-shirt

288235 · S, M, L, XL, 2XL, 3XL | Bronze (92)



Can-Am x Fasthouse collaboration T-shirt with large soft plastisol print at back and small print at front chest.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Rib-knit crew neck.
- Woven label Can-Am x Fasthouse on wearer's right sleeve.

Can-Am x FH Sandstrike T-shirt

288371 · S, M, L, XL, 2XL, 3XL | Black (90), Brown (04)



Can-Am x Fasthouse collaboration T-shirt.

- 100% cotton.
- 145 gsm.
- Fit: Slim.
- Ribbed collar.

Can-Am x FH Scorch T-shirt

288372 · S, M, L, XL, 2XL, 3XL | Black (90), Silver (08)



Can-Am x Fasthouse collaboration T-shirt.

- 100% cotton.
- 145 gsm.
- Fit: Slim.
- Ribbed collar.

Can-Am x FH Off-Road Crew T-shirt

288224 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90)



Can-Am x Fasthouse collaboration T-shirt with large Off-Road graphic at back.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Quote at left chest and back.

Can-Am x FH Coilover Tee

288065 · S, M, L, XL, 2XL, 3XL | Black (90)



Ultrasoft 100% combed ring-spun cotton tee.

- 100% combed ring-spun cotton.
- Fit: Slim.
- Soft and lightweight material.
- Crew collar.
- Plastisol ink screen-printed graphics.

WOMEN'S

NEW Can-Am x FH Desert Pullover Hoodie

288339 · S, M, L, XL, 2XL | Black (90)



Pullover hoodie designed as part of the Can-Am x Fasthouse collaboration, offering everyday comfort and a bold, casual style with premium graphic details.

- 100% cotton fleece.
- Fit: Regular.
- Soft plastisol graphic at front.
- Kangaroo pocket.
- Ribbed cuffs and hem.
- Can-Am x Fasthouse label at sleeve hem.
- Heat-transfer main label inside for added comfort.

Can-Am x FH Off-Road Crew Pullover Hoodie

288229 · S, M, L, XL, 2XL | Ivory (97)



Midweight hooded pullover for women.

- 80% cotton, 20% polyester.
- Fit: Regular.
- Soft midweight material (280 gsm).
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Screen-printed graphics.
- Ribbed sleeve cuffs and waistband hem.

Can-Am x FH Dust to Dawn T-shirt

288375 · XS, S, M, L, XL, 2XL | Black (90), Ivory (97)



Can-Am x Fasthouse collaboration Women's T-shirt.

- 100% cotton.
- 190 gsm.
- Fit: Slim.
- Ribbed collar.

UNISEX

Can-Am x FH Adventure Beanie

288231 · One size | Army Green (77), Black (90)



Can-Am x Fasthouse collaboration heavy-knit cuff beanie.

- 100% acrylic.
- Ultrasoft anti-itch material.
- Can-Am x Fasthouse woven patch at front.
- Small folded Can-Am x Fasthouse label at back.

Can-Am x FH Straw Hat

448814 · One size | Khaki (05)



Wide-brim straw hat with adjustable chin strap.

- 100% straw.
- Patch at front.
- One size fits most.

Can-Am x FH Tube

288232 · One size | Black (90)



Multipurpose, stretchy and comfortable tubular headwear.

- 92% polyester, 8% spandex.
- 12 different configurations: bandana, headband, balaclava and more.

UNISEX

NEW Can-Am x FH Dust Cap

288335 · One size | Black (90), Ivory (97)



Can-Am x Fasthouse collaboration cap, offering everyday comfort and a bold stylish look.

- 100% cotton twill.
- Mesh: 100% polyester.
- 5-panel construction.
- Soft plastisol print at front.
- Curved brim.
- Adjustable snapback closure.
- Mesh panels at back for ventilation.
- Branded inner tape with Fasthouse and Can-Am.
- Fasthouse embroidery on the side panel.

NEW Can-Am x FH Club Cap

288336 · One size | Black (90)



Can-Am x Fasthouse collaboration club cap offering a clean, structured look for everyday wear.

- 80% acrylic and 20% wool.
- 5-panel construction.
- Embroidered patch with screen-printed details at front.
- Flat brim.
- Adjustable snapback closure.
- Branded inner tape.
- FH and Can-Am embroideries on side panels.

Can-Am x FH Dust to Dawn Mesh Flat Cap

288370 · One size | Black (90), White (01)



A mid-profile trucker 5-panel snapback from the Can-Am x Fasthouse collaboration.

- 48% polyester, 42% acrylic, 10% wool.
- 5-panel construction.
- Flat brim and matching underbrim.
- Branded taping and Fasthouse® flag label.
- Side logo embroidery Can-Am x Fasthouse on side parts.
- Snapback closure at back.

Can-Am x FH Dust Flat Cap

288374 · One size | Black (90)



A deep profile structured 5-panel snapback from the Can-Am x Fasthouse collaboration using premium acrylic wool.

- 80% acrylic, 20% wool.
- 5-panel construction.
- Deep profile, structured. 3D embroidery with print at front.
- Side logo embroidery Can-Am x Fasthouse on side parts.
- Branded taping and flag label.

YOUTH

NEW Can-Am x FH Club Cap

288347 · One size | Black (90)



Club cap for kids designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 80% acrylic and 20% wool.
- 5-panel construction.
- Embroidered patch with screen-printed details at front.
- Flat brim.
- Adjustable snapback closure.
- Branded inner tape.
- FH embroidery on the side panel.
- Can-Am embroidery on the side panel.

NEW Can-Am x FH Club Jersey

288346 · 3-4, 5-6, 7-8, 10-12, 14 | Black (90)



Club Jersey created as part of the Can-Am x Fasthouse collaboration, designed for performance, durability, and airflow, featuring premium graphics and an athletic fit for confident riding.

- 100% polyester.
- High-quality silk-screened graphics.
- Moisture-wicking materials to help keep you dry.
- Mesh vent paneling on sides and under sleeves for enhanced airflow.
- Drop tail back panel to keep the jersey tucked in and secure.
- Athletic fit, moderately slim through the body and sleeves.
- Overlocked stitching for superior durability and longevity.

24.7 X CAN-AM COLLECTION

UNISEX

NEW Can-Am X 24.7 Yellow/Off-White Flat Cap

288587 · One size | Ivory (97)



Can-Am X 24.7 Hunt collaboration.
- 100% cotton corduroy.
- 5-panel construction.
- Flat brim.
- Half structured front.
- Rope.
- Embroidered woven patch at front and branding on sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

NEW Can-Am X 24.7 Yellow Corduroy Cap

288588 · One size | Yellow (10)



Can-Am x 24.7 Hunt collaboration cap with a flat visor and corduroy fabric for a vintage-inspired, comfortable fit.
- 100% cotton.
- 5-panel construction.
- Flat brim.
- Rope.
- Embroidered Can-Am coloured patch at the front and branding on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

Can-Am x 24.7 Curved Cap

288482 · One size | Black (90)



Can-Am x 24.7 Hunt collaboration.
- 100% cotton corduroy.
- 5-panel construction.
- Curved brim.
- Embroidered woven patch at front.
- Embroidered brands on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

Can-Am x 24.7 Green Rope Cap

288484 · One size | Army Green (77)



Can-Am x 24.7 Hunt collaboration.
- 100% cotton.
- 5-panel construction.
- Flat brim.
- Rope.
- Embroidered Duck patch in Can-Am colour at front.
- Embroidered brands on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

YOUTH

NEW Can-Am x 24.7 Curved Cap

288590 · One size | Black (90)



Can-Am X 24.7 Hunt collaboration for youth.
- 100% cotton.
- 5-panel construction.
- Curved brim.
- Embroidered Duck patch at front.
- Embroidered brands on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

EVERYDAY WEAR

MEN'S

NEW Can-Am Windproof Fleece

456078 · S, M, L, XL, 2XL, 3XL | Black (90)



The Can-Am Windproof Fleece is ideal for layering under the Journey Mesh Jacket to add warmth and block wind, or to be worn on its own off the vehicle.

- 100% polyester (295 gsm).
- Fit: Regular.
- Breathable windproof TPU membrane.
- Logo Can-Am at shoulder.
- Three zippered pockets.
- Premium YKK® zippers throughout.
- Reflective details and logos for enhanced visibility.

NEW Can-Am Turbo T-shirt LS

288329 · S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Men's Turbo LS T-Shirt designed with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol arm print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Cosmos T-shirt

288330 · S, M, L, XL, 2XL, 3XL | Army Green (77), Heather Charcoal (29)



Can-Am Cosmos T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol chest print and back graphic
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Sizzled T-shirt

288331 · S, M, L, XL, 2XL, 3XL | Heather Grey (27), Black (90)



Can-Am Sizzled T-Shirt made with soft fabric for comfortable everyday wear.

- Solid colour: 60% cotton, 40% polyester (160 gsm).
- Heather: 93% cotton, 7% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Flameter T-shirt

288388 · S, M, L, XL, 2XL, 3XL | Black (90), Army Green (77)



Can-Am Men's Flameter T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

NEW Can-Am Best Way T-shirt

288391 · S, M, L, XL, 2XL, 3XL | Bronze (92), Heather Charcoal (29)



Can-Am Best Way T-Shirt made with soft fabric for comfortable everyday wear.
- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

Can-Am Heritage T-shirt

288275 · S, M, L, XL, 2XL, 3XL | Black (90), Heather Grey (27)



Men's casual graphic T-shirt with heritage artwork at back.
- Solid: 60% cotton, 40% polyester.
- Heather: 97% cotton, 3% polyester.
- Fit: Regular.
- Ribbed collar.
- Small Can-Am logo at left chest and artwork at back.
- Small embroidered label at front.

Can-Am '73 T-shirt

288276 · S, M, L, XL, 2XL, 3XL | Black (90)



Men's casual graphic T-shirt with large '73 Can-Am logo at front.
- 60% cotton, 40% polyester.
- Fit: Regular.
- Ribbed collar.
- Small embroidered label at front.

Can-Am Off-Road Livin' T-shirt

288423 · S, M, L, XL, 2XL, 3XL | Black (90), Bronze (92)



Men's casual graphic T-shirt.
- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Small Can-Am graphic at left chest and artwork at back.

Can-Am Division T-shirt

288432 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90)



Men's casual graphic T-shirt.
- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.

Can-Am Unstoppable T-shirt

288433 · S, M, L, XL, 2XL, 3XL | Black (90), Bronze (92)



Men's casual graphic T-shirt.
- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.

MEN'S

Can-Am Vision T-shirt

288488 · S, M, L, XL, 2XL, 3XL | Black (90), Heather Charcoal (29)



- Men's casual graphic T-shirt.
- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Small graphic at left chest and artwork at back.

Can-Am DNA T-shirt

288173 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90), Sand (03)



Men's Can-Am graphic T-shirt, perfect for everyday wear.

- 60% cotton, 40% polyester.
- Fit: Regular.
- Ribbed collar.
- Can-Am graphic at front.

Can-Am Bonded Plaid Overshirt

288163 · S, M, L, XL, 2XL, 3XL | Burgundy (35)



Can-Am bonded plaid overshirt offering warmth, durability, and a premium outdoor aesthetic, designed with a flannel exterior and a soft fleece interior for everyday comfort.

- 100% cotton flannel with herringbone weave, bonded to micro polar fleece.
- Soft, warm, and structured fabric construction.
- Two chest pockets with flaps.
- Snaps at centre front and chest pocket flaps, embossed with the Can-Am logo.
- Embroidered Can-Am logo on pocket flap.
- Self hanger loop at back yoke.
- Snap cuffs.

WOMEN'S

NEW Can-Am Windproof Fleece

456079 · XS, S, M, L, XL, 2XL | Black (90)



- The Can-Am Windproof Fleece is ideal for layering under the Journey Mesh Jacket to add warmth and block wind, or to be worn on its own off the vehicle.
- Constructed with grid polar fleece bonded to a windproof membrane. The grid structure helps release excess heat and moisture during movement, making it highly suitable for riding comfort.
- 100% polyester (295 gsm).
- Fit: Regular.
- Breathable windproof TPU membrane.
- Two zippered pockets.
- Premium YKK® zippers throughout.
- Reflective details and logos for enhanced visibility.

NEW Can-Am Turbo T-shirt

288332 · XS, S, M, L, XL, 2XL | Heather Charcoal (29)



Can-Am Women's Turbo T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Slim.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Flameter T-shirt

288389 · XS, S, M, L, XL, 2XL | Heather Charcoal (29), Pink (36)



Can-Am Women's Flameter T-shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Slim.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

WOMEN'S

NEW Can-Am Wind Sister T-shirt

288390 · XS, S, M, L, XL, 2XL | Heather Grey (27)



Can-Am Wind Sister T-Shirt made with soft fabric for comfortable everyday wear.

- 93% cotton, 7% polyester (160 gsm).
- Fit: Slim.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

Can-Am '73 T-shirt

288286 · XS, S, M, L, XL, 2XL | Black (90)



Women's casual graphic T-shirt with large '73 Can-Am logo at front.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Small embroidered label at front.

Can-Am Division T-shirt

288434 · XS, S, M, L, XL, 2XL | Black (90), Pink (36)



Women's casual graphic T-shirt.

- 60% cotton, 40% polyester.
- Slim fit.
- Ribbed collar.
- Can-Am logo at chest and artwork at back.

UNISEX

Can-Am Phantom Jersey

288270 · S, M, L, XL, 2XL, 3XL | Army Green (77), Charcoal Grey (07), Dark Navy (16), Grey (09)



Our classic Can-Am jersey with a new look!

- 100% polyester.
- Fit: Regular.
- Quick-dry, moisture-wicking fabric for maximum comfort.
- Antibacterial treatment for anti-odor.
- Mesh fabric for extra ventilation at underarms.
- Sublimated logos.

NEW Can-Am Flameter Flat Cap

288403 · One size | Army Green (77)



Can-Am Flameter cap designed with a flat visor for a classic, comfortable silhouette.

- 100% cotton twill.
- 5-panel construction.
- Embroideries on front panel.
- Adjustable snapback closure.
- Branded inner tape.

NEW Can-Am Waypoint Curved Cap

288404 · One size | Sand (03), Black (90)



Can-Am Waypoint cap designed with a curved visor for a classic, comfortable silhouette.

- 100% cotton twill.
- 6-panel construction.
- Soft plastisol print on the front.
- Embroidered twill patch applied on the front.
- Curved brim.
- Adjustable snapback closure.
- Can-Am-branded inner tape.

UNISEX

NEW Can-Am Turbo Curved Cap

288539 · One size | Black (90), Bronze (92)



Can-Am Turbo cap designed with a curved visor for a classic, comfortable silhouette.

- 100% cotton twill.
- Mesh 100% polyester.
- 6-panel construction.

- 3D embroidery at front.
- Adjustable snapback closure.
- Mesh panels at back for ventilation.
- Can-Am-branded inner tape.

NEW Can-Am Cosmos Flat Mesh Cap

288541 · One size | Black (90)



Can-Am Cosmos cap with a flat visor and mesh back panel for a retro-inspired, comfortable fit.

- 100% cotton.
- Mesh 100% polyester.

- Structured-5 panel cap.
- Snapback closure at back.
- Patch at centre front.
- Small Can-Am label at back.

Can-Am Unstoppable Flat Cap

288495 · One size | Black (90), Silver (08)



Unisex Unstoppable cap with flat brim offering everyday comfort and a stylish look.

- 100% cotton.
- 5-panel construction.
- Flat brim.
- Snapback closure at back.
- Inside Can-Am branded tape.
- Soft plastisol print at front.

Can-Am Racing Adjustable Cap

288080 · One size | Black (90), Charcoal Grey (07)



Can-Am Racing cap offering everyday comfrot and a stylish look.

- 100% cotton twill.
- 6-panel construction.
- Curved brim.
- Can-Am logo on the front.
- Racing inspiration.
- Snapback closure at back with small Can-Am label.
- Can-Am–branded inner tape.

YOUTH

NEW Can-Am Cosmos T-shirt

288345 · 3–4, 5–6, 7–8, 10–12 | Army Green (77), Heather Grey (27)



Can-Am Cosmos T-Shirt for kids made with soft fabric for comfortable everyday wear.

- Solid colour: 60% cotton, 40% polyester (160 gsm).
- Heather: 93% cotton, 7% polyester (160 gsm).

- Fit: Regular.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.

NEW Can-Am Est. ’73 Cap

288348 · One size | Army Green (77)



Can-Am Est. '73 curved cap for kids offering everyday comfort and a clean, stylish look.

- 100% cotton twill.
- 6-panel construction.

- 3D embroidery at front.
- Curved brim.
- Adjustable snapback closure.
- Branded inner tape.

SIGNATURE COLLECTION

MEN'S

NEW Can-Am Emblem LS T-shirt

288538 · S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Emblem LS T-Shirt designed with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

Can-Am Emblem T-shirt

288148 · S, M, L, XL, 2XL, 3XL | Black (90), Heather Grey (27), Sand (03), Army Green (77)



Men's Signature T-shirt with Can-Am logo and emblematic lines at front.

- 60% cotton, 40% polyester.
- Heather Grey (27): 97% cotton, 3% polyester.
- Fit: Regular.
- Ribbed collar.

Can-Am Emblem Crewneck

288241 · S, M, L, XL, 2XL, 3XL | Black (90), Heather Grey (27)



Can-Am Emblem crewneck offers warmth, comfort, and a premium feel, designed with a heavyweight fleece fabric and a soft hand-feel finish for everyday wear.

- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Relaxed.
- Carbonized bio finish for enhanced softness and comfort.
- Warm, comfortable, heavyweight, and easy-care fabric.
- Soft plastisol print at front.
- Ribbed collar, hem, and sleeve cuffs.
- Heat-transfer main label inside for added comfort.

NEW Can-Am Emblem Pullover Hoodie

288535 · S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Emblem Pullover Hoodie made with heavyweight fleece for warmth and premium comfort.

- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Relaxed.
- Mineral wash for an aged and authentic look.
- Carbonized bio finish for enhanced softness and comfort.
- Easy-care fabric.
- Soft plastisol print at front.
- Heat-transfer main label inside for added comfort.
- Rib at cuffs and hem.
- Kangaroo pocket.

Can-Am Emblem Zip-Up Hoodie

288338 · S, M, L, XL, 2XL, 3XL | Black (90), Sand (03)



Signature hooded zip-up sweatshirt.

- 60% cotton, 40% polyester.
- 300 gsm.
- Fit: Relaxed.
- Carbonized bio finish.
- Kangaroo pocket.
- Rib on cuffs and hem.
- Drawstring hood.

MEN'S

Can-Am Emblem Pullover Hoodie

288242 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90), Sand (03)



Men's Signature pullover hoodie with Can-Am logo and emblematic lines at front.
- 60% cotton, 40% polyester.
- 300 gsm.
- Fit: Relaxed.
- Carbonized bio finish for a softer and premium look.
- Rib at cuffs and hem.
- Kangaroo pocket.

Can-Am Off-Road Livin' Pullover Hoodie

288425 · S, M, L, XL, 2XL, 3XL | Black (90), Bronze (92)



Casual Can-Am pullover hoodie.
- 60% cotton, 40% polyester.
- 300 gsm.
- Fit: Relaxed.
- Carbonized bio finish for a softer and premium look.
- Rib at cuffs and hem.
- Kangaroo pocket.
- Soft plastisol print graphic at back. Regular Can-Am logo at left chest.

WOMEN'S

Can-Am Emblem T-shirt

288187 · XS, S, M, L, XL, 2XL | Black (90), Pink (36)



Women's Signature T-Shirt with Can-Am logo and emblematic lines at front.
- 60% cotton, 40% polyester (160 gsm)
- Fit: Slim
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

Can-Am Emblem Crewneck

288243 · XS, S, M, L, XL, 2XL | Black (90)



Can-Am Emblem crewneck offers warmth, comfort, and a premium feel, designed with a heavyweight fleece fabric and a soft hand-feel finish for everyday wear.
- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Regular.
- Carbonized bio finish for enhanced softness and comfort.
- Warm, comfortable, heavyweight, and easy-care fabric.
- Soft plastisol print at front.
- Ribbed collar, hem, and sleeve cuffs.
- Heat-transfer main label inside for added comfort.

Can-Am Emblem Pullover Hoodie

288244 · XS, S, M, L, XL, 2XL | Army Green (77), Black (90)



Can-Am Emblem pullover hoodie offers warmth, comfort, and a premium feel, designed with a heavyweight fleece fabric and a soft hand-feel finish for everyday wear.
- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Regular.
- Carbonized bio finish for enhanced softness and comfort.
- Warm, comfortable, heavyweight, and easy-care fabric.
- Soft plastisol print at front.
- Heat-transfer main label inside for added comfort.
- Rib at cuffs and hem.
- Kangaroo pocket.

UNISEX

Can-Am 1973 Signature Cap

288112 · One size | Red (30)



Signature 1973 curved cap offering everyday comfort and a stylish look.
- 100% cotton twill.
- 6-panel construction.
- Embroidery Can-Am patch at front.
- Curved brim.
- Adjustable snapback closure.
- Can-Am–branded inner tape.

NEW Can-Am Flag Emblem Cap

286843 · One size | Black (90), Army Green (77), Grey (09), Sand (03)



Can-Am Flag Emblem Cap designed with a curved visor for a classic, comfortable silhouette.
- 100% cotton twill.
- 6-panel construction.
- Centre-front Can-Am embroidered logo.
- Curved brim for a classic, structured look.
- Adjustable snapback closure.
- Flag label on the side panel.
- Can-Am-branded inner tape.

Can-Am Emblem Cap

288142 · One size | Sand (03)



Signature Cap with Can-Am logo and emblematic lines at front.
- 100% cotton.
- Embroidered Can-Am logo on the front.
- Can-Am-branded tape inside and flag label at back.
- Snapback closure at back.

Can-Am Off-Road Livin' Flat Cap

288323 · One size | Black (90), Bronze (92)



Unisex Off-Road Livin' cap with flat peak.
- Content: 100% cotton.
- Mesh: 100% polyester.
- 5-panel construction.
- Embroidered patch at front.
- Inside Can-Am-branded tape.
- Snapback closure at back.

Can-Am Division Pre-Curved Cap

288431 · One size | Army Green (77), Black (90)



Pre-Curved Can-Am Off-Road Division with 3D embroidery offering everyday comfort and a stylish look.
- 100% cotton.
- 6-panel construction.
- 3D embroidery and satin stitch flat embroidery at front.
- Inside Can-Am branded tape.
- Snapback closure at back.

Can-Am Reversible Camo Beanie

288160 · One size | Army Green (77)



Two-in-one reversible beanie with our new hexagon camo knit pattern.
- 95% acrylic, 4% nylon, 1% spandex.
- Hypoallergenic.
- Small folded Can-Am label at front.
- Embroidered Can-Am logo at front.

UNISEX

NEW Can-Am Flag Emblem Beanie

286847 · One size | Army Green (77), Black (90), Grey (09)



Can-Am Flag Emblem Beanie designed with a supersoft fabric for a warm and comfortable silhouette.

- 87% polyester, 10% wool, 3% spandex.
- Rib-knit construction for stretch and comfort.
- Folded cuff for a secure and classic look.
- Can-Am patch at front.
- Soft, cozy hand feel.

1973 Signature Bandana

288281 · One size | Black (90), Wine (32), Denim Blue (79)



Our bandana is a cheerful accessory, perfect for our bold riders! It will become your new staple piece when riding.

- 100% cotton.
- Dimensions: 24" x 24".
- Can be worn many different ways.
- Checkered print, Can-Am logo and 1973 printed.

NEW Can-Am Riding Tube

288405 · One size | Black (90), Black with Graphics (94)



Lightweight riding tube designed for comfort and versatile protection during outdoor activities.

- 100% polyester jersey.
- Lightweight fabric with UV50 protection.
- All-over print design.
- 12 different configurations: bandana, headband, balaclava and more.
- Protects from sun, wind, or cold.
- Flatlocked seams to avoid skin chafing.
- Woven label featuring Can-Am colours.

PLAY AND LICENSING

TOYS AND COLLECTIBLES

MISC

NEW 1:10 Can-Am Maverick X3 RC Toy
(Not illustrated)

B10828 • One size | Denim Blue (79)

Product dimensions: 341 x 168 x 170 mm.
- 4-direction radio-controlled operation: forward, backward, left and right.
- Working suspension.
- Functional headlights and taillights.
- Authentic exterior design.
- Realistic tyre tread design.

NEW 1:12 Maverick X3 X rs Turbo RR Winter Edition
(Not illustrated)

B10794 • One size | Navy (89)

Product Dimensions:
378 x 161 x 153 mm.
- Metal diecast construction.
- Rolling tracks.
- Posable front tracks.
- Functional suspension.
- Opening doors.
- Interior cab details.
- Authentic exterior design.
- Realistic track design.

1:12 Maverick X3 X rs Turbo RR Premium Replica

B10787 • One size | Black (90)



Product dimensions:
286 x 155 x 145 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Articulated steering.
- Functional suspensions.
- Openable doors.
- Interior cab details.
- Authentic exterior design.

1:12 X3 X rs Turbo RR Premium Replica with Accessories

B10788 • One size | Red (30)



Product dimensions:
281 x 155 x 161 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Articulated steering.
- Functional suspensions.
- Openable doors.
- Interior cab details.
- Authentic exterior design.
- Accessories such as Adventure Roof Rack, LinQ pivoting Rack and tyre.

1:12 Maverick X3 X rc Turbo RR Premium Replica

B10789 • One size | Red (30)



Product dimensions:
286 x 155 x 145 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Articulated steering.
- Functional suspensions.
- Openable doors.
- Interior cab details.
- Authentic exterior design.

NEW 1:32 Diecast Can-Am Maverick R X rs with Smart-Shox
(Not illustrated)

B10818 • One size | Navy (89)

Product Dimensions: 105.2 x 56.7 x 60.3 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Clear windows and interior cab details.
- Authentic exterior design.
- Authentic tyre tread design.
- Roof rack and spare tyre.

NEW 1:32 Diecast Can-Am Maverick R MAX X rs with Smart-Shox

(Not illustrated)

B10819 · One size | Navy (89)

Product Dimensions: 107 x 57.8 x 54.2 mm.
- Diecast metal and plastic.
- Free-rolling wheels .
- Interior cab details.
- Authentic exterior design.
- Authentic tyre tread design.

NEW 1:32 Diecast Can-Am Maverick X3 DS Turbo

(Not illustrated)

B10816 · One size | Denim Blue (79)

Product Dimensions: 107 x 57.8 x 54.2 mm.
- Diecast metal and plastic.
- Free-rolling wheels .
- Interior cab details.
- Authentic exterior design.
- Authentic tyre tread design.

NEW 1:32 Diecast Can-Am Maverick X3 MAX X rc Turbo RR

(Not illustrated

B10817 · One size | Red (30)

Product Dimensions: 107 x 57.8 x 54.2 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Interior cab details.
- Authentic exterior design.
- Authentic tyre tread design

1:32 Diecast Maverick Sport 24 pcs Case-Pack

B10790 · One size | Mixed colour (18)



This Case-Pack includes:
- 12 x 1:32 Maverick Sport X rc (Red).
- 12 x 1:32 Maverick Sport X xc (Silver).

1:32 Diecast Maverick Trail 24 pcs Case-Pack

B10791 · One size | Mixed colour (18)



This Case-Pack includes:
- 12 x 1:32 Maverick Trail DPS (Black).
- 12 x 1:32 Maverick Trail DPS (Blue).

1:32 Diecast Commander 24 pcs Case-Pack

B10792 · One size | Mixed colour (18)



This Case-Pack Includes:
- 12 x 1:32 Commander XT-P (Orange).
- 12 x 1:32 Commander XT (Black).
- .

Diecast Defender 24 pcs Case-Pack

B10793 · One size | Mixed colour (18)



This Case-Pack includes:
- 12 x 1:32 Defender X mr (Silver).
- 12 x 1:32 Defender XT HD9 (Navy).

REPLACEMENT PARTS

MISC

Helmet Service Pad

448695 • One size | Black (90)



- Part made to support a helmet while servicing it.

RAYVIK

MISC

Rayvik X5 Replacement Helmet Liner

929166 • XS, S, M, L, XL, 2XL, 3XL, 4XL | Black (90)



- Replacement liner compatible with Rayvik X5 helmets.
- Sizes are not interchangeable.

Rayvik X5 Cheek Pads

929167 • XS, S, L, 3XL, 4XL | Black (90)



- Replacement cheek pads for Rayvik X5 helmet.
- XS (50 mm).
- S (45 mm).
- L (40 mm) original size of M, L and XL helmet size.
- 3XL (35 mm).
- 4XL (30 mm).

Rayvik Goggles Replacement Nose Guard

(Not illustrated)

940021 • One size | Black (90)

- Fits Rayvik goggles.

Rayvik X5 Replacement Peak

929168 • One size | Black (90), Sand (03)



- Replacement peak compatible with Rayvik X5 helmets.
- Includes peak breakaway post.

Rayvik X5 Replacement Peak Breakaway Post

929169 • One size | Black (90)



- Replacement part compatible with Rayvik X5 helmets.

Rayvik X5 Side Vents

(Not illustrated)

929237 • One size | Black (90)

- Replacement mesh side vents for Rayvik X5.

MISC

Rayvik Goggles Mirrored Off-Road Lens

940022 · One size | Red (30), Yellow (10)



- Optional lens for the Rayvik goggles.
- Cat. 2 Amber base colour.
- Full mirror coating.
- Anti-fog treated.
- Ideal for sunny and partly cloudy days.

Rayvik Goggles Clear Off-Road Lens

940017 · One size | Clear (00)



- Fits all Rayvik goggles.
- Injected PC lens.
- Anti-fog.

Rayvik Goggles Mirrored Winter Lens

940020 · One size | Red (30), Sand (03), Yellow (10)



- Optional lens for the Rayvik goggles.
- Cat. 2 Rose base colour, full mirror coating, ideal for sunny and partly cloudy days.

Rayvik Goggles Winter Lens

940019 · One size | Clear (00), Pink (36), Yellow (10)



- Compatible with Rayvik goggles.

Rayvik Off-Road Goggles Tear-Offs

940015 · One size | Clear (00)

- Pack of 10.

VIBE

MISC

Vibe Velcro® & Adhesive Kit

929152 · One size | Black (90)



Replacement Velcro® and adhesive for Vibe Application.

- Speaker Velcro® (2x)
- Wired mic Velcro® (1x)
- Boom mic Velcro® (1x)
- Boom mic stabiliser Velcro® (1x)
- Boom mic wind sponge (1x)
- Vibe universal fastener Velcro® (1x) (4 pcs)
- Vibe universal dual sided adhesive (1x) (2 pcs)
- Vibe universal single sided adhesive (1x) (3 pcs)

Vibe Microphone

929132 · One size | Black (90)



- Fits Vibe Communication System by BRP.

Vibe Speakers

929133 · One size | Black (90)



- Fits Vibe Communication System by BRP.

PYRA

MISC

NEW Pyra X1 RPM Peak Pivots
(Not illustrated)

929173 • One size | Black (90)

- Replacement peak pivot set for Pyra X1 helmets.

NEW Pyra X1 RPM Peak #929212



929182 • One size | Green (70), Grey (09), Orange (12)

- Fits Pyra X1 #929212

NEW Pyra X1 RPM Peak #929153



929183 • One size | Black (90)

- Fits Pyra X1 #929153

NEW Pyra X1 RPM Peak #929211



929184 • One size | Black (90), Pink (36), Sand (03)

- Fits Pyra X1 #929211

Pyra Headliner



929060 • XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07), Black (90)

- Fits Pyra helmet family.

Pyra Cheek Pads



929061 • XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07), Black (90)

- Fits Pyra helmet family.

Pyra Wind Deflector



929062 • S (fits XS/S/M/L), L (fits XL/2XL/3XL) | Black (90)

- Fits Pyra helmet family.

Pyra Peak Pivots



929073 • One size | Black (90)

- Fits Pyra helmet family.
- Includes 2 pcs.

Pyra Fixed Peak Pivots

929096 · One size

Black (90)



- Fits Pyra helmet family.
- Includes 2 pcs.

Pyra Front Vent Grid

929097 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Black (90)



- Fits Pyra helmet family.

Can-Am Pyra Phantom Peak

929163 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Black (90), Grey (09)



- Fits Pyra helmet style 929159.

Pyra Fade Peak

929091 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Beige (02), Grey (09), Turquoise (Aqua) (76), White (01)



- Fits Pyra helmet family.

Can-Am Pyra Peak

929063 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Blue (80), Charcoal Grey (07), Red (30)



- Fits Pyra helmet family.

Can-Am Pyra Dune Peak

929064 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Charcoal Grey (07), Grey (09), Red (30), Sand (03)



- Fits Pyra helmet family.

EXOME

MISC

NEW Exome M1 Pinlock® Insert
(Not illustrated)

929174 • One size | Clear (00)

- Anti-Fog Pinlock® 70 Insert, Fits Exome M1 helmets

NEW Exome M5 Helmet Liner



929177 • XS, S, M, L, XL, 2XL, 3XL | Black (90)

- Fits Exome M5 Helmet.

NEW Exome M5 Cheek Pads



929178 • XS, S, M, L, XL, 2XL, 3XL | Black (90)

- Fits Exome M5 Helmet.

NEW Exome M5 Pinlock® Insert
(Not illustrated)

929179 • One size | Clear (00)

- Anti-Fog Pinlock® 70 Insert, Fits Exome M5 helmets.

NEW Exome F5 Forced Air Snorkel



929216 • One size | Black (90)

- Fits Exome F5 helmets, includes the tube and the main part for on-helmet installation, can be used to transform Exome F5 Helmet into a forced air version.

NEW Exome M5 Shield



929219 • One size | Clear (00), Smoke (57)

- Replacment shield for Exome M5 Helmet.

NEW Exome M1 Shield



929221 • One size | Clear (00), Smoke (57)

- Pinlock®-ready visor.
- Fits Exome M1 Helmet and 929190 Can-Am Exome Modular Helmet (DOT/ECE).

NEW Exome M1 Peak



929222 • One size | Black (90), Matte Black (90)

- Fits Exome M1 helmets.

NEW Exome M5 Peak

929223 · One size | Black (90)



- Fits Exome M5 helmets.

NEW Exome F5 Helmet liner

929224 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



- Fits Exome F5 helmets.

NEW Exome F5 Cheek Pads

929226 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



- Fits Exome F5 helmets.

NEW Exome F5 Shield

929227 · One size | Clear (00), Smoke (57)



- Replacement Pinlock®-ready face shield for the Exome F5 Helmet.

NEW Exome F5 Pinlock® Insert

(Not illustrated)

929228 · One size | Clear (00)

- Anti-Fog Pinlock® 70 Insert, fits Exome F5 helmets family.

NEW Exome F5 Forced Air Neck Curtain

929229 · One size | Black (90)



- Fits Exome F5 Helmet, large neck curtain for the forced air version.

NEW Exome F5 Top Air Vent

929232 · One size | Black (90)



- Fits Exome F5 helmets, originally on non-forced air version. May be used to transform Exome F5 Forced Air Helmet into a non-forced air helmet.

Exome Headliner

DOT ECE22.06

929188 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



- Fits Can-Am Exome Modular Helmet (DOT/ECE) (929190) and Can-Am Exome Open-Face Helmet (DOT/ECE) (929185).

Exome Single Lens Shield

929044 · One size | Clear (00)



- Fits Can-Am Exome Helmet (929040).
- Replacement Pinlock®-ready face shield for Exome helmets.

Exome Summer Chin Curtain

929046 · One size | Black (90)



- Fits Can-Am Exome Helmet (929040).

Exome Peak Fasteners Kit

929047 · One size | Black (90)



- Fits Exome helmet family.

Exome Summer Headliner

929049 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07)



- Fits summer Exome helmet family.

Exome Peak

929057 · One size | Black (90), Matte Black (93)



- Fits Exome helmet family.

Exome Summer Vents Kit

929065 · One size | Black (90)



- Fits Exome helmet family.

Exome Shield Mechanism

929067 · One size | Black (90)



- Fits Exome helmet family.

Exome Shield Sealing Gasket

929070 · One size | Black (90)

- Fits Exome helmet family.



Exome Summer Sun Shield

DOT ECE 22.06

929072 · One size | Smoke (57), Clear (00)

- Fits Exome helmet family.



Exome Summer Chin Lock Covers

929075 · One size | Black (90)

- Fits Exome helmet family.



Exome Summer Cheek Pads

929092 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07)

- Fits summer Exome helmet family.



Exome Open-Face Peak

929145 · One size | Black (90)

- Fits Exome open-face helmet family.



Exome Open-Face Headliner

DOT

929147 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07)

- Fits Exome open-face helmet family.
- DOT certified version only.



Exome Open-Face Cheek Pads

929148 · XS, S, M, L, XL, 2XL, 3XL | Black (90), Charcoal Grey (07)

- Fits summer Exome open-face helmet family.



RETRO OPEN-FACE

MISC

Retro Open-Face RPM Peak

929192 · One size | Black (90)



- Fits Retro open-face helmets.

Retro Open-Face Cheek Pads

929193 · S, M, L, XL, 2XL | Black (90)



- Fits Retro open-face helmets.

FLINT

MISC

Flint Goggles Tear-Offs

448759 · One size | Clear (00)

- Ready-to-use clear tear-off tabs.
- Pack of 10.

Flint Goggles Nose Guard

448760 · One size | Black (90)



- Fits all Flint goggles:
  - Flint Dune
  - Flint Fade
  - Flint Phantom

Flint Goggles Clear Single UV Lens

448764 · One size | Clear (00)



- Fits all Flint goggles:
  - Flint Dune
  - Flint Fade
  - Flint Phantom

Flint Goggles Chrome Single UV Lens

448765 · One size | Blue (80), Chrome (99), Red (30), Turquoise (Aqua) (76), Yellow (10)



- Fits all Flint goggles:
  - Flint Dune
  - Flint Fade
  - Flint Phantom

Flint Photochromatic RPM Single UV Lens

448784 · One size | Smoke (57)



- Fits Flint goggle family.

TRENCH

MISC

Trench Goggles Nose Guard

448708 · One size | Black (90)



- Fits Trench goggles.

Trench Goggles Single UV Lens

448697 · One size | Clear (00)



- Trench anti-scratch, anti-fog RPM lens.
- Clear.

Trench OTG Goggles Single UV Lens

448793 · One size | Clear (00), Smoke 60% (21)



- Fits Trench OTG goggle family.
- Can-Am laser etching on lens.

Trench Goggles Tear-Offs

448727 · One size | Clear (00)

- Compatible with the Can-Am Trench goggles.
- Pack of 10.

Trench OTG Goggles Tear-Offs

448795 · One size | Clear (00)

- Fits Trench OTG goggle family.
- Pack of 10.


BRP
REIMAGINES
THE WAY
YOU ACCESS
YOUR WORLD
Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.
BECAUSE IT'S NOT ABOUT THE DESTINATION, IT'S ABOUT THE JOURNEY—YOURS.
PYRA
BRP
ski-doo
LYNX
SEA-DOO
can-am
ROTAX



CANAMOFFROAD.COM

BRP